Assignment 5

5_Linux_Commands_Assignment-V

Using “cp” commands

1. Create a directory called "my_files" in your home directory.

```
vaibhavi@vaibhavi99099W1:~$ cd ~
vaibhavi@vaibhavi99099W1:~$ mkdir my_files
vaibhavi@vaibhavi99099W1:~$ ls
banks         my_file.txt      my_other_file.txt  sample.txt      text.txt
blank.txt     my_files         my_third_file.txt  test.txt
my_directory  my_new_file.txt  permission_dir     test_directory
vaibhavi@vaibhavi99099W1:~$
```

2. Create three text files named "file1.txt", "file2.txt", and "file3.txt" in the "my_files" directory. (Use Command “touch”)

```
vaibhavi@vaibhavi99099W1:~$ cd ~/my_files
vaibhavi@vaibhavi99099W1:~/my_files$ touch file1.txt file2.txt file3.txt
vaibhavi@vaibhavi99099W1:~/my_files$ ls
file1.txt  file2.txt  file3.txt
vaibhavi@vaibhavi99099W1:~/my_files$
```

3. Create a directory called "backup" in the "my_files" directory.

```
vaibhavi@vaibhavi99099W1:~/my_files$ mkdir backup
vaibhavi@vaibhavi99099W1:~/my_files$ ls
backup  file1.txt  file2.txt  file3.txt
vaibhavi@vaibhavi99099W1:~/my_files$
```

4. Use the "cp" command to make a backup of "file1.txt" and "file2.txt" in the "backup" directory.

```
vaibhavi@vaibhavi99099W1:~/my_files$ cp file1.txt file2.txt backup/
vaibhavi@vaibhavi99099W1:~/my_files$ ls backup
file1.txt  file2.txt
vaibhavi@vaibhavi99099W1:~/my_files$
```

5. Use the "cp" command to copy "file3.txt" to your desktop.

```
vaibhavi@vaibhavi99099W1:~/my_files$ cp file3.txt ~/Desktop/
vaibhavi@vaibhavi99099W1:~/my_files$ ls ~/Desktop/
file3.txt
vaibhavi@vaibhavi99099W1:~/my_files$
```

6. Copy “my_files” directory in home directory with the name “my_old_files”. (Hint : -R)

```
vaibhavi@vaibhavi99099W1:~$ cp -R my_files my_old_files
vaibhavi@vaibhavi99099W1:~$ ls
Desktop       my_file.txt      my_other_file.txt  test.txt
banks         my_files         my_third_file.txt  test_directory
blank.txt     my_new_file.txt  permission_dir     text.txt
my_directory  my_old_files     sample.txt
vaibhavi@vaibhavi99099W1:~$ ls my_old_files
backup  file1.txt  file2.txt  file3.txt
vaibhavi@vaibhavi99099W1:~$ ls my_old_files/backup
file1.txt  file2.txt
vaibhavi@vaibhavi99099W1:~$
```

7. Copy “backup” directory in your home directory

```
vaibhavi@vaibhavi99099W1:~$ cp -R ~/my_files/backup ~/
vaibhavi@vaibhavi99099W1:~$ ls ~
Desktop    my_directory     my_old_files       sample.txt
backup     my_file.txt      my_other_file.txt  test.txt
banks      my_files         my_third_file.txt  test_directory
blank.txt  my_new_file.txt  permission_dir     text.txt
vaibhavi@vaibhavi99099W1:~$ ls ~/backup
file1.txt  file2.txt
vaibhavi@vaibhavi99099W1:~$
```

Using “cp” commands

1. Create a directory called "my_music" in your home directory.

```
vaibhavi@vaibhavi99099W1:~$ mkdir my_music
vaibhavi@vaibhavi99099W1:~$ ls
Desktop     my_directory  my_new_file.txt    permission_dir  text.txt
backup      my_file.txt   my_old_files       sample.txt
banks       my_files      my_other_file.txt  test.txt
blank.txt   my_music      my_third_file.txt  test_directory
vaibhavi@vaibhavi99099W1:~$
```

2. Create 3 files with the name song_1.mp3 , song_2.mp3, song_3.mp3 and save them in the "my_music" directory.

```
vaibhavi@vaibhavi99099W1:~$ cd ~/my_music
vaibhavi@vaibhavi99099W1:~/my_music$ touch song_1.mp3 song_2.mp3 song_3.mp3
vaibhavi@vaibhavi99099W1:~/my_music$ ls
song_1.mp3  song_2.mp3  song_3.mp3
vaibhavi@vaibhavi99099W1:~/my_music$
```

3. Create a subdirectory called "old_music" in the "my_music" directory.

```
vaibhavi@vaibhavi99099W1:~/my_music$ mkdir old_music
vaibhavi@vaibhavi99099W1:~/my_music$ ls
old_music  song_1.mp3  song_2.mp3  song_3.mp3
vaibhavi@vaibhavi99099W1:~/my_music$
```

4. Use the "mv" command to move the file song_1.mp3 to the "old_music" directory.

```
vaibhavi@vaibhavi99099W1:~/my_music$ mv song_1.mp3 old_music/
vaibhavi@vaibhavi99099W1:~/my_music$ ls
old_music  song_2.mp3  song_3.mp3
vaibhavi@vaibhavi99099W1:~/my_music$
```

5. Use the "mv" command to rename one of the song_3.mp3 files to "new_song_3.mp3".

```
vaibhavi@vaibhavi99099W1:~/my_music$ mv song_3.mp3 new_song_3.mp3
vaibhavi@vaibhavi99099W1:~/my_music$ ls
new_song_3.mp3  old_music  song_2.mp3
vaibhavi@vaibhavi99099W1:~/my_music$
```

6. Use the "mv" command to move the "song_2.mp3" file to your desktop.

```
vaibhavi@vaibhavi99099W1:~/my_music$ mv song_2.mp3 ~/Desktop/
vaibhavi@vaibhavi99099W1:~/my_music$ ls ~/Desktop/
file3.txt  song_2.mp3
vaibhavi@vaibhavi99099W1:~/my_music$
```