




PS C:\Users\Dell\cniat_project> tree
Folder PATH listing for volume Windows_11_Pro
Volume serial number is D4AF-6AB6

```
C:.\
├── src
│   ├── apps
│   │   ├── advertisements
│   │   │   └── migrations
│   │   ├── contact
│   │   │   └── migrations
│   │   ├── core
│   │   │   └── migrations
│   │   └── news
│   │       └── migrations
│   ├── config
│   ├── media
│   │   ├── ads
│   │   ├── banners
│   │   ├── news
│   │   │   ├── 2025
│   │   │   └── 12
│   │   └── sponsors
│   ├── static
│   │   ├── css
│   │   ├── images
│   │   └── js
│   ├── staticfiles
│   │   ├── admin
│   │   │   ├── css
│   │   │   │   └── vendor
│   │   │   │       └── select2
│   │   │   ├── img
│   │   │   │   └── gis
│   │   │   └── js
│   │   ├── admin
│   │   │   └── vendor
│   │   │       ├── jquery
│   │   │       ├── select2
│   │   │       │   └── i18n
│   │   │       └── xregexp
│   ├── ckeditor
│   │   └── ckeditor
│   │       ├── adapters
│   │       ├── lang
│   │       ├── plugins
│   │       │   ├── autolink
│   │       │   ├── bbcode
│   │       │   ├── clipboard
│   │       │   │   └── dialogs
│   │       │   ├── embed
│   │       │   │   └── icons
│   │       │   │       └── hidpi
│   │       │   ├── embedbase
│   │       │   │   ├── dialogs
│   │       │   │   └── lang
```








PS C:\Users\Dell\cniah_project\src\templates> tree /F
 Folder PATH listing for volume Windows_11_Pro
 Volume serial number is D4AF-6AB6

C:.



C:\Users\Dell\cniah_project\docker-compose.yml

```
services:
  db:
    image: postgres:15-alpine
    container_name: cniah_db
    volumes:
      - postgres_data:/var/lib/postgresql/data
    environment:
      - POSTGRES_DB=cniah_db
      - POSTGRES_USER=cniah_user
      - POSTGRES_PASSWORD=cniah_password
    ports:
      - "5442:5432"
    networks:
      - cniah_network
    healthcheck:
      test: ["CMD-SHELL", "pg_isready -U cniah_user -d cniah_db"]
      interval: 10s
      timeout: 5s
      retries: 5

  web:
    build: .
    container_name: cniah_web
    command: python manage.py runserver 0.0.0.0:8000
    volumes:
      - ./src:/app
    ports:
      - "8002:8000"
    env_file:
      - .env
    depends_on:
      db:
        condition: service_healthy
    networks:
      - cniah_network
    stdin_open: true
    tty: true

  adminer:
    image: adminer
    container_name: cniah_adminer
    ports:
      - "8081:8080" # Port modifié pour éviter conflit
    depends_on:
      - db
    networks:
```

```
- cniah_network
environment:
- ADMINER_DEFAULT_SERVER=db

volumes:
  postgres_data:

networks:
  cniah_network:
    driver: bridge
```

C:\Users\Dell\cniah_project\Dockefile

```
# Dockerfile
FROM python:3.11-slim

# Variables d'environnement
ENV PYTHONUNBUFFERED=1 \
    PYTHONDONTWRITEBYTECODE=1

# Répertoire de travail
WORKDIR /app

# Installer les dépendances système
RUN apt-get update && apt-get install -y \
    postgresql-client \
    gettext \
    libpq-dev \
    gcc \
    && rm -rf /var/lib/apt/lists/*

# Copier et installer les requirements
COPY requirements.txt .
RUN pip install --upgrade pip && \
    pip install -r requirements.txt

# Le reste sera monté via volume
EXPOSE 8000

# Script d'entrée par défaut
CMD ["python", "manage.py", "runserver", "0.0.0.0:8000"]
```

C:\Users\Dell\cniah_project\manage.py

```
#!/usr/bin/env python
"""Django's command-line utility for administrative tasks."""
import os
import sys

def main():
    """Run administrative tasks."""
    os.environ.setdefault('DJANGO_SETTINGS_MODULE', 'config.settings')
    try:
        from django.core.management import execute_from_command_line
    except ImportError as exc:
        raise ImportError(
            "Couldn't import Django. Are you sure it's installed and "
            "available on your PYTHONPATH environment variable? Did you "
            "forget to activate a virtual environment?"
        ) from exc
    execute_from_command_line(sys.argv)

if __name__ == '__main__':
    main()
```


C:\Users\Dell\cniah_project\requirements.txt

```
# requirements.txt
```

```
Django==5.0
```

```
psycopg2-binary==2.9.9
```

```
pillow==10.1.0
```

```
django-ckeditor==6.7.0
```

```
django-mptt==0.16.0
```

```
django-cleanup==8.0.0
```

```
python-decouple==3.8
```

```
django-enviro==0.11.2
```

```
# Admin personnalisé
```

```
django-jazzmin==3.0.0
```

```
# Utilitaires
```

```
django-extensions==3.2.3
```

```
python-slugify==8.0.1
```

```
# Production (optionnel pour dev)
```

```
gunicorn==21.2.0
```

```
whitenoise==6.6.0
```

```
# .env
DEBUG=1
SECRET_KEY=django-insecure-*h=4s5ox1nt9a=#1!)=o_tp!395$fu07z-4)4vjbjc15t$ph2i
DATABASE_URL=postgresql://cniah user:cniah_password@db:5432/cniah_db
ALLOWED_HOSTS=localhost,127.0.0.1
DB_USER=cniah_user
DB_PASSWORD=cniah_password
ADMIN_USER=cniah_user
ADMIN_PASSWORD=cniah_password
ADMIN_EMAIL=admin@cniah.com

# PostgreSQL
POSTGRES_DB=cniah_db
POSTGRES_USER=cniah_user
POSTGRES_PASSWORD=cniah_password

fu07z=anything
ph2i=anything
```

```
#src\config\settings.py

import os
from pathlib import Path
import sys

# Build paths inside the project like this: BASE_DIR / 'subdir'.
BASE_DIR = Path(__file__).resolve().parent.parent

sys.path.insert(0, os.path.join(BASE_DIR, 'apps'))

# SECURITY WARNING: keep the secret key used in production secret!
SECRET_KEY = os.environ.get('SECRET_KEY')
DEBUG = os.environ.get('DEBUG') == '1'
ALLOWED_HOSTS = os.environ.get('ALLOWED_HOSTS',
'localhost,127.0.0.1').split(',')

# Application definition

INSTALLED_APPS = [
    'jazzmin',
    'django.contrib.admin',
    'django.contrib.auth',
    'django.contrib.contenttypes',
    'django.contrib.sessions',
    'django.contrib.messages',
    'django.contrib.staticfiles',

    # Third party apps
    'ckeditor',
    'ckeditor uploader',
    'mptt',
    'django_cleanup.apps.CleanupConfig',

    # Local apps
    'apps.news',
    'apps.advertisements',
    'apps.contact',
    'apps.core',
]

MIDDLEWARE = [
    'django.middleware.security.SecurityMiddleware',
    'django.contrib.sessions.middleware.SessionMiddleware',
    'django.middleware.common.CommonMiddleware',
    'django.middleware.csrf.CsrfViewMiddleware',
```

```

'django.contrib.auth.middleware.AuthenticationMiddleware',
'django.contrib.messages.middleware.MessageMiddleware',
'django.middleware.clickjacking.XFrameOptionsMiddleware',
]

ROOT_URLCONF = 'config.urls'

TEMPLATES = [
    {
        'BACKEND': 'django.template.backends.django.DjangoTemplates',
        'DIRS': [
            BASE_DIR / "templates",
        ],
        'APP_DIRS': True,
        'OPTIONS': {
            'context_processors': [
                'django.template.context_processors.debug',
                'django.template.context_processors.request',
                'django.contrib.auth.context_processors.auth',
                'django.contrib.messages.context_processors.messages',
                'django.template.context_processors.media',
                'django.template.context_processors.static',
            ],
        },
    },
]

WSGI_APPLICATION = 'config.wsgi.application'

# Database
DATABASES = {
    'default': {
        'ENGINE': 'django.db.backends.postgresql',
        'NAME': os.environ.get('POSTGRES_DB', 'cniah db'),
        'USER': os.environ.get('POSTGRES_USER', 'cniah user'),
        'PASSWORD': os.environ.get('POSTGRES_PASSWORD', 'cniah password'),
        'HOST': 'db',
        'PORT': '5432',
    },
}

# Password validation
AUTH_PASSWORD_VALIDATORS = [
    {

```

```

'NAME':
'django.contrib.auth.password_validation.UserAttributeSimilarityValidator',
},
{
'NAME':
'django.contrib.auth.password_validation.MinimumLengthValidator',
},
{
'NAME':
'django.contrib.auth.password_validation.CommonPasswordValidator',
},
{
'NAME':
'django.contrib.auth.password_validation.NumericPasswordValidator',
},
]

# Internationalization
LANGUAGE_CODE = 'fr-fr'
TIME_ZONE = 'America/Port-au-Prince'
USE_I18N = True
USE_TZ = True

# Static files
STATIC_URL = '/static/'
STATIC_ROOT = BASE_DIR / 'staticfiles'
STATICFILES_DIRS = [BASE_DIR / 'static']

# Media files
MEDIA_URL = '/media/'
MEDIA_ROOT = BASE_DIR / 'media'

# CKEditor Configuration
CKEDITOR_UPLOAD_PATH = "uploads/"
CKEDITOR_CONFIGS = {
    'default': {
        'toolbar': 'Custom',
        'toolbar Custom': [
            ['Bold', 'Italic', 'Underline'],
            ['NumberedList', 'BulletedList', '-', 'Outdent', 'Indent', '-'],
            'JustifyLeft', 'JustifyCenter', 'JustifyRight', 'JustifyBlock'],
        ['Link', 'Unlink'],
        ['RemoveFormat', 'Source']
    ],
    'height': 300,
    'width': '100%',
}

```

```

        'full': {
            'toolbar': 'full',
            'height': 400,
        },
    },
}

# Jazzmin Configuration (Admin moderne)
JAZZMIN_SETTINGS = {
    "site_title": "CNIAH Admin",
    "site_header": "CNIAH",
    "site_brand": "Administration CNIAH",
    "welcome_sign": "Bienvenue sur l'administration du CNIAH",
    "copyright": "CNIAH",
    "search_model": "auth.User",
    "topmenu_links": [
        {"name": "Accueil", "url": "admin:index", "permissions": ["auth.view user"]},
        {"name": "Voir le site", "url": "/", "new_window": True},
    ],
    "show_sidebar": True,
    "navigation_expanded": True,
    "icons": {
        "auth": "fas fa-users-cog",
        "auth.user": "fas fa-user",
        "auth.Group": "fas fa-users",
        "core.banner": "fas fa-image",
        "core.serviceblock": "fas fa-th-large",
        "core.proposition": "fas fa-file-pdf",
        "core.engineeringbranch": "fas fa-industry",
        "core.newsletter": "fas fa-envelope",
        "core.membershipdocument": "fas fa-file-contract",
        # Nouveaux modèles de documents
        "core.documentcategory": "fas fa-folder-tree",
        "core.referencedocument": "fas fa-file-pdf",
        "core.videoresource": "fas fa-video",
        "core.imagegallery": "fas fa-images",
        # Autres modèles
        "news.newsarticle": "fas fa-newspaper",
        "advertisements.sponsor": "fas fa-handshake",
        "advertisements.advertisement": "fas fa-ad",
        "contact.contactmessage": "fas fa-envelope",
        "contact.professionalrequest": "fas fa-user-tie",
    },
    "default_icon_parents": "fas fa-chevron-circle-right",
    "default_icon_children": "fas fa-circle",
    "related_modal_active": False,
    "custom_css": None,

```

```

        "custom_js": None,
        "use_google_fonts_cdn": True,
        "show_ui_builder": False,
        "changeform_format": "horizontal_tabs",
        "changeform_format_overrides": {
            "auth.user": "collapsible",
            "auth.group": "vertical_tabs"
        },
    },
}

JAZZMIN_UI_TWEAKS = {
    "navbar_small_text": False,
    "footer_small_text": False,
    "body_small_text": False,
    "brand_small_text": False,
    "brand_colour": "navbar-navy",
    "accent": "accent-primary",
    "navbar": "navbar-navy navbar-dark",
    "no_navbar_border": False,
    "navbar_fixed": False,
    "layout_boxed": False,
    "footer_fixed": False,
    "sidebar_fixed": False,
    "sidebar": "sidebar-dark-primary",
    "sidebar_nav_small_text": False,
    "sidebar_disable_expand": False,
    "sidebar_nav_child_indent": False,
    "sidebar_nav_compact_style": False,
    "sidebar_nav_legacy_style": False,
    "sidebar_nav_flat_style": False,
    "theme": "default",
    "dark_mode_theme": None,
    "button_classes": {
        "primary": "btn-primary",
        "secondary": "btn-secondary",
        "info": "btn-info",
        "warning": "btn-warning",
        "danger": "btn-danger",
        "success": "btn-success"
    }
}

DEFAULT_AUTO_FIELD = 'django.db.models.BigAutoField'

# Formats de fichiers autorisés pour les documents
ALLOWED_DOCUMENT_EXTENSIONS = [
    'pdf', 'doc', 'docx', 'xls', 'xlsx', 'ppt', 'pptx', 'zip', 'rar'
]

```

```
]
```

```
# Formats de vidéo autorisés
```

```
ALLOWED_VIDEO_EXTENSIONS = ['mp4', 'mov', 'avi', 'mkv', 'webm']
```

```
# Taille max des fichiers (en bytes)
```

```
MAX_DOCUMENT_SIZE = 50 * 1024 * 1024 # 50 MB
```

```
MAX_VIDEO_SIZE = 500 * 1024 * 1024 # 500 MB
```

```
MAX_IMAGE_SIZE = 10 * 1024 * 1024 # 10 MB
```



```
# src/config/urls.py
from django.contrib import admin
from django.urls import path, include
from django.conf import settings
from django.conf.urls.static import static

urlpatterns = [
    path('admin/', admin.site.urls),
    path('ckeditor/', include('ckeditor_uploader.urls')),

    # Apps
    path('', include('apps.core.urls')),
    path('actualites/', include('apps.news.urls')),
    path('contact/', include('apps.contact.urls')),
]

# Servir les fichiers media en développement
if settings.DEBUG:
    urlpatterns += static(settings.MEDIA_URL, document_root=settings.MEDIA_ROOT)
    urlpatterns += static(settings.STATIC_URL,
document_root=settings.STATIC_ROOT)

# Configuration admin
admin.site.site_header = "Administration CNIAH"
admin.site.site_title = "CNIAH Admin"
admin.site.index_title = "Gestion du contenu"
```

```
#src\config\asgi.py

"""
ASGI config for config project.

It exposes the ASGI callable as a module-level variable named ``application``.

For more information on this file, see
https://docs.djangoproject.com/en/5.0/howto/deployment/asgi/
"""

import os

from django.core.asgi import get_asgi_application

os.environ.setdefault('DJANGO_SETTINGS_MODULE', 'config.settings')

application = get_asgi_application()
```

```
#src\config\wsgi.py

"""
WSGI config for config project.

It exposes the WSGI callable as a module-level variable named ``application``.

For more information on this file, see
https://docs.djangoproject.com/en/5.0/howto/deployment/wsgi/
"""

import os

from django.core.wsgi import get_wsgi_application

os.environ.setdefault('DJANGO_SETTINGS_MODULE', 'config.settings')

application = get_wsgi_application()
```

```

# src/apps/advertisements/admin.py
from django.contrib import admin
from .models import Sponsor, Advertisement

@admin.register(Sponsor)
class SponsorAdmin(admin.ModelAdmin):
    list_display = ['name', 'order', 'is_active', 'created_at']
    list_filter = ['is_active', 'created_at']
    search_fields = ['name', 'description']
    list_editable = ['order', 'is_active']

@admin.register(Advertisement)
class AdvertisementAdmin(admin.ModelAdmin):
    list_display = ['title', 'position', 'start_date', 'end_date', 'is_active',
'clicks']
    list_filter = ['position', 'is_active', 'start_date', 'end_date']
    search_fields = ['title']
    readonly_fields = ['clicks', 'created_at', 'updated_at']

    fieldsets = (
        ('Informations principales', {
            'fields': ('title', 'image', 'link', 'position')
        }),
        ('Dates de diffusion', {
            'fields': ('start_date', 'end_date', 'is_active')
        }),
        ('Options', {
            'fields': ('open_new_tab',)
        }),
        ('Statistiques', {
            'fields': ('clicks', 'created_at', 'updated at'),
            'classes': ('collapse',)
        }),
    )

```

```

# src/apps/advertisements/apps.py
from django.apps import AppConfig

class AdvertisementsConfig(AppConfig):
    default_auto_field = 'django.db.models.BigAutoField'
    name = 'apps.advertisements'
    verbose_name = 'Publicités et Sponsors'

```

```
# src/apps/advertisements/models.py
from django.db import models
from django.utils import timezone

class Sponsor(models.Model):
    """Sponsors du CNIAH"""
    name = models.CharField("Nom", max_length=200)
    logo = models.ImageField("Logo", upload_to='sponsors/')
    website = models.URLField("Site web", blank=True)
    description = models.TextField("Description", blank=True)
    order = models.PositiveIntegerField("Ordre d'affichage", default=0)
    is_active = models.BooleanField("Actif", default=True)
    created_at = models.DateTimeField("Cr   le", auto_now_add=True)

    class Meta:
        verbose_name = "Sponsor"
        verbose_name_plural = "Sponsors"
        ordering = ['order', 'name']

    def __str__(self):
        return self.name

class Advertisement(models.Model):
    """Publicit  s sur le site"""
    POSITION_CHOICES = [
        ('banner', 'Banni  re (haut de page)'),
        ('sidebar', 'Barre lat  rale'),
        ('footer', 'Pied de page'),
    ]

    title = models.CharField("Titre", max_length=200)
    image = models.ImageField("Image", upload_to='ads/')
    link = models.URLField("Lien", blank=True)
    position = models.CharField("Position", max_length=20,
choices=POSITION_CHOICES)

    # Dates
    start_date = models.DateField("Date de d  but", default=timezone.now)
    end_date = models.DateField("Date de fin")

    # Options
    is_active = models.BooleanField("Actif", default=True)
    open_new_tab = models.BooleanField("Ouvrir dans un nouvel onglet",
default=True)
```

```
# Stats (optionnel)
clicks = models.PositiveIntegerField("Clics", default=0, editable=False)

created_at = models.DateTimeField("Créé le", auto_now_add=True)
updated_at = models.DateTimeField("Modifié le", auto_now=True)

class Meta:
    verbose_name = "Publicité"
    verbose_name_plural = "Publicités"
    ordering = ['-created_at']

def __str__(self):
    return f"{self.title} ({self.position})"

def is_valid(self):
    """Vérifie si la pub est valide aujourd'hui"""
    today = timezone.now().date()
    return self.is_active and self.start_date <= today <= self.end_date
```

```
#src\apps\contact\admin.py

from django.contrib import admin
from .models import ContactMessage, ProfessionalRequest

@admin.register(ContactMessage)
class ContactMessageAdmin(admin.ModelAdmin):
    list_display = ['name', 'email', 'subject', 'is_read', 'created_at']
    list_filter = ['is_read', 'subject', 'created_at']
    list_editable = ['is_read']
    readonly_fields = ['created_at']

@admin.register(ProfessionalRequest)
class ProfessionalRequestAdmin(admin.ModelAdmin):
    list_display = ['name', 'email', 'professional_type', 'is_processed',
'created at']
    list_filter = ['is_processed', 'professional_type', 'created at']
    list_editable = ['is_processed']
    readonly_fields = ['created at']
```

```
# src/apps/contact/apps.py
from django.apps import AppConfig

class ContactConfig(AppConfig):
    default_auto_field = 'django.db.models.BigAutoField'
    name = 'apps.contact'
    verbose_name = 'Contact et Plaintes'
```

```
#src\apps\contact\models.py

from django.db import models

class ContactMessage(models.Model):
    SUBJECT_CHOICES = [
        ('general', 'Information générale'),
        ('membership', 'Adhésion'),
        ('complaint', 'Plainte'),
        ('professional', 'Recherche de professionnel'),
        ('other', 'Autre'),
    ]
```

```

name = models.CharField(max_length=200, verbose_name="Nom")
email = models.EmailField(verbose_name="Email")
phone = models.CharField(max_length=50, blank=True,
verbose_name="Téléphone")
subject = models.CharField(max_length=50, choices=SUBJECT_CHOICES,
default='general', verbose_name="Sujet")
message = models.TextField(verbose_name="Message")
is_read = models.BooleanField(default=False, verbose_name="Lu")
created_at = models.DateTimeField(auto_now_add=True)

class Meta:
    verbose_name = "Message de contact"
    verbose_name_plural = "Messages de contact"
    ordering = ['-created at']

def __str__(self):
    return f"{self.name} - {self.created_at.strftime('%d/%m/%Y')}"

class ProfessionalRequest(models.Model):
    PROFESSIONAL_TYPE_CHOICES = [
        ('engineer', 'Ingénieur'),
        ('architect', 'Architecte'),
        ('both', 'Les deux'),
    ]

    name = models.CharField(max_length=200, verbose_name="Nom")
    email = models.EmailField(verbose_name="Email")
    phone = models.CharField(max_length=50, blank=True,
verbose_name="Téléphone")
    professional_type = models.CharField(max_length=20,
choices=PROFESSIONAL_TYPE_CHOICES, verbose_name="Type")
    description = models.TextField(verbose_name="Description")
    is_processed = models.BooleanField(default=False, verbose_name="Traité")
    created_at = models.DateTimeField(auto_now_add=True)

    class Meta:
        verbose_name = "Demande de professionnel"
        verbose_name_plural = "Demandes de professionnels"
        ordering = ['-created_at']

    def __str__(self):
        return f"{self.name} - {self.get_professional_type_display()}"

```



```
#src/apps/contact/urls.py

from django.urls import path
from . import views

app_name = 'contact'

urlpatterns = [
    path('', views.contact view, name='contact'),
    path('demande-professionnel/', views.professional request view,
name='professional request'),
]
```

```
#src\apps\contact\views.py

from django.shortcuts import render, redirect
from django.contrib import messages
from .models import ContactMessage, ProfessionalRequest

def contact view(request):
    if request.method == 'POST':
        name = request.POST.get('name')
        email = request.POST.get('email')
        phone = request.POST.get('phone', '')
        message text = request.POST.get('message')
        subject = request.POST.get('subject', 'general')

        if name and email and message text:
            ContactMessage.objects.create(
                name=name,
                email=email,
                phone=phone,
                subject=subject,
                message=message_text
            )
            messages.success(request, 'Votre message a été envoyé avec succès.')
            return redirect('contact:contact')
        else:
            messages.error(request, 'Veuillez remplir tous les champs.')

    return render(request, 'pages/contact/index.html')
```

```
def professional_request_view(request):  
    if request.method == 'POST':  
        name = request.POST.get('name')  
        email = request.POST.get('email')  
        phone = request.POST.get('phone', '')  
        professional_type = request.POST.get('professional_type')  
        description = request.POST.get('description')  
  
        if name and email and professional_type and description:  
            ProfessionalRequest.objects.create(  
                name=name,  
                email=email,  
                phone=phone,  
                professional_type=professional_type,  
                description=description  
            )  
            messages.success(request, 'Votre demande a été enregistrée.')  
            return redirect('core:public_service')  
        else:  
            messages.error(request, 'Veuillez remplir tous les champs.')  
            return redirect('core:public_service')  
  
    return redirect('core:public_service')
```

```
#src\apps\core\admin.py

from django.contrib import admin
from .models import (
    Banner, ServiceBlock, Proposition, EngineeringBranch, Newsletter,
    DocumentCategory, ReferenceDocument, VideoResource, ImageGallery,
    MembershipDocument
)

@admin.register(Banner)
class BannerAdmin(admin.ModelAdmin):
    list_display = ['title', 'is_active', 'order', 'created_at']
    list_filter = ['is_active']
    list_editable = ['is_active', 'order']

@admin.register(ServiceBlock)
class ServiceBlockAdmin(admin.ModelAdmin):
    list_display = ['title', 'is_active', 'order']
    list_editable = ['is_active', 'order']

@admin.register(Proposition)
class PropositionAdmin(admin.ModelAdmin):
    list_display = ['title', 'is_active', 'created_at']
    list_editable = ['is_active']

@admin.register(EngineeringBranch)
class EngineeringBranchAdmin(admin.ModelAdmin):
    list_display = ['name', 'icon', 'is_active', 'order']
    list_editable = ['is_active', 'order']

@admin.register(Newsletter)
class NewsletterAdmin(admin.ModelAdmin):
    list_display = ['email', 'is_active', 'subscribed_at']
    list_editable = ['is_active']

@admin.register(DocumentCategory)
class DocumentCategoryAdmin(admin.ModelAdmin):
    list_display = ['name', 'category_type', 'order', 'is_active', 'created_at']
    list_filter = ['category_type', 'is_active']
    search_fields = ['name', 'description']
    prepopulated_fields = {'slug': ('name',)}
    list_editable = ['order', 'is_active']
```

```

        fieldsets = (
            ('Informations principales', {
                'fields': ('name', 'slug', 'category_type', 'description')
            }),
            ('Affichage', {
                'fields': ('icon', 'order', 'is_active')
            }),
        )

@admin.register(ReferenceDocument)
class ReferenceDocumentAdmin(admin.ModelAdmin):
    list_display = ['title', 'category', 'file_type', 'file_size',
                    'download_count',
                    'is_featured', 'is_active', 'created_at']
    list_filter = ['is_active', 'is_featured', 'file_type', 'category',
                  'created_at']
    search_fields = ['title', 'description', 'author']
    prepopulated_fields = {'slug': ('title',)}
    readonly_fields = ['download count', 'created at', 'updated at']
    list_editable = ['is_featured', 'is_active']

    fieldsets = (
        ('Informations principales', {
            'fields': ('title', 'slug', 'category', 'description')
        }),
        ('Fichier', {
            'fields': ('file', 'file_type', 'file_size')
        }),
        ('Métadonnées', {
            'fields': ('author', 'version')
        }),
        ('Publication', {
            'fields': ('is_active', 'is_featured', 'order')
        }),
        ('Statistiques', {
            'fields': ('download count', 'created at', 'updated at'),
            'classes': ('collapse',)
        }),
    )

    def get_queryset(self, request):
        qs = super().get_queryset(request)
        return qs.select_related('category')

@admin.register(VideoResource)

```

```

class VideoResourceAdmin(admin.ModelAdmin):
    list_display = ['title', 'series name', 'episode number', 'video type',
                    'view count', 'is featured', 'is active', 'created at']
    list_filter = ['is_active', 'is_featured', 'video_type', 'series name',
                  'created_at']
    search_fields = ['title', 'series_name', 'description']
    prepopulated_fields = {'slug': ('title',)}
    readonly_fields = ['view_count', 'created_at', 'updated_at']
    list_editable = ['is_featured', 'is_active']

    fieldsets = (
        ('Informations principales', {
            'fields': ('title', 'slug', 'series_name', 'episode_number',
                      'description')
        }),
        ('Vidéo', {
            'fields': ('video_type', 'video_url', 'video_file', 'thumbnail',
                      'duration')
        }),
        ('Organisation', {
            'fields': ('category',)
        }),
        ('Publication', {
            'fields': ('is_active', 'is_featured', 'order')
        }),
        ('Statistiques', {
            'fields': ('view_count', 'created_at', 'updated_at'),
            'classes': ('collapse',)
        }),
    )

    def get_queryset(self, request):
        qs = super().get_queryset(request)
        return qs.select_related('category')

@admin.register(ImageGallery)
class ImageGalleryAdmin(admin.ModelAdmin):
    list_display = ['title', 'category', 'is_active', 'order', 'created_at']
    list_filter = ['is_active', 'category', 'created_at']
    search_fields = ['title', 'description', 'caption']
    prepopulated_fields = {'slug': ('title',)}
    list_editable = ['is_active', 'order']

    fieldsets = (
        ('Informations principales', {
            'fields': ('title', 'slug', 'description')

```

```

        }),
        ('Image', {
            'fields': ('image', 'caption')
        }),
        ('Organisation', {
            'fields': ('category', 'order', 'is_active')
        }),
    )

def get_queryset(self, request):
    qs = super().get_queryset(request)
    return qs.select_related('category')

@admin.register(MembershipDocument)
class MembershipDocumentAdmin(admin.ModelAdmin):
    list_display = ['title', 'member type', 'file size', 'download count',
                    'is active', 'order', 'created at']
    list_filter = ['is_active', 'member_type', 'created at']
    search_fields = ['title', 'description']
    readonly_fields = ['download count', 'created at', 'updated at']
    list_editable = ['is_active', 'order']

    fieldsets = (
        ('Informations principales', {
            'fields': ('title', 'description', 'member_type')
        }),
        ('Fichier', {
            'fields': ('file', 'file_size', 'icon')
        }),
        ('Publication', {
            'fields': ('is_active', 'order')
        }),
        ('Statistiques', {
            'fields': ('download count', 'created at', 'updated at'),
            'classes': ('collapse',)
        }),
    )

def save_model(self, request, obj, form, change):
    # Calculer automatiquement la taille du fichier si non fournie
    if obj.file and not obj.file_size:
        size_bytes = obj.file.size
        if size_bytes < 1024:
            obj.file_size = f"{size_bytes} B"
        elif size_bytes < 1024 * 1024:
            obj.file_size = f"{size_bytes / 1024:.1f} KB"
        else:

```

```
obj.file_size = f"{size_bytes / (1024 * 1024):.1f} MB"  
super().save_model(request, obj, form, change)
```

```
# src/apps/core/apps.py
from django.apps import AppConfig

class CoreConfig(AppConfig):
    default_auto_field = 'django.db.models.BigAutoField'
    name = 'apps.core'
    verbose_name = 'Contenu Principal'
```



```
# src/apps/core/context_processors.py
from django.utils import timezone
from apps.advertisements.models import Advertisement

def global_ads(request):
    """Context processor pour rendre les publicités disponibles partout"""
    today = timezone.now().date()

    return {
        'footer_ads': Advertisement.objects.filter(
            is_active=True,
            position='footer',
            start_date__lte=today,
            end_date__gte=today
        )[:3]
    }
```

```
#src\apps\core\urls.py

from django.urls import path
from . import views

app_name = 'core'

urlpatterns = [
    path('', views.HomeView.as_view(), name='home'),
    path('ingenieurs-architectes/', views.EngineersArchitectsView.as_view(),
name='engineers_architects'),
    path('au-service-du-public/', views.PublicServiceView.as_view(),
name='public_service'),
    path('newsletter/subscribe/', views.newsletter_subscribe,
name='newsletter_subscribe'),
    path('a-propos/', views.AboutView.as_view(), name='about'),
    path('adhesion/', views.MembershipView.as_view(), name='membership'),
    path('normes/', views.NormsView.as_view(), name='norms'),
    path('sponsors/', views.SponsorsView.as_view(), name='sponsors'),
    path('publicite/', views.AdvertisingView.as_view(), name='advertising'),
    path('membres/espace/', views.MembersDashboardView.as_view(),
name='members_dashboard'),

    # URLs pour documents
    path('documents/', views.DocumentsView.as_view(), name='documents'),
    path('documents/telecharger/<slug:slug>/', views.document_download,
name='document_download'),
    path('videos/<slug:slug>/', views.VideoDetailView.as_view(),
name='video_detail'),
    path('galerie/', views.ImageGalleryView.as_view(), name='gallery'),

    # Documents d'adhésion
    path('adhesion/document/<int:pk>/', views.membership_document_download,
name='membership_document_download'),
]
```

```

# src/apps/core/views.py
from django.shortcuts import render
from django.views.generic import TemplateView, DetailView
from django.utils import timezone
from apps.news.models import NewsArticle
from apps.advertisements.models import Sponsor, Advertisement
from django.http import FileResponse, Http404
from django.shortcuts import get_object_or_404
from .models import DocumentCategory, ReferenceDocument, VideoResource,
ImageGallery, MembershipDocument


class HomeView(TemplateView):
    template_name = 'pages/home.html'

    def get_context_data(self, **kwargs):
        context = super().get_context_data(**kwargs)

        # Hero Banner (à créer dans votre modèle)
        # context['hero_banner'] =
        HeroBanner.objects.filter(is_active=True).first()

        # Actualités nationales (6 dernières)
        context['national_news'] = NewsArticle.objects.filter(
            is_active=True,
            news_type='national',
            published_at__lte=timezone.now()
       )[:6]

        # Actualités internationales (6 dernières)
        context['international_news'] = NewsArticle.objects.filter(
            is_active=True,
            news_type='international',
            published_at__lte=timezone.now()
       )[:6]

        # Articles récents (tous types, 6 derniers)
        context['recent_articles'] = NewsArticle.objects.filter(
            is_active=True,
            published_at__lte=timezone.now()
        ).select_related('category')[:6]

        # Publicités
        today = timezone.now().date()
        context['banner_ads'] = Advertisement.objects.filter(
            is_active=True,
            position='banner',

```

```

        start_date__lte=today,
        end_date__gte=today
    )

    context['sidebar_ads'] = Advertisement.objects.filter(
        is_active=True,
        position='sidebar',
        start_date__lte=today,
        end_date__gte=today
    )[:4]

    # Sponsors
    context['sponsors'] = Sponsor.objects.filter(is_active=True)

    # Service blocks (à créer dans votre modèle si nécessaire)
    # context['service_blocks'] =
    ServiceBlock.objects.filter(is_active=True)[:3]

    # Proposition document (à créer dans votre modèle si nécessaire)
    # context['proposition_document'] =
    PropositionDocument.objects.filter(is_active=True).first()

    return context

class AboutView(TemplateView):
    template_name = 'pages/cniah/about.html'

class MembershipView(TemplateView):
    template_name = 'pages/cniah/membership.html'

class NormsView(TemplateView):
    template_name = 'pages/cniah/norms.html'

class SponsorsView(TemplateView):
    template_name = 'pages/cniah/sponsors.html'

    def get_context_data(self, **kwargs):
        context = super().get_context_data(**kwargs)
        context['sponsors'] = Sponsor.objects.filter(is_active=True)
        return context

class AdvertisingView(TemplateView):

```

```

        template_name = 'pages/cniah/advertising.html'

class PublicServiceView(TemplateView):
    template_name = 'pages/public/index.html'

class EngineersArchitectsView(TemplateView):
    template_name = 'pages/ingenieurs/index.html'

class MembersDashboardView(TemplateView):
    template_name = 'pages/members/dashboard.html'

def newsletter_subscribe(request):
    """Vue pour gérer l'inscription à la newsletter"""
    if request.method == 'POST':
        email = request.POST.get('email')
        # Logique pour enregistrer l'email dans la base de données
        # Newsletter.objects.create(email=email)
        from django.contrib import messages
        messages.success(request, 'Merci de vous être abonné à notre newsletter!')

    from django.shortcuts import redirect
    return redirect('core:home')

class DocumentsView(TemplateView):
    template_name = 'pages/cniah/documents.html'

    def get_context_data(self, **kwargs):
        context = super().get_context_data(**kwargs)

        # Catégories actives
        context['categories'] = DocumentCategory.objects.filter(is_active=True)

        # Filtre par catégorie
        category_slug = self.request.GET.get('category')

        # Documents
        documents_qs = ReferenceDocument.objects.filter(is_active=True)
        if category_slug:
            documents_qs = documents_qs.filter(category_slug=category_slug)
        context['documents'] = documents_qs.select_related('category')

        # Vidéos (série ZAFE GOUDOUGOUDOU)

```

```

        videos_qs = VideoResource.objects.filter(
            is_active=True,
            series_name__icontains='ZAFE GOUDOU GOUDOU'
        ).order_by('episode_number')
        context['video_series'] = videos_qs

    # Toutes les vidéos
    all_videos_qs = VideoResource.objects.filter(is_active=True)
    if category_slug:
        all_videos_qs = all_videos_qs.filter(category_slug=category_slug)
        context['all_videos'] = all_videos_qs.select_related('category')

    # Galerie d'images
    images_qs = ImageGallery.objects.filter(is_active=True)
    if category_slug:
        images_qs = images_qs.filter(category_slug=category_slug)
        context['gallery_images'] = images_qs.select_related('category')[:12]

    # Catégorie actuelle
    context['current_category'] = category_slug
    if category_slug:
        try:
            context['current_category_obj'] = DocumentCategory.objects.get(
                slug=category_slug
            )
        except DocumentCategory.DoesNotExist:
            pass

    return context

def document_download(request, slug):
    """Vue pour télécharger un document et incrémenter le compteur"""
    document = get_object_or_404(ReferenceDocument, slug=slug, is_active=True)

    # Incrémenter le compteur
    document.increment_download()

    # Servir le fichier
    try:
        return FileResponse(
            document.file.open('rb'),
            as_attachment=True,
            filename=document.file.name.split('/')[-1]
        )
    except FileNotFoundError:
        raise Http404("Document non trouvé")

```

```

class VideoDetailView(DetailView):
    model = VideoResource
    template_name = 'pages/cniah/video_detail.html'
    context_object_name = 'video'
    slug_field = 'slug'

    def get_queryset(self):
        return VideoResource.objects.filter(is_active=True)

    def get_context_data(self, **kwargs):
        context = super().get_context_data(**kwargs)

        # Incrémenter les vues
        self.object.increment_view()

        # Vidéos similaires (même série ou catégorie)
        related_videos = VideoResource.objects.filter(
            is_active=True
        ).exclude(id=self.object.id)

        if self.object.series_name:
            related_videos = related_videos.filter(
                series_name=self.object.series_name
            )
        elif self.object.category:
            related_videos = related_videos.filter(
                category=self.object.category
            )

        context['related_videos'] = related_videos[:4]

        return context


class ImageGalleryView(TemplateView):
    template_name = 'pages/cniah/gallery.html'

    def get_context_data(self, **kwargs):
        context = super().get_context_data(**kwargs)

        # Catégories
        context['categories'] = DocumentCategory.objects.filter(is_active=True)

        # Filtre
        category_slug = self.request.GET.get('category')

```

```

        images_qs = ImageGallery.objects.filter(is_active=True)
        if category_slug:
            images_qs = images_qs.filter(category_slug=category_slug)

        context['images'] = images_qs.select_related('category')
        context['current_category'] = category_slug

    return context


class MembershipView(TemplateView):
    template_name = 'pages/cniah/membership.html'

    def get_context_data(self, **kwargs):
        context = super().get_context_data(**kwargs)

        # Documents pour professionnels nationaux
        context['national_documents'] = MembershipDocument.objects.filter(
            is_active=True,
            member_type_in=['national', 'both']
        ).order_by('order')

        # Documents pour professionnels internationaux
        context['international_documents'] = MembershipDocument.objects.filter(
            is_active=True,
            member_type_in=['international', 'both']
        ).order_by('order')

    return context


def membership_document_download(request, pk):
    """Vue pour télécharger un document d'adhésion"""
    document = get_object_or_404(MembershipDocument, pk=pk, is_active=True)

    # Incrémenter le compteur
    document.increment_download()

    # Servir le fichier
    try:
        return FileResponse(
            document.file.open('rb'),
            as_attachment=True,
            filename=document.file.name.split('/')[-1]
        )
    except FileNotFoundError:

```



```
raise Http404("Document non trouvé")
```

```
#src\apps\core\admin.py
```

```
from django.db import models
```

```
from ckeditor.fields import RichTextField
```

```
from django.utils.text import slugify
```

```
class Banner(models.Model):
```

```
    """Bannières hero pour la page d'accueil"""
```

```
    title = models.CharField(max_length=200, verbose_name="Titre")
```

```
    description = models.TextField(verbose_name="Description")
```

```
    image = models.ImageField(upload_to='banners/', verbose_name="Image")
```

```
    button_text = models.CharField(max_length=100, blank=True, verbose_name="Texte du bouton")
```

```
    button_link = models.CharField(max_length=200, blank=True, verbose_name="Lien du bouton")
```

```
    is_active = models.BooleanField(default=True, verbose_name="Actif")
```

```
    order = models.IntegerField(default=0, verbose_name="Ordre")
```

```
    created_at = models.DateTimeField(auto_now_add=True)
```

```
    updated_at = models.DateTimeField(auto_now=True)
```

```
    class Meta:
```

```
        verbose_name = "Bannière"
```

```
        verbose_name_plural = "Bannières"
```

```
        ordering = ['order', '-created_at']
```

```
    def __str__(self):
```

```
        return self.title
```

```
class ServiceBlock(models.Model):
```

```
    """Blocs de service sur la page d'accueil"""
```

```
    title = models.CharField(max_length=200, verbose_name="Titre")
```

```
    description = RichTextField(verbose_name="Description")
```

```
    button_text = models.CharField(max_length=100, blank=True, verbose_name="Texte du bouton")
```

```
    button_link = models.CharField(max_length=200, blank=True, verbose_name="Lien du bouton")
```

```
    icon = models.CharField(max_length=50, blank=True, help_text="Nom de l'icône Material", verbose_name="Icône")
```

```
    is_active = models.BooleanField(default=True, verbose_name="Actif")
```

```
    order = models.IntegerField(default=0, verbose_name="Ordre")
```

```
    created_at = models.DateTimeField(auto_now_add=True)
```

```
    class Meta:
```

```
        verbose_name = "Bloc de service"
```

```

        verbose_name_plural = "Blocs de service"
        ordering = ['order']

    def __str__(self):
        return self.title

class Proposition(models.Model):
    """Documents propositions du CNIAH"""
    title = models.CharField(max_length=200, verbose_name="Titre")
    description = models.TextField(blank=True, verbose_name="Description")
    file = models.FileField(upload_to='propositions/', verbose_name="Fichier PDF")
    is_active = models.BooleanField(default=True, verbose_name="Actif")
    created_at = models.DateTimeField(auto_now_add=True)

    class Meta:
        verbose_name = "Proposition"
        verbose_name_plural = "Propositions"
        ordering = ['-created at']

    def __str__(self):
        return self.title

class EngineeringBranch(models.Model):
    """Branches d'ingénierie et d'architecture"""
    name = models.CharField(max_length=200, verbose_name="Nom")
    description = models.TextField(verbose_name="Description")
    icon = models.CharField(max_length=50, default='engineering', verbose_name="Icône")
    is_active = models.BooleanField(default=True, verbose_name="Actif")
    order = models.IntegerField(default=0, verbose_name="Ordre")
    created_at = models.DateTimeField(auto_now_add=True)

    class Meta:
        verbose_name = "Branche d'ingénierie"
        verbose_name_plural = "Branches d'ingénierie"
        ordering = ['order', 'name']

    def __str__(self):
        return self.name

class Newsletter(models.Model):
    """Abonnements newsletter"""
    email = models.EmailField(unique=True, verbose_name="Email")

```

```

is_active = models.BooleanField(default=True, verbose_name="Actif")
subscribed_at = models.DateTimeField(auto_now_add=True)

class Meta:
    verbose_name = "Abonnement Newsletter"
    verbose_name_plural = "Abonnements Newsletter"
    ordering = ['-subscribed_at']

    def __str__(self):
        return self.email

class DocumentCategory(models.Model):
    """Catégories pour les documents de référence"""
    CATEGORY_CHOICES = [
        ('architecture', 'Architecture'),
        ('regulation', 'Réglementation'),
        ('technical', 'Technique'),
        ('forms', 'Formulaires'),
        ('guides', 'Guides'),
    ]

    name = models.CharField("Nom", max_length=100)
    slug = models.SlugField("Slug", unique=True, blank=True)
    category_type = models.CharField("Type", max_length=20,
choices=CATEGORY_CHOICES, default='technical')
    description = models.TextField("Description", blank=True)
    icon = models.CharField("Icône", max_length=50, default='library_books',
help text="Nom de l'icône Material Symbols")
    order = models.IntegerField("Ordre", default=0)
    is_active = models.BooleanField("Actif", default=True)
    created_at = models.DateTimeField("Créé le", auto_now_add=True)

    class Meta:
        verbose_name = "Catégorie de document"
        verbose_name_plural = "Catégories de documents"
        ordering = ['order', 'name']

    def __str__(self):
        return self.name

    def save(self, *args, **kwargs):
        if not self.slug:
            self.slug = slugify(self.name)
        super().save(*args, **kwargs)

```

```

class ReferenceDocument(models.Model):
    """Documents de référence (PDF, DOCX, etc.)"""
    FILE_TYPE_CHOICES = [
        ('pdf', 'PDF'),
        ('doc', 'Document Word'),
        ('xls', 'Excel'),
        ('ppt', 'PowerPoint'),
        ('zip', 'Archive ZIP'),
    ]

    title = models.CharField("Titre", max_length=200)
    slug = models.SlugField("Slug", unique=True, blank=True)
    category = models.ForeignKey(
        DocumentCategory,
        on_delete=models.SET_NULL,
        null=True,
        blank=True,
        verbose_name="Catégorie",
        related_name='documents'
    )
    description = models.TextField("Description")
    file = models.FileField("Fichier", upload_to='documents/%Y/%m/')
    file_type = models.CharField("Type de fichier", max_length=10,
choices=FILE_TYPE_CHOICES)
    file_size = models.CharField("Taille du fichier", max_length=20, blank=True,
                                help text="Ex: 4.2 MB")

    # Métadonnées
    author = models.CharField("Auteur", max_length=100, blank=True)
    version = models.CharField("Version", max_length=20, blank=True)

    # Publication
    is_active = models.BooleanField("Publié", default=True)
    is_featured = models.BooleanField("Mis en avant", default=False)
    order = models.IntegerField("Ordre", default=0)

    # Stats
    download_count = models.PositiveIntegerField("Téléchargements", default=0,
editable=False)

    created_at = models.DateTimeField("Créé le", auto_now_add=True)
    updated_at = models.DateTimeField("Modifié le", auto_now=True)

    class Meta:
        verbose_name = "Document de référence"
        verbose_name_plural = "Documents de référence"
        ordering = ['-is_featured', 'order', '-created_at']

```

```

def str(self):
    return self.title

def save(self, *args, **kwargs):
    if not self.slug:
        self.slug = slugify(self.title)
    # Auto-déterminer le type de fichier si non fourni
    if not self.file_type and self.file:
        ext = self.file.name.split('.')[-1].lower()
        type_map = {
            'pdf': 'pdf',
            'doc': 'doc', 'docx': 'doc',
            'xls': 'xls', 'xlsx': 'xls',
            'ppt': 'ppt', 'pptx': 'ppt',
            'zip': 'zip', 'rar': 'zip'
        }
        self.file_type = type_map.get(ext, 'pdf')
    super().save(*args, **kwargs)

def get_icon_color(self):
    """Retourne la classe de couleur selon le type de fichier"""
    colors = {
        'pdf': 'text-red-600 bg-red-50 dark:bg-red-900/20
dark:text-red-400',
        'doc': 'text-blue-600 bg-blue-50 dark:bg-blue-900/20
dark:text-blue-400',
        'xls': 'text-green-600 bg-green-50 dark:bg-green-900/20
dark:text-green-400',
        'ppt': 'text-orange-600 bg-orange-50 dark:bg-orange-900/20
dark:text-orange-400',
        'zip': 'text-gray-600 bg-gray-50 dark:bg-gray-900/20
dark:text-gray-400',
    }
    return colors.get(self.file_type, colors['pdf'])

def increment_download(self):
    """Incrémente le compteur de téléchargements"""
    self.download_count += 1
    self.save(update_fields=['download_count'])

class VideoResource(models.Model):
    """Ressources vidéo (YouTube, Vimeo, ou upload direct)"""
    VIDEO_TYPE_CHOICES = (
        ('youtube', 'YouTube'),
        ('vimeo', 'Vimeo'),
    )

```

```

        ('upload', 'Upload Direct'),
    ]

    title = models.CharField("Titre", max_length=200)
    slug = models.SlugField("Slug", unique=True, blank=True)
    series_name = models.CharField("Nom de la série", max_length=100,
blank=True,
                                help_text="Ex: ZAFE GOUDOUGOUDOU")
    episode_number = models.PositiveIntegerField("Numéro d'épisode", null=True,
blank=True)
    description = models.TextField("Description")

    # Vidéo
    video_type = models.CharField("Type de vidéo", max_length=20,
choices=VIDEO_TYPE_CHOICES)
    video_url = models.URLField("URL de la vidéo", blank=True,
                                help_text="Pour YouTube ou Vimeo")
    video_file = models.FileField("Fichier vidéo", upload_to='videos/%Y/%m/',
blank=True,
                                help_text="Pour upload direct")
    thumbnail = models.ImageField("Miniature",
upload_to='video_thumbnails/%Y/%m/')
    duration = models.CharField("Durée", max_length=20, blank=True,
help_text="Ex: 15:30")

    # Organisation
    category = models.ForeignKey(
        DocumentCategory,
        on_delete=models.SET NULL,
        null=True,
        blank=True,
        verbose name="Catégorie",
        related_name='videos'
    )

    # Publication
    is_active = models.BooleanField("Publié", default=True)
    is_featured = models.BooleanField("Mis en avant", default=False)
    order = models.IntegerField("Ordre", default=0)

    # Stats
    view_count = models.PositiveIntegerField("Vues", default=0, editable=False)

    created_at = models.DateTimeField("Créé le", auto_now_add=True)
    updated_at = models.DateTimeField("Modifié le", auto_now=True)

    class Meta:

```

```

        verbose_name = "Ressource vidéo"
        verbose_name_plural = "Ressources vidéo"
        ordering = ['series_name', 'episode_number', 'order', '-created_at']

    def __str__(self):
        if self.episode_number and self.series_name:
            return f"{self.series_name} - Épisode {self.episode_number}: {self.title}"
        return self.title

    def save(self, *args, **kwargs):
        if not self.slug:
            self.slug = slugify(self.title)
        super().save(*args, **kwargs)

    def get_embed_url(self):
        """Retourne l'URL d'embed selon le type"""
        if self.video_type == 'youtube':
            # Extraire l'ID de différents formats d'URL YouTube
            import re

            # Patterns pour différents formats d'URL YouTube
            patterns = [
                r'(?:(?:youtube\.com|youtu\.be|)\/) ([^&\n?#]+)',
                r'youtube\.com\/embed\/ ([^&\n?#]+)',
                r'youtube\.com\/v\/ ([^&\n?#]+)',
            ]

            video_id = None
            for pattern in patterns:
                match = re.search(pattern, self.video_url)
                if match:
                    video_id = match.group(1)
                    break

            if video_id:
                return f"https://www.youtube.com/embed/{video_id}"

            elif self.video_type == 'vimeo':
                video_id = self.video_url.split('/')[-1].split('?')[0]
                return f"https://player.vimeo.com/video/{video_id}"

            return None

    def increment_view(self):
        """Incrémente le compteur de vues"""
        self.view_count += 1

```



```

        self.save(update_fields=['view_count'])

class ImageGallery(models.Model):
    """Galerie d'images pour projets et références"""
    title = models.CharField("Titre", max_length=200)
    slug = models.SlugField("Slug", unique=True, blank=True)
    description = models.TextField("Description", blank=True)
    image = models.ImageField("Image", upload_to='gallery/%Y/%m/')
    caption = models.CharField("Légende", max_length=300, blank=True)

    # Organisation
    category = models.ForeignKey(
        DocumentCategory,
        on_delete=models.SET_NULL,
        null=True,
        blank=True,
        verbose_name="Catégorie",
        related_name='images'
    )

    # Publication
    is_active = models.BooleanField("Publié", default=True)
    order = models.IntegerField("Ordre", default=0)

    created_at = models.DateTimeField("Créé le", auto_now_add=True)

    class Meta:
        verbose_name = "Image de galerie"
        verbose_name_plural = "Galerie d'images"
        ordering = ['order', '-created_at']

    def __str__(self):
        return self.title

    def save(self, *args, **kwargs):
        if not self.slug:
            self.slug = slugify(self.title)
        super().save(*args, **kwargs)

class MembershipDocument(models.Model):
    """Documents pour l'adhésion au CNIAH"""
    MEMBER_TYPE_CHOICES = (
        ('national', 'Professionnels Nationaux'),
        ('international', 'Professionnels Internationaux'),
        ('both', 'Les deux'),
    )

```

```

]

title = models.CharField("Titre", max_length=200)
description = models.TextField("Description", blank=True)
file = models.FileField("Fichier", upload_to='membership/%Y/%m/')
file_size = models.CharField("Taille du fichier", max_length=20, blank=True,
                              help_text="Ex: 2.3 MB")
icon = models.CharField("Icône", max_length=50, default='description',
                        help_text="Nom de l'icône Material Symbols")

# Type de membre concerné
member_type = models.CharField(
    "Type de membre",
    max_length=20,
    choices=MEMBER_TYPE_CHOICES,
    default='both'
)

# Publication
is_active = models.BooleanField("Actif", default=True)
order = models.IntegerField("Ordre d'affichage", default=0)

# Stats
download_count = models.PositiveIntegerField("Téléchargements", default=0,
editable=False)

created_at = models.DateTimeField("Créé le", auto_now_add=True)
updated_at = models.DateTimeField("Modifié le", auto_now=True)

class Meta:
    verbose_name = "Document d'adhésion"
    verbose_name_plural = "Documents d'adhésion"
    ordering = ['order', '-created at']

    def __str__(self):
        return self.title

    def get_file_extension(self):
        """Retourne l'extension du fichier"""
        if self.file:
            return self.file.name.split('.')[-1].upper()
        return 'FILE'

    def increment_download(self):
        """Incrémente le compteur de téléchargements"""
        self.download_count += 1
        self.save(update_fields=['download_count'])

```



```

# src/apps/news/admin.py
from django.contrib import admin
from .models import NewsCategory, NewsArticle


@admin.register(NewsCategory)
class NewsCategoryAdmin(admin.ModelAdmin):
    list_display = ['name', 'slug', 'is_active', 'created_at']
    list_filter = ['is_active', 'created_at']
    search_fields = ['name', 'description']
    prepopulated_fields = {'slug': ('name',)}


@admin.register(NewsArticle)
class NewsArticleAdmin(admin.ModelAdmin):
    list_display = ['title', 'category', 'news_type', 'is_featured',
                    'is_active', 'published_at']
    list_filter = ['is_active', 'is_featured', 'news_type', 'category',
                    'published_at']
    search_fields = ['title', 'excerpt', 'content', 'author']
    prepopulated_fields = {'slug': ('title',)}
    date_hierarchy = 'published_at'

    fieldsets = (
        ('Informations principales', {
            'fields': ('title', 'slug', 'category', 'news_type')
        }),
        ('Contenu', {
            'fields': ('excerpt', 'content', 'image', 'image_caption')
        }),
        ('Métadonnées', {
            'fields': ('author', 'source', 'source url')
        }),
        ('Publication', {
            'fields': ('is_active', 'is_featured', 'published_at')
        }),
        ('SEO', {
            'fields': ('meta_description',),
            'classes': ('collapse',)
        })
    )

    def get_queryset(self, request):
        qs = super().get_queryset(request)
        return qs.select_related('category')

```

```
# src/apps/news/apps.py
from django.apps import AppConfig

class NewsConfig(AppConfig):
    default_auto_field = 'django.db.models.BigAutoField'
    name = 'apps.news'
    verbose_name = 'Actualités'
```

```
# src/apps/news/models.py
from django.db import models
from django.utils.text import slugify
from django.utils import timezone
from ckeditor.fields import RichTextField

class NewsCategory(models.Model):
    """Catégorie d'actualités"""
    name = models.CharField("Nom", max_length=100)
    slug = models.SlugField("Slug", unique=True, blank=True)
    description = models.TextField("Description", blank=True)
    is_active = models.BooleanField("Actif", default=True)
    created_at = models.DateTimeField("Créé le", auto_now_add=True)

    class Meta:
        verbose_name = "Catégorie"
        verbose_name_plural = "Catégories"
        ordering = ['name']

    def __str__(self):
        return self.name

    def save(self, *args, **kwargs):
        if not self.slug:
            self.slug = slugify(self.name)
        super().save(*args, **kwargs)

class NewsArticle(models.Model):
    """Article d'actualité"""
    NEWS_TYPE_CHOICES = [
        ('national', 'National'),
        ('international', 'International'),
    ]
```

```
title = models.CharField("Titre", max_length=200)
slug = models.SlugField("Slug", unique=True, blank=True)
category = models.ForeignKey(
    NewsCategory,
    on_delete=models.SET_NULL,
    null=True,
    blank=True,
    verbose_name="Catégorie",
    related_name='articles'
)
news_type = models.CharField(
    "Type d'actualité",
    max_length=20,
    choices=NEWS_TYPE_CHOICES,
    default='national'
)

# Contenu
excerpt = models.TextField("Résumé", max_length=300, help_text="Court résumé de l'article")
content = RichTextField("Contenu")

# Image
image = models.ImageField(
    "Image principale",
    upload_to='news/%Y/%m/',
    blank=True,
    null=True
)
image_caption = models.CharField("Légende de l'image", max_length=200, blank=True)

# Métadonnées
author = models.CharField("Auteur", max_length=100, blank=True)
source = models.CharField("Source", max_length=200, blank=True)
source_url = models.URLField("Lien source", blank=True)

# Publication
is_active = models.BooleanField("Publié", default=False)
is_featured = models.BooleanField("À la une", default=False, help_text="Afficher sur la page d'accueil")
published_at = models.DateTimeField("Date de publication", default=timezone.now)

# Timestamps
created_at = models.DateTimeField("Créé le", auto_now_add=True)
```

```
updated_at = models.DateTimeField("Modifié le", auto_now=True)
```

```
# SEO
```

```
meta_description = models.CharField(
```

```
    "Meta description",
```

```
    max_length=160,
```

```
    blank=True,
```

```
    help_text="Description pour les moteurs de recherche"
```

```
)
```

```
class Meta:
```

```
    verbose_name = "Article"
```

```
    verbose_name_plural = "Articles"
```

```
    ordering = ['-published_at']
```

```
def str(self):
```

```
    return self.title
```

```
def save(self, *args, **kwargs):
```

```
    if not self.slug:
```

```
        self.slug = slugify(self.title)
```

```
    if not self.meta_description:
```

```
        self.meta_description = self.excerpt[:160]
```

```
    super().save(*args, **kwargs)
```

```
def get_absolute_url(self):
```

```
    from django.urls import reverse
```

```
    return reverse('news:detail', kwargs={'slug': self.slug})
```

```
# src/apps/news/urls.py
```

```
from django.urls import path
```

```
from .views import NewsListView, NewsDetailView
```

```
app_name = 'news'
```

```
urlpatterns = [
```

```
    path('', NewsListView.as_view(), name='list'),
```

```
    path('<slug:slug>/', NewsDetailView.as_view(), name='detail'),
```

```
]
```

```
# src/apps/news/views.py
```

```
from django.views.generic import ListView, DetailView
```

```
from django.utils import timezone
```

```
from .models import NewsArticle, NewsCategory
```

```

class NewsListView(ListView):
    model = NewsArticle
    template_name = 'news/list.html'
    context_object_name = 'articles'
    paginate_by = 12

    def get_queryset(self):
        queryset = NewsArticle.objects.filter(
            is_active=True,
            published_at__lte=timezone.now()
        )

        # Filtrer par type si spécifié
        news_type = self.request.GET.get('type')
        if news_type in ['national', 'international']:
            queryset = queryset.filter(news_type=news_type)

        # Filtrer par catégorie si spécifiée
        category_slug = self.request.GET.get('category')
        if category_slug:
            queryset = queryset.filter(category__slug=category_slug)

        return queryset

    def get_context_data(self, **kwargs):
        context = super().get_context_data(**kwargs)
        context['categories'] = NewsCategory.objects.all()
        context['current_type'] = self.request.GET.get('type', '')
        context['current_category'] = self.request.GET.get('category', '')
        return context


class NewsDetailView(DetailView):
    model = NewsArticle
    template_name = 'news/detail.html'
    context_object_name = 'article'
    slug_field = 'slug'

    def get_queryset(self):
        return NewsArticle.objects.filter(
            is_active=True,
            published_at__lte=timezone.now()
        )

    def get_context_data(self, **kwargs):
        context = super().get_context_data(**kwargs)

```



```
# Articles similaires (même catégorie ou type)
context['related_articles'] = NewsArticle.objects.filter(
    is_active=True,
    published_at__lte=timezone.now()
).exclude(
    id=self.object.id
).filter(
    category=self.object.category
)[:3]

return context
```

[illegible]

```

        600: "oklch(32% 0.15 265.522)",
        700: "oklch(27% 0.14 265.522)",
        800: "oklch(22% 0.12 265.522)",
        900: "oklch(17% 0.10 265.522)",
    },
    "background-light": "#f8f9fb",
    "background-dark": "#0f0e13"
  },
  fontFamily: {
    display: "Space Grotesk"
  },
  borderRadius: {
    DEFAULT: "0.5rem",
    lg: "1rem",
    xl: "1.5rem",
    full: "9999px"
  }
}
};

</script>

{% block extra_css %}{% endblock %}

</head>

<body class="font-display bg-background-light dark:bg-background-dark text-[#121117] dark:text-white">
  <div class="relative flex min-h-screen w-full flex-col overflow-x-hidden">
    <!-- Header -->
    {% include 'components/header.html' %}

    <!-- Messages Flash -->
    {% if messages %}
      <div class="container mx-auto px-4 mt-4">
        {% for message in messages %}
          <div class="p-4 rounded-lg mb-2 {% if message.tags == 'success' %}bg-green-100 text-green-800 dark:bg-green-900 dark:text-green-200{% elif message.tags == 'error' %}bg-red-100 text-red-800 dark:bg-red-900 dark:text-red-200{% else %}bg-primary-100 text-primary-800 dark:bg-primary-900 dark:text-primary-200{% endif %}">
            {{ message }}
          </div>
        {% endfor %}
      </div>
    {% endif %}

    <!-- Main Content -->

```

```
<main class="flex-grow">
    {% block content %}{% endblock %}
</main>

<!-- Footer -->
    {% include 'components/footer.html' %}
</div>

{% block extra_js %}{% endblock %}
</body>
</html>
```

```

{% comment %} src/templates/components/header.html {% endcomment %}

{% load static %}
<header class="sticky top-0 z-50 w-full bg-primary shadow-lg">
    <div class="container mx-auto px-4">
        <div class="flex flex-col">
            <!-- Top Bar -->
            <div class="flex items-center justify-between whitespace-nowrap py-2 text-xs text-white">
                <div class="flex items-center gap-4">
                    <a class="hover:text-white/70 transition-colors" href="{% url 'core:about' %}">
                        Le C.N.I.A.H, une association ou un ordre professionnel
                    </a>
                </div>
                <div class="flex items-center gap-6">
                    <a class="hover:text-white/70 transition-colors" href="{% url 'core:membership' %}">ADHÉSION</a>
                    <a class="hover:text-white/70 transition-colors" href="{% url 'core:members_dashboard' %}">Espace Membres</a>
                    <a class="hover:text-white/70 transition-colors font-bold" href="#">SE CONNECTER | S'ENREGISTRER</a>
                </div>
            </div>
            <!-- Logo and Title -->
            <div class="flex flex-col items-center justify-center text-center border-y border-solid border-white/30 py-6">
                <a href="{% url 'core:home' %}" class="w-20 h-20 mb-3 flex-shrink-0">
                    
                </a>
                <h1 class="text-xl font-bold uppercase leading-tight tracking-wide text-white max-w-4xl">
                    Collège National des Ingénieurs et Architectes Haïtiens
                </h1>
            </div>
            <!-- Main Navigation -->
            <nav class="hidden md:flex flex-1 justify-center items-center gap-1 py-3 text-sm font-medium text-white">
                <!-- Accueil -->
                <a class="leading-normal hover:bg-white/10 px-4 py-2 rounded transition-all {% if request.resolver_match.url_name == 'home' %}bg-white/20 font-bold{% endif %}"

```

```

        href="{% url 'core:home' %}">
        Accueil
    </a>

    <!-- Ingénieurs et Architectes avec dropdown -->
    <div class="relative group">
        <a class="leading-normal hover:bg-white/10 px-4 py-2 rounded
transition-all flex items-center gap-1 {% if 'engineers_architects' in
request.resolver_match.url_name %}bg-white/20 font-bold{% endif %}"
        href="{% url 'core:engineers_architects' %}">
            Ingénieurs et Architectes
            <span class="material-symbols-outlined
text-sm">expand more</span>
        </a>

        <!-- Dropdown -->
        <div class="absolute left-0 mt-1 w-64 bg-white
dark:bg-gray-900 rounded-lg shadow-xl opacity-0 invisible
group-hover:opacity-100 group-hover:visible transition-all duration-200
overflow-hidden">
            <a href="{% url 'core:membership' %}" class="block px-4
py-3 text-gray-700 dark:text-gray-200 hover:bg-primary/10 transition-colors
border-b border-gray-100 dark:border-gray-800">
                Devenir membre
            </a>
            <a href="{% url 'core:engineers_architects' %}"
class="block px-4 py-3 text-gray-700 dark:text-gray-200 hover:bg-primary/10
transition-colors border-b border-gray-100 dark:border-gray-800">
                Répertoire des membres
            </a>
            <a href="{% url 'core:membership' %}" class="block px-4
py-3 text-gray-700 dark:text-gray-200 hover:bg-primary/10 transition-colors
border-b border-gray-100 dark:border-gray-800">
                Devenir membre
            </a>
            <a href="#" class="block px-4 py-3 text-gray-700
dark:text-gray-200 hover:bg-primary/10 transition-colors">
                Documents de référence
            </a>
        </div>
    </div>

    <!-- Au service du public avec dropdown -->
    <div class="relative group">
        <a class="leading-normal hover:bg-white/10 px-4 py-2 rounded
transition-all flex items-center gap-1 {% if 'public_service' in
request.resolver_match.url_name %}bg-white/20 font-bold{% endif %}"
        href="{% url 'core:public_service' %}">

```

Au service du public

```
<span class="material-symbols-outlined
text-sm">expand more</span>
</a>
<!-- Dropdown -->
<div class="absolute left-0 mt-1 w-64 bg-white
dark:bg-gray-900 rounded-lg shadow-xl opacity-0 invisible
group-hover:opacity-100 group-hover:visible transition-all duration-200
overflow-hidden">
<a href="#" class="block px-4 py-3 text-gray-700
dark:text-gray-200 hover:bg-primary/10 transition-colors border-b
border-gray-100 dark:border-gray-800">
    Trouver un professionnel
</a>
<a href="#" class="block px-4 py-3 text-gray-700
dark:text-gray-200 hover:bg-primary/10 transition-colors border-b
border-gray-100 dark:border-gray-800">
    Vérifier une certification
</a>
<a href="#" class="block px-4 py-3 text-gray-700
dark:text-gray-200 hover:bg-primary/10 transition-colors">
    Déposer une plainte
</a>
</div>
</div>
<!-- Le CNIAH avec dropdown -->
<div class="relative group">
<a class="leading-normal hover:bg-white/10 px-4 py-2 rounded
transition-all flex items-center gap-1 {% if 'about' in
request.resolver_match.url_name %}bg-white/20 font-bold{% endif %}"
href="{% url 'core:about' %}">
    Le CNIAH
<span class="material-symbols-outlined
text-sm">expand more</span>
</a>
<!-- Dropdown -->
<div class="absolute left-0 mt-1 w-64 bg-white
dark:bg-gray-900 rounded-lg shadow-xl opacity-0 invisible
group-hover:opacity-100 group-hover:visible transition-all duration-200
overflow-hidden">
<a href="{% url 'core:about' %}" class="block px-4 py-3
text-gray-700 dark:text-gray-200 hover:bg-primary/10 transition-colors border-b
border-gray-100 dark:border-gray-800">
    À propos du CNIAH
</a>
```

```
<a href="#" class="block px-4 py-3 text-gray-700
dark:text-gray-200 hover:bg-primary/10 transition-colors border-b
border-gray-100 dark:border-gray-800">
    Notre mission
</a>

<a href="#" class="block px-4 py-3 text-gray-700
dark:text-gray-200 hover:bg-primary/10 transition-colors border-b
border-gray-100 dark:border-gray-800">
    Conseil d'administration
</a>

<a href="#" class="block px-4 py-3 text-gray-700
dark:text-gray-200 hover:bg-primary/10 transition-colors">
    Historique
</a>
</div>
</div>

<!-- Normes -->
<a class="leading-normal hover:bg-white/10 px-4 py-2 rounded
transition-all {% if 'norms' in request.resolver_match.url_name %}bg-white/20
font-bold{% endif %}"
href="{% url 'core:norms' %}">
    Normes
</a>

<a class="leading-normal hover:bg-white/10 px-4 py-2 rounded
transition-all {% if 'documents' in request.resolver_match.url_name
%}bg-white/20 font-bold{% endif %}"
href="{% url 'core:documents' %}">
    Documents
</a>

<!-- Sponsors -->
<a class="leading-normal hover:bg-white/10 px-4 py-2 rounded
transition-all {% if 'sponsors' in request.resolver_match.url_name %}bg-white/20
font-bold{% endif %}"
href="{% url 'core:sponsors' %}">
    Sponsors
</a>

<!-- Publicité -->
<a class="leading-normal hover:bg-white/10 px-4 py-2 rounded
transition-all {% if 'advertising' in request.resolver_match.url_name
%}bg-white/20 font-bold{% endif %}"
href="{% url 'core:advertising' %}">
    Publicité
</a>
```



```

        </nav>

        <!-- Mobile Menu Button -->
        <button class="md:hidden py-3 text-white" id="mobile-menu-btn"
aria-label="Toggle mobile menu">
            <span class="material-symbols-outlined">menu</span>
        </button>
    </div>
</div>

<!-- Mobile Menu -->
<div class="hidden md:hidden bg-primary-700 border-t border-white/30"
id="mobile-menu">
    <nav class="container mx-auto px-4 py-4 flex flex-col gap-2">
        <a class="py-2 px-4 rounded text-white hover:bg-white/10
transition-colors" href="{% url 'core:home' %}">Accueil</a>

        <!-- Mobile Dropdown: Ingénieurs et Architectes -->
        <div class="mobile-dropdown">
            <button class="w-full py-2 px-4 rounded text-white
hover:bg-white/10 transition-colors flex items-center justify-between"
onclick="toggleMobileDropdown(this)">
                <span>Ingénieurs et Architectes</span>
                <span class="material-symbols-outlined text-sm transform
transition-transform">expand_more</span>
            </button>
            <div class="hidden pl-4 mt-1 space-y-1">
                <a class="block py-2 px-4 rounded text-white/80
hover:bg-white/10 text-sm" href="#">Répertoire des membres</a>
                <a class="block py-2 px-4 rounded text-white/80
hover:bg-white/10 text-sm" href="#">Devenir membre</a>
                <a class="block py-2 px-4 rounded text-white/80
hover:bg-white/10 text-sm" href="#">Code de déontologie</a>
            </div>
        </div>
    </div>

    <!-- Mobile Dropdown: Au service du public -->
    <div class="mobile-dropdown">
        <button class="w-full py-2 px-4 rounded text-white
hover:bg-white/10 transition-colors flex items-center justify-between"
onclick="toggleMobileDropdown(this)">
            <span>Au service du public</span>
            <span class="material-symbols-outlined text-sm transform
transition-transform">expand_more</span>
        </button>
        <div class="hidden pl-4 mt-1 space-y-1">

```

```

        <a class="block py-2 px-4 rounded text-white/80
hover:bg-white/10 text-sm" href="#">Trouver un professionnel</a>
        <a class="block py-2 px-4 rounded text-white/80
hover:bg-white/10 text-sm" href="#">Vérifier une certification</a>
        <a class="block py-2 px-4 rounded text-white/80
hover:bg-white/10 text-sm" href="#">Déposer une plainte</a>
    </div>
</div>

<!-- Mobile Dropdown: Le CNIAH -->
<div class="mobile-dropdown">
    <button class="w-full py-2 px-4 rounded text-white
hover:bg-white/10 transition-colors flex items-center justify-between"
onclick="toggleMobileDropdown(this)">
        <span>Le CNIAH</span>
        <span class="material-symbols-outlined text-sm transform
transition-transform">expand more</span>
    </button>
    <div class="hidden pl-4 mt-1 space-y-1">
        <a class="block py-2 px-4 rounded text-white/80
hover:bg-white/10 text-sm" href="{% url 'core:about' %}">À propos du CNIAH</a>
        <a class="block py-2 px-4 rounded text-white/80
hover:bg-white/10 text-sm" href="#">Notre mission</a>
        <a class="block py-2 px-4 rounded text-white/80
hover:bg-white/10 text-sm" href="#">Conseil d'administration</a>
        <a class="block py-2 px-4 rounded text-white/80
hover:bg-white/10 text-sm" href="#">Historique</a>
    </div>
</div>

    <a class="py-2 px-4 rounded text-white hover:bg-white/10
transition-colors" href="{% url 'core:norms' %}">Normes</a>
    <a class="py-2 px-4 rounded text-white hover:bg-white/10
transition-colors" href="{% url 'core:documents' %}">Documents de Référence</a>
    <a class="py-2 px-4 rounded text-white hover:bg-white/10
transition-colors" href="{% url 'core:sponsors' %}">Sponsors</a>
    <a class="py-2 px-4 rounded text-white hover:bg-white/10
transition-colors" href="{% url 'core:advertising' %}">Publicité</a>

    <div class="border-t border-white/30 mt-2 pt-2">
        <a class="py-2 px-4 rounded text-white hover:bg-white/10
transition-colors block" href="{% url 'core:membership' %}">Adhésion</a>
        <a class="py-2 px-4 rounded text-white hover:bg-white/10
transition-colors block" href="#">Espace Membres</a>
        <a class="py-2 px-4 rounded text-white hover:bg-white/10
transition-colors block font-bold" href="#">Se Connecter</a>
    </div>

```

```
        </nav>
    </div>
</header>

<script>
    // Toggle mobile menu
    document.getElementById('mobile-menu-btn').addEventListener('click',
function() {
    document.getElementById('mobile-menu').classList.toggle('hidden');
});

    // Toggle mobile dropdown
    function toggleMobileDropdown(button) {
        const dropdown = button.nextElementSibling;
        const icon = button.querySelector('.material-symbols-outlined');

        dropdown.classList.toggle('hidden');
        icon.classList.toggle('rotate-180');
    }
</script>

<style>
    /* Ensure dropdowns appear above other content */
    .group:hover > div {
        z-index: 60;
    }

    /* Smooth rotation for mobile dropdown icons */
    .rotate-180 {
        transform: rotate(180deg);
    }
</style>
```

```

{% comment %} src\templates\components\footer.html {% endcomment %}

{% load static %}
<footer class="bg-gray-100 dark:bg-black/20">
  <div class="container mx-auto px-4 py-16">
    <div class="grid grid-cols-1 md:grid-cols-4 gap-8">
      <div class="col-span-1 md:col-span-2">
        <div class="flex items-center gap-4 mb-4">
          <div class="size-6 text-primary">
            <svg fill="none" viewBox="0 0 48 48"
xmlns="http://www.w3.org/2000/svg">
              <path clip-rule="evenodd" d="M12.0799 24L4
19.2479L9.95537 8.75216L18.04 13.4961L18.0446 4H29.9554L29.96 13.4961L38.0446
8.75216L44 19.2479L35.92 24L44 28.7521L38.0446 39.2479L29.96 34.5039L29.9554
44H18.0446L18.04 34.5039L9.95537 39.2479L4 28.7521L12.0799 24Z"
fill="currentColor" fill-rule="evenodd"></path>
            </svg>
          </div>
          <h2 class="text-xl font-bold leading-tight
tracking-[-0.015em] dark:text-white">CNIAH</h2>
        </div>
        <p class="text-sm text-gray-600 dark:text-gray-400 max-w-sm">
          Le Conseil National des Ingénieurs et Architectes Haïtiens,
          votre partenaire pour l'excellence et l'innovation.
        </p>
      </div>
      <div>
        <h3 class="font-bold mb-4 dark:text-white">Liens Rapides</h3>
        <ul class="space-y-2 text-sm">
          <li><a class="text-gray-600 dark:text-gray-400
hover:text-primary dark: hover:text-primary" href="{% url 'core:about' %}">À
propos de nous</a></li>
          <li><a class="text-gray-600 dark:text-gray-400
hover:text-primary dark: hover:text-primary" href="{% url 'core:public_service'
%}">Nos Services</a></li>
          <li><a class="text-gray-600 dark:text-gray-400
hover:text-primary dark: hover:text-primary" href="#">Actualités</a></li>
          <li><a class="text-gray-600 dark:text-gray-400
hover:text-primary dark: hover:text-primary" href="{% url 'contact:contact'
%}">Contact</a></li>
        </ul>
      </div>
      <div>
        <h3 class="font-bold mb-4 dark:text-white">Contactez-nous</h3>
        <ul class="space-y-2 text-sm text-gray-600 dark:text-gray-400">
          <li class="flex items-start gap-2">

```

```
<span class="material-symbols-outlined text-base
mt-0.5">location on</span>

<span>14, Rue Capois, #3, Champs-de-Mars,
Port-au-Prince, Haiti</span>
</li>
<li class="flex items-start gap-2">
<span class="material-symbols-outlined text-base
mt-0.5">call</span>
<span>(509) 2942-3015 / (509) 2942-3016</span>
</li>
<li class="flex items-start gap-2">
<span class="material-symbols-outlined text-base
mt-0.5">mail</span>
<span>cniah.secretariat@gmail.com</span>
</li>
</ul>
</div>
</div>
<div class="mt-16 border-t border-gray-200/80 dark:border-gray-800/80
pt-8 flex flex-col sm:flex-row justify-between items-center">
<p class="text-sm text-gray-500 dark:text-gray-400">© {% now "Y" %}
CNIAH. Tous droits réservés.</p>
<div class="flex space-x-4 mt-4 sm:mt-0">
<a class="text-gray-500 dark:text-gray-400 hover:text-primary
dark: hover: text-primary" href="#">
<span class="sr-only">Facebook</span>
<svg aria-hidden="true" class="h-6 w-6" fill="currentColor"
viewBox="0 0 24 24">
<path clip-rule="evenodd" d="M22
12c0-5.523-4.477-10-10-10S2 6.477 2 12c0 4.991 3.657 9.128 8.438
9.878v-6.987h-2.54V12h2.54V9.797c0-2.506 1.492-3.89 3.777-3.89 1.094 0 2.238.195
2.238.195v2.46h-1.26c-1.243 0-1.63.771-1.63 1.562V12h2.773l-.443
2.89h-2.33v6.988C18.343 21.128 22 16.991 22 12z" fill-rule="evenodd"></path>
</svg>
</a>
<a class="text-gray-500 dark:text-gray-400 hover:text-primary
dark: hover: text-primary" href="#">
<span class="sr-only">Twitter</span>
<svg aria-hidden="true" class="h-6 w-6" fill="currentColor"
viewBox="0 0 24 24">
<path d="M8.29 20.251c7.547 0 11.675-6.253 11.675-11.675
0-.178 0-.355-.012-.53A8.348 8.348 0 0022 5.92a8.19 8.19 0 01-2.357.646 4.118
4.118 0 001.804-2.27 8.224 8.224 0 01-2.605.996 4.107 4.107 0 00-6.993 3.743
11.65 11.65 0 01-8.457-4.287 4.106 4.106 0 001.27 5.477A4.072 4.072 0 012.8
9.71v.052a4.105 4.105 0 003.292 4.022 4.095 4.095 0 01-1.853.07 4.108 4.108 0
003.834 2.85A8.233 8.233 0 012 18.407a11.616 11.616 0 006.29 1.84"></path>
</svg>
```

```
</a>
    <a class="text-gray-500 dark:text-gray-400 hover:text-primary
dark: hover:text-primary" href="#">
    <span class="sr-only">LinkedIn</span>
    <svg aria-hidden="true" class="h-6 w-6" fill="currentColor"
viewBox="0 0 24 24">
        <path clip-rule="evenodd" d="M19 0h-14c-2.761 0-5
2.239-5 5v14c0 2.761 2.239 5 5 5h14c2.762 0 5-2.239
5-5v-14c0-2.761-2.238-5-5-5zm-11 19h-3v-11h3v11zm-1.5-12.268c-.966
0-1.75-.79-1.75-1.764s.784-1.764 1.75-1.764 1.75.79 1.75 1.764-.783 1.764-1.75
1.764zm13.5 12.268h-3v-5.604c0-3.368-4-3.113-4
0v5.604h-3v-11h3v1.765c1.396-2.586 7-2.777 7
2.476v6.759z"
fill-rule="evenodd"></path>
    </svg>
</a>
</div>
</div>
</div>
</div>
</footer>
```

```

{% extends 'base.html' %}
{% load static %}
{% comment %} src/templates/pages/home.html {% endcomment %}
{% block title %}Accueil - CNIAH{% endblock %}

{% block extra_css %}
<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/swiper@11/swiper-bundle.min.css" />
<style>
    .swiper {
        width: 100%;
        height: 100%;
    }
    .swiper-slide {
        display: flex;
        justify-content: center;
        align-items: center;
    }
    .swiper-button-next, .swiper-button-prev {
        color: var(--primary);
    }
    .swiper-pagination-bullet-active {
        background-color: var(--primary);
    }
</style>
{% endblock %}

{% block content %}
<!-- Top Banner Advertisement -->
{% if banner_ads %}
<section class="bg-gray-50 dark:bg-gray-900/50 py-4">
    <div class="container mx-auto px-4">
        <div class="swiper bannerSwiper">
            <div class="swiper-wrapper">
                {% for ad in banner_ads %}
                    <div class="swiper-slide">
                        <a href="{{ ad.link }}" {% if ad.open_new_tab %}target="_blank" rel="noopener noreferrer"{% endif %} class="block w-full">
                            
                        </a>
                    </div>
                {% endfor %}
            </div>
            <div class="swiper-pagination"></div>
        </div>
    </div>
</section>
{% endif %}

```

```

</section>
{% endif %}

<!-- Hero Section -->
<section class="container mx-auto px-4 py-8 sm:py-16">
    <div class="@container">
        <div class="@[480px]:p-0">
            <div class="flex min-h-[480px] flex-col gap-6 bg-cover bg-center
bg-no-repeat @[480px]:gap-8 @[480px]:rounded-xl items-start justify-end px-4
pb-10 @[480px]:px-10"
                style='background-image: linear-gradient(rgba(0, 0, 0, 0.2) 0%,
rgba(0, 0, 0, 0.5) 100%);
                url("{% if hero_banner and hero_banner.image %}{{
hero_banner.image.url }}{% else %}{% static "images/hero_default.jpg" %}{% endif
%})";'>
                <div class="flex flex-col gap-2 text-left max-w-3xl">
                    <h1 class="text-white text-4xl font-black leading-tight
tracking-[-0.033em] @[480px]:text-5xl @[480px]:font-black @[480px]:leading-tight
@[480px]:tracking-[-0.033em]">
                        {% if hero_banner %}{{ hero_banner.title }}{% else
%}Faire progresser l'ingénierie et l'architecture pour la nation{% endif %}
                    </h1>
                    <p class="text-white/90 text-base font-normal leading-normal
@[480px]:text-lg @[480px]:font-normal @[480px]:leading-normal">
                        {% if hero_banner %}{{ hero_banner.description }}{% else
%}Le CNIAH se consacre au maintien des plus hauts standards de pratique, à la
promotion de l'innovation et au service de l'intérêt public.{% endif %}
                    </p>
                </div>
            <div class="flex flex-wrap gap-4">
                <a href="{% url 'core:public_service' %}" class="flex
min-w-[84px] max-w-[480px] cursor-pointer items-center justify-center
overflow-hidden rounded-lg h-12 px-5 bg-primary text-white text-base font-bold
leading-normal tracking-[0.015em] hover:bg-primary/90 transition-colors">
                    <span class="truncate">Découvrir Nos Services</span>
                </a>
                <a href="{% url 'core:engineers_architects' %}" class="flex
min-w-[84px] max-w-[480px] cursor-pointer items-center justify-center
overflow-hidden rounded-lg h-12 px-5 bg-white/20 backdrop-blur-sm text-white
text-base font-bold leading-normal tracking-[0.015em] border border-white/30
hover:bg-white/30 transition-colors">
                    <span class="truncate">Consulter le répertoire</span>
                </a>
            </div>
        </div>
    </div>
</div>

```



```

</section>

<!-- Actualités Nationales -->
{% if national_news %}
<section class="container mx-auto px-4 py-8 sm:py-12">
    <div class="flex items-center justify-between mb-6">
        <h2 class="text-2xl sm:text-3xl font-bold leading-tight dark:text-white flex items-center gap-2">
            <span class="material-symbols-outlined text-primary">flag</span>
            Actualités Nationales
        </h2>
        <a href="{% url 'news:list' %}?type=national" class="text-primary hover:underline font-medium">
            Voir tout
            <span class="material-symbols-outlined text-sm align-middle">arrow forward</span>
        </a>
    </div>

    <div class="swiper nationalNewsSwiper">
        <div class="swiper-wrapper">
            {% for article in national_news %}
                <div class="swiper-slide">
                    <a href="{% url 'news:detail' article.slug %}" class="flex flex-col gap-3 group h-full">
                        <div class="w-full bg-center bg-no-repeat aspect-[4/3] bg-cover rounded-xl overflow-hidden relative">
                            <div class="h-full w-full bg-cover bg-center transition-transform duration-300 group-hover:scale-105"
                                style='background-image: url("{% if article.image %}{{ article.image.url }}{% else %}https://via.placeholder.com/600x400{% endif %}");'>
                            </div>
                            <span class="absolute top-3 left-3 bg-primary text-white text-xs font-bold px-3 py-1 rounded-full">
                                National
                            </span>
                        </div>
                        <div class="flex-1">
                            <p class="text-lg font-bold leading-tight dark:text-white line-clamp-2 mb-2">{{ article.title }}</p>
                            <p class="text-sm font-normal leading-normal text-gray-600 dark:text-gray-400 line-clamp-3">
                                {{ article.excerpt }}
                            </p>
                            <p class="text-xs text-gray-500 dark:text-gray-500 mt-2">

```

```

{{ article.published_at|date:"d M Y" }}
</p>
</div>
</a>
</div>
{% endfor %}
</div>
<div class="swiper-button-next"></div>
<div class="swiper-button-prev"></div>
<div class="swiper-pagination"></div>
</div>
</section>
{% endif %}

<!-- Actualités Internationales -->
{% if international_news %}
<section class="bg-gray-50 dark:bg-gray-900/30 py-8 sm:py-12">
  <div class="container mx-auto px-4">
    <div class="flex items-center justify-between mb-6">
      <h2 class="text-2xl sm:text-3xl font-bold leading-tight
dark:text-white flex items-center gap-2">
        <span class="material-symbols-outlined
text-primary">public</span>
        Actualités Internationales
      </h2>
      <a href="{% url 'news:list' %}?type=international"
class="text-primary hover:underline font-medium">
        Voir tout
      <span class="material-symbols-outlined text-sm
align-middle">arrow_forward</span>
    </a>
  </div>

  <div class="swiper internationalNewsSwiper">
    <div class="swiper-wrapper">
      {% for article in international_news %}
        <div class="swiper-slide">
          <a href="{% url 'news:detail' article.slug %}" class="flex
flex-col gap-3 group h-full bg-white dark:bg-gray-800 rounded-xl overflow-hidden
shadow-sm hover:shadow-lg transition-shadow">
            <div class="w-full bg-center bg-no-repeat aspect-[4/3]
bg-cover relative">
              <div class="h-full w-full bg-cover bg-center
transition-transform duration-300 group-hover:scale-105"
                style='background-image: url("{% if
article.image
%}{{ article.image.url
%}}{% else
%}https://via.placeholder.com/600x400{% endif %}");'>

```

```

        </div>
        <span class="absolute top-3 left-3 bg-blue-600
text-white text-xs font-bold px-3 py-1 rounded-full">
            International
        </span>
    </div>
    <div class="p-4 flex-1">
        <p class="text-lg font-bold leading-tight
dark:text-white line-clamp-2 mb-2">{{ article.title }}</p>
        <p class="text-sm font-normal leading-normal
text-gray-600 dark:text-gray-400 line-clamp-3">
            {{ article.excerpt }}
        </p>
        <p class="text-xs text-gray-500 dark:text-gray-500
mt-2">
            {{ article.published_at|date:"d M Y" }}
        </p>
    </div>
</a>
</div>
{% endfor %}
</div>
<div class="swiper-button-next"></div>
<div class="swiper-button-prev"></div>
<div class="swiper-pagination"></div>
</div>
</div>
</section>
{% endif %}

<!-- Invitation Section -->
<section class="bg-primary/10 dark:bg-primary/5 py-8 sm:py-12">
    <div class="container mx-auto px-4 text-center">
        <h2 class="text-3xl font-bold leading-tight tracking-tight text-gray-900
dark:text-white sm:text-4xl">Invitation</h2>
        <p class="mt-4 text-lg leading-8 text-gray-600 dark:text-gray-300">
            Rejoignez une communauté de professionnels dévoués à l'excellence.
            Devenez membre du CNIAH dès aujourd'hui.
        </p>
        <div class="mt-10 flex items-center justify-center gap-x-6">
            <a class="rounded-lg bg-primary px-8 py-3 text-base font-bold
text-white shadow-sm hover:bg-primary/90" href="{% url 'core:membership' %}">
                INSCRIVEZ-VOUS
            </a>
        </div>
    </div>
</div>
</div>
</section>

```

```

<!-- Propositions Section -->
{% if proposition_document %}
<section class="container mx-auto px-4 py-12 sm:py-16">
  <div class="text-center">
    <h2 class="text-3xl font-bold tracking-tight text-gray-900 dark:text-white sm:text-4xl">Propositions du CNIAH</h2>
    <p class="mt-6 text-lg leading-8 text-gray-600 dark:text-gray-400">
      {{ proposition_document.description|default:"Découvrez nos propositions pour un avenir bâti sur des fondations solides." }}
    </p>
    <div class="mt-10">
      <a class="inline-flex items-center gap-2 rounded-lg border border-primary px-6 py-3 text-base font-bold text-primary hover:bg-primary/10 transition-colors" href="{{ proposition_document.file.url }}" download>
        <span class="material-symbols-outlined">download</span>
        <span>Télécharger le document</span>
      </a>
    </div>
  </div>
</section>
{% endif %}

<!-- Service Blocks -->
<section class="bg-white dark:bg-background-dark py-12 sm:py-16">
  <div class="container mx-auto px-4 grid grid-cols-1 md:grid-cols-3 gap-12">
    {% for block in service_blocks %}
      <div class="flex flex-col gap-4 items-start">
        <h3 class="text-2xl font-bold text-gray-900 dark:text-white">{{ block.title }}</h3>
        <div class="text-gray-600 dark:text-gray-400">{{ block.description|safe }}</div>
        {% if block.button_text and block.button_link %}
          <a class="mt-4 inline-block rounded-lg bg-primary px-5 py-2.5 text-sm font-bold text-white hover:bg-primary/90" href="{{ block.button_link }}">
            {{ block.button_text }}
          </a>
        {% endif %}
      </div>
      {% empty %}
        <div class="flex flex-col gap-4 items-start">
          <h3 class="text-2xl font-bold text-gray-900 dark:text-white">Un architecte, pourquoi ?</h3>
          <p class="text-gray-600 dark:text-gray-400">
            Parce que vous avez votre façon de vivre et vos goûts personnels. Le rôle de l'architecte est avant tout de vous écouter ; à partir de

```

vos besoins, de vos goûts, de votre mode de vie, de l'évolution possible de votre famille, l'architecte vous aide à définir votre projet : disposition des lieux, utilisation judicieuse des surfaces, organisation des volumes intérieurs, aspect extérieur.

</p>

Trouver un Architecte

</div>

<div class="flex flex-col gap-4 items-start">

<h3 class="text-2xl font-bold text-gray-900 dark:text-white">Un ingénieur, pourquoi ?</h3>

<p class="text-gray-600 dark:text-gray-400">

Au sein d'un cabinet d'études, d'un cabinet d'architecte ou d'une entreprise de construction, l'ingénieur est un professionnel chargé d'effectuer des études préalablement à la conclusion du contrat de construction. Son rôle est donc primordial pour son employeur, puisque c'est à partir de ses études qu'il saura si oui ou non un projet est réalisable.

</p>

Trouver un Ingénieur

</div>

<div class="flex flex-col gap-4 items-start">

<h3 class="text-2xl font-bold text-gray-900 dark:text-white">Le CNIAH pourquoi ?</h3>

<p class="text-gray-600 dark:text-gray-400">

Le CNIAH a pour mission première de promouvoir et réguler, d'assurer la qualité des services et ouvrages bâtis au service de la population. Créé par Décret-loi en date du 25 mars 1974, regroupe les professionnels qui ont l'autorisation légale d'exercer dans les diverses branches du Génie et de l'Architecture en Haïti suivant les modalités au Décret-loi.

</p>

</div>

{% endfor %}

</div>

</section>

<!-- Recent Articles (Toutes catégories) -->

{% if recent_articles %}

<section class="container mx-auto px-4 py-12 sm:py-16">

<h2 class="text-2xl sm:text-3xl font-bold leading-tight tracking-[-0.015em] pb-8 dark:text-white">

Derniers Articles

</h2>

<div class="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-8">

{% for article in recent articles %}

<div class="w-full bg-center bg-no-repeat aspect-[4/3] bg-cover rounded-xl overflow-hidden">

<div class="h-full w-full bg-cover bg-center transition-transform duration-300 group-hover:scale-105"

style='background-image: url("{% if article.image %}{% article.image.url %}{% else %}https://via.placeholder.com/600x400{% endif %})";'>

</div>

</div>

<div>

{% if article.category %}

{{ article.category.name }}

{% endif %}

<p class="text-lg font-bold leading-normal dark:text-white mt-1">{{ article.title }}</p>

<p class="text-sm font-normal leading-normal text-gray-600 dark:text-gray-400">

{{ article.excerpt|truncatewords:20 }}

</p>

<p class="text-xs text-gray-500 dark:text-gray-500 mt-2">

{{ article.published_at|date:"d M Y" }}

</p>

</div>

{% endfor %}

</div>

</section>

{% endif %}

<!-- Sidebar Advertisement -->

{% if sidebar_ads %}

<section class="bg-gray-50 dark:bg-gray-900/30 py-8">

<div class="container mx-auto px-4">

<div class="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-6">

{% for ad in sidebar_ads %}


```

        {% endfor %}
    </div>
</div>
</section>
{% endif %}

<!-- Newsletter -->
<section class="py-12 sm:py-16">
    <div class="container mx-auto px-4">
        <div class="bg-primary/10 dark:bg-primary/5 p-8 rounded-xl md:p-12">
            <div class="flex flex-col md:flex-row items-center justify-between gap-8">
                <div class="md:w-1/2">
                    <h2 class="text-3xl font-bold uppercase tracking-tight text-gray-900 dark:text-white">Boîte aux lettres</h2>
                    <p class="mt-2 text-lg leading-8 text-gray-600 dark:text-gray-400">
                        Abonnez-vous à notre newsletter pour recevoir les
                        dernières actualités.
                    </p>
                </div>
                <form method="post" action="{% url 'core:newsletter_subscribe' %}" class="flex w-full max-w-md gap-4">
                    {% csrf_token %}
                    <input autocomplete="email" class="min-w-0 flex-auto rounded-lg border-gray-300 dark:border-gray-700 bg-white/50 dark:bg-black/20 px-3.5 py-2 text-gray-900 dark:text-white shadow-sm ring-1 ring-inset ring-white/10 focus:ring-2 focus:ring-inset focus:ring-primary sm:text-sm sm:leading-6"
                        name="email" placeholder="Entrez votre e-mail"
                        required type="email"/>
                    <button class="flex-none rounded-lg bg-primary px-5 py-2.5 text-sm font-bold text-white shadow-sm hover:bg-primary/90" type="submit">
                        S'abonner
                    </button>
                </form>
            </div>
        </div>
    </div>
</section>

<!-- Contact Section -->
<section class="container mx-auto px-4 py-12 sm:py-16">
    <div class="grid grid-cols-1 md:grid-cols-2 gap-16 items-start">
        <div class="text-left">
            <h2 class="text-3xl font-bold uppercase tracking-tight text-gray-900 dark:text-white sm:text-4xl">

```

```

        Contactez-nous
    </h2>
    <p class="mt-4 text-lg leading-8 text-gray-600 dark:text-gray-400">
        Pour toute question, n'hésitez pas à nous contacter.
    </p>
    <div class="mt-8 space-y-4 text-gray-700 dark:text-gray-300">
        <p class="flex items-center gap-3">
            <span class="material-symbols-outlined
text-primary">location_on</span>
            <span>14, Rue Capois, #3, Champs-de-Mars, Port-au-Prince,
Haiti</span>
        </p>
        <p class="flex items-center gap-3">
            <span class="material-symbols-outlined
text-primary">call</span>
            <span>(509) 2942-3015 / (509) 2942-3016</span>
        </p>
        <p class="flex items-center gap-3">
            <span class="material-symbols-outlined
text-primary">mail</span>
            <span>cniah.secretariat@gmail.com</span>
        </p>
    </div>
</div>
<div>
    <h3 class="text-2xl font-bold uppercase tracking-tight text-gray-900
dark:text-white mb-6">
        Formulaire de Contact
    </h3>
    <form action="{% url 'contact:contact' %}" method="POST"
class="space-y-6">
        {% csrf_token %}
        <div>
            <label class="block text-sm font-medium leading-6
text-gray-900 dark:text-gray-200">Nom complet</label>
            <input name="name" type="text" required class="mt-2 block
w-full rounded-md border-0 py-2 px-3 text-gray-900 dark:text-white bg-white/50
dark:bg-black/20 shadow-sm ring-1 ring-inset ring-gray-300 dark:ring-gray-700
focus:ring-2 focus:ring-primary"/>
        </div>
        <div>
            <label class="block text-sm font-medium leading-6
text-gray-900 dark:text-gray-200">Email</label>
            <input name="email" type="email" required class="mt-2 block
w-full rounded-md border-0 py-2 px-3 text-gray-900 dark:text-white bg-white/50
dark:bg-black/20 shadow-sm ring-1 ring-inset ring-gray-300 dark:ring-gray-700
focus:ring-2 focus:ring-primary"/>

```



```

        </div>
    </div>

    <label class="block text-sm font-medium leading-6
text-gray-900 dark:text-gray-200">Message</label>
    <textarea name="message" rows="4" required class="mt-2 block
w-full rounded-md border-0 py-2 px-3 text-gray-900 dark:text-white bg-white/50
dark:bg-black/20 shadow-sm ring-1 ring-inset ring-gray-300 dark:ring-gray-700
focus:ring-2 focus:ring-primary"></textarea>

    </div>

    <button type="submit" class="w-full flex justify-center
rounded-lg bg-primary px-3 py-2.5 text-sm font-bold text-white shadow-sm
hover:bg-primary/90">
        Envoyer le Message
    </button>
</form>
</div>
</div>
</section>

<!-- Sponsors -->
{% if sponsors %}
<section class="bg-white dark:bg-background-dark py-12 sm:py-16">
    <div class="container mx-auto px-4">
        <h2 class="text-center text-2xl font-bold leading-tight text-gray-800
dark:text-gray-200 mb-12">
            Nos Partenaires et Sponsors
        </h2>
        <div class="swiper sponsorsSwiper">
            <div class="swiper-wrapper items-center">
                {% for sponsor in sponsors %}
                    <div class="swiper-slide flex justify-center">
                        
                    </div>
                {% endfor %}
            </div>
            <div class="swiper-pagination"></div>
        </div>
    </div>
</section>
{% endif %}
{% endblock %}

{% block extra_js %}

```

```

<script
src="https://cdn.jsdelivr.net/npm/swiper@11/swiper-bundle.min.js"></script>
<script>
    // Banner Swiper
    const bannerSwiper = new Swiper('.bannerSwiper', {
        slidesPerView: 1,
        spaceBetween: 10,
        loop: true,
        autoplay: {
            delay: 5000,
            disableOnInteraction: false,
        },
        pagination: {
            el: '.swiper-pagination',
            clickable: true,
        },
    });

    // National News Swiper
    const nationalNewsSwiper = new Swiper('.nationalNewsSwiper', {
        slidesPerView: 1,
        spaceBetween: 20,
        loop: false,
        navigation: {
            nextEl: '.swiper-button-next',
            prevEl: '.swiper-button-prev',
        },
        pagination: {
            el: '.swiper-pagination',
            clickable: true,
        },
        breakpoints: {
            640: {
                slidesPerView: 2,
                spaceBetween: 20,
            },
            1024: {
                slidesPerView: 3,
                spaceBetween: 30,
            },
        },
    });

    // International News Swiper
    const internationalNewsSwiper = new Swiper('.internationalNewsSwiper', {
        slidesPerView: 1,
        spaceBetween: 20,

```

```

        loop: false,
        navigation: {
            nextEl: '.swiper-button-next',
            prevEl: '.swiper-button-prev',
        },
        pagination: {
            el: '.swiper-pagination',
            clickable: true,
        },
        breakpoints: {
            640: {
                slidesPerView: 2,
                spaceBetween: 20,
            },
            1024: {
                slidesPerView: 3,
                spaceBetween: 30,
            },
        },
    });

    // Sponsors Swiper
    const sponsorsSwiper = new Swiper('.sponsorsSwiper', {
        slidesPerView: 2,
        spaceBetween: 30,
        loop: true,
        autoplay: {
            delay: 3000,
            disableOnInteraction: false,
        },
        pagination: {
            el: '.swiper-pagination',
            clickable: true,
        },
        breakpoints: {
            640: {
                slidesPerView: 3,
                spaceBetween: 40,
            },
            768: {
                slidesPerView: 4,
                spaceBetween: 50,
            },
            1024: {
                slidesPerView: 6,
                spaceBetween: 60,
            },
        },
    });

```

```
} ,
```

```
});
```

```
</script>
```

```
{% endblock %}
```

```

{% comment %} src\templates\pages\cniah\membership.html {% endcomment %}

{% extends 'base.html' %}
{% load static %}

{% block title %}Adhésion - CNIAH{% endblock %}

{% block content %}
<!-- Page Header -->
<div class="container mx-auto px-4 pt-8 md:pt-16">
    <div class="flex flex-wrap justify-between gap-4">
        <div class="flex min-w-72 flex-col gap-3">
            <p class="text-[#121117] dark:text-white text-4xl font-black leading-tight tracking-[-0.033em]">Devenir Membre du CNIAH</p>
            <p class="text-gray-600 dark:text-gray-400 text-base font-normal leading-normal">Rejoignez notre réseau de professionnels et découvrez les critères d'admission pour les membres nationaux et internationaux.</p>
        </div>
    </div>
</div>

<!-- Tabs -->
<div class="flex py-3 mt-4">
    <div class="flex h-10 w-full flex-row items-center justify-center rounded-lg bg-gray-100 dark:bg-gray-800 p-1">
        <label class="flex cursor-pointer h-full grow items-center justify-center overflow-hidden rounded-lg px-2 has-[:checked]:bg-white has-[:checked]:dark:bg-background-dark has-[:checked]:shadow-[0_0_4px_rgba(0,0,0,0.1)] has-[:checked]:text-[#121117] dark:has-[:checked]:text-white text-gray-600 dark:text-gray-400 text-sm font-medium leading-normal transition-colors duration-200">
            <span class="truncate">Professionnels Nationaux</span>
            <input checked="" class="invisible w-0" name="membership-type" type="radio" value="Professionnels Nationaux"/>
        </label>
        <label class="flex cursor-pointer h-full grow items-center justify-center overflow-hidden rounded-lg px-2 has-[:checked]:bg-white has-[:checked]:dark:bg-background-dark has-[:checked]:shadow-[0_0_4px_rgba(0,0,0,0.1)] has-[:checked]:text-[#121117] dark:has-[:checked]:text-white text-gray-600 dark:text-gray-400 text-sm font-medium leading-normal transition-colors duration-200">
            <span class="truncate">Professionnels Internationaux</span>
            <input class="invisible w-0" name="membership-type" type="radio" value="Professionnels Internationaux"/>
        </label>
    </div>
</div>

```

```
<!-- Accordion Section -->
<div class="flex flex-col gap-3 mt-2">
  <details class="flex flex-col rounded-lg border border-gray-200/80
dark:border-gray-800/80 bg-white dark:bg-background-dark px-[15px] py-[7px]
group" open>
    <summary class="flex cursor-pointer items-center justify-between
gap-6 py-2">
      <p class="text-[#121117] dark:text-white text-sm font-medium
leading-normal">Critères d'Admission</p>
      <div class="text-[#121117] dark:text-white group-open:rotate-180
transition-transform duration-300">
        <span class="material-symbols-outlined">expand_more</span>
      </div>
    </summary>
    <p class="text-gray-600 dark:text-gray-400 text-sm font-normal
leading-normal pb-2">Le contenu détaillé des critères d'admission pour les
professionnels nationaux sera affiché ici. Il peut inclure des points sur la
formation, l'expérience professionnelle et l'éthique.</p>
  </details>

  <details class="flex flex-col rounded-lg border border-gray-200/80
dark:border-gray-800/80 bg-white dark:bg-background-dark px-[15px] py-[7px]
group">
    <summary class="flex cursor-pointer items-center justify-between
gap-6 py-2">
      <p class="text-[#121117] dark:text-white text-sm font-medium
leading-normal">Pièces Requises</p>
      <div class="text-[#121117] dark:text-white group-open:rotate-180
transition-transform duration-300">
        <span class="material-symbols-outlined">expand_more</span>
      </div>
    </summary>
    <p class="text-gray-600 dark:text-gray-400 text-sm font-normal
leading-normal pb-2">Une liste détaillée des pièces à fournir, comme les
diplômes, certificats de travail, et une pièce d'identité valide, sera présentée
ici pour compléter le dossier d'adhésion.</p>
  </details>

  <details class="flex flex-col rounded-lg border border-gray-200/80
dark:border-gray-800/80 bg-white dark:bg-background-dark px-[15px] py-[7px]
group">
    <summary class="flex cursor-pointer items-center justify-between
gap-6 py-2">
      <p class="text-[#121117] dark:text-white text-sm font-medium
leading-normal">Conditions de Dérogation</p>
      <div class="text-[#121117] dark:text-white group-open:rotate-180
transition-transform duration-300">
```

```

        <span class="material-symbols-outlined">expand more</span>
    </div>
</summary>

    <p class="text-gray-600 dark:text-gray-400 text-sm font-normal
leading-normal pb-2">Les conditions spécifiques sous lesquelles une dérogation
aux critères standards peut être accordée seront expliquées dans cette section,
y compris la procédure à suivre.</p>
</details>
</div>

<!-- Documents Section -->
<div class="mt-8">
    <h2 class="text-[#121117] dark:text-white text-[22px] font-bold
leading-tight tracking-[-0.015em] pb-3 pt-5">Documents à Télécharger</h2>
    <div class="flex flex-col gap-4">
        <a class="flex items-center justify-between p-4 rounded-lg border
border-gray-200/80 dark:border-gray-800/80 bg-white dark:bg-background-dark
hover:bg-gray-50 dark:hover:bg-gray-900 transition-colors duration-200"
href="#">
            <div class="flex items-center gap-4">
                <div class="flex items-center justify-center size-10
rounded-full bg-primary/20 text-primary">
                    <span
class="material-symbols-outlined">description</span>
                </div>
                <div>
                    <p class="text-[#121117] dark:text-white font-medium
text-sm">Formulaire d'Admission Mars 2019</p>
                    <p class="text-gray-600 dark:text-gray-400 text-xs">PDF
- 2.3 MB</p>
                </div>
            </div>
            <span class="material-symbols-outlined text-gray-600
dark:text-gray-400">download</span>
        </a>

        <a class="flex items-center justify-between p-4 rounded-lg border
border-gray-200/80 dark:border-gray-800/80 bg-white dark:bg-background-dark
hover:bg-gray-50 dark:hover:bg-gray-900 transition-colors duration-200"
href="#">
            <div class="flex items-center gap-4">
                <div class="flex items-center justify-center size-10
rounded-full bg-primary/20 text-primary">
                    <span class="material-symbols-outlined">checklist</span>
                </div>
                <div>

```

```
<p class="text-[#121117] dark:text-white font-medium
text-sm">Liste des pièces requises Mars 2019</p>
<p class="text-gray-600 dark:text-gray-400 text-xs">PDF
- 0.8 MB</p>
</div>
</div>
<span class="material-symbols-outlined text-gray-600
dark:text-gray-400">download</span>
</a>
<a class="flex items-center justify-between p-4 rounded-lg border
border-gray-200/80 dark:border-gray-800/80 bg-white dark:bg-background-dark
hover:bg-gray-50 dark:hover:bg-gray-900 transition-colors duration-200"
href="#">
<div class="flex items-center gap-4">
<div class="flex items-center justify-center size-10
rounded-full bg-primary/20 text-primary">
<span
class="material-symbols-outlined">account balance</span>
</div>
<div>
<p class="text-[#121117] dark:text-white font-medium
text-sm">Liste des comptes bancaires</p>
<p class="text-gray-600 dark:text-gray-400 text-xs">PDF
- 0.5 MB</p>
</div>
</div>
<span class="material-symbols-outlined text-gray-600
dark:text-gray-400">download</span>
</a>
</div>
</div>
<!-- CTA Section -->
<div class="mt-12 mb-8 px-4 py-8 bg-white dark:bg-background-dark rounded-lg
border border-gray-200/80 dark:border-gray-800/80">
<div class="text-center">
<h3 class="text-xl font-bold text-[#121117] dark:text-white">Des
questions ?</h3>
<p class="mt-2 text-gray-600 dark:text-gray-400">Si vous avez besoin
d'aide ou d'informations supplémentaires concernant le processus d'adhésion,
n'hésitez pas à nous contacter.</p>
<a href="{% url 'contact:contact' %}" class="mt-6 inline-flex
min-w-[84px] max-w-[480px] cursor-pointer items-center justify-center
overflow-hidden rounded-lg h-10 px-6 bg-primary text-[#121117] text-sm font-bold
leading-normal tracking-[0.015em] hover:opacity-90 transition-opacity">
<span class="truncate">Contactez-nous</span>
```



```
        </a>
    </div>
</div>
</div>
{% endblock %}
```

```
{% comment %} src\templates\pages\contact\index.html {% endcomment %}

{% extends 'base.html' %}
{% load static %}

{% block title %}Contact - CNIAH{% endblock %}

{% block content %}
<section class="container mx-auto px-4 py-16 sm:py-24">
    <div class="grid grid-cols-1 md:grid-cols-2 gap-16 items-start">
        <div class="text-left">
            <h1 class="text-4xl font-bold mb-8 dark:text-white">Contactez-nous</h1>
            <p class="text-lg text-gray-600 dark:text-gray-400 mb-8">
                Pour toute question, n'hésitez pas à nous contacter.
            </p>
            <div class="space-y-4 text-gray-700 dark:text-gray-300">
                <p class="flex items-center gap-3">
                    <span class="material-symbols-outlined text-primary">location_on</span>
                    <span>14, Rue Capois, #3, Champs-de-Mars, Port-au-Prince,
                    Haiti</span>
                </p>
                <p class="flex items-center gap-3">
                    <span class="material-symbols-outlined text-primary">call</span>
                    <span>(509) 2942-3015 / (509) 2942-3016</span>
                </p>
                <p class="flex items-center gap-3">
                    <span class="material-symbols-outlined text-primary">mail</span>
                    <span>cniah.secretariat@gmail.com</span>
                </p>
            </div>
        </div>
        <div class="bg-white dark:bg-gray-800 p-8 rounded-xl border border-gray-200 dark:border-gray-700">
            <form method="POST" class="space-y-6">
                {% csrf_token %}
            </form>
        </div>
    </div>
</section>
{% endblock %}
```

```

<div>
    <label class="block text-sm font-medium mb-2
dark:text-gray-200">Nom complet</label>
    <input type="text" name="name" required class="w-full
rounded-lg border-gray-300 dark:border-gray-600 dark:bg-gray-700
dark:text-white"/>
</div>
<div>
    <label class="block text-sm font-medium mb-2
dark:text-gray-200">Email</label>
    <input type="email" name="email" required class="w-full
rounded-lg border-gray-300 dark:border-gray-600 dark:bg-gray-700
dark:text-white"/>
</div>
<div>
    <label class="block text-sm font-medium mb-2
dark:text-gray-200">Téléphone</label>
    <input type="tel" name="phone" class="w-full rounded-lg
border-gray-300 dark:border-gray-600 dark:bg-gray-700 dark:text-white"/>
</div>
<div>
    <label class="block text-sm font-medium mb-2
dark:text-gray-200">Message</label>
    <textarea name="message" rows="4" required class="w-full
rounded-lg border-gray-300 dark:border-gray-600 dark:bg-gray-700
dark:text-white"></textarea>
</div>
<button type="submit" class="w-full rounded-lg bg-primary px-4
py-3 text-white font-bold hover:bg-primary/90">
    Envoyer le Message
</button>
</form>
</div>
</div>
</section>
{% endblock %}

```

```

{% comment %} src\templates\pages\ingenieurs\index.html {% endcomment %}

{% extends 'base.html' %}
{% load static %}

{% block title %}Ingénieurs et Architectes - CNIAH{% endblock %}

{% block content %}
<section class="container mx-auto px-4 py-16 sm:py-24">
  <div class="grid grid-cols-1 lg:grid-cols-4 gap-12 items-start">
    <!-- Sidebar -->
    <aside class="col-span-1 lg:sticky lg:top-24">
      <h2 class="text-xl font-bold mb-6 dark:text-white">Menu</h2>
      <nav class="flex flex-col gap-1">
        <a class="px-4 py-2 rounded-lg text-gray-700 dark:text-gray-300
        hover:bg-gray-100 dark:hover:bg-white/5" href="#adhesion">Adhésion</a>
        <a class="px-4 py-2 rounded-lg text-gray-700 dark:text-gray-300
        hover:bg-gray-100 dark:hover:bg-white/5" href="#cotisation">Cotisation</a>
        <a class="px-4 py-2 rounded-lg text-gray-700 dark:text-gray-300
        hover:bg-gray-100 dark:hover:bg-white/5" href="#education">Éducation
        Continue</a>
        <a class="px-4 py-2 rounded-lg text-gray-700 dark:text-gray-300
        hover:bg-gray-100 dark:hover:bg-white/5" href="#branches">Branches</a>
      </nav>
    </aside>

    <!-- Main Content -->
    <div class="col-span-1 lg:col-span-3">
      <div class="prose prose-lg dark:prose-invert max-w-none space-y-8">
        <h1 class="text-4xl font-bold tracking-tight text-gray-900
        dark:text-white sm:text-5xl">
          Membres du C.N.I.A.H
        </h1>
        <p class="text-lg leading-8 text-gray-600 dark:text-gray-400">
          Le Collège National des Ingénieurs et Architectes Haitiens
          rassemble les professionnels les plus qualifiés du pays.
        </p>

        <div class="text-center my-10">
          <a class="inline-flex items-center justify-center rounded-lg
          bg-primary px-8 py-4 text-base font-bold text-white shadow-sm transition-colors
          hover:bg-primary/90" href="#">
            Consulter la Liste des membres
          </a>
        </div>

        <div id="adhesion">

```

```

        <h2 class="text-3xl font-bold tracking-tight text-gray-900
dark:text-white">
            Critères d'Adhésion
        </h2>
        <p class="text-gray-600 dark:text-gray-400">
            Pour devenir membre du C.N.I.A.H, les candidats doivent
            satisfaire à des exigences rigoureuses.
        </p>
        <ul class="space-y-2 text-gray-600 dark:text-gray-400">
            <li><strong class="font-semibold text-gray-800
dark:text-gray-200">Formation académique</strong> : Diplôme reconnu</li>
            <li><strong class="font-semibold text-gray-800
dark:text-gray-200">Expérience professionnelle</strong> : Expérience pratique
            pertinente</li>
            <li><strong class="font-semibold text-gray-800
dark:text-gray-200">Intégrité morale</strong> : Éthique irréprochable</li>
            <li><strong class="font-semibold text-gray-800
dark:text-gray-200">Engagement continu</strong> : Formation continue</li>
        </ul>
    </div>

    <div id="branches">
        <h2 class="text-3xl font-bold tracking-tight text-gray-900
dark:text-white">
            Branches du Génie et de l'Architecture
        </h2>
        <p class="text-gray-600 dark:text-gray-400">
            Le C.N.I.A.H reconnaît et encadre une large diversité de
            spécialisations pour répondre aux besoins complexes de la société haïtienne. Nos
            membres exercent dans les principales branches suivantes :
        </p>

        <div class="grid grid-cols-1 md:grid-cols-2 gap-x-8
gap-y-6">
            <!-- Architecture -->
            <div class="flex items-start gap-4 p-4 bg-gray-50
dark:bg-black/20 rounded-lg">
                <span class="material-symbols-outlined text-primary
text-3xl mt-1">apartment</span>
            </div>
            <h3 class="font-bold text-lg text-gray-800
dark:text-gray-200">Architecture</h3>
            <p class="text-sm text-gray-600
dark:text-gray-400">Conception de bâtiments et d'espaces urbains, alliant
            esthétique, fonctionnalité et durabilité.</p>
        </div>
    </div>

```

```
<!-- Génie Civil -->
<div class="flex items-start gap-4 p-4 bg-gray-50
dark:bg-black/20 rounded-lg">
  <span class="material-symbols-outlined text-primary
text-3xl mt-1">construction</span>
  <div>
    <h3 class="font-bold text-lg text-gray-800
dark:text-gray-200">Génie Civil</h3>
    <p class="text-sm text-gray-600
dark:text-gray-400">Planification, conception et construction d'infrastructures
telles que les routes, ponts et bâtiments.</p>
  </div>
</div>

<!-- Génie Électrique -->
<div class="flex items-start gap-4 p-4 bg-gray-50
dark:bg-black/20 rounded-lg">
  <span class="material-symbols-outlined text-primary
text-3xl mt-1">electric bolt</span>
  <div>
    <h3 class="font-bold text-lg text-gray-800
dark:text-gray-200">Génie Électrique</h3>
    <p class="text-sm text-gray-600
dark:text-gray-400">Systèmes de production, de distribution et d'utilisation de
l'énergie électrique.</p>
  </div>
</div>

<!-- Génie Mécanique -->
<div class="flex items-start gap-4 p-4 bg-gray-50
dark:bg-black/20 rounded-lg">
  <span class="material-symbols-outlined text-primary
text-3xl mt-1">precision manufacturing</span>
  <div>
    <h3 class="font-bold text-lg text-gray-800
dark:text-gray-200">Génie Mécanique</h3>
    <p class="text-sm text-gray-600
dark:text-gray-400">Conception et fabrication de systèmes mécaniques, de la
machinerie lourde aux dispositifs de précision.</p>
  </div>
</div>

<!-- Génie Électromécanique -->
<div class="flex items-start gap-4 p-4 bg-gray-50
dark:bg-black/20 rounded-lg">
```



```
<div class="flex flex-col gap-4">
  <div class="flex gap-3">
    <div class="bg-center bg-no-repeat aspect-square bg-cover
rounded-full size-10"
                                style='background-image:
url("https://ui-avatars.com/api/?name=Jean+Dupont&background=d0bb95&color=121117
");'></div>
    <div class="flex flex-col">
      <h1 class="text-[#121117] dark:text-white text-base
font-medium leading-normal">Jean Dupont</h1>
      <p class="text-gray-600 dark:text-gray-400 text-sm
font-normal leading-normal">Membre Actif</p>
    </div>
  </div>
</div>

<div class="flex flex-col gap-2">
  <a class="flex items-center gap-3 px-3 py-2 rounded-lg
bg-primary/20 dark:bg-primary/30" href="#">
    <span class="material-symbols-outlined text-[#121117]
dark:text-white text-base">dashboard</span>
    <p class="text-[#121117] dark:text-white text-sm
font-medium leading-normal">Tableau de Bord</p>
  </a>
  <a class="flex items-center gap-3 px-3 py-2 rounded-lg
hover:bg-gray-100 dark:hover:bg-gray-800" href="#">
    <span class="material-symbols-outlined text-[#121117]
dark:text-gray-300 text-base">person</span>
    <p class="text-[#121117] dark:text-gray-300 text-sm
font-medium leading-normal">Mon Profil</p>
  </a>
  <a class="flex items-center gap-3 px-3 py-2 rounded-lg
hover:bg-gray-100 dark:hover:bg-gray-800" href="#">
    <span class="material-symbols-outlined text-[#121117]
dark:text-gray-300 text-base">credit card</span>
    <p class="text-[#121117] dark:text-gray-300 text-sm
font-medium leading-normal">Mes Cotisations</p>
  </a>
  <a class="flex items-center gap-3 px-3 py-2 rounded-lg
hover:bg-gray-100 dark:hover:bg-gray-800" href="#">
    <span class="material-symbols-outlined text-[#121117]
dark:text-gray-300 text-base">school</span>
    <p class="text-[#121117] dark:text-gray-300 text-sm
font-medium leading-normal">Education Continue</p>
  </a>
  <a class="flex items-center gap-3 px-3 py-2 rounded-lg
hover:bg-gray-100 dark:hover:bg-gray-800" href="#">
```

```
                <span class="material-symbols-outlined text-[#121117]
dark:text-gray-300 text-base">work</span>
            <p class="text-[#121117] dark:text-gray-300 text-sm
font-medium leading-normal">Opportunités</p>
        </a>
        <a class="flex items-center gap-3 px-3 py-2 rounded-lg
hover:bg-gray-100 dark: hover:bg-gray-800" href="#">
            <span class="material-symbols-outlined text-[#121117]
dark:text-gray-300 text-base">folder</span>
            <p class="text-[#121117] dark:text-gray-300 text-sm
font-medium leading-normal">Documents</p>
        </a>
        <a class="flex items-center gap-3 px-3 py-2 rounded-lg
hover:bg-gray-100 dark: hover:bg-gray-800" href="#">
            <span class="material-symbols-outlined text-[#121117]
dark:text-gray-300 text-base">forum</span>
            <p class="text-[#121117] dark:text-gray-300 text-sm
font-medium leading-normal">Forum</p>
        </a>
    </div>
</div>

    <div class="flex flex-col gap-2">
        <a class="flex items-center gap-3 px-3 py-2 rounded-lg
hover:bg-gray-100 dark: hover:bg-gray-800" href="#">
            <span class="material-symbols-outlined text-[#121117]
dark:text-gray-300 text-base">settings</span>
            <p class="text-[#121117] dark:text-gray-300 text-sm
font-medium leading-normal">Paramètres</p>
        </a>
        <a class="flex items-center gap-3 px-3 py-2 rounded-lg
hover:bg-red-50 dark: hover:bg-red-500/10" href="#">
            <span class="material-symbols-outlined text-red-600
dark:text-red-400 text-base">logout</span>
            <p class="text-red-600 dark:text-red-400 text-sm font-medium
leading-normal">Déconnexion</p>
        </a>
    </div>
</div>
</aside>

    <!-- Main Content -->
    <main class="flex-1 p-6 lg:p-10 bg-background-light
dark:bg-background-dark">
        <div class="max-w-4xl mx-auto">
            <!-- Page Heading -->
            <div class="flex flex-wrap justify-between gap-3 mb-8">
```



```
<div class="flex min-w-72 flex-col gap-1">
  <h1 class="text-[#121117] dark:text-white text-4xl font-black leading-tight tracking-[-0.033em]">Bonjour, Jean Dupont!</h1>
  <p class="text-gray-600 dark:text-gray-400 text-base font-normal leading-normal">Bienvenue dans votre espace membre.</p>
</div>
</div>

<!-- Alert Card -->
<div class="mb-10">
  <div class="flex flex-col md:flex-row items-stretch justify-between gap-4 rounded-xl bg-white dark:bg-background-dark p-6 shadow-lg border border-gray-200/80 dark:border-gray-800/80">
    <div class="flex flex-[2 2 0px] flex-col gap-4">
      <div class="flex flex-col gap-1">
        <p class="text-primary text-sm font-bold leading-normal tracking-wide">ALERTE IMPORTANTE</p>
        <p class="text-[#121117] dark:text-white text-lg font-bold leading-tight">Votre adhésion arrive à expiration</p>
        <p class="text-gray-600 dark:text-gray-400 text-sm font-normal leading-normal">Votre cotisation annuelle doit être renouvelée avant le 31 Décembre pour conserver l'accès à vos avantages.</p>
      </div>
      <button class="flex min-w-[84px] max-w-[480px] cursor-pointer items-center justify-center overflow-hidden rounded-lg h-10 px-4 bg-primary text-[#121117] text-sm font-bold leading-normal tracking-[0.015em] w-fit hover:opacity-90">
        <span class="truncate">Renouveler maintenant</span>
      </button>
    </div>
  </div>
</div>

<div class="w-full bg-center bg-no-repeat aspect-video bg-cover rounded-lg flex-1 min-h-[120px] md:min-h-0" style='background-image: linear-gradient(135deg, #d0bb95 0%, #a89968 100%);'></div>
</div>
</div>

<!-- Section Header -->
<h2 class="text-[#121117] dark:text-white text-[22px] font-bold leading-tight tracking-[-0.015em] mb-4">Aperçu rapide</h2>

<!-- Grid of Cards -->
<div class="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-3 gap-6">
  <!-- Card: Éducation Continue -->
  <div class="flex flex-col gap-4 rounded-xl bg-white dark:bg-background-dark p-6 shadow-lg border border-gray-200/80 dark:border-gray-800/80">
```

```
<div class="flex items-center gap-3">
  <div class="bg-primary/20 dark:bg-primary/30 p-2
rounded-full">
    <span class="material-symbols-outlined
text-primary">school</span>
  </div>
  <h3 class="text-[#121117] dark:text-white text-base
font-bold leading-tight">Éducation Continue</h3>
</div>
<p class="text-gray-600 dark:text-gray-400 text-sm
font-normal leading-normal">Accédez à nos dernières formations et webinaires
pour développer vos compétences.</p>
<a class="text-primary text-sm font-bold leading-normal
mt-auto hover:underline" href="#">Voir les formations</a>
</div>

<!-- Card: Opportunités -->
<div class="flex flex-col gap-4 rounded-xl bg-white
dark:bg-background-dark p-6 shadow-lg border border-gray-200/80
dark:border-gray-800/80">
  <div class="flex items-center gap-3">
    <div class="bg-primary/20 dark:bg-primary/30 p-2
rounded-full">
      <span class="material-symbols-outlined
text-primary">work</span>
    </div>
    <h3 class="text-[#121117] dark:text-white text-base
font-bold leading-tight">Opportunités</h3>
  </div>
  <p class="text-gray-600 dark:text-gray-400 text-sm
font-normal leading-normal">Consultez les nouvelles offres d'emploi et appels
d'offres réservés aux membres.</p>
  <a class="text-primary text-sm font-bold leading-normal
mt-auto hover:underline" href="#">Découvrir les offres</a>
</div>

<!-- Card: Forum -->
<div class="flex flex-col gap-4 rounded-xl bg-white
dark:bg-background-dark p-6 shadow-lg border border-gray-200/80
dark:border-gray-800/80">
  <div class="flex items-center gap-3">
    <div class="bg-primary/20 dark:bg-primary/30 p-2
rounded-full">
      <span class="material-symbols-outlined
text-primary">forum</span>
    </div>
```

```

        <h3 class="text-[#121117] dark:text-white text-base
font-bold leading-tight">Forum</h3>
    </div>
    <p class="text-gray-600 dark:text-gray-400 text-sm
font-normal leading-normal">Échangez avec d'autres professionnels et participez
aux discussions de la communauté.</p>
    <a class="text-primary text-sm font-bold leading-normal
mt-auto hover:underline" href="#">Accéder au forum</a>
</div>
</div>

<!-- Mobile Sidebar Toggle (visible on small screens) -->
<div class="lg:hidden fixed bottom-6 right-6 z-50">
    <button class="flex items-center justify-center size-14
rounded-full bg-primary text-[#121117] shadow-lg hover:opacity-90">
        <span class="material-symbols-outlined text-2xl">menu</span>
    </button>
</div>
</div>
</main>
</div>
{% endblock %}

```

```

{% comment %} src\templates\pages\news\list.html {% endcomment %}

{% extends 'base.html' %}
{% load static %}

{% block title %}Actualités - CNIAH{% endblock %}

{% block content %}
<div class="bg-primary/5 dark:bg-primary/10 py-8">
    <div class="container mx-auto px-4">
        <h1 class="text-4xl font-bold text-gray-900 dark:text-white
mb-4">Actualités</h1>
        <p class="text-lg text-gray-600 dark:text-gray-400">Restez informé des
dernières nouvelles du CNIAH et du secteur</p>
    </div>
</div>

<div class="container mx-auto px-4 py-12">
    <!-- Filtres -->
    <div class="mb-8 flex flex-wrap gap-4 items-center">
        <div class="flex gap-2">

```

```
<a href="{% url 'news:list' %}" class="px-4 py-2 rounded-lg {% if
not current_type and not current_category %}bg-primary text-white{% else
%}bg-gray-100 dark:bg-gray-800 text-gray-700 dark:text-gray-300
hover:bg-gray-200 dark:hover:bg-gray-700{% endif %} transition-colors">
    Toutes
</a>

<a href="{% url 'news:list' %}?type=national" class="px-4 py-2
rounded-lg {% if current_type == 'national' %}bg-primary text-white{% else
%}bg-gray-100 dark:bg-gray-800 text-gray-700 dark:text-gray-300
hover:bg-gray-200 dark:hover:bg-gray-700{% endif %} transition-colors">
    Nationales
</a>

<a href="{% url 'news:list' %}?type=international" class="px-4 py-2
rounded-lg {% if current_type == 'international' %}bg-primary text-white{% else
%}bg-gray-100 dark:bg-gray-800 text-gray-700 dark:text-gray-300
hover:bg-gray-200 dark:hover:bg-gray-700{% endif %} transition-colors">
    Internationales
</a>
</div>

{% if categories %}
<div class="flex-1">
    <select onchange="window.location.href='?category=' + this.value"
class="px-4 py-2 rounded-lg bg-white dark:bg-gray-800 border border-gray-300
dark:border-gray-700 text-gray-700 dark:text-gray-300">
        <option value="">Toutes les catégories</option>
        {% for category in categories %}
            <option value="{{ category.slug }}" {% if current_category ==
category.slug %}selected{% endif %}>
                {{ category.name }}
            </option>
        {% endfor %}
    </select>
</div>
{% endif %}
</div>

<!-- Liste des articles -->
<div class="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-8">
    {% for article in articles %}
        <article class="flex flex-col gap-4 bg-white dark:bg-gray-800 rounded-xl
overflow-hidden shadow-sm hover:shadow-lg transition-shadow group">
            <a href="{% url 'news:detail' article.slug %}" class="block">
                <div class="w-full aspect-[16/9] bg-gray-200 dark:bg-gray-700
overflow-hidden relative">
                    {% if article.image %}
```

```
        
        {% else %}
        <div class="w-full h-full flex items-center justify-center
bg-gradient-to-br from-primary/20 to-primary/5">
            <span class="material-symbols-outlined text-6xl
text-primary/30">article</span>
        </div>
        {% endif %}

        <!-- Badge de type -->
        <span class="absolute top-3 left-3 px-3 py-1 rounded-full
text-xs font-bold text-white {% if article.news_type == 'national'
%}bg-primary{% else %}bg-blue-600{% endif %}">
            {% if article.news_type == 'national' %}National{% else
%}International{% endif %}
        </span>
    </div>

    <div class="p-4">
        {% if article.category %}
        <span class="text-xs font-bold text-primary uppercase">{{
article.category.name }}</span>
        {% endif %}

        <h2 class="text-xl font-bold text-gray-900 dark:text-white
mt-2 line-clamp-2 group-hover:text-primary transition-colors">
            {{ article.title }}
        </h2>

        <p class="text-sm text-gray-600 dark:text-gray-400 mt-2
line-clamp-3">
            {{ article.excerpt }}
        </p>

        <div class="flex items-center justify-between mt-4 text-xs
text-gray-500 dark:text-gray-500">
            <span>{{ article.published at|date:"d M Y" }}</span>
            {% if article.author %}
            <span>Par {{ article.author }}</span>
            {% endif %}
        </div>
    </div>
</a>
</article>
{% empty %}
```

```

<div class="col-span-full text-center py-12">
    <span class="material-symbols-outlined text-6xl text-gray-300 dark:text-gray-700 mb-4">article</span>
    <p class="text-xl text-gray-500 dark:text-gray-400">Aucune actualité disponible pour le moment.</p>
</div>

{% endfor %}

</div>

<!-- Pagination -->
{% if is_paginated %}
<div class="mt-12 flex justify-center gap-2">
    {% if page_obj.has_previous %}
        <a href="?page=1{% if current_type %}&type={{ current_type }}{% endif %}{% if current_category %}&category={{ current_category }}{% endif %}" class="px-4 py-2 rounded-lg bg-gray-100 dark:bg-gray-800 text-gray-700 dark:text-gray-300 hover:bg-gray-200 dark:hover:bg-gray-700">
            Première
        </a>
        <a href="?page={{ page_obj.previous_page_number }}{% if current_type %}&type={{ current_type }}{% endif %}{% if current_category %}&category={{ current_category }}{% endif %}" class="px-4 py-2 rounded-lg bg-gray-100 dark:bg-gray-800 text-gray-700 dark:text-gray-300 hover:bg-gray-200 dark:hover:bg-gray-700">
            Précédent
        </a>
    {% endif %}

    <span class="px-4 py-2 rounded-lg bg-primary text-white">
        Page {{ page_obj.number }} sur {{ page_obj.paginator.num_pages }}
    </span>

    {% if page_obj.has_next %}
        <a href="?page={{ page_obj.next_page_number }}{% if current_type %}&type={{ current_type }}{% endif %}{% if current_category %}&category={{ current_category }}{% endif %}" class="px-4 py-2 rounded-lg bg-gray-100 dark:bg-gray-800 text-gray-700 dark:text-gray-300 hover:bg-gray-200 dark:hover:bg-gray-700">
            Suivant
        </a>
        <a href="?page={{ page_obj.paginator.num_pages }}{% if current_type %}&type={{ current_type }}{% endif %}{% if current_category %}&category={{ current_category }}{% endif %}" class="px-4 py-2 rounded-lg bg-gray-100 dark:bg-gray-800 text-gray-700 dark:text-gray-300 hover:bg-gray-200 dark:hover:bg-gray-700">
            Dernière
        </a>
    </div>

```

```
        {% endif %}
    </div>
    {% endif %}
</div>
{% endblock %}
```

```
{% comment %} src\templates\pages\public\index.html {% endcomment %}

{% extends 'base.html' %}
{% load static %}

{% block title %}Au service du public - CNIAH{% endblock %}

{% block content %}
<main class="flex flex-1 justify-center py-5 sm:py-10 px-4 sm:px-10">
    <div class="layout-content-container flex flex-col w-full max-w-6xl flex-1">
        <div class="flex flex-wrap justify-between gap-3 p-4">
            <h1 class="text-gray-900 dark:text-white text-4xl font-black
leading-tight tracking-[-0.033em] min-w-72">
                Au service du public
            </h1>
        </div>

        <div class="flex flex-col lg:flex-row gap-8 mt-6">
            <div class="flex-grow lg:w-2/3">
                <div class="flex flex-col p-4 gap-3">
                    <details class="flex flex-col rounded-xl border
border-gray-200 dark:border-gray-700 bg-white dark:bg-gray-800 px-[15px]
py-[7px] group" open>
                        <summary class="flex cursor-pointer items-center
justify-between gap-6 py-2">
                            <p class="text-gray-900 dark:text-white text-base
font-medium leading-normal">
                                Pourquoi engager un Ingénieur ?
                            </p>
                            <span class="material-symbols-outlined text-gray-800
dark:text-gray-300 group-open:rotate-180 transition-transform
duration-300">expand_more</span>
                        </summary>
                        <p class="text-gray-600 dark:text-gray-400 text-sm
font-normal leading-normal pb-2 pt-1">
                            Engager un ingénieur garantit la sécurité
structurelle, la conformité réglementaire et l'efficacité de votre projet.
                        </p>
                    </details>
                </div>
            </div>
        </div>
    </div>
</main>
{% endblock %}
```

```

<details class="flex flex-col rounded-xl border
border-gray-200 dark:border-gray-700 bg-white dark:bg-gray-800 px-[15px]
py-[7px] group">
  <summary class="flex cursor-pointer items-center
justify-between gap-6 py-2">
    <p class="text-gray-900 dark:text-white text-base
font-medium leading-normal">
      Pourquoi engager un Architecte ?
    </p>
    <span class="material-symbols-outlined text-gray-800
dark:text-gray-300 group-open:rotate-180 transition-transform
duration-300">expand more</span>
  </summary>
  <p class="text-gray-600 dark:text-gray-400 text-sm
font-normal leading-normal pb-2 pt-1">
    L'architecte conçoit des espaces esthétiques et
fonctionnels, optimise l'utilisation de l'espace.
  </p>
</details>

<details class="flex flex-col rounded-xl border
border-gray-200 dark:border-gray-700 bg-white dark:bg-gray-800 px-[15px]
py-[7px] group">
  <summary class="flex cursor-pointer items-center
justify-between gap-6 py-2">
    <p class="text-gray-900 dark:text-white text-base
font-medium leading-normal">
      Le CNIAH, pourquoi ?
    </p>
    <span class="material-symbols-outlined text-gray-800
dark:text-gray-300 group-open:rotate-180 transition-transform
duration-300">expand more</span>
  </summary>
  <p class="text-gray-600 dark:text-gray-400 text-sm
font-normal leading-normal pb-2 pt-1">
    Le CNIAH garantit que les professionnels respectent
les plus hauts standards de qualification.
  </p>
</details>
</div>
</div>

<div class="flex-shrink-0 lg:w-1/3">
  <div class="bg-white dark:bg-gray-800 p-6 rounded-xl border
border-gray-200 dark:border-gray-700 sticky top-24">

```



```
                <h2 class="text-gray-900 dark:text-white text-[22px]
font-bold leading-tight tracking-[-0.015em] pb-3 pt-1">
                    Trouvez le professionnel
                </h2>
                <p class="text-gray-600 dark:text-gray-400 text-sm mb-6">
                    Remplissez ce formulaire et nous vous mettrons en
contact.
                </p>
                <form method="POST" action="{% url
'contact:professional_request' %}" class="flex flex-col gap-4">
                    {% csrf_token %}
                    <div>
                        <label class="block text-sm font-medium
text-gray-700 dark:text-gray-300 mb-1">Nom</label>
                        <input class="w-full rounded-lg border-gray-300
dark:border-gray-600 dark:bg-gray-700 dark:text-white shadow-sm
focus:border-primary focus:ring-primary text-sm"
                            name="name" placeholder="Votre nom"
type="text" required/>
                    </div>
                    <div>
                        <label class="block text-sm font-medium
text-gray-700 dark:text-gray-300 mb-1">Email</label>
                        <input class="w-full rounded-lg border-gray-300
dark:border-gray-600 dark:bg-gray-700 dark:text-white shadow-sm
focus:border-primary focus:ring-primary text-sm"
                            name="email"
placeholder="votre.email@example.com" type="email" required/>
                    </div>
                    <div>
                        <label class="block text-sm font-medium
text-gray-700 dark:text-gray-300 mb-1">Type de professionnel</label>
                        <select class="w-full rounded-lg border-gray-300
dark:border-gray-600 dark:bg-gray-700 dark:text-white shadow-sm
focus:border-primary focus:ring-primary text-sm"
                            name="professional_type" required>
                            <option value="">Sélectionnez...</option>
                            <option value="engineer">Ingénieur</option>
                            <option value="architect">Architecte</option>
                            <option value="both">Les deux</option>
                        </select>
                    </div>
                    <div>
                        <label class="block text-sm font-medium
text-gray-700 dark:text-gray-300 mb-1">Description du projet</label>
```

```
        <textarea class="w-full rounded-lg border-gray-300
dark:border-gray-600      dark:bg-gray-700      dark:text-white      shadow-sm
focus:border-primary focus:ring-primary text-sm"
        name="description" placeholder="Décrivez
brièvement..." rows="4" required></textarea>
    </div>
    <button class="w-full rounded-lg bg-primary px-4 py-2
text-white text-sm font-bold hover:bg-primary/90" type="submit">
        Soumettre
    </button>
</form>
</div>
</div>
</div>
</div>
</main>
{% endblock %}
```