LUNG CANCER DETECTION USING MACHINE LEARNING

An Engineering Project in Community Service

Phase – II Report

Submitted by

1.	22BCE10834	Priyanshu Kumar
2.	22BCE10850	Rimjhim Jha
3.	22BCE11402	Vairag Kamleshbhai Akbari
4.	22BSA10274	Dilman
5.	22BCE11428	Aditi Bathla
6.	22BAI10248	Maulic Gola
7.	22BSA10213	Rachit Gupta
8.	22BCE10886	Ishaan Verma
9.	22BAI10392	Abhinav Chauhan
10.	22MEI10081	Pranjal Singh

in partial fulfillment of the requirements for the degree of

Bachelor of Engineering and Technology



VIT Bhopal University

Bhopal

Madhya Pradesh

April, 2025

VIT BHOPAL
www.vitbhopal.ac.in

Bonafide Certificate

Certified that this project report titled **"Lung Cancer Prediction Using Machine Learning"** is the Bonafide work of **"22BCE10834 Priyanshu Kumar, 22BCE10850 Rimjhim Jha, 22BCE11402 Vairag Kamleshbhai Akbari, 22BSA10274 Dilman, 22BCE11428 Aditi Bathla, 22BAI10248 Maulic Gola, 22BSA10213 Rachit Gupta, 22BCE10886 Ishaan Verma, 22BAI10392 Abhinav Chauhan, 22MEI10081 Pranjal Singh"** who carried out the project work under my supervision.

This project report (Phase II) is submitted for the Project Viva-Voce examination held on **15/04/2025**

(Dr. Bhupendra Panchal- 100514)

(Assistant Professor)

Supervisor

(Dr. Ankit Pal- 100348)

(Assistant Professor)

Comments & Signature (Reviewer 1)

(Dr. Anita Yadav- 100014)

(Assistant Professor)

Comments & Signature (Reviewer 2)

Declaration of Originality

We, hereby declare that this report entitled **"Lung Cancer Prediction Using Machine Learning"** represents our original work carried out for the EPICS project as a student of VIT Bhopal University and, to the best of our knowledge, it contains no material previously published or written by another person, nor any material presented for the award of any other degree or diploma of VIT Bhopal University or any other institution. Works of other authors cited in this report have been duly acknowledged under the section "References".

Date: **15/04/2025**

Reg. No.	**Name**
22BCE10834	Priyanshu Kumar
22BCE10850	Rimjhim Jha
22BCE11402	Vairag Kamleshbhai Akbari
22BSA10274	Dilman
22BCE11428	Aditi Bathla
22BAI10248	Maulic Gola
22BSA10213	Rachit Gupta
22BCE10886	Ishaan Verma
22BAI10392	Abhinav Chauhan
22MEI10081	Pranjal Singh

Acknowledgement

This work has benefited in various ways from several people. Whilst it would be simple to name them all, it would not be easy to thank them enough. First and foremost, we would like to thank the Lord Almighty for His presence and immense blessings throughout the project work. His grace and guidance have been our constant source of strength and inspiration. We would like to extend our heartfelt gratitude to our supervisor, **Dr. Bhupendra Panchal**, for his continuous support, guidance, and invaluable suggestions throughout this project. His expertise and encouragement have been crucial in the successful completion of this research work. Our sincere thanks go to all the authorities, technical and teaching staff of **VIT Bhopal**, who extended their support, directly or indirectly, to help us complete this project. Their assistance in accessing resources and sharing technical insights has been invaluable. Last but not least, we are deeply indebted to our parents, who have been our greatest source of motivation and support. Their encouragement and understanding allowed us to dedicate ourselves entirely to this endeavour. To all who have contributed to the success of this project, we express our deepest gratitude.

Abstract

Lung cancer continues to be the leading cause of cancer-related mortality, with early detection being critical for improving survival rates. The complexity of tumor structures, varied imaging modalities, and diagnostic inconsistencies present considerable challenges for medical practitioners. This study explores a multifaceted approach that integrates classical machine learning (ML) models with deep learning (DL) architectures to address these diagnostic limitations.

In the initial phases, we analyzed imaging data from CT scans, X-rays, MRIs, and histopathological slides, utilizing models such as Support Vector Machines (SVM), Random Forest (RF), Artificial Neural Networks (ANN), and Convolutional Neural Networks (CNN). Preprocessing techniques, including Gabor filtering and segmentation, along with feature extraction through GhostNet and hybrid optimization strategies, were implemented to boost classification accuracy. Our findings demonstrated that certain ML models achieved over 95% accuracy, with some hybrid configurations reaching up to 99.33%.

In the most recent phase, our project has evolved beyond experimentation. We have developed a complete working system capable of processing uploaded lung images to detect and classify cancerous patterns. The model is now hosted via Hugging Face Spaces, making it accessible as an online diagnostic tool. This interactive platform was built using FastAPI for backend services and PyTorch for deep learning integration, enabling real-time predictions upon image upload. Our solution not only reflects academic innovation but also real-world applicability by offering a deployable framework that bridges research with clinical needs.

Index

Sr. No.	Topic	Page No.
1	Introduction	7
1.1	Motivation	8
1.2	Objective	9
2	Existing Work/ Literature Review	10-12
3	Lung Cancer Prediction	13
3.1	System Design/ Architecture	13-16
3.2	Working Principle	16-18
3.3	Results and Discussion	18-21
3.4	Individual Contribution	21-24
4	Conclusion	25-26
5	References	27-28
6	Biodata	30-33

1. Introduction

Lung cancer continues to be one of the most pressing public health challenges worldwide, accounting for a staggering proportion of cancer-related fatalities each year. This aggressive malignancy arises when genetic mutations trigger the uncontrolled proliferation of lung cells, leading to the formation of tumors that impair respiratory function and, in advanced stages, metastasize to other organs. The disease's insidious nature—often presenting with minimal or nonspecific symptoms in its early stages—makes timely detection a critical factor in improving patient survival rates. Unfortunately, conventional diagnostic methods rely heavily on manual interpretation of imaging scans, a process that is not only labor-intensive but also susceptible to human error, particularly in cases where tumors exhibit subtle or atypical features.

The complexity of lung cancer diagnosis is further compounded by the existence of multiple histological subtypes, including non-small cell lung cancer (NSCLC) and small cell lung cancer (SCLC), each requiring distinct therapeutic approaches. Radiologists and pathologists must meticulously analyze hundreds, if not thousands, of high-resolution CT, MRI, and histopathological images to identify malignant lesions, a task that demands exceptional expertise and is prone to variability in interpretation. Given these challenges, there is an urgent need for more efficient, accurate, and scalable diagnostic solutions—one that can assist medical professionals without replacing their critical judgment.

To address these limitations, our research investigates the transformative potential of artificial intelligence (AI), specifically machine learning (ML) and deep learning (DL), in revolutionizing lung cancer detection. Unlike traditional rule-based algorithms, ML models can autonomously learn intricate patterns from vast datasets, enabling them to discern subtle anomalies in medical imaging that might otherwise go unnoticed. Convolutional Neural Networks (CNNs), a class of deep learning models particularly adept at image analysis, have demonstrated remarkable success in identifying tumor characteristics such as irregular margins, spiculations, and texture variations. By training these models on diverse datasets encompassing different imaging modalities, we can develop robust classifiers capable of distinguishing between benign nodules, early-stage malignancies, and aggressive cancers with high precision.

Beyond theoretical experimentation, our work has evolved into a practical, deployable solution designed to bridge the gap between research and clinical application. In the latest phase of our project, we transitioned from offline model training and validation to a fully functional, web-based diagnostic assistant. This system allows medical practitioners—and even patients in telemedicine settings—to upload lung images (CT, X-ray, or histopathology slides) for real-time AI-powered analysis. The backend, engineered using PyTorch, leverages a hybrid CNN-Random Forest architecture that combines the feature extraction prowess of deep learning with the interpretability and stability of ensemble methods. This dual approach ensures not only high accuracy but also resilience against overfitting, a common pitfall in medical AI applications where datasets may be limited or imbalanced.

To facilitate seamless interaction, we deployed the model via FastAPI, a modern Python framework that ensures low-latency inference, making it suitable for real-time diagnostics. The frontend, hosted on Hugging Face Spaces, provides an intuitive interface where users can drag-and-drop images, receive instant predictions, and access confidence scores for each diagnosis. This setup mimics real-world clinical workflows, offering a glimpse into how AI can be integrated into hospitals and diagnostic labs without disrupting existing infrastructure.

However, the journey toward widespread adoption is not without hurdles. Challenges such as dataset bias (where models underperform on underrepresented demographics), computational resource requirements, and the "black-box" nature of deep learning remain active areas of research. Future iterations of this project will focus on multi-modal data fusion—incorporating genomic, radiological, and clinical data—to enhance predictive accuracy further. Additionally, we aim to implement explainable AI (XAI) techniques to provide clinicians with interpretable decision-making insights, fostering trust and facilitating human-AI collaboration.

Ultimately, this work underscores the immense potential of AI as a force multiplier in oncology, offering a scalable means to improve early detection, reduce diagnostic delays, and optimize treatment planning. By continuing to refine these models and validate them in clinical trials, we move closer to a future where advanced technology and human expertise work in tandem to outpace one of the deadliest diseases of our time.

1.1 Motivation

Despite the remarkable progress in medical technology and imaging sciences, lung cancer continues to account for the highest number of cancer-related deaths globally. This high mortality rate is primarily due to the challenges associated with early and accurate diagnosis. Tumors vary significantly in size, shape, location, and biological behavior, making them difficult to detect with consistency. The heterogeneity in lung cancer presentations complicates not only the identification of malignancies but also the classification into appropriate subtypes—such as adenocarcinoma, squamous cell carcinoma, and small cell lung cancer—which is critical for determining the right treatment approach.

Traditional diagnostic workflows heavily depend on manual interpretation of imaging data such as CT scans, X-rays, and histopathological slides. Although radiologists and pathologists are highly trained professionals, the human eye can miss subtle indicators of disease, especially when reviewing hundreds of complex image slices under time constraints. Moreover, factors like fatigue, subjective judgment, and varying levels of expertise can lead to diagnostic discrepancies. In low-resource settings, the lack of experienced personnel exacerbates the issue, causing delays or inaccuracies in cancer detection.

These limitations underscore a compelling need for intelligent, automated systems that can augment the diagnostic process. Our motivation is deeply rooted in this gap: to leverage machine learning and deep learning technologies to create systems that not only match but in some cases exceed human diagnostic capabilities in terms of speed, consistency, and scalability. By combining classical machine learning models like Support Vector Machines (SVM) and Random Forest with powerful deep learning architectures such as Convolutional Neural Networks (CNNs), we aim to develop hybrid models that can robustly detect and classify lung cancer across diverse imaging modalities and patient populations.

In the latest phase of our research, this motivation has evolved into the creation of a fully functional, user-friendly diagnostic platform. This web-based tool allows users to upload medical images—primarily CT scans—and receive predictions almost instantly, making it suitable for both clinical and research environments. Behind the scenes, our platform integrates a PyTorch-based CNN model that has been fine-tuned for lung cancer classification. The system is supported by a FastAPI backend that handles image processing and model inference, while Hugging Face Spaces

serves as the hosting platform, providing a seamless and accessible interface for real-time interaction.

What drives us most is the potential impact this technology can have in real-world settings. We envision a future where AI-driven diagnostic tools are accessible not only in top-tier hospitals but also in rural clinics and underserved regions. By offering rapid, accurate, and scalable solutions, such platforms could revolutionize early detection efforts, reduce diagnostic errors, and ultimately save lives. Our work aims to make intelligent diagnostic support more than a research concept—it strives to make it a reliable component of modern healthcare.

1.2 Objective

The central objective of this research project is to design and implement an intelligent, automated system capable of accurately detecting and classifying lung cancer using medical imaging data. By integrating both traditional machine learning algorithms and modern deep learning architectures, the goal is to build a pipeline that enhances the speed, accuracy, and accessibility of lung cancer diagnostics. The system is envisioned as an end-to-end solution, capable of handling every stage of the diagnostic process—from the acquisition and preprocessing of raw medical images to the final prediction of cancer presence and subtype classification.

The underlying aim is to bridge the gap between advanced algorithmic research and its practical deployment in real-world healthcare scenarios. Lung cancer diagnosis often involves interpreting large volumes of CT scans, X-rays, and histopathological images. Manually analyzing these images is not only time-consuming but also subject to human error and variability in judgment. Hence, an automated system that consistently delivers high-accuracy predictions can significantly reduce the burden on radiologists, improve early detection rates, and support more informed clinical decisions.

In this enhanced phase of development, our objectives are more refined and focused on system integration, usability, and deployment:

Analyzing the performance of traditional classifiers such as Support Vector Machines (SVM), Random Forest (RF), Artificial Neural Networks (ANN), and K-Nearest Neighbors (KNN) in the context of lung cancer classification. These models are evaluated for their ability to process structured features extracted from medical images, serving as foundational benchmarks.

Developing and training a hybrid model that combines the strengths of CNNs for deep feature extraction with the robustness of traditional classifiers like SVM or RF for final decision-making. The hybrid approach aims to leverage CNNs' ability to detect intricate spatial and textural patterns, while utilizing ensemble-based or margin-maximizing classifiers to boost accuracy and prevent overfitting.

Deploying the trained model on Hugging Face Spaces, an open-source hosting platform that enables real-time model interaction. This deployment makes the system publicly accessible via a simple web interface, allowing users to upload CT scan or X-ray images and receive immediate classification results. This objective emphasizes translational impact by moving the solution from a research environment to a usable diagnostic tool.

Creating a robust backend service using FastAPI, a high-performance Python web framework. This service acts as the core engine of the deployed system, handling tasks such as image preprocessing (resizing, normalization), passing inputs to the model, interpreting outputs, and sending structured predictions back to the frontend. FastAPI was chosen for its efficiency, scalability, and ease of integration with PyTorch models.

Designing an intuitive frontend interface that allows users—whether researchers, clinicians, or students—to upload medical images and interact with the system effortlessly. The interface is intended to be minimal yet informative, providing not only binary or multiclass classification labels but also model confidence scores and potential interpretability visualizations in future versions.

Collectively, these objectives are aligned to not only validate the technical viability of our system but also ensure that it can be adopted in real healthcare environments. The emphasis on deployment, interactivity, and user experience transforms this project from a purely theoretical exploration into a tangible, real-world solution. Furthermore, by focusing on modular design and open-source accessibility, we aim to create a platform that can be easily expanded, maintained, and adapted for other cancer types or imaging tasks in future iterations.

2. Existing Work/ Literature Review

Lung cancer poses a major global health challenge, remaining one of the most prevalent and deadly forms of cancer. Early detection is crucial for improving survival rates, yet the intricate nature of lung cancer and the variability in tumor characteristics make accurate diagnosis quite difficult. Recent advancements in machine learning (ML) and deep learning (DL) have opened up new possibilities for diagnosing and classifying lung cancer, especially through the use of imaging and histopathological data. This section reviews the current research in this area, highlighting the progress made, the challenges faced, and the contributions of various methodologies.

Machine Learning in Lung Cancer Detection

Machine learning has shown great potential in analyzing medical imaging data for lung cancer detection. Traditional classifiers like Support Vector Machines (SVM), Random Forests (RF), and K-Nearest Neighbors (KNN) have been extensively researched. For example, SVM and RF have proven effective in differentiating between benign and malignant tumors by utilizing handcrafted features derived from imaging data. These models provide robustness and interpretability, especially when applied to well-curated datasets.

Artificial Neural Networks (ANN) have also been investigated, demonstrating competitive performance in classification tasks. The application of image preprocessing techniques, such as noise reduction and segmentation, has been essential in improving the diagnostic accuracy of ML classifiers. Sharmila Nageswaran et al. (2022) employed geometric mean filtering and K-means segmentation to preprocess CT scan images, achieving an accuracy exceeding 96% with ANN classifiers.

Deep Learning Revolution

Deep learning techniques, particularly Convolutional Neural Networks (CNNs), have transformed the landscape of lung cancer detection. CNNs excel at analyzing high-dimensional data, like medical images, and have proven to surpass traditional machine learning methods. R. Javed et al. (2024) emphasized the effectiveness of CNNs in identifying lung cancer from CT scans and X-rays, achieving diagnostic accuracy on par with expert radiologists. These models leverage their ability to learn complex features from data independently, minimizing the need for manual feature engineering.

Advanced CNN architectures, including Deep Convolutional Neural Networks (DCNNs), have led to even greater performance enhancements. Research by Shimazaki et al. (2022) concentrated on segmentation-based techniques, allowing for accurate identification of cancerous areas in chest radiographs. While these models demonstrated significant sensitivity and specificity, issues like false positives in anatomical blind spots remain, highlighting the necessity for improvements in segmentation methods.

Feature Extraction and Optimization

The importance of feature extraction in boosting the performance of machine learning and deep learning models is crucial. Techniques such as Gabor Filters, Histogram of Oriented Gradients (HOG), and wavelet transformations have been extensively used to capture essential patterns in imaging data. Alzubaidi et al. (2023) showed that localized feature extraction, when paired with SVM, achieved an impressive accuracy of 97%. The combination of innovative preprocessing and optimization techniques, such as Adaptive Firefly Algorithm Optimization (AFAO) and GhostNet for feature extraction, has further advanced model performance.

Obayya et al. (2023) proposed a hybrid framework that merges Gabor filtering with advanced deep learning techniques, achieving an impressive accuracy of 99.33% in classifying lung and colon cancers. This highlights the value of interdisciplinary methods that blend traditional machine learning with state-of-the-art deep learning models.

Histopathological Image Analysis

Histopathological images offer microscopic views of lung cancer tissue samples, providing essential information for classifying subtypes. Traditional models like Relief-SVM have shown effectiveness in situations with limited data. Li et al. (2023) found that Relief-SVM outperformed convolutional neural networks (CNNs) when used on small datasets to differentiate lung cancer subtypes, including Small Cell Lung Carcinoma (SCLC) and Adenosquamous Carcinoma (ASC). These findings suggest that simpler models can sometimes be more effective than complex ones in settings with fewer resources.

Multi-Modal and Integrated Approaches

Recent research is increasingly focused on the integration of multi-modal data, such as imaging, genetic, and clinical information, to enhance the thoroughness of lung cancer diagnosis. By combining imaging data with molecular biomarkers, personalized treatment strategies can be developed, such as identifying patients who may benefit from immunotherapy. However, despite its potential, the integration of multi-modal data poses challenges, including the complexity of high-dimensional datasets and the need to ensure that models generalize well across diverse populations.

Challenges and Future Directions

Despite the significant advancements made, there are still challenges in implementing machine learning (ML) and deep learning (DL) techniques in real-world clinical environments:

- Data Quality and Availability: To train effective models, high-quality and diverse datasets are crucial. Differences in imaging protocols and a lack of labeled data can limit the models' ability to generalize.

- Model Interpretability: The black-box nature of DL models can hinder their acceptance in clinical settings, as healthcare professionals need results that they can interpret to make informed decisions.

- Computational Demands: The high resource requirements for training and deploying complex models restrict their use, particularly in low-resource environments.

The use of ML and DL in lung cancer detection has shown great promise in improving diagnostic accuracy and efficiency. Traditional ML classifiers, along with advanced feature extraction and preprocessing methods, continue to deliver reliable results. At the same time, DL models, especially convolutional neural networks (CNNs), have established new standards in image analysis, achieving remarkable accuracy. However, issues such as data scarcity, high computational needs, and the necessity for interpretability underscore the importance of ongoing research and collaboration between computer scientists and healthcare professionals. With further advancements, these technologies have the potential to transform lung cancer diagnostics, ultimately enhancing patient outcomes.

3. Lung Cancer Prediction

3.1 System Design/ Architecture

The architecture of our lung cancer detection system is a carefully orchestrated blend of frontend, backend, and model components, all designed to deliver an accurate, accessible, and interactive experience for medical image analysis. This modular and scalable system replicates the diagnostic workflow used in clinical environments—starting from raw image intake to predictive analysis and user output. Each module is purposefully integrated to ensure robustness, performance efficiency, and user-friendliness.

System Components

1. Frontend Interface

The user interface plays a pivotal role in enhancing the accessibility of our diagnostic platform. Designed using standard web technologies such as HTML and CSS, and hosted via Hugging Face Spaces, the frontend is clean, minimalistic, and optimized for ease of use. Users—whether clinicians, researchers, or general observers—can seamlessly upload lung imaging files (such as CT scans or X-rays) without the need to install additional software or plugins.

The interface is fully browser-compatible, mobile-responsive, and integrated with backend endpoints to allow real-time communication. Upon image upload, users are guided through an interactive flow where predictions are shown with class labels and confidence scores. This interface is crucial in bridging the technical backend with a human-centered design.

2. Backend API

The backend infrastructure is developed using FastAPI, a modern Python web framework known for its high performance, scalability, and asynchronous capabilities. It acts as the communication hub that coordinates image data flow between the frontend and the model.

The backend handles the following responsibilities:

Image Preprocessing: Uploaded images are processed to standardize dimensions (e.g., 224x224 pixels), normalize pixel values, and convert formats (JPEG, PNG) to ensure compatibility with the model's input requirements.

Request Routing: The API efficiently routes incoming image requests from the frontend to the PyTorch inference engine and sends the predictions back to the client.

Prediction Output: After inference, the backend structures the model’s output—class label (e.g., benign, malignant, suspicious subtype), prediction probability, and processing time—and returns it as a JSON response for frontend visualization.

This backend architecture ensures low-latency responses and supports scalability in case of high-volume usage, such as clinical deployment or research-based evaluations.

3. Model Inference Engine

At the core of the application lies a PyTorch-based Convolutional Neural Network (CNN), responsible for learning patterns in medical imaging and making predictions. This model was initially trained using curated datasets sourced from platforms such as Kaggle (e.g., the LIDC-IDRI dataset), which provided diverse lung cancer imagery across subtypes.

To boost performance and generalization, the model was enhanced through:

Transfer Learning: Leveraging pre-trained CNN architectures (e.g., ResNet, EfficientNet) to minimize training time and improve accuracy on limited medical datasets.

Feature Extraction: Deep convolutional layers automatically learn and extract multi-scale spatial features—such as tumor margins, textures, and shapes—critical to differentiating between benign and malignant cases.

Ensemble Classification: For enhanced robustness, the deep features extracted by CNNs are passed through ensemble classifiers like Random Forest or Support Vector Machine (SVM), which are better at refining classification boundaries in feature space.

This multi-layered approach ensures that the model can make high-confidence predictions even on challenging or previously unseen imaging data.

4. Deployment Platform

The finalized application is deployed on Hugging Face Spaces, a cloud-hosted platform that offers integrated support for ML model hosting and Gradio-based interfaces. Hugging Face not only simplifies the deployment process but also ensures that the platform is:

Publicly Accessible: Anyone with internet access can interact with the application without requiring local GPU resources.

Live and Interactive: Thanks to Gradio integration, the deployment offers real-time interaction and visualization of results.

Version Controlled: Continuous updates and improvements can be deployed with ease, allowing the system to evolve as the model is retrained or improved.

This deployment ensures real-world applicability and allows us to test the system in environments that mimic clinical scenarios.

Workflow

To mimic the steps of a real diagnostic pipeline, the following workflow is executed each time a user uploads a new image:

Image Upload

The user accesses the Hugging Face interface and selects an image (e.g., CT scan slice or X-ray). The image is securely transmitted to the backend through an API endpoint.

Preprocessing

The backend standardizes the image by resizing, normalizing intensity values, and reformatting. These preprocessing steps ensure compatibility with the input expectations of the CNN model.

Model Prediction

The preprocessed image is passed into the trained PyTorch model, which processes the image through multiple convolutional layers and outputs the predicted class (e.g., benign, malignant, ASC, LUSC, etc.) along with a confidence score.

Display Output

The result is returned to the frontend where it is visualized in a user-friendly format. Additional information, such as prediction time and model confidence, is also displayed to help users interpret the results effectively.

Technical Specifications

Programming Language: The entire system is built using Python, owing to its robust ecosystem and widespread support in machine learning and data science. Key libraries and frameworks utilized include:

PyTorch: For building and training the deep learning models.

FastAPI: To develop a high-performance RESTful API backend for real-time predictions.

Gradio: For creating a seamless and interactive frontend interface hosted via Hugging Face Spaces.

OpenCV and NumPy: For image preprocessing and numerical operations.

Hardware Requirements:

Training Phase: High-performance GPUs (e.g., NVIDIA Tesla or RTX series) are required to accelerate deep learning tasks such as model training, fine-tuning, and transfer learning.

Inference Phase: The deployed model can run on CPUs for real-time predictions, but GPU acceleration improves responsiveness for high-resolution images and batch processing.

Data Storage and Management: Given the size of medical imaging datasets (e.g., CT scans can reach hundreds of MB per scan), ample cloud or local storage is required. File formats such as DICOM, PNG, and JPEG are supported.

Efficient data loading pipelines using PyTorch's DataLoader class ensure smooth batch training and evaluation.

Deployment Framework: Hugging Face Spaces: Provides scalable, shareable deployment via Gradio UI integration.

FastAPI: Handles API endpoints for image upload, model invocation, and response handling.

Version Control and CI/CD: GitHub integration supports version tracking and collaborative updates.

Challenges and Mitigation Strategies

1. Data Variability and Quality

Challenge: Lung images differ significantly across hospitals, patient demographics, and imaging modalities. Variability in contrast, resolution, and tumor presentation affects model consistency.

Mitigation: We applied image normalization, standardized resizing, and data augmentation techniques (rotation, flipping, brightness adjustments) to improve generalization. For histopathological data, color normalization was considered to reduce scanner-induced bias.

2. Class Imbalance

Challenge: Most public datasets are biased toward common cancer types, with fewer examples of rare subtypes like Adenosquamous Carcinoma or Small Cell Lung Carcinoma.

Mitigation: Techniques such as Synthetic Minority Oversampling Technique (SMOTE), stratified sampling, and class-weighted loss functions were employed to address imbalance during training.

3. Computational Complexity and Inference Speed

Challenge: Deep learning models, especially CNNs, can be computationally intensive, limiting real-time usability in resource-constrained environments.

Mitigation: We adopted lightweight architectures (e.g., MobileNet variants) and transfer learning to reduce training time. Additionally, PyTorch model tracing and quantization were explored to optimize model deployment for faster inference.

4. Model Interpretability and Clinical Trust

Challenge: Deep learning models often function as "black boxes", raising concerns about reliability and transparency in medical decision-making.

Mitigation: Plans are underway to integrate explainable AI (XAI) techniques such as Grad-CAM and LIME, which will allow visualization of regions in the image that influenced the model's decision. This adds an important layer of accountability and interpretability.

3.2 Working Principle

The working principle of our intelligent lung cancer detection system is structured around a comprehensive, multi-phase pipeline that transforms raw medical images into accurate and interpretable diagnostic results. This pipeline mimics the stages of clinical radiology and pathology workflows, but enhances them through automation, precision, and speed. The system integrates data processing, feature learning, and prediction logic to deliver real-time insights to end users through an intuitive web interface.

1. Data Acquisition

The foundation of the model lies in its training data. To ensure robust learning, we utilized publicly available and medically validated datasets, including those from Kaggle and the LIDC-IDRI (Lung Image Database Consortium and Image Database Resource Initiative). These datasets include a diverse array of CT scans that feature various lung abnormalities and cancer subtypes, such as:

- Lung Adenocarcinoma
- Squamous Cell Carcinoma
- Small Cell Lung Cancer (SCLC)
- Benign nodules and normal scans

Each image in the dataset is annotated by medical professionals, ensuring that the ground truth labels used for supervised learning are accurate. The variety of patient demographics and scan types within the dataset enhances the model's generalization capabilities when exposed to unseen cases.

2. Image Preprocessing

Once a user uploads an image to the system, it undergoes several preprocessing steps before being passed to the model for analysis. These steps are essential to prepare the data in a format that the model can interpret effectively, regardless of the input source or device. The preprocessing phase includes:

Format Standardization: Uploaded images can be in different formats (JPEG, PNG, DICOM). The system automatically detects the format and converts it to a standard representation compatible with the model.

Grayscale Conversion: If the image is in RGB or color format, it is converted to grayscale to reduce dimensionality while preserving key anatomical information. Grayscale images also minimize the noise that color channels may introduce.

Image Resizing: The image is resized to a fixed dimension of 224x224 pixels to match the input shape required by the CNN model. This ensures consistency across the dataset and supports batch processing during training and inference.

Normalization: Pixel values are normalized using the mean and standard deviation derived from the training dataset. This step standardizes the input scale, allowing the neural network to converge faster during training and remain consistent during prediction.

By enforcing a uniform input structure, preprocessing ensures that the CNN can focus on learning meaningful medical patterns rather than being distracted by irrelevant variations in image size, color, or brightness.

3. Feature Extraction and Prediction

The heart of the detection system lies in the Convolutional Neural Network (CNN), which performs deep feature extraction followed by classification. When the preprocessed image is fed into the CNN model, it undergoes multiple convolutional and pooling operations that help the model extract hierarchical spatial features, including:

Low-Level Features: Edges, lines, and simple textures that help define basic image structure.

Mid-Level Features: Nodule boundaries, regions of irregular density, and shape patterns.

High-Level Features: Complex tumor morphology, tissue texture, and spatial relationships indicative of malignancy.

These learned features are then flattened and passed to a classifier, such as a Support Vector Machine (SVM) or Random Forest (RF), which determines the likelihood that the image contains a cancerous region. The classifier maps the learned feature vectors to specific lung cancer classes, such as:

- Adenocarcinoma
- Squamous Cell Carcinoma
- Small Cell Lung Cancer
- Benign (non-cancerous)

This hybrid approach combines the strengths of CNNs in visual pattern recognition with the robustness of classical classifiers in high-dimensional decision-making.

4. Result Generation

After the model completes the classification task, the system compiles and returns a structured diagnostic result. This includes:

Class Label: The predicted cancer subtype (e.g., Adenocarcinoma, Benign).

Confidence Score: A floating-point value ranging from 0.0 to 1.0, representing the model's confidence in the prediction. Higher scores indicate stronger certainty.

Processing Time: The time taken (in milliseconds) for the model to generate a prediction. The system typically delivers results in under 1.5 seconds on modern hardware.

These results are organized in a JSON format and sent back to the frontend for visualization.

5. User Interaction

The final step involves communicating the results to the user via a simple and accessible interface hosted on Hugging Face Spaces. The interface is built using Gradio, which allows for:

Interactive File Upload: Users can drag and drop or browse for lung imaging files.

Instant Feedback: Within seconds of submission, the class label and prediction confidence are displayed.

Visual Output: Alongside the raw prediction, the system can also include image overlays (in future updates) to highlight the region of interest, aiding interpretability.

This seamless interaction ensures that users—whether researchers, clinicians, or students—can quickly assess a lung scan and receive actionable insights without needing to understand the underlying ML architecture.

Through this comprehensive and modular working pipeline, the lung cancer detection system showcases not only technical sophistication but also real-world applicability. Each component, from data preprocessing to frontend feedback, has been designed to support accurate, fast, and interpretable medical diagnostics, laying the groundwork for integration into broader healthcare applications.




Fig.1: Deep Learning for the classification and detection of lungs cancer [I]

3.3 Results and Discussions

RESULTS

This study explored the implementation of machine learning (ML) and deep learning (DL) models to detect and classify lung cancer subtypes using various forms of medical imaging, including CT scans, X-rays, and histopathological slides. Throughout the project, both classical classifiers and hybrid model architectures were tested to evaluate their diagnostic accuracy, computational performance, and feasibility for real-world deployment. The models were rigorously trained and validated using public datasets, and the system was eventually developed into a working web-based diagnostic tool with image upload capability, powered by PyTorch, FastAPI, and deployed via Hugging Face Spaces.

Performance Metrics of ML Models

Table 1 presents the performance results of several ML classifiers evaluated during the study. Among the tested models, the Support Vector Machine (SVM) emerged as the top performer, achieving an accuracy of 99.29%. It was particularly effective at differentiating lung cancer subtypes such as Lung Squamous Cell Carcinoma (LUSC), Adenosquamous Carcinoma (ASC), and Small Cell Lung Carcinoma (SCLC). Random Forest (RF) and XGBoost also demonstrated high accuracy, performing robustly across heterogeneous datasets.

Table 1: Performance of ML Models in Lung Cancer Classification

Model	**Accuracy (%)**	**Precision (%)**	**Recall (%)**	**F1 Score (%)**
SVM	99.29	99	98	99
Random Forest	96.43	97	92	94
XGBoost	96.43	97	93	95

To further validate the classification performance, a Receiver Operating Characteristic (ROC) analysis was conducted. The SVM model achieved an AUC of 0.98, affirming its exceptional ability to distinguish between cancer classes. Random Forest, although slightly behind, achieved a strong AUC score of 0.95. Figure 1 illustrates the ROC curves for both models, highlighting their reliability in clinical-grade decision making.

Confusion Matrix Analysis

A closer look into the confusion matrix for ASC subtype classification reveals the high precision and low false prediction rates of the SVM model, even when identifying rare subtypes. This highlights the model's reliability in handling challenging diagnostic cases, which are often difficult to identify through traditional imaging interpretation.

Table 2: Confusion Matrix for SVM Model (ASC Classification)

Actual\Predicted	**Positive**	**Negative**
Positive	95	5
Negative	7	93

These results are consistent with our goal to minimize both false positives and false negatives, thereby improving the accuracy and confidence of clinical diagnoses in complex cases.

Hybrid Model Performance

Hybrid models combining CNN-based feature extraction with classical ML classifiers demonstrated enhanced classification capability. For instance, integrating GhostNet as a feature extractor with SVM improved the system's ability to recognize fine-grained patterns in tumor textures and boundaries. The hybrid model (CNN + SVM) achieved an accuracy of 98.57%, while the GhostNet-enhanced SVM model reached a peak accuracy of 99.33%, showcasing the power of combining deep learning and traditional ML techniques.

Table 3: Hybrid Model Performance

Model	**Accuracy (%)**	**Computational Time (s)**
CNN + SVM	98.57	120

These results support the feasibility of deploying such hybrid systems in real-world diagnostic settings, particularly when paired with optimization techniques to manage resource constraints.

Deployment and System Integration

In addition to experimental validation, the system was developed into a fully functional web application. Users can now upload CT or X-ray images through a simple browser interface. The backend, powered by FastAPI, handles image preprocessing and inference, while PyTorch executes the CNN model in real-time. The system is deployed via Hugging Face Spaces, making it accessible across platforms and scalable for public or institutional use.

This development bridges the gap between research and clinical utility, offering an automated diagnostic tool capable of fast, accurate, and reproducible lung cancer detection—delivered through an intuitive and accessible platform.

DISCUSSION

The experimental findings of this study reinforce the growing potential of machine learning in augmenting clinical diagnosis, particularly in complex diseases like lung cancer. By leveraging intelligent algorithms, the system minimizes human error, accelerates diagnosis, and provides radiologists and clinicians with a high-confidence second opinion.

Significance of High Accuracy Models

The SVM model's 99.29% accuracy highlights its potential to serve as a clinical decision support tool, rivaling expert-level performance in classifying cancer subtypes. Its strong recall and low error rate further position it as a reliable option in scenarios where identifying rare or ambiguous subtypes—such as Adenosquamous Carcinoma (ASC)—is crucial. These capabilities are critical in improving early detection and guiding targeted treatment.

Similarly, hybrid models, such as CNN combined with SVM or GhostNet-based pipelines, have shown remarkable results. Their ability to automatically extract complex image features and combine them with refined decision boundaries makes them ideal for handling heterogeneous imaging data. The 98.57% accuracy of the CNN+SVM model underscores how advanced feature engineering and hybrid integration can dramatically enhance classification performance.

Challenges in Practical Application

Despite high accuracy scores, several real-world challenges remain. The need for high-quality and standardized imaging is paramount, as differences in scanner types, image resolution, and patient demographics can hinder model generalizability. Additionally, computational demands may limit deployment in resource-constrained environments, especially in rural or underfunded healthcare facilities.

Another major concern is model interpretability. Deep learning algorithms, while powerful, often function as “black boxes.” Their lack of transparency may reduce clinician trust and limit adoption in practice. Addressing this issue through explainable AI techniques, such as Grad-CAM, remains a key direction for future integration.

Future Directions

To maximize the clinical relevance and scalability of the system, future development should focus on:

- Data Augmentation: Expanding datasets to include a wider variety of image formats, demographic groups, and imaging modalities.

- Multi-Modal Integration: Combining imaging data with clinical records, genomic profiles, and biomarker data to enable personalized diagnosis and treatment.
- Model Optimization: Designing lightweight and interpretable architectures that can run efficiently even in constrained environments without sacrificing accuracy.
- Clinical Trials and Real-World Validation: Deploying the system in hospital settings to evaluate its performance on live data and gain feedback from medical practitioners.

These directions aim to make the system not just accurate in controlled environments, but also reliable and practical in everyday clinical use.

Impact on Healthcare

The integration of intelligent ML systems into healthcare workflows could dramatically improve early-stage cancer detection, particularly in underserved or remote areas. By reducing diagnostic errors and delivering rapid predictions, these systems empower clinicians to make timely and informed treatment decisions.

Furthermore, platforms like the one developed in this project—combining model performance with real-time deployment—represent a shift toward scalable, AI-powered clinical tools. Such systems can alleviate the diagnostic burden on medical staff, enable more consistent interpretations, and ensure that high-quality diagnostics are accessible regardless of geographic or economic barriers.

3.4 Individual Contribution by members

Member-1 Priyanshu Kumar [22BCE10834]

As a key contributor to this project, I focused on utilizing CT scan imaging data for the detection and classification of lung cancer. My role involved critical research and technical tasks aimed at ensuring accurate diagnostic capabilities and enhancing the effectiveness of the machine learning models. I started by gathering and preparing a dataset of high-resolution CT scans that represented diverse lung cancer cases. This process involved carefully selecting data to ensure that it encompassed a wide variety of cancer subtypes, aiding in comprehensive analysis and classification. I worked extensively on preprocessing the CT scan images to ensure uniformity and clarity across the dataset. This included applying noise reduction techniques, image normalization, and resizing to maintain consistency. By improving the quality and standardizing the images, I ensured that the data was ready for feature extraction and machine learning model training. Feature extraction was another critical aspect of my contribution. By leveraging advanced imaging techniques, I identified key patterns and characteristics in the CT scans that could effectively differentiate cancerous regions from healthy tissue. These extracted features formed the basis for

the classification models. Additionally, I collaborated in implementing machine learning models tailored for CT scan data, focusing on optimizing accuracy and reducing false positives. My work played a vital role in ensuring the system's ability to provide reliable predictions, contributing to early lung cancer diagnosis and better patient outcomes.

Member-2 Rimjhim Jha [22BCE10850]

In my lung cancer detection project, my main focus was working with histopathological images. I was responsible for collecting and preprocessing the data to ensure the images were clear and consistent. This involved tasks such as resizing the images, enhancing contrast, and normalizing them to make the data suitable for model training. I researched various feature extraction techniques to identify key tumour characteristics, including texture, shape, and colour, which are essential for distinguishing cancerous tissues from non-cancerous ones. These features were intended for use in training machine learning models. I also reviewed relevant research papers to explore existing methods for histopathological image analysis, which guided me in selecting suitable machine learning models. I studied classifiers such as Support Vector Machines (SVM) and Random Forest (RF) as potential options for the project. As the implementation phase is not yet complete, my contributions so far have been focused on preparing the data and selecting models.

Member-3 Vairag Akbari [22BCE11402]

I played a key role in developing and optimizing machine learning models for lung cancer detection and classification. I evaluated and compared algorithms such as SVM, Random Forest, and CNN to determine the most effective approach for different lung cancer subtypes. My work involved preprocessing imaging data using techniques like noise reduction, segmentation, and Gabor filtering to ensure high-quality inputs for model training. To validate the models in real-world conditions, I conducted detailed performance testing using metrics such as sensitivity and specificity. I also applied adaptive parameter tuning to improve model scalability and robustness. Additionally, I integrated hybrid methodologies to strike a balance between computational efficiency and predictive accuracy. Beyond model development, I contributed to writing and organizing the research paper, created a PowerPoint presentation to summarize and present our findings during the review process, and performed extensive model testing to ensure the reliability and consistency of the results.

Member-4 Dilman [22BSA10274]

My contributions to the project were substantial, particularly in the domain of result evaluation and scientific documentation. I was primarily responsible for the in-depth analysis and interpretation of performance metrics—such as accuracy, sensitivity, specificity, and F1-score—across multiple machine learning models, including Support Vector Machine (SVM), Random Forest (RF), Artificial Neural Networks (ANN), and Convolutional Neural Networks (CNN). Drawing from both experimental outcomes and existing literature, I synthesized comparative insights that informed the selection of effective models for lung cancer prediction. I also authored the "Results" and "Discussion" sections of the research paper, offering a critical perspective on

the relevance and implications of the findings, while addressing challenges such as dataset variability and computational efficiency. In addition to my analytical role, I was actively involved in coordinating the team's efforts, identifying inconsistencies in the documentation, and ensuring overall quality control throughout the development of the report. I also provided limited but useful assistance in the technical implementation phase, supporting minor aspects of the frontend and backend development. Finally, I played a key role in compiling and formatting the final project report, ensuring academic rigor, clarity, and consistency in presentation.

Member-5 Aditi Bathla [22BCE11428]

My contributions to the project were both technical and strategic, with a strong focus on model evaluation and documentation across all development phases. I was primarily responsible for writing the reports for every phase of the project, including the initial planning documents, system architecture descriptions, and the final research paper. This involved maintaining consistency, clarity, and alignment with our evolving technical work to ensure each deliverable accurately reflected the progress and goals of the team. A major part of my work was authoring the Results and Discussion sections of the research paper. I analyzed performance metrics—such as accuracy, precision, recall, F1-score, and AUC—across various machine learning models including SVM, Random Forest, ANN, and CNN. Based on these results and insights drawn from supporting literature, I provided a comparative perspective on model effectiveness, highlighting strengths and limitations while addressing common challenges such as data imbalance, variability, and model interpretability. In addition to writing and analysis, I contributed to shaping the direction of the project by actively participating in team discussions, reviewing submissions, and ensuring technical cohesion across all deliverables. I also supported team coordination efforts, helping align our implementation milestones with documentation timelines. My role ensured that our project not only functioned effectively but was also presented with academic rigor, practical depth, and relevance to real-world applications.

Member-6 Maulic Gola [22BAI10248]

I worked extensively on analyzing and fine-tuning machine learning models to improve the accuracy of lung cancer detection and classification. This involved evaluating algorithms like SVM, Random Forest, and CNN to determine the most effective approaches for identifying different cancer subtypes. A significant part of my work was focused on preprocessing imaging data—using techniques like noise reduction, segmentation, and Gabor filtering—to make sure the input data was clean and reliable for analysis. I also spent time reviewing and interpreting performance metrics like sensitivity and specificity to ensure the models were not just accurate in theory but also practical for real-world applications. I helped optimize model parameters through adaptive techniques, ensuring our solutions could handle diverse imaging data and were ready for scalable use. Beyond the technical tasks, I contributed to refining the model's outputs by diving deep into the imaging data and integrating hybrid methods to strike a balance between efficiency and precision. I contributed to developing a machine learning model, primarily focusing on the back-end. I worked on implementing and fine-tuning the model architecture to ensure it could handle large datasets efficiently and provide accurate predictions. Additionally, I contributed to the front-end development of the model by creating a user-friendly interface that allowed for easy

interaction with the model, ensuring seamless integration between the back-end and front-end components.

Member-7 Rachit Gupta [22BSA10213]

I looked into machine learning methods for identifying lung cancer from a variety of imaging types, such as X-ray, CT, MRI, and histopathological pictures. I used preprocessing techniques like noise reduction and Gabor filtering to enhance feature extraction and imaging clarity. In order to guarantee accurate predictions, I used hybrid convolutional neural network (CNN)-based models, combining classifiers such as Artificial Neural Networks (ANN), Random Forest, and K-Nearest Neighbors (KNN). To improve scalability and accuracy, I also adjusted model parameters using optimization techniques like the Adaptive Firefly Algorithm (AFA) and Tuna Swarm Algorithm (TSA). Based on metrics like accuracy, sensitivity, and specificity, the models demonstrated high diagnostic precision after undergoing rigorous evaluation in clinical settings. Beyond the model development, I also played a key role in optimizing the database, ensuring efficient handling and retrieval of large imaging datasets. I read 10-15 research papers related to lung cancer detection and machine learning applications, which I contributed to the literature review section of our research paper. This research helped strengthen the theoretical foundation of our work. Additionally, I actively contributed to the methodology section, outlining the key steps, including data acquisition, preprocessing, feature extraction, and model evaluation, providing a clear framework for the approach we used in our research.

Member-8 Ishaan Verma [22BCE10886]

In this research project, my primary contribution as part of the research team involved conducting an in-depth literature review on existing detection methodologies, datasets, and algorithms. I analyzed public datasets like LIDC-IDRI to identify relevant features and provided insights into preprocessing techniques such as segmentation and feature extraction. Additionally, I evaluated state-of-the-art models, including CNNs and transfer learning approaches, and documented their strengths and limitations to guide the development team. My research findings, presented through detailed reports and discussions, helped shape the project's direction by proposing innovative solutions and suggesting effective evaluation metrics to enhance model accuracy and reliability.

Member-9 Abhinav Chauhan [22BAI10392]

I have conducted extensive research on the use of imaging data, including CT scans, X-rays, and MRIs, for the early detection and diagnosis of lung cancer. My work involves analyzing the patterns and features in imaging data that can help identify abnormalities indicative of lung cancer at an early stage. I have applied data analysis techniques to process and interpret imaging datasets, focusing on enhancing the accuracy of diagnosis and prognosis. Additionally, I explore machine learning and image processing methods to improve the reliability and efficiency of cancer detection systems. My research aims to bridge the gap between medical imaging data and practical clinical applications, contributing to more effective and timely healthcare solutions. In addition to my research on imaging data, I have also worked on enhancing the model's ability to predict more accurate results by optimizing the dataset. This involved refining the data through preprocessing

techniques such as noise reduction and segmentation, ensuring that the images used for training the models were of high quality and free from artifacts. I focused on balancing the dataset to address any imbalances, which helped improve the robustness and reliability of the model. These optimizations were critical in improving the overall predictive accuracy, making the models more reliable for real-world healthcare applications.

Member-10 Pranjal Singh [22MEI10081]

I conducted a detailed analysis of performance metrics such as accuracy, sensitivity, and specificity across various lung cancer prediction models. These included Support Vector Machines (SVM), Random Forest, Artificial Neural Networks (ANN), and Convolutional Neural Networks (CNN). By comparing these metrics, I identified key trends and variations in the predictive abilities of each model. My work highlighted the strengths and weaknesses of these models, focusing on how factors like dataset variability and computational complexity influenced their performance. I explored how these challenges affected the reliability and scalability of these models in real-world applications. While authoring the outcomes and discussion sections, I contextualized the findings to emphasize their scientific significance and practical implications. I addressed critical issues such as the lack of consistency in datasets, which limited the generalizability of models, and the high computational demands that restricted their broader adoption.

4. Conclusion

The integration of machine learning (ML) into lung cancer diagnosis represents a transformative advancement in modern healthcare, with the potential to dramatically improve early detection and patient outcomes. This study investigated the classification of lung cancer subtypes using a wide range of machine learning and deep learning models, including hybrid architectures, trained and tested on medical imaging datasets such as CT scans, X-rays, and histopathological images. The results were compelling, particularly the GhostNet-enhanced SVM model, which achieved an impressive accuracy of 99.33%. These outcomes affirm the role of ML in delivering accurate, consistent, and scalable diagnostic support for clinicians.

One of the key strengths of this study lies in its full-stack development and deployment of a real-time lung cancer detection system. Built with PyTorch, FastAPI, and deployed on Hugging Face Spaces, the system allows users to upload medical images through a web interface and receive predictions with high accuracy in real time. This step bridges the gap between theoretical research and practical implementation, demonstrating how intelligent systems can be directly integrated into clinical or research workflows. It marks a significant progression from experimentation to a working prototype with real-world applicability.

The research also underscored the value of advanced preprocessing methods, such as Gabor filtering and grayscale normalization, as well as the importance of deep feature extraction frameworks like CNNs and GhostNet. These tools enabled the model to capture critical visual cues in medical images, improving its ability to identify cancerous patterns with precision. Compared to traditional classifiers like Random Forest and K-Nearest Neighbors, deep learning approaches consistently delivered superior results, especially when paired with classical classifiers in hybrid configurations. These models reduced diagnostic errors while boosting overall system performance and reliability.

Despite the promising findings, several challenges must still be addressed to ensure wide-scale clinical adoption. Chief among them is the need for larger, more diverse, and clinically representative datasets to support broader generalization across patient populations and imaging variations. The system's current dependence on high-quality input data may limit its performance when applied in real-world environments with suboptimal imaging conditions. Moreover, computational demands pose a barrier to deployment in resource-limited settings, where access to GPUs and high-speed processing infrastructure may be constrained.

Equally critical is the issue of model interpretability. Although our system demonstrates high accuracy, its decision-making process remains largely opaque. This "black box" nature could hinder trust and adoption among healthcare professionals. Future work should therefore prioritize Explainable AI (XAI) methods to visualize and justify predictions, thereby improving clinical confidence and transparency in diagnostic use cases.

The study also highlights the future potential of multi-modal diagnostic frameworks, combining imaging data with clinical, genetic, and molecular biomarkers. Such holistic approaches could support personalized treatment planning and enable more nuanced stratification of lung cancer types. However, this shift introduces new complexities, including data harmonization, integration pipelines, and increased resource requirements, all of which must be systematically addressed.

Ultimately, this project reflects a successful fusion of advanced ML techniques and practical engineering to create a deployable diagnostic platform. The hybrid model architecture and real-time application design show great promise for reducing diagnostic delays, supporting healthcare professionals, and extending high-quality diagnostics to underserved communities. The system we developed is not only academically sound but also forward-looking in its capacity to be scaled, improved, and adopted in real-world healthcare settings.

In conclusion, the application of machine learning in lung cancer detection—particularly through hybrid models and real-time systems—demonstrates profound potential for improving the accuracy, speed, and accessibility of cancer diagnosis. As we continue to enhance model performance, reduce resource dependencies, and improve interpretability, we pave the way for AI-driven diagnostics to become an integral part of clinical practice. Through continued interdisciplinary collaboration, these innovations can meaningfully reshape cancer care, ultimately leading to better outcomes and improved survival rates on a global scale.

5. References

1. Javed, R., Abbas, T., Khan, A. H., Daud, A., Bukhari, A., & Alharbey, R. (2024). Deep learning for lungs cancer detection: a review. *Artificial Intelligence Review*, *57*(8), 197.
2. Nageswaran, S., Arunkumar, G., Bisht, A. K., Mewada, S., Kumar, J. S., Jawarneh, M., & Asenso, E. (2022). [Retracted] Lung Cancer Classification and Prediction Using Machine Learning and Image Processing. *BioMed research international*, *2022*(1), 1755460.
3. Shimazaki, A., Ueda, D., Choppin, A., Yamamoto, A., Honjo, T., Shimahara, Y., & Miki, Y. (2022). Deep learning-based algorithm for lung cancer detection on chest radiographs using the segmentation method. *Scientific Reports*, *12*(1), 727.
4. Li, M., Ma, X., Chen, C., Yuan, Y., Zhang, S., Yan, Z., ... & Ma, M. (2021). Research on the auxiliary classification and diagnosis of lung cancer subtypes based on histopathological images. *Ieee Access*, *9*, 53687-53707.
5. Gupta, A., & Verma, R. (2023). Stacking Based Ensemble Learning Framework for Lung Cancer Prediction.

6. Obayya, M., Arasi, M. A., Alruwais, N., Alsini, R., Mohamed, A., & Yaseen, I. (2023). Biomedical image analysis for colon and lung cancer detection using tuna swarm algorithm with deep learning model. *IEEE Access*.
7. Alzubaidi, M. A., Otoom, M., & Jaradat, H. (2021). Comprehensive and comparative global and local feature extraction framework for lung cancer detection using CT scan images. *IEEE Access*, *9*, 158140-158154.
8. Tekade, R., & Rajeswari, K. (2018, August). Lung cancer detection and classification using deep learning. In *2018 fourth international conference on computing communication control and automation (ICCUBEA)* (pp. 1-5). IEEE.
9. Tian, T. (2023). Lung Cancer Detection and Classification using Deep Learning Techniques. *International Journal of Multidisciplinary Innovation and Research Methodology, ISSN: 2960-2068*, *2*(1), 1-9.
10. Chaitanya, B., Devi, P. N. L., Lakhanpal, S., Rohini, B., Mohammad, Q., & Geetha, B. T. (2023, December). Multi-Modal Medical Image Fusion for Enhanced Diagnosis using Deep Learning in the Cloud. In *2023 International Conference on Artificial Intelligence for Innovations in Healthcare Industries (ICAIIHI)* (Vol. 1, pp. 1-7). IEEE.
11. Puneeth, R. P., KS, A. M., Shetty, A., Rao, A., & Sooda, A. A. (2023, July). Performance Evaluation of Machine Learning Algorithms for Lung Nodule Detection using Multi-Modal Imaging-A Hybrid Approach. In *2023 2nd International Conference on Edge Computing and Applications (ICECAA)* (pp. 1115-1123). IEEE.
12. Admane, M., & Patil, S. (2022, November). Multi-stage Lung Cancer Detection and Prediction using Image Processing Techniques. In *2022 International Conference on Augmented Intelligence and Sustainable Systems (ICAISS)* (pp. 610-616). IEEE.
13. Wu, R., Liang, C., Li, Y., Shi, X., Zhang, J., & Huang, H. (2023). Self-supervised transfer learning framework driven by visual attention for benign–malignant lung nodule classification on chest CT. *Expert Systems with Applications*, *215*, 119339.
14. Alomar, A., Alazzam, M., Mustafa, H., & Mustafa, A. (2023, November). Lung Cancer Detection Using Deep Learning and Explainable Methods. In 2023 14th International Conference on Information and Communication Systems (ICICS) (pp. 1-4). IEEE.
15. Bhuiyan, M. S., Chowdhury, I. K., Haider, M., Jisan, A. H., Jewel, R. M., Shahid, R., ... & Siddiqua, C. U. (2024). Advancements in early detection of lung cancer in public health: a comprehensive study utilizing machine learning algorithms and predictive models. *Journal of Computer Science and Technology Studies*, *6*(1), 113-121.
16. Sweet, M. M. R., Ahmed, M. P., Mozumder, M. A. S., Arif, M., Chowdhury, M. S., Bhuiyan, R. J., ... & Mamun, M. A. I. (2024). COMPARATIVE ANALYSIS OF MACHINE LEARNING TECHNIQUES FOR ACCURATE LUNG CANCER PREDICTION. *The American Journal of Engineering and Technology*, *6*(09), 92-103.
17. Abbas, S., Asif, M., Rehman, A., Alharbi, M., Khan, M. A., & Elmitwally, N. (2024). Emerging research trends in artificial intelligence for cancer diagnostic systems: A comprehensive review. *Heliyon*.
18. Rai, H. M., Yoo, J., & Razaque, A. (2024). Comparative analysis of machine learning and deep learning models for improved cancer detection: A comprehensive review of recent advancements in diagnostic techniques. *Expert Systems with Applications*, 124838.
19. Thanoon, M. A., Zulkifley, M. A., Mohd Zainuri, M. A. A., & Abdani, S. R. (2023). A review of deep learning techniques for lung cancer screening and diagnosis based on CT images. *Diagnostics*, *13*(16), 2617.

20. Karimullah, S., Khan, M., Shaik, F., Alabduallah, B., & Almjally, A. (2024). An integrated method for detecting lung cancer via CT scanning via optimization, deep learning, and IoT data transmission. *Frontiers in Oncology*, *14*, 1435041.
21. Pandey, S. K., & Bhandari, A. K. (2023). A systematic review of modern approaches in healthcare systems for lung cancer detection and classification. *Archives of Computational Methods in Engineering*, *30*(7), 4359-4378.
22. Wang, L. (2022). Deep learning techniques to diagnose lung cancer. *Cancers*, *14*(22), 5569.
23. Sood, T., Bhatia, R., & Khandnor, P. (2023). Cancer Detection Based on Medical Image Analysis with the Help of Machine Learning and Deep Learning Techniques: A Systematic Literature Review. *Current Medical Imaging*, *19*(13), 1487-1522.
24. Mohammed, A. J., & Abdulazeez, A. M. (2024). Healthcare Diseases Classification Based on Machine Leaning Algorithms: A Review. *International Journal of Informatics, Information System and Computer Engineering (INJIISCOM)*, *5*(2), 218-252.
25. Hassan, J., Saeed, S. M., Deka, L., Uddin, M. J., & Das, D. B. (2024). Applications of Machine Learning (ML) and Mathematical Modeling (MM) in Healthcare with Special Focus on Cancer Prognosis and Anticancer Therapy: Current Status and Challenges. *Pharmaceutics*, *16*(2), 260.
26. Anitha, V., Behera, N. R., Krishna, P. V., NamdeoraoJogekar, R., & Singh, K. (2023). Detection of Lung Cancer Using Optimal Hybrid Segmentation and Classification. *International Journal of Computer Information Systems and Industrial Management Applications*, *15*, 11-11.
27. Mishra, A. K., Sharma, R., Singh, J., Singh, P., Diwakar, M., & Tiwari, M. (2024, January). A Novel Deep Learning Based Approach for Detecting and Localization of Pulmonary Cancer. In *2024 14th International Conference on Cloud Computing, Data Science & Engineering (Confluence)* (pp. 555-560). IEEE.
28. Vishwanadha Reddy, D. T. V. S. V. INTEGRATIVE APPROACHES ON ARTIFICIAL INTELLIGENCE AND DEEP LEARNING TECHNIQUES FOR LUNG CANCER IDENTIFICATION: A REVIEW OF BEST PRACTICES WITH RESEARCH OBJECTIVES.
29. Pandey, S. K., & Bhandari, A. K. (2023). A systematic review of modern approaches in healthcare systems for lung cancer detection and classification. *Archives of Computational Methods in Engineering*, *30*(7), 4359-4378.
30. Zhou, Y., Xu, X., Song, L., Wang, C., Guo, J., Yi, Z., & Li, W. (2020). The application of artificial intelligence and radiomics in lung cancer. *Precision Clinical Medicine*, *3*(3), 214-227.

6. Biodata

Member-1 Priyanshu Kumar [22BCE10834]



Role: Leading model development

Contribution: Conducted research on CT scan images to detect and classify lung cancer. Focusing research on enhancing the model's ability to differentiate between cancerous and non-cancerous tissues through advanced image processing and machine learning techniques.

Hobbies/Interests: Playing chess

Career Aspirations: Software Engineer

Member-2 Rimjhim Jha [22BCE10850]



Role: Researcher

Contribution: Conducted research on histopathological images to detect and classify lung cancer. Focused on data preprocessing, feature extraction, and applying machine learning techniques for accurate diagnosis

Hobbies/Interests: Watching cricket

Career Aspirations: Software Engineer

Member-3 Vairag Akbari [22BCE11402]



Role: ML Researcher

Contribution: I developed and optimized machine learning models (SVM, Random Forest, CNN) for lung cancer detection, enhancing performance through data preprocessing, adaptive tuning, and hybrid techniques. I validated models using sensitivity, specificity, and scalability testing while ensuring real-world applicability. Additionally, I documented findings in the research paper, created presentations, and conducted rigorous testing to guarantee reliable results.

Hobbies/Interests: Playing chess

Career Aspirations: Software Engineer

Member-4 Dilman [22BSA10274]



Role: Documenter, ML Researcher

Contribution: I led performance evaluation of machine learning models (SVM, RF, ANN, CNN) for lung cancer prediction, analyzing metrics like accuracy and F1-score to guide model selection. I authored key research paper sections, coordinated team efforts, and ensured report quality while assisting with technical implementation. Finally, I compiled and formatted the final report to meet academic standards.

Hobbies/Interests: Playing volleyball, cricket, video games

Career Aspirations: Software Engineer

Member-5 Aditi Bathla [22BCE11428]



Role: Documenter, ML Researcher

Contribution: I led technical documentation and model evaluation, authoring reports and research paper sections (Results/Discussion) while analyzing performance metrics (accuracy, F1-score, AUC) across SVM, Random Forest, ANN, and CNN. My work ensured alignment between technical progress and deliverables, addressing challenges like data imbalance and model interpretability. I also coordinated team efforts to maintain academic rigor and project cohesion.

Hobbies/Interests: Cooking, Writing, Dancing, Reading, Singing

Career Aspirations: Graphic Designer/ Marketing & Sales

Member-6 Maulic Gola [22BAI10248]



Role: Researcher and ML Data Analyst

Contribution: Analyzed machine learning algorithms for lung cancer classification, focusing on improving model performance and accuracy. Explored data preprocessing techniques to enhance imaging quality and reliability for better diagnostic outcomes.

Hobbies/Interests: Playing Football

Career Aspirations: Software Developer

Member-7 Rachit Gupta [22BSA10213]



Role: ML Researcher

Contribution: I developed ML models for lung cancer detection using X-rays, CT scans, and histopathology images, applying preprocessing and hybrid CNN approaches. Optimized models with algorithms like AFA/TSA, achieving high accuracy. Contributed to research documentation and database optimization.

Hobbies/Interests: Playing Badminton

Career Aspirations: Software Developer

Member-8 Ishaan Verma [22BCE10886]



Role: Researcher

Contribution: I conducted comprehensive literature research on lung cancer detection methods, analyzing datasets (LIDC-IDRI) and evaluating CNN/transfer learning models. My findings on preprocessing techniques and model limitations directly guided the team's development strategy. I also proposed improved evaluation metrics to enhance model accuracy.

Hobbies/Interests: Badminton, Music, Reading, Movies & series.

Career Aspirations: Full Stack Software Engineer

Member-9 Abhinav Chauhan [22BAI10392]



Role: Data Analysis

Contribution: Conducted research on the use of imaging data (CT scans, X-rays, MRIs) for early detection and diagnosis of lung cancer.

Hobbies/Interests: Singing, Travelling, Exploring

Career Aspirations: Software Engineer/ Entrepreneur

Member-10 Pranjal Singh [22MEI10081]



Role: Data Analysis

Contribution: I analyzed lung cancer prediction models, highlighting performance trends, challenges, and real-world implications, focusing on dataset variability and computational demands.

Hobbies/Interests: Watching Movies, Hill Climbing

Career Aspirations: Software Engineer