

```
1 #include<stdio.h>
2 int main(){
3     printf("Hello, World!");
4     return 0;
5 }
```

```
1 #include <stdio.h>
2 . int main() {
3
4     char ch;
5     scanf("%c", &ch);
6     printf("%c\n", ch);
7
8     return 0;
9 }
```

```
1 #include <stdio.h>
2
3 . int main() {
4
5     int a, b;
6     float x, y;
7
8     scanf("%d %d", &a, &b);
9     scanf("%f %f", &x, &y);
10
11    printf("%d %d\n", a+b, a-b);
12    printf("%.1f %.1f\n", x+y, x-y);
13
14    return 0;
15 }
```

---

```
#include<stdio.h>
int main()
{
    char ch;
    int a,b,c;
    scanf("%c",&ch);
    scanf("%d %d %d",&a,&b,&c);
    printf("%c",ch);
    printf("\n%d", (a+b+c)/3);
    return 0;
}
```

```
#include<stdio.h>
int main()
{
    int a;
    long b;
    char c;
    float d;
    double f;
    scanf("%d %ld %c %f %lf",&a,&b,&c,&d,&f);
    printf("%d\n%ld\n%c\n%.3f\n%.9lf",a,b,c,d,f);
    return 0;
}
```

```
#include<stdio.h>
int main()
{
    char c;
    scanf("%c",&c);
    printf("%d\n",c);
    printf("%c %c",c-1,c+1);
    return 0.
```