VAISHALI KAPSE
Email:-vaishali.kapse@wipro.com

Interview recording :- https://wipro365-my.sharepoint.com/:v:/g/personal/ra20182577_wipro_com/EV1fsyfkqjhHpNEdBPllOOABcvjxFLIu4aKCp05znWaGOA?email=vaishali.kapse%40wipro.com

Interview questions:-

create a simple JavaScript object called student.:-
Let student={firstName: ”Vaishali,”
lastName:”kapse”,age:50};

Array methods:-
Push(),shift(),unshift(),pop(),toString()

Destructuring JavaScript:- Destructuring is a JavaScript expression that makes it possible

to unpack values from arrays, or properties from objects, into distinct variables.

Age from this student object and print it out. Age using Destructuring:-

```
const user ={
    'firstName': 'VAISHALI',
    'lastName': 'kapse',
    'age': 21
}

const { age } = user;
console.log(age);
ans=21;
```

create an array with five numbers:-

```
   <Script>
Var arr=[1,2,3,4,5]
</script>
```

How to write map function :-

Multiply all the values in an array with 10:

const numbers = [2,3,4,5];

const newArr = numbers. Map(myFunction)

function myFunction(num)

{   return num * 10; }

How do you delete items from a todo list in React?-

todo list :- https://codesandbox.io/s/todo-list-f1olhi?file=/index.html explain line by line

forEach:- forEach method passes callback function for each element of an array

interviewer ask I want the value to be prefixed with hello world so it will always be hello followed by the user entered value. :-

I am not available to solve proper answer but I will try 5 min.
And solve but not correct

```
div class="dropdown-menu" aria-labelledby="navbarDropdown">
        <a class="dropdown-item" href="#">Action</a>
        <a class="dropdown-item" href="#">Another action</a>
        <div class="dropdown-divider"></div>
        <a class="dropdown-item" href="#">Something else here</a>
        <a class="dropdown-item" href="#">Hello world</a>
      </div>
```