```
Dell@DESKTOP-PMTJ8C8 MINGW64 ~
$ git config --global user.name "Sri Vaishnavi AM"

Dell@DESKTOP-PMTJ8C8 MINGW64 ~
$ git config --global user.email "srivaishnavi662@gmail.com"

Dell@DESKTOP-PMTJ8C8 MINGW64 ~
$ git config --global wser.email "srivaishnavi662@gmail.com"
```

```
Dell@DESKTOP-PMTJ8C8 MINGW64 ~

$ git clone https://github.com/Vaish-sri65/IBM_Internship1.git
Cloning into 'IBM_Internship1'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

Dell@DESKTOP-PMTJ8C8 MINGW64 ~

$
```

```
Dell@DESKTOP-PMTJ8C8 MINGW64 ~
$ cd IBM_Internship1

Dell@DESKTOP-PMTJ8C8 MINGW64 ~/IBM_Internship1 (main)
$ git checkout -b new-feature
Switched to a new branch 'new-feature'

Dell@DESKTOP-PMTJ8C8 MINGW64 ~/IBM_Internship1 (new-feature)
$
```

```
MINGW64:/c/Users/Dell/IBM Internship1
```

```
Dell@DESKTOP-PMTJ8C8 MINGW64 ~/IBM_Internship1 (new-feature)
$ git status
On branch new-feature
nothing to commit, working tree clean

Dell@DESKTOP-PMTJ8C8 MINGW64 ~/IBM_Internship1 (new-feature)
$ touch feature.py


Dell@DESKTOP-PMTJ8C8 MINGW64 ~/IBM_Internship1 (new-feature)
$ git add feature.py

Dell@DESKTOP-PMTJ8C8 MINGW64 ~/IBM_Internship1 (new-feature)
$ git commit -m "Add new feature implementation"
[new-feature dlc7263] Add new feature implementation
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 feature.py

Dell@DESKTOP-PMTJ8C8 MINGW64 ~/IBM_Internship1 (new-feature)
$
```

NINGW64:/c/Users/Dell/IBM_Internship1

```
Dell@DESKTOP-PMTJ8C8 MINGW64 ~/IBM_Internship1 (new-feature)
$ git push origin new-feature
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 299 bytes | 299.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'new-feature' on GitHub by visiting:
                https://github.com/Vaish-sri65/IBM_Internship1/pull/new/new-feature
 emote:
remote:
To https://github.com/Vaish-sri65/IBM_Internship1.git
 * [new branch]
                         new-feature -> new-feature
Dell@DESKTOP-PMTJ8C8 MINGW64 ~/IBM_Internship1 (new-feature)
$ git pull origin main
From https://github.com/Vaish-sri65/IBM_Internship1
 * branch
                         main
                                       -> FETCH_HEAD
Already up to date.
Dell@DESKTOP-PMTJ8C8 MINGW64 ~/IBM_Internship1 (new-feature)
```



```
Dell@DESKTOP-PMTJ8C8 MINGW64 ~/IBM_Internship1 (new-feature)
$ git rm feature.py
rm 'feature.py'

Dell@DESKTOP-PMTJ8C8 MINGW64 ~/IBM_Internship1 (new-feature)
$ git commit -m "Remove feature.py"
[new-feature d51e1fb] Remove feature.py
1 file changed, 0 insertions(+), 0 deletions(-)
delete mode 100644 feature.py
```

