

# Cucumber Report

Sep 10, 2023, 6:56:12 PM

Start : Sep 10, 6:56:00.130 PM

End : Sep 10, 6:56:12.287 PM

Duration : 12.157 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 4  
SKIPPED - 0

PASSED - 0  
FAILED - 4  
SKIPPED - 9




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Batch Page Validation</u>	12.157 s	4	0	4	0	13	0	4	9

<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@ValidateCheckBox	1	0	1	0	1	0	1	0
@ValidateEditButton	1	0	1	0	1	0	1	0
@ValidateDeleteButton	1	0	1	0	1	0	1	0
@ValidatePopUpWithNewBatchDetails	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Batch Page Validation</u>	4	0	4	0	12.157 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Batch Page Validation</u>	<u>Validate checkbox in data table of Manage batch</u>	3	0	1	2	4.187 s
2	<u>Batch Page Validation</u>	<u>Validate Edit button in data table of Manage batch</u>	3	0	1	2	2.728 s
3	<u>Batch Page Validation</u>	<u>Validate Delete button in data table of Manage batch</u>	3	0	1	2	2.624 s
4	<u>Batch Page Validation</u>	<u>Validate new pop up with Batch details</u>	4	0	1	3	2.542 s

## Batch Page Validation

<b>FAILED</b>	DURATION - 12.157 s	Scenarios		Steps	
/ 6:56:00.130 PM // 6:56:12.287 PM /		Total - 4		Total - 13	
		Pass - 0		Pass - 0	
		Fail - 4		Fail - 4	
		Skip - 0		Skip - 9	



## Validate checkbox in data table of Manage batch

<div>FAILED</div> <div>DURATION - 4.187 s</div>			Steps	
/ 6:56:00.133 PM // 6:56:04.320 PM /			Total - 3	
Batch Page Validation			Pass - 0	
@ValidateCheckBox			Fail - 1	
			Skip - 2	

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on dashboard page after Login</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class com.stepDefinition.Batch_SD  at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:135)  at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.getInstance(ObjectFactoryServiceLoader.java:121)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64)  at io.cucumber.core.runner.TestStep.run(TestStep.java:49)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46)  at io.cucumber.core.runner.TestCase.run(TestCase.java:51)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:66)  at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24)  at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)  at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)</p>	FAILED	0.008 s

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:129) ... 34 more Caused by: java.lang.IllegalArgumentException: Driver must be set at org.openqa.selenium.internal.Require.nonNull(Require.java:60) at org.openqa.selenium.interactions.Actions.&lt;init&gt;(Actions.java:59) at com.controller.Controller.&lt;init&gt;(Controller.java:14) at com.pageObject.Batch_Manage_Obj.&lt;init&gt;(Batch_Manage_Obj.java:45) at com.stepDefinition.Batch_SD.&lt;init&gt;(Batch_SD.java:22) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	When Admin clicks Batch from navigation bar	SKIPPED	0.001 s
3	Then Data table should have a checkbox on manage batch	SKIPPED	0.002 s

## Validate Edit button in data table of Manage batch



<div>FAILED</div> <div>DURATION - 2.728 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 6:56:04.374 PM // 6:56:07.102 PM /				
Batch Page Validation				
@ValidateEditButton				

#	Step / Hook Details	Status	Duration
1	<p>Given Admin is on dashboard page after Login</p> <p>io.cucumber.core.exception.CucumberException: Failed to instantiate class com.stepDefinition.Batch_SD  at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:135)  at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.getInstance(ObjectFactoryServiceLoader.java:121)  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27)  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64)  at io.cucumber.core.runner.TestStep.run(TestStep.java:49)  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46)  at io.cucumber.core.runner.TestCase.run(TestCase.java:51)  at io.cucumber.core.runner.Runner.runPickle(Runner.java:66)  at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83)  at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24)  at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)  at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)  at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)  at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)  at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)  at org.junit.runners.ParentRunner.run(ParentRunner.java:413)  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185)  at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83)  at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)  at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)  at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)  at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)  at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)  at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219)</p>	FAILED	0.004 s



#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:129) ... 34 more Caused by: java.lang.IllegalArgumentException: Driver must be set at org.openqa.selenium.internal.Require.nonNull(Require.java:60) at org.openqa.selenium.interactions.Actions.&lt;init&gt;(Actions.java:59) at com.controller.Controller.&lt;init&gt;(Controller.java:14) at com.pageObject.Batch_Manage_Obj.&lt;init&gt;(Batch_Manage_Obj.java:45) at com.stepDefinition.Batch_SD.&lt;init&gt;(Batch_SD.java:22) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	When Admin clicks Batch from navigation bar	SKIPPED	0.001 s
3	Then Data table should have a edit icon that is enabled on manage batch	SKIPPED	0.001 s

### Validate Delete button in data table of Manage batch

<div>FAILED</div> <div>DURATION - 2.624 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 6:56:07.114 PM // 6:56:09.738 PM /				
Batch Page Validation				
@ValidateDeleteButton				

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class com.stepDefinition.Batch_SD		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:135) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.getInstance(ObjectFactoryServiceLoader.java:121) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:66) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader. </pre>		

#	Step / Hook Details	Status	Duration
	java:129) ... 34 more Caused by: java.lang.IllegalArgumentException: Driver must be set at org.openqa.selenium.internal.Require.nonNull(Require.java:60) at org.openqa.selenium.interactions.Actions.<init>(Actions.java:59) at com.controller.Controller.<init>(Controller.java:14) at com.pageObject.Batch_Manage_Obj.<init>(Batch_Manage_Obj.java:45) at com.stepDefinition.Batch_SD.<init>(Batch_SD.java:22) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
2	When Admin clicks Batch from navigation bar	SKIPPED	0.001 s
3	Then Data table should have a delete icon that is enabled on manage batch	SKIPPED	0.001 s

### Validate new pop up with Batch details

<b>FAILED</b> DURATION - 2.542 s / 6:56:09.745 PM // 6:56:12.287 PM / Batch Page Validation @ValidatePopUpWithNewBatchDetails		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given Admin is on dashboard page after Login io.cucumber.core.exception.CucumberException: Failed to instantiate class com.stepDefinition.Batch_SD at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:135) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.getInstance(ObjectFactoryServiceLoader.java:121) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:27) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:66) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24)	FAILED	0.004 s

#	Step / Hook Details	Status	Duration
	<pre> at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:79) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at io.cucumber.core.runtime.ObjectFactoryServiceLoader\$DefaultJavaObjectFactory.cacheNewInstance(ObjectFactoryServiceLoader.java:129) ... 34 more Caused by: java.lang.IllegalArgumentException: Driver must be set at org.openqa.selenium.internal.Require.nonNull(Require.java:60) at org.openqa.selenium.interactions.Actions.&lt;init&gt;(Actions.java:59) at com.controller.Controller.&lt;init&gt;(Controller.java:14) at com.pageObject.Batch_Manage_Obj.&lt;init&gt;(Batch_Manage_Obj.java:45) at com.stepDefinition.Batch_SD.&lt;init&gt;(Batch_SD.java:22) at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) </pre>		
2	When Admin clicks Batch from navigation bar	SKIPPED	0.002 s
3	When Admin clicks + A New Batch button	SKIPPED	0.000 s
4	Then A new pop up with "Batch Details" appears	SKIPPED	0.000 s