

# Cucumber Report

Sep 10, 2023, 10:24:44 PM

Start : Sep 10, 10:24:39.604 PM

End : Sep 10, 10:24:42.599 PM

Duration : 2.995 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 7  
SKIPPED - 0


PASSED - 0  
FAILED - 79  
SKIPPED - 0

PASSED - 0  
FAILED - 0  
SKIPPED - 384




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Manage Attendance Page verification</u>	1.049 s	19	0	19	0	57	0	0	57
<u>Attendance details popup window verification</u>	1.676 s	29	0	29	0	158	0	0	158
<u>Add new Attendance</u>	0.222 s	7	0	7	0	49	0	0	49
<u>Edit Attendance</u>	0.206 s	7	0	7	0	49	0	0	49
<u>Delete attendance validation - Single</u>	0.199 s	5	0	5	0	29	0	0	29
<u>Delete multiple attendance validation</u>	0.071 s	3	0	3	0	15	0	0	15
<u>Batch Page Validation</u>	0.234 s	9	0	9	0	27	0	0	27


<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@validateURL	1	0	1	0	1	0	1	0
@validateHeader	1	0	1	0	1	0	1	0
@validatePaginator	1	0	1	0	1	0	1	0
@validateTableHeader	6	0	6	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Manage Attendance Page verification</u>	19	0	19	0	1.049 s
2	<u>Attendance details popup window verification</u>	29	0	29	0	1.676 s
3	<u>Add new Attendance</u>	7	0	7	0	0.222 s
4	<u>Edit Attendance</u>	7	0	7	0	0.206 s
5	<u>Delete attendance validation - Single</u>	5	0	5	0	0.199 s
6	<u>Delete multiple attendance validation</u>	3	0	3	0	0.071 s
7	<u>Batch Page Validation</u>	9	0	9	0	0.234 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Manage Attendance Page verification</u>	<u>Validate the header of the page</u>	3	0	0	3	0.204 s
2	<u>Manage Attendance Page verification</u>	<u>Validate response time from dashboard page to attendance page</u>	3	0	0	3	0.029 s
3	<u>Manage Attendance Page verification</u>	<u>Validate the broken link</u>	3	0	0	3	0.019 s
4	<u>Manage Attendance Page verification</u>	<u>Verify LMS title</u>	3	0	0	3	0.020 s
5	<u>Manage Attendance Page verification</u>	<u>Verify the alignment of the Manage Attendance header</u>	3	0	0	3	0.016 s
6	<u>Manage Attendance Page verification</u>	<u>Validate text in manage attendancepage</u>	3	0	0	3	0.020 s
7	<u>Manage Attendance Page verification</u>	<u>Verify delete icon below the header</u>	3	0	0	3	0.016 s
8	<u>Manage Attendance Page verification</u>	<u>Verify search bar on the class page</u>	3	0	0	3	0.017 s
9	<u>Manage Attendance Page verification</u>	<u>Verify add new Attendance button on Attendance page</u>	3	0	0	3	0.015 s
10	<u>Manage Attendance Page verification</u>	<u>Verify data table on the attendance page</u>	3	0	0	3	0.018 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Manage Attendance Page verification</u>	<u>Verify Edit icon in the data table</u>	3	0	0	3	0.019 s
12	<u>Manage Attendance Page verification</u>	<u>Verify Edit icon when no data in the table</u>	3	0	0	3	0.014 s
13	<u>Manage Attendance Page verification</u>	<u>Verify delete icon in the data table</u>	3	0	0	3	0.014 s
14	<u>Manage Attendance Page verification</u>	<u>Verify delete icon when no data in the table</u>	3	0	0	3	0.018 s
15	<u>Manage Attendance Page verification</u>	<u>Verify sort icon in the data table</u>	3	0	0	3	0.017 s
16	<u>Manage Attendance Page verification</u>	<u>Verify check box in the data table</u>	3	0	0	3	0.014 s
17	<u>Manage Attendance Page verification</u>	<u>Validate the number entries displaying</u>	3	0	0	3	0.020 s
18	<u>Manage Attendance Page verification</u>	<u>Verify Pagination control below the data table</u>	3	0	0	3	0.015 s
19	<u>Manage Attendance Page verification</u>	<u>Validate footer text</u>	3	0	0	3	0.012 s
20	<u>Attendance details popup window verification</u>	<u>Verify all label text</u>	5	0	0	5	0.023 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>Attendance details popup window verification</u>	<u>Verify dropdown box is present</u>	5	0	0	5	0.017 s
22	<u>Attendance details popup window verification</u>	<u>Verify close button in attendance details popup window</u>	5	0	0	5	0.045 s
23	<u>Attendance details popup window verification</u>	<u>Verify the alignment of the close button</u>	5	0	0	5	0.018 s
24	<u>Attendance details popup window verification</u>	<u>Verify the text on first dropdown select a program name</u>	5	0	0	5	0.019 s
25	<u>Attendance details popup window verification</u>	<u>Verify the text on second dropdown select class name</u>	5	0	0	5	0.017 s
26	<u>Attendance details popup window verification</u>	<u>Verify the text on third dropdown select students</u>	5	0	0	5	0.017 s
27	<u>Attendance details popup window verification</u>	<u>Verify the text on fourth dropdown select attendance</u>	5	0	0	5	0.025 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
28	<u>Attendance details popup window verification</u>	<u>Verify all the text inside the dropdown box is gray color for Attendance Module</u>	5	0	0	5	0.013 s
29	<u>Attendance details popup window verification</u>	<u>Verify save button is present</u>	5	0	0	5	0.012 s
30	<u>Attendance details popup window verification</u>	<u>Verify cancel button is present</u>	5	0	0	5	0.013 s
31	<u>Attendance details popup window verification</u>	<u>Verify order of the label in attendance details page</u>	5	0	0	5	0.010 s
32	<u>Attendance details popup window verification</u>	<u>Validate all program name is reflecting in the dropdown</u>	7	0	0	7	0.010 s
33	<u>Attendance details popup window verification</u>	<u>Validate all class name is reflecting in the dropdown</u>	7	0	0	7	0.017 s
34	<u>Attendance details popup window verification</u>	<u>Validate attendance field dropdown all mandatory keywords</u>	7	0	0	7	0.016 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
35	<u>Attendance details popup window verification</u>	<u>Verify spellings in the attendance field drop down</u>	7	0	0	7	0.011 s
36	<u>Attendance details popup window verification</u>	<u>Validate date picker</u>	7	0	0	7	0.015 s
37	<u>Attendance details popup window verification</u>	<u>validate date picker should be correct format</u>	7	0	0	7	0.017 s
38	<u>Attendance details popup window verification</u>	<u>Validate right arrow in data picker to navigate to next month</u>	7	0	0	7	0.015 s
39	<u>Attendance details popup window verification</u>	<u>Validate left arrow in data picker to navigate to previous month</u>	7	0	0	7	0.012 s
40	<u>Attendance details popup window verification</u>	<u>Validate current date is highlighted in the date picker</u>	7	0	0	7	0.014 s
41	<u>Attendance details popup window verification</u>	<u>Validate selected date is highlighted in the date picker</u>	7	0	0	7	0.018 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
42	<u>Attendance details popup window verification</u>	<u>Verify admin is able to navigate from manage attendance to student page</u>	4	0	0	4	0.018 s
43	<u>Attendance details popup window verification</u>	<u>Verify admin is able to navigate from manage attendance to student page</u>	4	0	0	4	0.011 s
44	<u>Attendance details popup window verification</u>	<u>Verify admin is able to navigate from manage attendance to student page</u>	4	0	0	4	0.009 s
45	<u>Attendance details popup window verification</u>	<u>Verify admin is able to navigate from manage attendance to student page</u>	4	0	0	4	0.008 s
46	<u>Attendance details popup window verification</u>	<u>Verify admin is able to navigate from manage attendance to student page</u>	4	0	0	4	0.008 s
47	<u>Attendance details popup window verification</u>	<u>Verify admin is able to navigate from manage attendance to student page</u>	4	0	0	4	0.008 s
48	<u>Attendance details popup window verification</u>	<u>Verify admin is able to navigate from manage attendance to student page</u>	4	0	0	4	0.009 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
49	<u>Add new Attendance</u>	<u>Validate admin able to create new attendance data</u>	7	0	0	7	0.026 s
50	<u>Add new Attendance</u>	<u>Validate admin able to create new attendance data without Fields</u>	7	0	0	7	0.027 s
51	<u>Add new Attendance</u>	<u>Validate admin able to create new attendance data without Fields</u>	7	0	0	7	0.013 s
52	<u>Add new Attendance</u>	<u>Validate admin able to create new attendance data without Fields</u>	7	0	0	7	0.013 s
53	<u>Add new Attendance</u>	<u>Validate admin able to create new attendance data without Fields</u>	7	0	0	7	0.015 s
54	<u>Add new Attendance</u>	<u>Validate admin able to create new attendance data without Fields</u>	7	0	0	7	0.016 s
55	<u>Add new Attendance</u>	<u>Validate admin able to create new attendance by selecting future date</u>	7	0	0	7	0.018 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
56	<u>Edit Attendance</u>	<u>Validate admin able to edit attendance data</u>	7	0	0	7	0.017 s
57	<u>Edit Attendance</u>	<u>Validate admin able to edit attendance data without Fields</u>	7	0	0	7	0.018 s
58	<u>Edit Attendance</u>	<u>Validate admin able to edit attendance data without Fields</u>	7	0	0	7	0.018 s
59	<u>Edit Attendance</u>	<u>Validate admin able to edit attendance data without Fields</u>	7	0	0	7	0.014 s
60	<u>Edit Attendance</u>	<u>Validate admin able to edit attendance data without Fields</u>	7	0	0	7	0.017 s
61	<u>Edit Attendance</u>	<u>Validate admin able to edit attendance data without Fields</u>	7	0	0	7	0.015 s
62	<u>Edit Attendance</u>	<u>Validate admin able to edit attendance by selecting future date</u>	7	0	0	7	0.014 s
63	<u>Delete attendance validation - Single</u>	<u>Verify Delete attendance alert</u>	5	0	0	5	0.023 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
64	<u>Delete attendance validation - Single</u>	<u>Verify accept enabled in alert</u>	5	0	0	5	0.013 s
65	<u>Delete attendance validation - Single</u>	<u>Verify reject enabled in alert</u>	5	0	0	5	0.033 s
66	<u>Delete attendance validation - Single</u>	<u>Validate accept in alert</u>	7	0	0	7	0.022 s
67	<u>Delete attendance validation - Single</u>	<u>Validate reject in alert</u>	7	0	0	7	0.011 s
68	<u>Delete multiple attendance validation</u>	<u>Verify delete multiple class button is enabled</u>	5	0	0	5	0.016 s
69	<u>Delete multiple attendance validation</u>	<u>verify tick mark is visible after clicking on check box for single data</u>	5	0	0	5	0.014 s
70	<u>Delete multiple attendance validation</u>	<u>verify admin able to click multiple check box</u>	5	0	0	5	0.010 s
71	<u>Batch Page Validation</u>	<u>Validate Manage batch URL</u>	3	0	0	3	0.023 s
72	<u>Batch Page Validation</u>	<u>Validate Manage batch Header</u>	3	0	0	3	0.009 s
73	<u>Batch Page Validation</u>	<u>Validate pagination on Manage batch</u>	3	0	0	3	0.011 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
74	<u>Batch Page Validation</u>	<u>Validate Manage batch data table Header</u>	3	0	0	3	0.016 s
75	<u>Batch Page Validation</u>	<u>Validate Manage batch data table Header</u>	3	0	0	3	0.006 s
76	<u>Batch Page Validation</u>	<u>Validate Manage batch data table Header</u>	3	0	0	3	0.010 s
77	<u>Batch Page Validation</u>	<u>Validate Manage batch data table Header</u>	3	0	0	3	0.010 s
78	<u>Batch Page Validation</u>	<u>Validate Manage batch data table Header</u>	3	0	0	3	0.011 s
79	<u>Batch Page Validation</u>	<u>Validate Manage batch data table Header</u>	3	0	0	3	0.012 s

## Manage Attendance Page verification



<b>FAILED</b>	DURATION - 1.049 s	Scenarios Total - 19 Pass - 0 Fail - 19 Skip - 0		Steps Total - 57 Pass - 0 Fail - 0 Skip - 57	
/ 10:24:39.604 PM // 10:24:40.653 PM /					

## Validate the header of the page

<div>FAILED</div> <div>DURATION - 0.204 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div></div>
<div>/ 10:24:39.609 PM // 10:24:39.813 PM /</div>				
<div>Manage Attendance Page verification</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.014 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.006 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.002 s
3	Then Admin should see the "Manage Attendance" in header	SKIPPED	0.003 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.003 s

## Validate response time from dashboard page to attendance page

<b>FAILED</b>	<b>DURATION - 0.029 s</b>		<b>Steps</b> Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:24:39.994 PM // 10:24:40.023 PM /				
Manage Attendance Page verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.002 s
3	Then Maximum navigation time in milliseconds, defaults to 30 seconds  Step undefined	SKIPPED	0.006 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Validate the broken link



<b>FAILED</b>	<b>DURATION - 0.019 s</b>		<b>Steps</b> Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:24:40.070 PM // 10:24:40.089 PM /				
Manage Attendance Page verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.002 s





#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.003 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then HTTP response >= 400. Then the link is broken	SKIPPED	0.003 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify LMS title

FAILED	DURATION - 0.020 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:24:40.111 PM // 10:24:40.131 PM /				
Manage Attendance Page verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.002 s
3	Then Admin should see "LMS -Learning management system" as title	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify the alignment of the Manage Attendance header

<div>FAILED</div> <div>DURATION - 0.016 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div></div>
/ 10:24:40.148 PM // 10:24:40.164 PM /				
Manage Attendance Page verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Manage attendance header should be in left side of the page	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s



### Validate text in manage attendancepage

<div>FAILED</div> <div>DURATION - 0.020 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div></div>
<div>/ 10:24:40.182 PM // 10:24:40.202 PM /</div>				
<div>Manage Attendance Page verification</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.002 s



#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.002 s
3	Then Admin should see correct spelling for the all the fields in get all text from the portal page	SKIPPED	0.004 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify delete icon below the header

FAILED	DURATION - 0.016 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:24:40.220 PM // 10:24:40.236 PM /				
Manage Attendance Page verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin should see disabled delete icon below the "Manage Attendance"	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

## Verify search bar on the class page

<div>FAILED</div> <div>DURATION - 0.017 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div></div>
<div>/ 10:24:40.253 PM // 10:24:40.270 PM /</div>				
<div>Manage Attendance Page verification</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin should see search bar on the attendance page	SKIPPED	0.004 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s



## Verify add new Attendance button on Attendance page

<div>FAILED</div> <div>DURATION - 0.015 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 10:24:40.288 PM // 10:24:40.303 PM /				
Manage Attendance Page verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin should see +Add New Attendance button on the attendance page	SKIPPED	0.004 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify data table on the attendance page

FAILED		DURATION - 0.018 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 10:24:40.324 PM // 10:24:40.342 PM /						
Manage Attendance Page verification						

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.003 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.002 s
3	Then Admin should see data table on the Manage Attendance Page With following column headers.	SKIPPED	0.003 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify Edit icon in the data table

<b>FAILED</b>	DURATION - 0.019 s		<b>Steps</b> Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:24:40.359 PM // 10:24:40.378 PM /				
Manage Attendance Page verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Edit Icon in each row of data table only when entries are available	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.002 s



### Verify Edit icon when no data in the table

<b>FAILED</b>	DURATION - 0.014 s		<b>Steps</b> Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:24:40.398 PM // 10:24:40.412 PM /				
Manage Attendance Page verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.002 s
3	Then Edit Icon will not be present in data table	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify delete icon in the data table

FAILED	DURATION - 0.014 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:24:40.431 PM // 10:24:40.445 PM /				
Manage Attendance Page verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Delete Icon in each row of data table only when entries are available	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify delete icon when no data in the table

<div>FAILED</div> <div>DURATION - 0.018 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div></div>
<div>/ 10:24:40.466 PM // 10:24:40.484 PM /</div>				
<div>Manage Attendance Page verification</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin cant see delete Icon in data table	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Verify sort icon in the data table



<div>FAILED</div> <div>DURATION - 0.017 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 10:24:40.503 PM // 10:24:40.520 PM /				
Manage Attendance Page verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s





#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin should see sort icon near the column headers except for Edit and Delete	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify check box in the data table

FAILED		DURATION - 0.014 s			Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:24:40.535 PM // 10:24:40.549 PM /						
Manage Attendance Page verification						



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin should see check box in the all rows of data table	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Validate the number entries displaying

<b>FAILED</b>	DURATION - 0.020 s		<b>Steps</b> Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:24:40.570 PM // 10:24:40.590 PM /				
Manage Attendance Page verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.005 s
3	Then Above the footer Admin should see the text as "Showing x to y of z entries" below the table.	SKIPPED	0.003 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s



### Verify Pagination control below the data table

<b>FAILED</b>	DURATION - 0.015 s		<b>Steps</b> Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:24:40.610 PM // 10:24:40.625 PM /				
Manage Attendance Page verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin should see the pagination controls under the data table	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Validate footer text



FAILED	DURATION - 0.012 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:24:40.641 PM // 10:24:40.653 PM /				
Manage Attendance Page verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin should see the text with total number classes in the data table. ( " In total there are number of classes")	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

## Attendance details popup window verification



<b>FAILED</b>	DURATION - 1.676 s	Scenarios Total - 29 Pass - 0 Fail - 29 Skip - 0		Steps Total - 158 Pass - 0 Fail - 0 Skip - 158	
/ 10:24:40.674 PM // 10:24:42.350 PM /					

## Verify all label text

<div>FAILED</div> <div>DURATION - 0.023 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 10:24:40.674 PM // 10:24:40.697 PM /				
Attendance details popup window verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Then Admin should see correct spellings in the label for Attendance Module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s

## Verify dropdown box is present

<b>FAILED</b>	<b>DURATION - 0.017 s</b>		<b>Steps</b> Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:24:40.720 PM // 10:24:40.737 PM /				
Attendance details popup window verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Then Four dropdown should be present for Attendance Module	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.002 s

### Verify close button in attendance details popup window

<b>FAILED</b>	<b>DURATION - 0.045 s</b>		<b>Steps</b> Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:24:40.752 PM // 10:24:40.797 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.029 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Then Admin should see close button on the attendance details popup window	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s



### Verify the alignment of the close button

FAILED	DURATION - 0.018 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:24:40.820 PM // 10:24:40.838 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.002 s
3	Then Admin is in manage attendance page	SKIPPED	0.002 s
4	When Admin clicks + a new attendance button	SKIPPED	0.002 s
5	Then Close button should on the top right corner for Attendance Module	SKIPPED	0.002 s



#	Step / Hook Details	Status	Duration
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify the text on first dropdown select a program name

FAILED		DURATION - 0.019 s			Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:24:40.858 PM // 10:24:40.877 PM /						
Attendance details popup window verification						



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Then First dropdown box "select a program name" text should be present for Attendance Module	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify the text on second dropdown select class name

<b>FAILED</b>	<b>DURATION - 0.017 s</b>		<b>Steps</b> Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:24:40.897 PM // 10:24:40.914 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Then Second dropdown box "select class name" text should be present for Attendance Module	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s



### Verify the text on third dropdown select students

<b>FAILED</b>	<b>DURATION - 0.017 s</b>		<b>Steps</b> Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:24:40.933 PM // 10:24:40.950 PM /				
Attendance details popup window verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.002 s
5	Then Third dropdown box "select students" text should be present for Attendance Module	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s



### Verify the text on fourth dropdown select attendance

FAILED	DURATION - 0.025 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:24:40.971 PM // 10:24:40.996 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.002 s
4	When Admin clicks + a new attendance button	SKIPPED	0.002 s
5	Then Fourth dropdown box "select attendance" text should be present for Attendance Module	SKIPPED	0.003 s



#	Step / Hook Details	Status	Duration
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.007 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify all the text inside the dropdown box is gray color for Attendance Module

FAILED	DURATION - 0.013 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:24:41.013 PM // 10:24:41.026 PM /				
Attendance details popup window verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Then Admin should text in gray color for Attendance Module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify save button is present

<b>FAILED</b>	<b>DURATION - 0.012 s</b>		<b>Steps</b> Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:24:41.043 PM // 10:24:41.055 PM /				
Attendance details popup window verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks + a new attendance button	SKIPPED	0.000 s
5	Then Admin should see save button in the class detail popup window for Attendance Module	SKIPPED	0.000 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s

### Verify cancel button is present

<b>FAILED</b>	<b>DURATION - 0.013 s</b>		<b>Steps</b> Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:24:41.068 PM // 10:24:41.081 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.002 s
5	Then Admin should see cancel button in the class detail popup window for Attendance Module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s



### Verify order of the label in attendance details page

FAILED	DURATION - 0.010 s		<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 10:24:41.097 PM // 10:24:41.107 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks + a new attendance button	SKIPPED	0.000 s
5	Then Order of the label should be Program name, Class Name, Student Name, Attendance, Attendance Date.	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Validate all program name is reflecting in the dropdown

FAILED	DURATION - 0.010 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:24:41.119 PM // 10:24:41.129 PM /				
Attendance details popup window verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks + a new attendance button	SKIPPED	0.000 s
5	Given Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin clicks program name dropdown for Attendance Module	SKIPPED	0.000 s
7	Then Program Name in the drop down for Attendance Module should match with program name in manage program page table	SKIPPED	0.000 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Validate all class name is reflecting in the dropdown

<div>FAILED</div> <div>DURATION - 0.017 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	<div></div>
/ 10:24:41.152 PM // 10:24:41.169 PM /				
Attendance details popup window verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.002 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.000 s
5	Given Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin clicks class name dropdown for Attendance Module	SKIPPED	0.001 s
7	Then Class Name in the drop down should match with class name in manage class page table	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Validate attendance field dropdown all mandatory keywords

<div>FAILED</div> <div>DURATION - 0.016 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
/ 10:24:41.185 PM // 10:24:41.201 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Given Admin is in attendance details popup window	SKIPPED	0.002 s
6	When Admin clicks attendance dropdown for Attendance Module	SKIPPED	0.001 s
7	Then Attendance field should have keywords such as - present, absent, late, excused	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s

### Verify spellings in the attendance field drop down

FAILED		DURATION - 0.011 s			Steps Total - 7 Pass - 0 Fail - 0 Skip - 7		
/ 10:24:41.213 PM // 10:24:41.224 PM /							
Attendance details popup window verification							

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	When Admin clicks + a new attendance button	SKIPPED	0.000 s
5	Given Admin is in attendance details popup window	SKIPPED	0.000 s
6	When Admin clicks attendance dropdown for Attendance Module	SKIPPED	0.000 s
7	Then Admin should see correct spellings in dropdown text for Attendance Module	SKIPPED	0.000 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Validate date picker



FAILED	DURATION - 0.015 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:24:41.237 PM // 10:24:41.252 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks + a new attendance button	SKIPPED	0.000 s
5	Given Admin is in attendance details popup window	SKIPPED	0.002 s
6	When Admin clicks date from date picker for Attendance Module	SKIPPED	0.001 s
7	Then selected date should be their in class date text box for Attendance Module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43)		





#	Step / Hook Details	Status	Duration
	at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### validate date picker should be correct format

<div>FAILED</div> <div>DURATION - 0.017 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	<div></div>
/ 10:24:41.263 PM // 10:24:41.280 PM /				
Attendance details popup window verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.002 s
5	Given Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin clicks date from date picker for Attendance Module	SKIPPED	0.001 s
7	Then selected date should be in mm/dd/yyyy format for Attendance Module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Validate right arrow in data picker to navigate to next month

<div>FAILED</div> <div>DURATION - 0.015 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
/ 10:24:41.296 PM // 10:24:41.311 PM /				
Attendance details popup window verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.000 s
5	Given Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin clicks right arrow in the date picker near month for Attendance Module	SKIPPED	0.000 s
7	Then Next month calender should visible for Attendance Module	SKIPPED	0.000 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s

### Validate left arrow in data picker to navigate to previous month

FAILED	DURATION - 0.012 s		<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
/ 10:24:41.326 PM // 10:24:41.338 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.002 s
5	Given Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin clicks left arrow in the date picker near month for Attendance Module	SKIPPED	0.001 s
7	Then previous month calender should visible for Attendance Module	SKIPPED	0.000 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s



### Validate current date is highlighted in the date picker

FAILED	DURATION - 0.014 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:24:41.353 PM // 10:24:41.367 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Given Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin clicks date picker button for Attendance Module	SKIPPED	0.001 s
7	Then Admin should see current date is highled in the date picker for Attendance Module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		



### Validate selected date is highlighted in the date picker

FAILED	DURATION - 0.018 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:24:41.381 PM // 10:24:41.399 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.000 s
5	Given Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin clicks date picker button and selects future date for Attendance Module	SKIPPED	0.002 s
7	Then Admin should see selected date is highled in the date picker for Attendance Module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43)		



#	Step / Hook Details	Status	Duration
	at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify admin is able to navigate from manage attendance to student page

<div>FAILED</div> <div>DURATION - 0.018 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	<div></div>
/ 10:24:42.194 PM // 10:24:42.212 PM /				
Attendance details popup window verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks "Student" button in the navigation bar  Step undefined	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Verify admin is able to navigate from manage attendance to student page

<div>FAILED</div> <div>DURATION - 0.011 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 10:24:42.238 PM // 10:24:42.249 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks "Program" button in the navigation bar  Step undefined	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Verify admin is able to navigate from manage attendance to student page

<div>FAILED</div>	<div>DURATION - 0.009 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 10:24:42.261 PM // 10:24:42.270 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks "Batch" button in the navigation bar  Step undefined	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s



### Verify admin is able to navigate from manage attendance to student page

FAILED	DURATION - 0.008 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 10:24:42.282 PM // 10:24:42.290 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks "User" button in the navigation bar  Step undefined	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify admin is able to navigate from manage attendance to student page

FAILED	DURATION - 0.008 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 10:24:42.303 PM // 10:24:42.311 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks "Assignment" button in the navigation bar	SKIPPED	0.001 s
	Step undefined		
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify admin is able to navigate from manage attendance to student page



<b>FAILED</b>	<b>DURATION - 0.008 s</b>		<b>Steps</b> Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 10:24:42.321 PM // 10:24:42.329 PM /				
Attendance details popup window verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks "Class" button in the navigation bar  Step undefined	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Verify admin is able to navigate from manage attendance to student page



<b>FAILED</b>	<b>DURATION - 0.009 s</b>		<b>Steps</b> Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 10:24:42.341 PM // 10:24:42.350 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks "Logout" button in the navigation bar  Step undefined	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.002 s

### Add new Attendance



FAILED	DURATION - 0.222 s	Scenarios		Steps	
/ 10:24:41.415 PM // 10:24:41.637 PM /		Total - 7 Pass - 0 Fail - 7 Skip - 0		Total - 49 Pass - 0 Fail - 0 Skip - 49	

### Validate admin able to create new attendance data

FAILED	DURATION - 0.026 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:24:41.415 PM // 10:24:41.441 PM /				
Add new Attendance				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.002 s
5	Then Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin fills all the values and click save for Attendance module	SKIPPED	0.002 s
7	Then Admin should see success message in popup window and sees new attendance details in manage attendance details DB	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s



### Validate admin able to create new attendance data without Fields

FAILED	DURATION - 0.027 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:24:41.461 PM // 10:24:41.488 PM /				
Add new Attendance				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Then Admin is in attendance details popup window	SKIPPED	0.002 s
6	When Admin fills values missing "Program name" and click save for Attendance module	SKIPPED	0.001 s
7	Then Message displays "Program name" is missing for Attendance module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		



### Validate admin able to create new attendance data without Fields

FAILED	DURATION - 0.013 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:24:41.506 PM // 10:24:41.519 PM /				
Add new Attendance				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Then Admin is in attendance details popup window	SKIPPED	0.000 s
6	When Admin fills values missing "class name" and click save for Attendance module	SKIPPED	0.001 s
7	Then Message displays "class name" is missing for Attendance module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43)		



#	Step / Hook Details	Status	Duration
	at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Validate admin able to create new attendance data without Fields

<div>FAILED</div> <div>DURATION - 0.013 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	<div></div>
<div>/ 10:24:41.530 PM // 10:24:41.543 PM /</div>				
<div>Add new Attendance</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Then Admin is in attendance details popup window	SKIPPED	0.000 s
6	When Admin fills values missing "student name" and click save for Attendance module	SKIPPED	0.000 s
7	Then Message displays "student name" is missing for Attendance module	SKIPPED	0.000 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Validate admin able to create new attendance data without Fields

<div>FAILED</div> <div>DURATION - 0.015 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	<div></div>
<div>/ 10:24:41.554 PM // 10:24:41.569 PM /</div>				
<div>Add new Attendance</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Then Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin fills values missing "Attendance" and click save for Attendance module	SKIPPED	0.002 s
7	Then Message displays "Attendance" is missing for Attendance module	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Validate admin able to create new attendance data without Fields

<div>FAILED</div> <div>DURATION - 0.016 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
/ 10:24:41.587 PM // 10:24:41.603 PM /				
Add new Attendance				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Then Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin fills values missing "Attendance date" and click save for Attendance module	SKIPPED	0.002 s
7	Then Message displays "Attendance date" is missing for Attendance module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s



### Validate admin able to create new attendance by selecting future date

FAILED	DURATION - 0.018 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:24:41.619 PM // 10:24:41.637 PM /				
Add new Attendance				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.002 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Then Admin is in attendance details popup window	SKIPPED	0.002 s
6	When Admin fills values with future date and click save for Attendance module	SKIPPED	0.001 s
7	Then Invalidate attendance date	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

## Edit Attendance

FAILED	DURATION - 0.206 s	Scenarios Total - 7 Pass - 0 Fail - 7 Skip - 0		Steps Total - 49 Pass - 0 Fail - 0 Skip - 49	
/ 10:24:41.658 PM // 10:24:41.864 PM /					

## Validate admin able to edit attendance data



FAILED	DURATION - 0.017 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:24:41.658 PM // 10:24:41.675 PM /				
Edit Attendance				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s



#	Step / Hook Details	Status	Duration
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks edit icon button on Attendance Manage page	SKIPPED	0.000 s
5	Then Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin fills all the values and click save for Attendance module	SKIPPED	0.001 s
7	Then Admin should see success message in popup window and sees new attendance details in manage attendance details DB	SKIPPED	0.000 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		



### Validate admin able to edit attendance data without Fields

FAILED		DURATION - 0.018 s			Steps Total - 7 Pass - 0 Fail - 0 Skip - 7			
/ 10:24:41.691 PM // 10:24:41.709 PM /								
Edit Attendance								

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks edit icon button on Attendance Manage page	SKIPPED	0.001 s
5	Then Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin fills values missing "Program name" and click save for Attendance module	SKIPPED	0.001 s
7	Then Message displays "Program name" is missing for Attendance module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null		



#	Step / Hook Details	Status	Duration
	at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Validate admin able to edit attendance data without Fields

<div>FAILED</div>	<div>DURATION - 0.018 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	<div></div>
<div>/ 10:24:41.727 PM // 10:24:41.745 PM /</div>				
<div>Edit Attendance</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks edit icon button on Attendance Manage page	SKIPPED	0.001 s
5	Then Admin is in attendance details popup window	SKIPPED	0.000 s
6	When Admin fills values missing "class name" and click save for Attendance module	SKIPPED	0.001 s
7	Then Message displays "class name" is missing for Attendance module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Validate admin able to edit attendance data without Fields

<div>FAILED</div> <div>DURATION - 0.014 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
/ 10:24:41.759 PM // 10:24:41.773 PM /				
Edit Attendance				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks edit icon button on Attendance Manage page	SKIPPED	0.001 s
5	Then Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin fills values missing "student name" and click save for Attendance module	SKIPPED	0.001 s
7	Then Message displays "student name" is missing for Attendance module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Validate admin able to edit attendance data without Fields

<div>FAILED</div> <div>DURATION - 0.017 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
/ 10:24:41.790 PM // 10:24:41.807 PM /				
Edit Attendance				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks edit icon button on Attendance Manage page	SKIPPED	0.000 s
5	Then Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin fills values missing "Attendance" and click save for Attendance module	SKIPPED	0.001 s
7	Then Message displays "Attendance" is missing for Attendance module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s



### Validate admin able to edit attendance data without Fields

FAILED	DURATION - 0.015 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:24:41.822 PM // 10:24:41.837 PM /				
Edit Attendance				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	When Admin clicks edit icon button on Attendance Manage page	SKIPPED	0.000 s
5	Then Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin fills values missing "Attendance date" and click save for Attendance module	SKIPPED	0.000 s
7	Then Message displays "Attendance date" is missing for Attendance module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		



### Validate admin able to edit attendance by selecting future date

FAILED	DURATION - 0.014 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:24:41.850 PM // 10:24:41.864 PM /				
Edit Attendance				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks edit icon button on Attendance Manage page	SKIPPED	0.001 s
5	Then Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin fills values with future date and click save for Attendance module	SKIPPED	0.001 s
7	Then Invalidate attendance date	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43)		

#	Step / Hook Details	Status	Duration
	at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

## Delete attendance validation - Single



<b>FAILED</b>	DURATION - 0.199 s	Scenarios		Steps	
/ 10:24:41.889 PM // 10:24:42.088 PM /		Total - 5		Total - 29	
		Pass - 0		Pass - 0	
		Fail - 5		Fail - 0	
		Skip - 0		Skip - 29	

## Verify Delete attendance alert

<div>FAILED</div> <div>DURATION - 0.023 s</div>			Steps	
/ 10:24:41.890 PM // 10:24:41.913 PM /			Total - 5	
Delete attendance validation - Single			Pass - 0	
			Fail - 0	
			Skip - 5	



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	<b>FAILED</b>	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks delete button in data table row level for Attendance module	SKIPPED	0.003 s
5	Then Admin should see alert for Attendance module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	<b>FAILED</b>	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

**Verify accept enabled in alert**

<div>FAILED</div> <div>DURATION - 0.013 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 10:24:41.933 PM // 10:24:41.946 PM /				
Delete attendance validation - Single				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks delete button in data table row level for Attendance module	SKIPPED	0.001 s
5	Then Alert should have "yes" button to accept for Attendance module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

**Verify reject enabled in alert**

<div>FAILED</div> <div>DURATION - 0.033 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	<div></div>
<div>/ 10:24:41.969 PM // 10:24:42.002 PM /</div>				
<div>Delete attendance validation - Single</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.003 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.012 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks delete button in data table row level for Attendance module	SKIPPED	0.001 s
5	Then Alert should have "No" button to reject for Attendance module	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s

### Validate accept in alert



FAILED	DURATION - 0.022 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:24:42.028 PM // 10:24:42.050 PM /				
Delete attendance validation - Single				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks delete button in data table row level for Attendance module	SKIPPED	0.001 s
5	Then Admin should see Delete alert for Attendance module	SKIPPED	0.001 s





#	Step / Hook Details	Status	Duration
6	When Admin clicks yes button for Attendance module	SKIPPED	0.001 s
7	Then Success message and selected attendance details are deleted from the data table	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Validate reject in alert



FAILED	DURATION - 0.011 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:24:42.077 PM // 10:24:42.088 PM /				
Delete attendance validation - Single				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks delete button in data table row level for Attendance module	SKIPPED	0.001 s
5	Then Admin should see Delete alert for Attendance module	SKIPPED	0.000 s
6	When Admin clicks no button for Attendance module	SKIPPED	0.000 s
7	Then Redirected attendance page and selected attendance details are not deleted from the data table	SKIPPED	0.000 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

## Delete multiple attendance validation



FAILED	DURATION - 0.071 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 15 Pass - 0 Fail - 0 Skip - 15	
/ 10:24:42.104 PM // 10:24:42.175 PM /					

## Verify delete multiple class button is enabled

FAILED	DURATION - 0.016 s		Steps	
/ 10:24:42.104 PM // 10:24:42.120 PM /			Total - 5	
Delete multiple attendance validation			Pass - 0	
			Fail - 0	
			Skip - 5	



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks single row level check box in the data table for Attendance Module  Step undefined	SKIPPED	0.002 s
5	Then Admin should see delete icon below the header is enabled on Attendance Module  Step undefined	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s

### verify tick mark is visible after clicking on check box for single data

<div>FAILED</div>	<div>DURATION - 0.014 s</div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 10:24:42.137 PM // 10:24:42.151 PM /				
Delete multiple attendance validation				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks single row level check box in the data table for Attendance Module  Step undefined	SKIPPED	0.002 s
5	Then Admin should see tick mark in check box for Attendance Module  Step undefined	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### verify admin able to click multiple check box

<div>FAILED</div> <div>DURATION - 0.010 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 10:24:42.165 PM // 10:24:42.175 PM /				
Delete multiple attendance validation				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.002 s
4	When Admin clicks multiple row level check box in the data table for Attendance Module  Step undefined	SKIPPED	0.001 s
5	Then Admin should see tick mark in check box of the selected rows  Step undefined	SKIPPED	0.000 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

## Batch Page Validation



<div>FAILED</div> <div>DURATION - 0.234 s</div>		<div>Scenarios</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 9</div> <div>Skip - 0</div>	<div><div></div></div>	<div>Steps</div> <div>Total - 27</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 27</div>	<div><div></div></div>
/ 10:24:42.365 PM // 10:24:42.599 PM /					

## Validate Manage batch URL

<div>FAILED</div> <div>DURATION - 0.023 s</div>		<div><table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.002</td></tr><tr><td>2</td><td>0.001</td></tr><tr><td>3</td><td>0.001</td></tr></tbody></table></div>	Step	Duration (s)	1	0.002	2	0.001	3	0.001	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div><div>3</div></div>
Step	Duration (s)											
1	0.002											
2	0.001											
3	0.001											
<div>/ 10:24:42.365 PM // 10:24:42.388 PM /</div>												
<div>Batch Page Validation</div>												
<div>@validateURL</div>												



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.000 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks Batch from navigation bar Step undefined	SKIPPED	0.001 s
3	Then Admin should see the "Manage Batch" in the URL of manage batch page Step undefined	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

## Validate Manage batch Header

FAILED		DURATION - 0.009 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 10:24:42.402 PM // 10:24:42.411 PM /						
Batch Page Validation						
@validateHeader						

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks Batch from navigation bar  Step undefined	SKIPPED	0.000 s
3	Then Admin should see the "Manage Batch" in the header of manage batch page  Step undefined	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.002 s



### Validate pagination on Manage batch

FAILED	DURATION - 0.011 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:24:42.429 PM // 10:24:42.440 PM /				
Batch Page Validation				
@validatePaginator				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks Batch from navigation bar  Step undefined	SKIPPED	0.000 s
3	Then Admin should see the pagination controls under the data table on manage batch page	SKIPPED	0.001 s



#	Step / Hook Details	Status	Duration
	Step undefined		
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Validate Manage batch data table Header

FAILED	DURATION - 0.016 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:24:42.455 PM // 10:24:42.471 PM /				
Batch Page Validation				
@validateTableHeader				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks Batch from navigation bar Step undefined	SKIPPED	0.001 s
3	Then Admin Should see the data table on manage batch Step undefined	SKIPPED	0.003 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s

### Validate Manage batch data table Header

<div>FAILED</div> <div>DURATION - 0.006 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 10:24:42.487 PM // 10:24:42.493 PM /				
Batch Page Validation				
@validateTableHeader				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.000 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks Batch from navigation bar  Step undefined	SKIPPED	0.000 s
3	Then Admin Should see the data table on manage batch  Step undefined	SKIPPED	0.000 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s



### Validate Manage batch data table Header

FAILED	DURATION - 0.010 s		<b>Steps</b> Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:24:42.508 PM // 10:24:42.518 PM /				
Batch Page Validation				
@validateTableHeader				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks Batch from navigation bar  Step undefined	SKIPPED	0.001 s
3	Then Admin Should see the data table on manage batch  Step undefined	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s

### Validate Manage batch data table Header

FAILED	DURATION - 0.010 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:24:42.530 PM // 10:24:42.540 PM /				
Batch Page Validation				
@validateTableHeader				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks Batch from navigation bar  Step undefined	SKIPPED	0.000 s
3	Then Admin Should see the data table on manage batch	SKIPPED	0.001 s



#	Step / Hook Details	Status	Duration
	Step undefined		
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s

### Validate Manage batch data table Header

FAILED	DURATION - 0.011 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:24:42.557 PM // 10:24:42.568 PM /				
Batch Page Validation				
@validateTableHeader				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks Batch from navigation bar Step undefined	SKIPPED	0.001 s
3	Then Admin Should see the data table on manage batch Step undefined	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s

### Validate Manage batch data table Header

<div>FAILED</div>	<div>DURATION - 0.012 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
<div>/ 10:24:42.587 PM // 10:24:42.599 PM /</div>				
<div>Batch Page Validation</div>				
<div>@validateTableHeader</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks Batch from navigation bar  Step undefined	SKIPPED	0.000 s
3	Then Admin Should see the data table on manage batch  Step undefined	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s