

# Cucumber Report

Sep 10, 2023, 10:21:54 PM

Start : Sep 10, 10:21:50.381 PM

End : Sep 10, 10:21:53.296 PM

Duration : 2.915 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 7  
SKIPPED - 0


PASSED - 0  
FAILED - 79  
SKIPPED - 0

PASSED - 0  
FAILED - 0  
SKIPPED - 384




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Manage Attendance Page verification</u>	1.028 s	19	0	19	0	57	0	0	57
<u>Attendance details popup window verification</u>	1.539 s	29	0	29	0	158	0	0	158
<u>Add new Attendance</u>	0.226 s	7	0	7	0	49	0	0	49
<u>Edit Attendance</u>	0.199 s	7	0	7	0	49	0	0	49
<u>Delete attendance validation - Single</u>	0.136 s	5	0	5	0	29	0	0	29
<u>Delete multiple attendance validation</u>	0.078 s	3	0	3	0	15	0	0	15
<u>Batch Page Validation</u>	0.304 s	9	0	9	0	27	0	0	27


<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@validateURL	1	0	1	0	1	0	1	0
@validateHeader	1	0	1	0	1	0	1	0
@validatePaginator	1	0	1	0	1	0	1	0
@validateTableHeader	6	0	6	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Manage Attendance Page verification</u>	19	0	19	0	1.028 s
2	<u>Attendance details popup window verification</u>	29	0	29	0	1.539 s
3	<u>Add new Attendance</u>	7	0	7	0	0.226 s
4	<u>Edit Attendance</u>	7	0	7	0	0.199 s
5	<u>Delete attendance validation - Single</u>	5	0	5	0	0.136 s
6	<u>Delete multiple attendance validation</u>	3	0	3	0	0.078 s
7	<u>Batch Page Validation</u>	9	0	9	0	0.304 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Manage Attendance Page verification</u>	<u>Validate the header of the page</u>	3	0	0	3	0.223 s
2	<u>Manage Attendance Page verification</u>	<u>Validate response time from dashboard page to attendance page</u>	3	0	0	3	0.020 s
3	<u>Manage Attendance Page verification</u>	<u>Validate the broken link</u>	3	0	0	3	0.017 s
4	<u>Manage Attendance Page verification</u>	<u>Verify LMS title</u>	3	0	0	3	0.019 s
5	<u>Manage Attendance Page verification</u>	<u>Verify the alignment of the Manage Attendance header</u>	3	0	0	3	0.017 s
6	<u>Manage Attendance Page verification</u>	<u>Validate text in manage attendancepage</u>	3	0	0	3	0.019 s
7	<u>Manage Attendance Page verification</u>	<u>Verify delete icon below the header</u>	3	0	0	3	0.021 s
8	<u>Manage Attendance Page verification</u>	<u>Verify search bar on the class page</u>	3	0	0	3	0.017 s
9	<u>Manage Attendance Page verification</u>	<u>Verify add new Attendance button on Attendance page</u>	3	0	0	3	0.014 s
10	<u>Manage Attendance Page verification</u>	<u>Verify data table on the attendance page</u>	3	0	0	3	0.017 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Manage Attendance Page verification</u>	<u>Verify Edit icon in the data table</u>	3	0	0	3	0.014 s
12	<u>Manage Attendance Page verification</u>	<u>Verify Edit icon when no data in the table</u>	3	0	0	3	0.016 s
13	<u>Manage Attendance Page verification</u>	<u>Verify delete icon in the data table</u>	3	0	0	3	0.016 s
14	<u>Manage Attendance Page verification</u>	<u>Verify delete icon when no data in the table</u>	3	0	0	3	0.019 s
15	<u>Manage Attendance Page verification</u>	<u>Verify sort icon in the data table</u>	3	0	0	3	0.028 s
16	<u>Manage Attendance Page verification</u>	<u>Verify check box in the data table</u>	3	0	0	3	0.016 s
17	<u>Manage Attendance Page verification</u>	<u>Validate the number entries displaying</u>	3	0	0	3	0.018 s
18	<u>Manage Attendance Page verification</u>	<u>Verify Pagination control below the data table</u>	3	0	0	3	0.014 s
19	<u>Manage Attendance Page verification</u>	<u>Validate footer text</u>	3	0	0	3	0.016 s
20	<u>Attendance details popup window verification</u>	<u>Verify all label text</u>	5	0	0	5	0.037 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>Attendance details popup window verification</u>	<u>Verify dropdown box is present</u>	5	0	0	5	0.020 s
22	<u>Attendance details popup window verification</u>	<u>Verify close button in attendance details popup window</u>	5	0	0	5	0.014 s
23	<u>Attendance details popup window verification</u>	<u>Verify the alignment of the close button</u>	5	0	0	5	0.015 s
24	<u>Attendance details popup window verification</u>	<u>Verify the text on first dropdown select a program name</u>	5	0	0	5	0.018 s
25	<u>Attendance details popup window verification</u>	<u>Verify the text on second dropdown select class name</u>	5	0	0	5	0.015 s
26	<u>Attendance details popup window verification</u>	<u>Verify the text on third dropdown select students</u>	5	0	0	5	0.014 s
27	<u>Attendance details popup window verification</u>	<u>Verify the text on fourth dropdown select attendance</u>	5	0	0	5	0.015 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
28	<u>Attendance details popup window verification</u>	<u>Verify all the text inside the dropdown box is gray color for Attendance Module</u>	5	0	0	5	0.012 s
29	<u>Attendance details popup window verification</u>	<u>Verify save button is present</u>	5	0	0	5	0.012 s
30	<u>Attendance details popup window verification</u>	<u>Verify cancel button is present</u>	5	0	0	5	0.012 s
31	<u>Attendance details popup window verification</u>	<u>Verify order of the label in attendance details page</u>	5	0	0	5	0.015 s
32	<u>Attendance details popup window verification</u>	<u>Validate all program name is reflecting in the dropdown</u>	7	0	0	7	0.013 s
33	<u>Attendance details popup window verification</u>	<u>Validate all class name is reflecting in the dropdown</u>	7	0	0	7	0.017 s
34	<u>Attendance details popup window verification</u>	<u>Validate attendance field dropdown all mandatory keywords</u>	7	0	0	7	0.013 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
35	<u>Attendance details popup window verification</u>	<u>Verify spellings in the attendance field drop down</u>	7	0	0	7	0.017 s
36	<u>Attendance details popup window verification</u>	<u>Validate date picker</u>	7	0	0	7	0.013 s
37	<u>Attendance details popup window verification</u>	<u>validate date picker should be correct format</u>	7	0	0	7	0.012 s
38	<u>Attendance details popup window verification</u>	<u>Validate right arrow in data picker to navigate to next month</u>	7	0	0	7	0.018 s
39	<u>Attendance details popup window verification</u>	<u>Validate left arrow in data picker to navigate to previous month</u>	7	0	0	7	0.014 s
40	<u>Attendance details popup window verification</u>	<u>Validate current date is highlighted in the date picker</u>	7	0	0	7	0.013 s
41	<u>Attendance details popup window verification</u>	<u>Validate selected date is highlighted in the date picker</u>	7	0	0	7	0.014 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
42	<u>Attendance details popup window verification</u>	<u>Verify admin is able to navigate from manage attendance to student page</u>	4	0	0	4	0.016 s
43	<u>Attendance details popup window verification</u>	<u>Verify admin is able to navigate from manage attendance to student page</u>	4	0	0	4	0.012 s
44	<u>Attendance details popup window verification</u>	<u>Verify admin is able to navigate from manage attendance to student page</u>	4	0	0	4	0.010 s
45	<u>Attendance details popup window verification</u>	<u>Verify admin is able to navigate from manage attendance to student page</u>	4	0	0	4	0.012 s
46	<u>Attendance details popup window verification</u>	<u>Verify admin is able to navigate from manage attendance to student page</u>	4	0	0	4	0.009 s
47	<u>Attendance details popup window verification</u>	<u>Verify admin is able to navigate from manage attendance to student page</u>	4	0	0	4	0.009 s
48	<u>Attendance details popup window verification</u>	<u>Verify admin is able to navigate from manage attendance to student page</u>	4	0	0	4	0.007 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
49	<u>Add new Attendance</u>	<u>Validate admin able to create new attendance data</u>	7	0	0	7	0.018 s
50	<u>Add new Attendance</u>	<u>Validate admin able to create new attendance data without Fields</u>	7	0	0	7	0.023 s
51	<u>Add new Attendance</u>	<u>Validate admin able to create new attendance data without Fields</u>	7	0	0	7	0.013 s
52	<u>Add new Attendance</u>	<u>Validate admin able to create new attendance data without Fields</u>	7	0	0	7	0.016 s
53	<u>Add new Attendance</u>	<u>Validate admin able to create new attendance data without Fields</u>	7	0	0	7	0.016 s
54	<u>Add new Attendance</u>	<u>Validate admin able to create new attendance data without Fields</u>	7	0	0	7	0.018 s
55	<u>Add new Attendance</u>	<u>Validate admin able to create new attendance by selecting future date</u>	7	0	0	7	0.016 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
56	<u>Edit Attendance</u>	<u>Validate admin able to edit attendance data</u>	7	0	0	7	0.028 s
57	<u>Edit Attendance</u>	<u>Validate admin able to edit attendance data without Fields</u>	7	0	0	7	0.020 s
58	<u>Edit Attendance</u>	<u>Validate admin able to edit attendance data without Fields</u>	7	0	0	7	0.024 s
59	<u>Edit Attendance</u>	<u>Validate admin able to edit attendance data without Fields</u>	7	0	0	7	0.012 s
60	<u>Edit Attendance</u>	<u>Validate admin able to edit attendance data without Fields</u>	7	0	0	7	0.011 s
61	<u>Edit Attendance</u>	<u>Validate admin able to edit attendance data without Fields</u>	7	0	0	7	0.013 s
62	<u>Edit Attendance</u>	<u>Validate admin able to edit attendance by selecting future date</u>	7	0	0	7	0.010 s
63	<u>Delete attendance validation - Single</u>	<u>Verify Delete attendance alert</u>	5	0	0	5	0.017 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
64	<u>Delete attendance validation - Single</u>	<u>Verify accept enabled in alert</u>	5	0	0	5	0.012 s
65	<u>Delete attendance validation - Single</u>	<u>Verify reject enabled in alert</u>	5	0	0	5	0.014 s
66	<u>Delete attendance validation - Single</u>	<u>Validate accept in alert</u>	7	0	0	7	0.015 s
67	<u>Delete attendance validation - Single</u>	<u>Validate reject in alert</u>	7	0	0	7	0.016 s
68	<u>Delete multiple attendance validation</u>	<u>Verify delete multiple class button is enabled</u>	5	0	0	5	0.017 s
69	<u>Delete multiple attendance validation</u>	<u>verify tick mark is visible after clicking on check box for single data</u>	5	0	0	5	0.014 s
70	<u>Delete multiple attendance validation</u>	<u>verify admin able to click multiple check box</u>	5	0	0	5	0.012 s
71	<u>Batch Page Validation</u>	<u>Validate Manage batch URL</u>	3	0	0	3	0.023 s
72	<u>Batch Page Validation</u>	<u>Validate Manage batch Header</u>	3	0	0	3	0.010 s
73	<u>Batch Page Validation</u>	<u>Validate pagination on Manage batch</u>	3	0	0	3	0.008 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
74	<u>Batch Page Validation</u>	<u>Validate Manage batch data table Header</u>	3	0	0	3	0.014 s
75	<u>Batch Page Validation</u>	<u>Validate Manage batch data table Header</u>	3	0	0	3	0.010 s
76	<u>Batch Page Validation</u>	<u>Validate Manage batch data table Header</u>	3	0	0	3	0.013 s
77	<u>Batch Page Validation</u>	<u>Validate Manage batch data table Header</u>	3	0	0	3	0.012 s
78	<u>Batch Page Validation</u>	<u>Validate Manage batch data table Header</u>	3	0	0	3	0.015 s
79	<u>Batch Page Validation</u>	<u>Validate Manage batch data table Header</u>	3	0	0	3	0.027 s

## Manage Attendance Page verification

<b>FAILED</b>	DURATION - 1.028 s	Scenarios Total - 19 Pass - 0 Fail - 19 Skip - 0		Steps Total - 57 Pass - 0 Fail - 0 Skip - 57	
/ 10:21:50.381 PM // 10:21:51.409 PM /					

## Validate the header of the page

<div>FAILED</div> <div>DURATION - 0.223 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div></div>
<div>/ 10:21:50.386 PM // 10:21:50.609 PM /</div>				
<div>Manage Attendance Page verification</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.015 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.007 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.003 s
3	Then Admin should see the "Manage Attendance" in header	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.002 s

## Validate response time from dashboard page to attendance page

<b>FAILED</b>	<b>DURATION - 0.020 s</b>		<b>Steps</b> Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:21:50.768 PM // 10:21:50.788 PM /				
Manage Attendance Page verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.003 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.002 s
3	Then Maximum navigation time in milliseconds, defaults to 30 seconds  Step undefined	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Validate the broken link



<b>FAILED</b>	<b>DURATION - 0.017 s</b>		<b>Steps</b> Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:21:50.806 PM // 10:21:50.823 PM /				
Manage Attendance Page verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.002 s





#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.003 s
3	Then HTTP response >= 400. Then the link is broken	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify LMS title

FAILED		DURATION - 0.019 s			Steps Total - 3 Pass - 0 Fail - 0 Skip - 3			
/ 10:21:50.845 PM // 10:21:50.864 PM /								
Manage Attendance Page verification								



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.003 s
3	Then Admin should see "LMS -Learning management system" as title	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify the alignment of the Manage Attendance header

<div>FAILED</div> <div>DURATION - 0.017 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div></div>
<div>/ 10:21:50.886 PM // 10:21:50.903 PM /</div>				
<div>Manage Attendance Page verification</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Manage attendance header should be in left side of the page	SKIPPED	0.003 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s



### Validate text in manage attendancepage

<div>FAILED</div> <div>DURATION - 0.019 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div></div>
<div>/ 10:21:50.924 PM // 10:21:50.943 PM /</div>				
<div>Manage Attendance Page verification</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.003 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin should see correct spelling for the all the fields in get all text from the portal page	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify delete icon below the header

FAILED	DURATION - 0.021 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:21:50.966 PM // 10:21:50.987 PM /				
Manage Attendance Page verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin should see disabled delete icon below the "Manage Attendance"	SKIPPED	0.003 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify search bar on the class page

<b>FAILED</b>	<b>DURATION - 0.017 s</b>		<b>Steps</b> Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:21:51.007 PM // 10:21:51.024 PM /				
Manage Attendance Page verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.003 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin should see search bar on the attendance page	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s



### Verify add new Attendance button on Attendance page

<b>FAILED</b>	<b>DURATION - 0.014 s</b>		<b>Steps</b> Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:21:51.038 PM // 10:21:51.052 PM /				
Manage Attendance Page verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.002 s
3	Then Admin should see +Add New Attendance button on the attendance page	SKIPPED	0.003 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify data table on the attendance page

FAILED	DURATION - 0.017 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:21:51.070 PM // 10:21:51.087 PM /				
Manage Attendance Page verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.002 s
3	Then Admin should see data table on the Manage Attendance Page With following column headers.	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify Edit icon in the data table

<div>FAILED</div> <div>DURATION - 0.014 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div></div>
<div>/ 10:21:51.102 PM // 10:21:51.116 PM /</div>				
<div>Manage Attendance Page verification</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.002 s
3	Then Edit Icon in each row of data table only when entries are available	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s



### Verify Edit icon when no data in the table

<div>FAILED</div> <div>DURATION - 0.016 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div></div>
<div>/ 10:21:51.136 PM // 10:21:51.152 PM /</div>				
<div>Manage Attendance Page verification</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.003 s



#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.002 s
3	Then Edit Icon will not be present in data table	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify delete icon in the data table

FAILED	DURATION - 0.016 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:21:51.168 PM // 10:21:51.184 PM /				
Manage Attendance Page verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Delete Icon in each row of data table only when entries are available	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify delete icon when no data in the table

<div>FAILED</div> <div>DURATION - 0.019 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div></div>
<div>/ 10:21:51.201 PM // 10:21:51.220 PM /</div>				
<div>Manage Attendance Page verification</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.002 s
3	Then Admin cant see delete Icon in data table	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Verify sort icon in the data table



<div>FAILED</div> <div>DURATION - 0.028 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div></div>
<div>/ 10:21:51.240 PM // 10:21:51.268 PM /</div>				
<div>Manage Attendance Page verification</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.004 s





#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.002 s
3	Then Admin should see sort icon near the column headers except for Edit and Delete	SKIPPED	0.007 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify check box in the data table

FAILED	DURATION - 0.016 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:21:51.287 PM // 10:21:51.303 PM /				
Manage Attendance Page verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.002 s
3	Then Admin should see check box in the all rows of data table	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Validate the number entries displaying

<div>FAILED</div> <div>DURATION - 0.018 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 10:21:51.323 PM // 10:21:51.341 PM /				
Manage Attendance Page verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.002 s
3	Then Above the footer Admin should see the text as "Showing x to y of z entries" below the table.	SKIPPED	0.003 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s



### Verify Pagination control below the data table

<div>FAILED</div> <div>DURATION - 0.014 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 10:21:51.362 PM // 10:21:51.376 PM /				
Manage Attendance Page verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin should see the pagination controls under the data table	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Validate footer text



FAILED		DURATION - 0.016 s			Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:21:51.393 PM // 10:21:51.409 PM /						
Manage Attendance Page verification						

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin should see the text with total number classes in the data table. ( " In total there are number of classes")	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

## Attendance details popup window verification



<b>FAILED</b>	DURATION - 1.539 s	Scenarios Total - 29 Pass - 0 Fail - 29 Skip - 0		Steps Total - 158 Pass - 0 Fail - 0 Skip - 158	
/ 10:21:51.433 PM // 10:21:52.972 PM /					

## Verify all label text

<div>FAILED</div> <div>DURATION - 0.037 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 10:21:51.434 PM // 10:21:51.471 PM /				
Attendance details popup window verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.002 s
3	Then Admin is in manage attendance page	SKIPPED	0.002 s
4	When Admin clicks + a new attendance button	SKIPPED	0.002 s
5	Then Admin should see correct spellings in the label for Attendance Module	SKIPPED	0.003 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.002 s

## Verify dropdown box is present

<div>FAILED</div> <div>DURATION - 0.020 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 10:21:51.493 PM // 10:21:51.513 PM /				
Attendance details popup window verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Then Four dropdown should be present for Attendance Module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Verify close button in attendance details popup window

<div>FAILED</div> <div>DURATION - 0.014 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 10:21:51.532 PM // 10:21:51.546 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks + a new attendance button	SKIPPED	0.000 s
5	Then Admin should see close button on the attendance details popup window	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.002 s



### Verify the alignment of the close button

FAILED	DURATION - 0.015 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:21:51.558 PM // 10:21:51.573 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.002 s
4	When Admin clicks + a new attendance button	SKIPPED	0.000 s
5	Then Close button should on the top right corner for Attendance Module	SKIPPED	0.001 s



#	Step / Hook Details	Status	Duration
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify the text on first dropdown select a program name

FAILED	DURATION - 0.018 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:21:51.587 PM // 10:21:51.605 PM /				
Attendance details popup window verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Then First dropdown box "select a program name" text should be present for Attendance Module	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify the text on second dropdown select class name

<b>FAILED</b>	<b>DURATION - 0.015 s</b>		<b>Steps</b> Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:21:51.619 PM // 10:21:51.634 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.000 s
5	Then Second dropdown box "select class name" text should be present for Attendance Module	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		



### Verify the text on third dropdown select students

<b>FAILED</b>	<b>DURATION - 0.014 s</b>		<b>Steps</b> Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:21:51.646 PM // 10:21:51.660 PM /				
Attendance details popup window verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.000 s
5	Then Third dropdown box "select students" text should be present for Attendance Module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.002 s



### Verify the text on fourth dropdown select attendance

FAILED	DURATION - 0.015 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:21:51.672 PM // 10:21:51.687 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Then Fourth dropdown box "select attendance" text should be present for Attendance Module	SKIPPED	0.001 s



#	Step / Hook Details	Status	Duration
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify all the text inside the dropdown box is gray color for Attendance Module

FAILED		DURATION - 0.012 s			Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:21:51.702 PM // 10:21:51.714 PM /						
Attendance details popup window verification						



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.000 s
5	Then Admin should text in gray color for Attendance Module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify save button is present

<b>FAILED</b>	<b>DURATION - 0.012 s</b>		<b>Steps</b> Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:21:51.725 PM // 10:21:51.737 PM /				
Attendance details popup window verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.002 s
5	Then Admin should see save button in the class detail popup window for Attendance Module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s

### Verify cancel button is present

<b>FAILED</b>	<b>DURATION - 0.012 s</b>		<b>Steps</b> Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:21:51.753 PM // 10:21:51.765 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Then Admin should see cancel button in the class detail popup window for Attendance Module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s

### Verify order of the label in attendance details page

FAILED	DURATION - 0.015 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:21:51.776 PM // 10:21:51.791 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.000 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.000 s
5	Then Order of the label should be Program name, Class Name, Student Name, Attendance, Attendance Date.	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Validate all program name is reflecting in the dropdown

FAILED		DURATION - 0.013 s		<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>0.013</td></tr><tr><td>2</td><td>0.013</td></tr><tr><td>3</td><td>0.013</td></tr><tr><td>4</td><td>0.013</td></tr><tr><td>5</td><td>0.013</td></tr><tr><td>6</td><td>0.013</td></tr><tr><td>7</td><td>0.013</td></tr></tbody></table>	Step	Duration (s)	1	0.013	2	0.013	3	0.013	4	0.013	5	0.013	6	0.013	7	0.013	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
Step	Duration (s)																					
1	0.013																					
2	0.013																					
3	0.013																					
4	0.013																					
5	0.013																					
6	0.013																					
7	0.013																					
/ 10:21:51.805 PM // 10:21:51.818 PM /																						
Attendance details popup window verification																						



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Given Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin clicks program name dropdown for Attendance Module	SKIPPED	0.001 s
7	Then Program Name in the drop down for Attendance Module should match with program name in manage program page table	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Validate all class name is reflecting in the dropdown

<div>FAILED</div> <div>DURATION - 0.017 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
/ 10:21:51.831 PM // 10:21:51.848 PM /				
Attendance details popup window verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Given Admin is in attendance details popup window	SKIPPED	0.002 s
6	When Admin clicks class name dropdown for Attendance Module	SKIPPED	0.001 s
7	Then Class Name in the drop down should match with class name in manage class page table	SKIPPED	0.000 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Validate attendance field dropdown all mandatory keywords

<div>FAILED</div> <div>DURATION - 0.013 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
/ 10:21:51.864 PM // 10:21:51.877 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Given Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin clicks attendance dropdown for Attendance Module	SKIPPED	0.001 s
7	Then Attendance field should have keywords such as - present, absent, late, excused	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Verify spellings in the attendance field drop down

FAILED		DURATION - 0.017 s			Steps Total - 7 Pass - 0 Fail - 0 Skip - 7			
/ 10:21:51.893 PM // 10:21:51.910 PM /								
Attendance details popup window verification								

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Given Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin clicks attendance dropdown for Attendance Module	SKIPPED	0.001 s
7	Then Admin should see correct spellings in dropdown text for Attendance Module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Validate date picker



FAILED	DURATION - 0.013 s	<table border="1"><thead><tr><th>Index</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0.013</td></tr><tr><td>2</td><td>0.013</td></tr><tr><td>3</td><td>0.013</td></tr><tr><td>4</td><td>0.013</td></tr><tr><td>5</td><td>0.013</td></tr><tr><td>6</td><td>0.013</td></tr><tr><td>7</td><td>0.013</td></tr></tbody></table>	Index	Value	1	0.013	2	0.013	3	0.013	4	0.013	5	0.013	6	0.013	7	0.013	Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	<div>7</div>
Index	Value																			
1	0.013																			
2	0.013																			
3	0.013																			
4	0.013																			
5	0.013																			
6	0.013																			
7	0.013																			
/ 10:21:51.922 PM // 10:21:51.935 PM /																				
Attendance details popup window verification																				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Given Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin clicks date from date picker for Attendance Module	SKIPPED	0.001 s
7	Then selected date should be their in class date text box for Attendance Module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43)		





#	Step / Hook Details	Status	Duration
	at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### validate date picker should be correct format

<div>FAILED</div> <div>DURATION - 0.012 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	<div></div>
/ 10:21:51.947 PM // 10:21:51.959 PM /				
Attendance details popup window verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Given Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin clicks date from date picker for Attendance Module	SKIPPED	0.001 s
7	Then selected date should be in mm/dd/yyyy format for Attendance Module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s

### Validate right arrow in data picker to navigate to next month

<div>FAILED</div> <div>DURATION - 0.018 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
/ 10:21:51.972 PM // 10:21:51.990 PM /				
Attendance details popup window verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Given Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin clicks right arrow in the date picker near month for Attendance Module	SKIPPED	0.001 s
7	Then Next month calender should visible for Attendance Module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s

### Validate left arrow in data picker to navigate to previous month

<div>FAILED</div> <div>DURATION - 0.014 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
/ 10:21:52.005 PM // 10:21:52.019 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.000 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Given Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin clicks left arrow in the date picker near month for Attendance Module	SKIPPED	0.000 s
7	Then previous month calender should visible for Attendance Module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Validate current date is highlighted in the date picker

FAILED	DURATION - 0.013 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:21:52.032 PM // 10:21:52.045 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Given Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin clicks date picker button for Attendance Module	SKIPPED	0.001 s
7	Then Admin should see current date is highled in the date picker for Attendance Module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		



### Validate selected date is highlighted in the date picker

FAILED	DURATION - 0.014 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:21:52.057 PM // 10:21:52.071 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.002 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.000 s
5	Given Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin clicks date picker button and selects future date for Attendance Module	SKIPPED	0.001 s
7	Then Admin should see selected date is highled in the date picker for Attendance Module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43)		



#	Step / Hook Details	Status	Duration
	at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Verify admin is able to navigate from manage attendance to student page

<div>FAILED</div> <div>DURATION - 0.016 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 10:21:52.802 PM // 10:21:52.818 PM /				
Attendance details popup window verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks "Student" button in the navigation bar  Step undefined	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s

### Verify admin is able to navigate from manage attendance to student page

<div>FAILED</div> <div>DURATION - 0.012 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 10:21:52.835 PM // 10:21:52.847 PM /				
Attendance details popup window verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks "Program" button in the navigation bar  Step undefined	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Verify admin is able to navigate from manage attendance to student page

<div>FAILED</div>	<div>DURATION - 0.010 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 10:21:52.869 PM // 10:21:52.879 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks "Batch" button in the navigation bar  Step undefined	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s



### Verify admin is able to navigate from manage attendance to student page

FAILED	DURATION - 0.012 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 10:21:52.895 PM // 10:21:52.907 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks "User" button in the navigation bar  Step undefined	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		



### Verify admin is able to navigate from manage attendance to student page

FAILED	DURATION - 0.009 s		Steps Total - 4 Pass - 0 Fail - 0 Skip - 4	
/ 10:21:52.922 PM // 10:21:52.931 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks "Assignment" button in the navigation bar	SKIPPED	0.001 s
	Step undefined		
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		



### Verify admin is able to navigate from manage attendance to student page



<div>FAILED</div> <div>DURATION - 0.009 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	
/ 10:21:52.942 PM // 10:21:52.951 PM /				
Attendance details popup window verification				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.000 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks "Class" button in the navigation bar  Step undefined	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s

### Verify admin is able to navigate from manage attendance to student page



<div>FAILED</div> <div>DURATION - 0.007 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 4</div>	<div></div>
/ 10:21:52.965 PM // 10:21:52.972 PM /				
Attendance details popup window verification				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks "Logout" button in the navigation bar  Step undefined	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s

### Add new Attendance



FAILED	DURATION - 0.226 s	Scenarios		Steps	
/ 10:21:52.086 PM // 10:21:52.312 PM /		Total - 7 Pass - 0 Fail - 7 Skip - 0		Total - 49 Pass - 0 Fail - 0 Skip - 49	

### Validate admin able to create new attendance data

FAILED	DURATION - 0.018 s		Steps	
/ 10:21:52.086 PM // 10:21:52.104 PM /			Total - 7 Pass - 0 Fail - 0 Skip - 7	
Add new Attendance				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.000 s
5	Then Admin is in attendance details popup window	SKIPPED	0.000 s
6	When Admin fills all the values and click save for Attendance module	SKIPPED	0.001 s
7	Then Admin should see success message in popup window and sees new attendance details in manage attendance details DB	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s



### Validate admin able to create new attendance data without Fields

FAILED	DURATION - 0.023 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:21:52.121 PM // 10:21:52.144 PM /				
Add new Attendance				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Then Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin fills values missing "Program name" and click save for Attendance module	SKIPPED	0.001 s
7	Then Message displays "Program name" is missing for Attendance module	SKIPPED	0.000 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		



### Validate admin able to create new attendance data without Fields

FAILED	DURATION - 0.013 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:21:52.161 PM // 10:21:52.174 PM /				
Add new Attendance				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Then Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin fills values missing "class name" and click save for Attendance module	SKIPPED	0.002 s
7	Then Message displays "class name" is missing for Attendance module	SKIPPED	0.000 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43)		



#	Step / Hook Details	Status	Duration
	at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Validate admin able to create new attendance data without Fields

<div>FAILED</div> <div>DURATION - 0.016 s</div>	<div><table border="1"><thead><tr><th>Step</th><th>Value</th></tr></thead><tbody><tr><td>1</td><td>0</td></tr><tr><td>2</td><td>0</td></tr><tr><td>3</td><td>0</td></tr><tr><td>4</td><td>0</td></tr><tr><td>5</td><td>0</td></tr><tr><td>6</td><td>0</td></tr><tr><td>7</td><td>0</td></tr></tbody></table></div>	Step	Value	1	0	2	0	3	0	4	0	5	0	6	0	7	0	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	<div></div>
Step		Value																	
1		0																	
2		0																	
3	0																		
4	0																		
5	0																		
6	0																		
7	0																		
<div>/ 10:21:52.197 PM // 10:21:52.213 PM /</div>																			
<div>Add new Attendance</div>																			



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Then Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin fills values missing "student name" and click save for Attendance module	SKIPPED	0.001 s
7	Then Message displays "student name" is missing for Attendance module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Validate admin able to create new attendance data without Fields

<div>FAILED</div> <div>DURATION - 0.016 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	<div></div>
/ 10:21:52.226 PM // 10:21:52.242 PM /				
Add new Attendance				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Then Admin is in attendance details popup window	SKIPPED	0.002 s
6	When Admin fills values missing "Attendance" and click save for Attendance module	SKIPPED	0.002 s
7	Then Message displays "Attendance" is missing for Attendance module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Validate admin able to create new attendance data without Fields

<div>FAILED</div> <div>DURATION - 0.018 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
/ 10:21:52.259 PM // 10:21:52.277 PM /				
Add new Attendance				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks + a new attendance button	SKIPPED	0.000 s
5	Then Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin fills values missing "Attendance date" and click save for Attendance module	SKIPPED	0.002 s
7	Then Message displays "Attendance date" is missing for Attendance module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s



### Validate admin able to create new attendance by selecting future date

FAILED	DURATION - 0.016 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:21:52.296 PM // 10:21:52.312 PM /				
Add new Attendance				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
4	When Admin clicks + a new attendance button	SKIPPED	0.001 s
5	Then Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin fills values with future date and click save for Attendance module	SKIPPED	0.001 s
7	Then Invalidate attendance date	SKIPPED	0.000 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

## Edit Attendance

FAILED	DURATION - 0.199 s	Scenarios Total - 7 Pass - 0 Fail - 7 Skip - 0		Steps Total - 49 Pass - 0 Fail - 0 Skip - 49	
/ 10:21:52.338 PM // 10:21:52.537 PM /					

## Validate admin able to edit attendance data



FAILED	DURATION - 0.028 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:21:52.338 PM // 10:21:52.366 PM /				
Edit Attendance				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s



#	Step / Hook Details	Status	Duration
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks edit icon button on Attendance Manage page	SKIPPED	0.002 s
5	Then Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin fills all the values and click save for Attendance module	SKIPPED	0.004 s
7	Then Admin should see success message in popup window and sees new attendance details in manage attendance details DB	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		



### Validate admin able to edit attendance data without Fields

FAILED		DURATION - 0.020 s			Steps Total - 7 Pass - 0 Fail - 0 Skip - 7			
/ 10:21:52.383 PM // 10:21:52.403 PM /								
Edit Attendance								

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.002 s
4	When Admin clicks edit icon button on Attendance Manage page	SKIPPED	0.001 s
5	Then Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin fills values missing "Program name" and click save for Attendance module	SKIPPED	0.002 s
7	Then Message displays "Program name" is missing for Attendance module	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null		



#	Step / Hook Details	Status	Duration
	at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Validate admin able to edit attendance data without Fields

FAILED	DURATION - 0.024 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:21:52.416 PM // 10:21:52.440 PM /				
Edit Attendance				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks edit icon button on Attendance Manage page	SKIPPED	0.000 s
5	Then Admin is in attendance details popup window	SKIPPED	0.001 s
6	When Admin fills values missing "class name" and click save for Attendance module	SKIPPED	0.007 s
7	Then Message displays "class name" is missing for Attendance module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Validate admin able to edit attendance data without Fields

<div>FAILED</div> <div>DURATION - 0.012 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	<div></div>
<div>/ 10:21:52.453 PM // 10:21:52.465 PM /</div>				
<div>Edit Attendance</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks edit icon button on Attendance Manage page	SKIPPED	0.001 s
5	Then Admin is in attendance details popup window	SKIPPED	0.000 s
6	When Admin fills values missing "student name" and click save for Attendance module	SKIPPED	0.001 s
7	Then Message displays "student name" is missing for Attendance module	SKIPPED	0.000 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.002 s

### Validate admin able to edit attendance data without Fields

<div>FAILED</div> <div>DURATION - 0.011 s</div>			<div>Steps</div> <div>Total - 7</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 7</div>	
/ 10:21:52.475 PM // 10:21:52.486 PM /				
Edit Attendance				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks edit icon button on Attendance Manage page	SKIPPED	0.000 s
5	Then Admin is in attendance details popup window	SKIPPED	0.000 s
6	When Admin fills values missing "Attendance" and click save for Attendance module	SKIPPED	0.002 s
7	Then Message displays "Attendance" is missing for Attendance module	SKIPPED	0.000 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s



### Validate admin able to edit attendance data without Fields

FAILED	DURATION - 0.013 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:21:52.497 PM // 10:21:52.510 PM /				
Edit Attendance				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
4	When Admin clicks edit icon button on Attendance Manage page	SKIPPED	0.000 s
5	Then Admin is in attendance details popup window	SKIPPED	0.000 s
6	When Admin fills values missing "Attendance date" and click save for Attendance module	SKIPPED	0.001 s
7	Then Message displays "Attendance date" is missing for Attendance module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		



### Validate admin able to edit attendance by selecting future date

FAILED	DURATION - 0.010 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:21:52.527 PM // 10:21:52.537 PM /				
Edit Attendance				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks edit icon button on Attendance Manage page	SKIPPED	0.000 s
5	Then Admin is in attendance details popup window	SKIPPED	0.000 s
6	When Admin fills values with future date and click save for Attendance module	SKIPPED	0.002 s
7	Then Invalidate attendance date	SKIPPED	0.000 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43)		

#	Step / Hook Details	Status	Duration
	at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

## Delete attendance validation - Single



<b>FAILED</b>	DURATION - 0.136 s	Scenarios		Steps	
/ 10:21:52.550 PM // 10:21:52.686 PM /		Total - 5		Total - 29	
		Pass - 0		Pass - 0	
		Fail - 5		Fail - 0	
		Skip - 0		Skip - 29	

## Verify Delete attendance alert

<div>FAILED</div> <div>DURATION - 0.017 s</div>			Steps	
/ 10:21:52.550 PM // 10:21:52.567 PM /			Total - 5	
Delete attendance validation - Single			Pass - 0	
			Fail - 0	
			Skip - 5	



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	<b>FAILED</b>	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks delete button in data table row level for Attendance module	SKIPPED	0.001 s
5	Then Admin should see alert for Attendance module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	<b>FAILED</b>	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

## Verify accept enabled in alert

<div>FAILED</div> <div>DURATION - 0.012 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	<div></div>
/ 10:21:52.583 PM // 10:21:52.595 PM /				
Delete attendance validation - Single				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks delete button in data table row level for Attendance module	SKIPPED	0.002 s
5	Then Alert should have "yes" button to accept for Attendance module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.002 s

## Verify reject enabled in alert

<div>FAILED</div> <div>DURATION - 0.014 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 10:21:52.609 PM // 10:21:52.623 PM /				
Delete attendance validation - Single				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.002 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks delete button in data table row level for Attendance module	SKIPPED	0.001 s
5	Then Alert should have "No" button to reject for Attendance module	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Validate accept in alert



FAILED	DURATION - 0.015 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:21:52.638 PM // 10:21:52.653 PM /				
Delete attendance validation - Single				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks delete button in data table row level for Attendance module	SKIPPED	0.001 s
5	Then Admin should see Delete alert for Attendance module	SKIPPED	0.001 s





#	Step / Hook Details	Status	Duration
6	When Admin clicks yes button for Attendance module	SKIPPED	0.000 s
7	Then Success message and selected attendance details are deleted from the data table	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

### Validate reject in alert



FAILED	DURATION - 0.016 s		Steps Total - 7 Pass - 0 Fail - 0 Skip - 7	
/ 10:21:52.670 PM // 10:21:52.686 PM /				
Delete attendance validation - Single				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)		
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.000 s
4	When Admin clicks delete button in data table row level for Attendance module	SKIPPED	0.002 s
5	Then Admin should see Delete alert for Attendance module	SKIPPED	0.002 s
6	When Admin clicks no button for Attendance module	SKIPPED	0.001 s
7	Then Redirected attendance page and selected attendance details are not deleted from the data table	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)		

## Delete multiple attendance validation



FAILED	DURATION - 0.078 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 15 Pass - 0 Fail - 0 Skip - 15	
/ 10:21:52.703 PM // 10:21:52.781 PM /					

## Verify delete multiple class button is enabled

FAILED	DURATION - 0.017 s		Steps Total - 5 Pass - 0 Fail - 0 Skip - 5	
/ 10:21:52.703 PM // 10:21:52.720 PM /				
Delete multiple attendance validation				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.000 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks single row level check box in the data table for Attendance Module  Step undefined	SKIPPED	0.002 s
5	Then Admin should see delete icon below the header is enabled on Attendance Module  Step undefined	SKIPPED	0.000 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### verify tick mark is visible after clicking on check box for single data

<div>FAILED</div> <div>DURATION - 0.014 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 10:21:52.739 PM // 10:21:52.753 PM /				
Delete multiple attendance validation				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.002 s
4	When Admin clicks single row level check box in the data table for Attendance Module  Step undefined	SKIPPED	0.001 s
5	Then Admin should see tick mark in check box for Attendance Module  Step undefined	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s

### verify admin able to click multiple check box

<div>FAILED</div> <div>DURATION - 0.012 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 5</div>	
/ 10:21:52.769 PM // 10:21:52.781 PM /				
Delete multiple attendance validation				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks "Attendance" on the navigation bar	SKIPPED	0.001 s
3	Then Admin is in manage attendance page	SKIPPED	0.001 s
4	When Admin clicks multiple row level check box in the data table for Attendance Module  Step undefined	SKIPPED	0.000 s
5	Then Admin should see tick mark in check box of the selected rows  Step undefined	SKIPPED	0.000 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

## Batch Page Validation

<div>FAILED</div> <div>DURATION - 0.304 s</div>		<div>Scenarios</div> <div>Total - 9</div> <div>Pass - 0</div> <div>Fail - 9</div> <div>Skip - 0</div>	<div><div></div><div>9</div></div>	<div>Steps</div> <div>Total - 27</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 27</div>	<div><div></div><div>27</div></div>
/ 10:21:52.992 PM // 10:21:53.296 PM /					

## Validate Manage batch URL

<b>FAILED</b>	<b>DURATION - 0.023 s</b>		<b>Steps</b> Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:21:52.992 PM // 10:21:53.015 PM /				
Batch Page Validation				
@validateURL				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks Batch from navigation bar Step undefined	SKIPPED	0.001 s
3	Then Admin should see the "Manage Batch" in the URL of manage batch page Step undefined	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.teardown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

## Validate Manage batch Header

<b>FAILED</b>	<b>DURATION - 0.010 s</b>		<b>Steps</b> Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:21:53.045 PM // 10:21:53.055 PM /				
Batch Page Validation				
@validateHeader				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks Batch from navigation bar  Step undefined	SKIPPED	0.001 s
3	Then Admin should see the "Manage Batch" in the header of manage batch page  Step undefined	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s

### Validate pagination on Manage batch

FAILED	DURATION - 0.008 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:21:53.068 PM // 10:21:53.076 PM /				
Batch Page Validation				
@validatePaginator				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.000 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks Batch from navigation bar  Step undefined	SKIPPED	0.000 s
3	Then Admin should see the pagination controls under the data table on manage batch page	SKIPPED	0.001 s



#	Step / Hook Details	Status	Duration
	Step undefined		
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s

### Validate Manage batch data table Header

FAILED	DURATION - 0.014 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:21:53.093 PM // 10:21:53.107 PM /				
Batch Page Validation				
@validateTableHeader				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.000 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.002 s
2	When Admin clicks Batch from navigation bar Step undefined	SKIPPED	0.001 s
3	Then Admin Should see the data table on manage batch Step undefined	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s

### Validate Manage batch data table Header

<div>FAILED</div> <div>DURATION - 0.010 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 10:21:53.125 PM // 10:21:53.135 PM /				
Batch Page Validation				
@validateTableHeader				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.000 s
2	When Admin clicks Batch from navigation bar  Step undefined	SKIPPED	0.000 s
3	Then Admin Should see the data table on manage batch  Step undefined	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s



### Validate Manage batch data table Header

<div>FAILED</div> <div>DURATION - 0.013 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 10:21:53.156 PM // 10:21:53.169 PM /				
Batch Page Validation				
@validateTableHeader				



#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks Batch from navigation bar  Step undefined	SKIPPED	0.001 s
3	Then Admin Should see the data table on manage batch  Step undefined	SKIPPED	0.001 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.000 s

### Validate Manage batch data table Header

FAILED	DURATION - 0.012 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 10:21:53.193 PM // 10:21:53.205 PM /				
Batch Page Validation				
@validateTableHeader				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks Batch from navigation bar  Step undefined	SKIPPED	0.000 s
3	Then Admin Should see the data table on manage batch	SKIPPED	0.001 s



#	Step / Hook Details	Status	Duration
	Step undefined		
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Validate Manage batch data table Header

FAILED		DURATION - 0.015 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 10:21:53.227 PM // 10:21:53.242 PM /						
Batch Page Validation						
@validateTableHeader						

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp() java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.002 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks Batch from navigation bar Step undefined	SKIPPED	0.001 s
3	Then Admin Should see the data table on manage batch Step undefined	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.001 s

### Validate Manage batch data table Header

<div>FAILED</div> <div>DURATION - 0.027 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 10:21:53.269 PM // 10:21:53.296 PM /				
Batch Page Validation				
@validateTableHeader				

#	Step / Hook Details	Status	Duration
	BEFORE - com.stepDefinition.Hooks.setUp()  java.lang.NullPointerException: Cannot invoke "String.equalsIgnoreCase(String)" because "this.browserName" is null at com.baseClass.BaseClass.Initialization(BaseClass.java:23) at com.stepDefinition.Hooks.setUp(Hooks.java:23)	FAILED	0.001 s
1	Given Admin is on dashboard page after Login	SKIPPED	0.001 s
2	When Admin clicks Batch from navigation bar  Step undefined	SKIPPED	0.001 s
3	Then Admin Should see the data table on manage batch  Step undefined	SKIPPED	0.002 s
	AFTER - com.stepDefinition.Hooks.tearDown(io.cucumber.java.Scenario)  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "com.baseClass.BaseClass.driver" is null at com.baseClass.BaseClass.tearDown(BaseClass.java:43) at com.stepDefinition.Hooks.tearDown(Hooks.java:29)	FAILED	0.004 s