

| Feature | | | Scei | nario | | Step | | | | |
|-----------------------------|----------|----|------|-------|---|------|-----|---|---|--|
| Name | Duration | T | P | F | S | T | P | F | S | |
| Program Feature | 11.384 s | 17 | 15 | 2 | 0 | 50 | 48 | 2 | 0 | |
| Batch Module | 6.314 s | 15 | 15 | 0 | 0 | 44 | 44 | 0 | 0 | |
| Assignment Scenario | 8.675 s | 22 | 22 | 0 | 0 | 66 | 66 | 0 | 0 | |
| Assignmdent Submit Scenario | 16.970 s | 38 | 32 | 6 | 0 | 114 | 108 | 6 | 0 | |

| Тад | | Scei | nario | | Feature | | | | | | |
|---|---|------|-------|---|---------|---|---|---|--|--|--|
| Name | T | P | F | S | T | P | F | S | | | |
| @01PostRequest_Program_1 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | | |
| @02GetRequest_AllPrograms | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | | |
| @03PutRequest_updateProgrambyValidID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | | |
| @04GetRequest_ValidProgramID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | | |
| @05DeleteRequest_DeleteProgramwithvalidProgramID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | | |
| @06DeleteRequest_DeleteProgramwithinvalidProgramID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | | |
| @09PostRequest_missingMandatoryFields | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | | | |
| @10PutRequest_updateProgrambyIDwithMissingMandatoryFields | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | | | |
| @11PutRequest_updateProgrambyProgramNamewithMissingMandato- ryFields | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | | |
| @PostRequest_Program2 | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | | |
| @07PostRequest_existingValues | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | | |
| @08PutRequest_updateProgrambyValidProgramName | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | | |
| @12DeleteProgramwithvalidProgramName | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | | |
| @13GetRequest_GetwithinvalidProgramID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | | |
| @14PutRequest_updateProgramwithinvalidProgramID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | | |
| @15PutRequest_updateProgramwithinvalidProgramName | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | | |

| Tag | | Scenario | | | Feature | | | | | |
|--|---|----------|---|---|---------|---|---|---|--|--|
| Name | Τ | P | F | S | Т | P | F | S | | |
| @16DeleteProgramwithinvalidProgramName | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | |
| @01CreateProgramID200 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | | |
| @02CreateBatchID200 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | | |
| @03CreateBatchwithExistngBatchName400 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | | |
| @05GetAllBatches200 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | | |
| @06GetBatchByID200 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | | |
| @07GetBatchByName200 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | | |
| @08GetBatchByProgramId200 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | | |
| @09UpdateBYBatchId200 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | | |
| @04CreateBatchwithmissingfields400 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | | |
| @11DeleteBatchID200 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | | |
| @13DeleteProgramID200 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | | |
| @14GetBatchByInvalidProgramId404 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | | |
| @12GetBatchByInvalidBatchID404 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | | |
| @03GetbyInvalidBatchName404 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | | |
| @10UpdateBYInvalidBatchId400 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | | |
| @GetAllAssignments | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | | |


| Tag | | Scenario | | | | Fea | ture | |
|--|---|----------|---|---|---|-----|------|---|
| Name | Т | P | F | S | T | P | F | S |
| @CreateProgram | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @CreateBatch | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @createUser | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @createAssignmentwithmissingmandatoryfield | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @createAssignment1 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @PutUpdateByAssignmentId | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @PutRequestMandatoryMissingfield | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @CreateAssignmentwithExistingValues | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @GetByAssignmentId | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @GetByBatchId | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @DeleteAssignment | 2 | 2 | 0 | 0 | 1 | 1 | 0 | 0 |
| @DeleteAssignmentByInvalidId | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @createAssignment2 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @DeleteUser | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @DeleteBatch | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @DeleteProgram | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @GetRequestByInvalidBatchId | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |

| Tag | | Scei | nario | | Feature | | | | | |
|--|---|------|-------|---|---------|---|---|---|--|--|
| Name | T | P | F | S | Т | P | F | S | | |
| @GetByInvalidAssignmentId | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | | |
| @GetByBatchIdwithNoAssignment | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | | |
| @PutByInvalidAssignmentId | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | | |
| @Create_Program | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | |
| @Create_Batch | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | |
| @Create_Admin_User | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | |
| @Create_Student_User | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | |
| @Create_Assignment_By_Admin | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | |
| @Missing_Mandatory_Field_Assignment_ID | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | | |
| @Missing_Mandatory_Field_User_ID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | |
| @Missing_Mandatory_Field_Sub_Date_Time | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | | |
| @Delete_Test1_Assignment_Submit | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | |
| @Missing_Mandatory_Fields_Submission_description | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | | |
| @Delete_Test2_Assignment_Submit | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | |
| @Create_Assignment_Submit_By_Student | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | |
| @Duplicate_Assignment_Submit | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | |
| @Get_All_Assignment_Submit | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | | |

| Тад | Scenario | | | | | Fea | ature | |
|---|----------|---|---|---|---|-----|-------|---|
| Name | T | P | F | S | T | P | F | S |
| @Get_Assignment_Submission_By_Used_ID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Get_Assignment_Submission_By_Batch_ID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Resubmit_Assignment_by_submission_ID_By_Student | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Resubmit_Assignment_by_submission_ID_Without_Mandatory_Fields | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Update_Assignment_Due_Date_By_Admin | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Update_Grade_Assignment_by_Submission_ID_Without_Mandatory- _Fields | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Update_Grade_Assignment_by_Submission_ID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Get_Grade_By_Assign_ID | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Get_Grade_By_Student_ID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Get_Grade_By_Batch_ID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Delete_Assignment_Submit | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Delete_With_Invalid_Submission_ID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Delete_Assignment | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Delete_Student_User | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Delete_Admin_User | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |


| Tag | Scenario | | | Feature | | | | |
|---|----------|---|---|---------|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @Delete_Batch_By_ID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Delete_Program_By_ID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Resubmit_Assignment_by_Invalid_Submission_ID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Update_Grade_Assignment_by_Invalid_Submission_ID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Get_Assignment_By_Invalid_Batch_ID | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Get_Assignment_By_Invalid_Used_ID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Get_Grade_By_Invalid_Assign_ID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Get_Grade_By_Invalid_Student_ID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |
| @Get_Grade_By_Invalid_Batch_ID | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 |

FEATURES SUMMARY -- 9 --




| # | Feature Name | T | P | F | S | Duration |
|---|-----------------------------|----|----|---|---|----------|
| 1 | Program Feature | 17 | 15 | 2 | 0 | 11.384 s |
| 2 | Batch Module | 15 | 15 | 0 | 0 | 6.314 s |
| 3 | Assignment Scenario | 22 | 22 | 0 | 0 | 8.675 s |
| 4 | Assignmdent Submit Scenario | 38 | 32 | 6 | 0 | 16.970 s |

SCENARIOS SUMMARY -- 10 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-----------------|---|---|---|---|---|----------|
| 1 | Program Feature | User creates request for the LMS API endpoint | 3 | 3 | 0 | 0 | 3.504 s |
| 2 | Program Feature | User able to retrieve all programs with valid LMS API | 3 | 3 | 0 | 0 | 0.875 s |
| 3 | Program Feature | User able to update a program with valid programID and mandatory request body | 3 | 3 | 0 | 0 | 0.659 s |
| 4 | Program Feature | User able to retrieve a program with valid programID and LMS API | 3 | 3 | 0 | 0 | 0.208 s |
| 5 | Program Feature | User able to delete a program with valid programId and mandatory request body | 3 | 3 | 0 | 0 | 0.380 s |
| 6 | Program Feature | User able to delete a program with invalid programName and mandatory request body | 3 | 3 | 0 | 0 | 0.261 s |

SCENARIOS SUMMARY -- 11 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-----------------|---|---|---|---|---|----------|
| 7 | Program Feature | User create program with missing mandatory fields. | 3 | 2 | 1 | 0 | 0.524 s |
| 8 | Program Feature | User tries to update a program with missing mandatory request body | 3 | 2 | 1 | 0 | 0.383 s |
| 9 | Program Feature | User tries to update a program with valid Program name and missing mandatory request body | 3 | 3 | 0 | 0 | 0.638 s |
| 10 | Program Feature | User creates request for the LMS API endpoint | 3 | 3 | 0 | 0 | 0.371 s |
| 11 | Program Feature | User create program with valid endpoint and existing Program name. | 3 | 3 | 0 | 0 | 0.423 s |
| 12 | Program Feature | User able to update a program with valid programName and mandatory request body | 3 | 3 | 0 | 0 | 0.437 s |

SCENARIOS SUMMARY -- 12 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-----------------|--|---|---|---|---|----------|
| 13 | Program Feature | User able to delete a program with valid programName and mandatory request body | 3 | 3 | 0 | 0 | 0.339 s |
| 14 | Program Feature | User tries to retrieve a program with invalid programID and LMS API | 3 | 3 | 0 | 0 | 0.306 s |
| 15 | Program Feature | User tries to update a program with invalid programID and mandatory request body | 3 | 3 | 0 | 0 | 0.299 s |
| 16 | Program Feature | User tries to update a program with invalid programName and mandatory request body | 3 | 3 | 0 | 0 | 0.428 s |
| 17 | Program Feature | User able to delete a program with invalid programName and mandatory request body | 2 | 2 | 0 | 0 | 0.234 s |

SCENARIOS SUMMARY -- 13 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------|--|---|---|---|---|----------|
| 18 | Batch Module | User creates request for the LMS API endpoint | 3 | 3 | 0 | 0 | 0.447 s |
| 19 | Batch Module | Check if user able to create a Batch with valid endpoint and request body | 3 | 3 | 0 | 0 | 0.537 s |
| 20 | Batch Module | Check if user able to create a Batch with valid endpoint and request body existing value in Batch Name | 3 | 3 | 0 | 0 | 0.342 s |
| 21 | Batch Module | Check if user able to retrieve all batches with valid LMS API | 3 | 3 | 0 | 0 | 1.107 s |
| 22 | Batch Module | Check if user able to retrieve a batch with valid BATCH ID | 3 | 3 | 0 | 0 | 0.262 s |
| 23 | Batch Module | Check if user able to retrieve a batch with valid BATCH NAME | 3 | 3 | 0 | 0 | 0.251 s |
| 24 | Batch Module | Check if user able to retrieve a batch with valid Program ID | 3 | 3 | 0 | 0 | 0.260 s |

SCENARIOS SUMMARY -- 14 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|--------------|--|---|---|---|---|----------|
| 25 | Batch Module | Check if user able to update a Batch with valid batchID and mandatory request body | 3 | 3 | 0 | 0 | 0.298 s |
| 26 | Batch Module | Check if user able to create a Batch missing mandatory fields in request body | 3 | 3 | 0 | 0 | 0.379 s |
| 27 | Batch Module | Check if user able to delete a batch with valid batch ID | 3 | 3 | 0 | 0 | 0.225 s |
| 28 | Batch Module | User able to delete a program with valid programName and mandatory request body | 3 | 3 | 0 | 0 | 0.293 s |
| 29 | Batch Module | Check if user able to retrieve a batch with invalid Program Id | 3 | 3 | 0 | 0 | 0.279 s |
| 30 | Batch Module | Check if user able to retrieve a batch with Invalid BATCH ID | 3 | 3 | 0 | 0 | 0.328 s |

SCENARIOS SUMMARY -- 15 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---------------------|--|---|---|---|---|----------|
| 31 | Batch Module | Check if user able to retrieve a batch with invalid BATCH NAME | 2 | 2 | 0 | 0 | 0.233 s |
| 32 | Batch Module | Check if user able to update a Batch with invalid batchID and mandatory request body | 3 | 3 | 0 | 0 | 0.293 s |
| 33 | Assignment Scenario | Check if user able to retrieve a record with valid LMS API | 3 | 3 | 0 | 0 | 0.519 s |
| 34 | Assignment Scenario | User creates request for the LMS API endpoint | 3 | 3 | 0 | 0 | 0.356 s |
| 35 | Assignment Scenario | Create a new Batch | 3 | 3 | 0 | 0 | 0.495 s |
| 36 | Assignment Scenario | Create a new User | 3 | 3 | 0 | 0 | 0.559 s |
| 37 | Assignment Scenario | Check if user is able to add a record missing mandatory field | 3 | 3 | 0 | 0 | 0.398 s |

SCENARIOS SUMMARY -- 16 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---------------------|--|---|---|---|---|----------|
| 38 | Assignment Scenario | Check if user able to add a record with valid endpoint and request body(non existing values) | 3 | 3 | 0 | 0 | 0.537 s |
| 39 | Assignment Scenario | Check if user able to update a record with valid AssignmentID and mandatory request body | 3 | 3 | 0 | 0 | 0.423 s |
| 40 | Assignment Scenario | Check if user able to update a record with missing field | 3 | 3 | 0 | 0 | 0.291 s |
| 41 | Assignment Scenario | Check if user able to add a record with valid endpoint and request body(existing value) | 3 | 3 | 0 | 0 | 0.353 s |
| 42 | Assignment Scenario | Check if user able to retrieve record with valid assignment ID | 3 | 3 | 0 | 0 | 0.262 s |
| 43 | Assignment Scenario | Check if user able to retrieve record with valid Batch ID | 3 | 3 | 0 | 0 | 0.252 s |

SCENARIOS SUMMARY -- 17 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|---------------------|--|---|---|---|---|----------|
| 44 | Assignment Scenario | Check if user is able to delete arecord with valid assignment <u>ID</u> | 3 | 3 | 0 | 0 | 0.248 s |
| 45 | Assignment Scenario | Check if user is able to delete arecord with invalid assignment ID | 3 | 3 | 0 | 0 | 0.238 s |
| 46 | Assignment Scenario | Check if user able to add a record with valid endpoint and request body(non existing values) | 3 | 3 | 0 | 0 | 0.461 s |
| 47 | Assignment Scenario | $\frac{\textit{Check if user is able to delete arecord with valid assignment}}{\underline{\textit{ID}}}$ | 3 | 3 | 0 | 0 | 0.231 s |
| 48 | Assignment Scenario | Delete User | 3 | 3 | 0 | 0 | 0.231 s |
| 49 | Assignment Scenario | Delete Batch | 3 | 3 | 0 | 0 | 0.266 s |
| 50 | Assignment Scenario | User able to delete a program with valid programName and mandatory request body | 3 | 3 | 0 | 0 | 0.267 s |

SCENARIOS SUMMARY -- 18 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-----------------------------|---|---|---|---|---|----------|
| 51 | Assignment Scenario | Check if user able to retrieve record with invalid Batch ID | 3 | 3 | 0 | 0 | 0.235 s |
| 52 | Assignment Scenario | Check if user able to retrieve record with invalid assignment ID | 3 | 3 | 0 | 0 | 0.302 s |
| 53 | Assignment Scenario | Check if user able to retrieve record with valid Batch ID No Assignment | 3 | 3 | 0 | 0 | 0.300 s |
| 54 | Assignment Scenario | Check if user able to update a record with invalid AssignmentID and mandatory request body | 3 | 3 | 0 | 0 | 0.346 s |
| 55 | Assignmdent Submit Scenario | User creates request for the LMS API endpoint | 3 | 3 | 0 | 0 | 0.529 s |
| 56 | Assignmdent Submit Scenario | Cretae Batch | 3 | 3 | 0 | 0 | 0.468 s |
| 57 | Assignmdent Submit Scenario | Cretae Admin User | 3 | 3 | 0 | 0 | 0.414 s |
| 58 | Assignmdent Submit Scenario | Cretae Student User | 3 | 3 | 0 | 0 | 0.480 s |
| 59 | Assignmdent Submit Scenario | Cretae Assignment | 3 | 3 | 0 | 0 | 0.371 s |

SCENARIOS SUMMARY -- 19 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-----------------------------|---|---|---|---|---|----------|
| 60 | Assignmdent Submit Scenario | Check if user able to create a submission missing mandatory field AssignmentID in request body | 3 | 2 | 1 | 0 | 0.392 s |
| 61 | Assignmdent Submit Scenario | Check if user able to create a submission missing mandatory field UserID in request body | 3 | 3 | 0 | 0 | 0.371 s |
| 62 | Assignmdent Submit Scenario | Check if user able to create a submission missing mandatory field SubDateTime in request body | 3 | 2 | 1 | 0 | 0.443 s |
| 63 | Assignmdent Submit Scenario | Delete Assignment Submit | 3 | 3 | 0 | 0 | 0.520 s |
| 64 | Assignmdent Submit Scenario | Check if user able to create a submission missing mandatory field Submissiondescription in request body | 3 | 2 | 1 | 0 | 0.426 s |
| 65 | Assignmdent Submit Scenario | Delete Assignment Submit | 3 | 3 | 0 | 0 | 0.284 s |

SCENARIOS SUMMARY -- 20 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-----------------------------|--|---|---|---|---|----------|
| 66 | Assignmdent Submit Scenario | Check if user able to create a submission with valid endpoint and request body (non existing values) | 3 | 3 | 0 | 0 | 0.437 s |
| 67 | Assignmdent Submit Scenario | Check if user able to create a submission with valid endpoint and request body (existing value) | 3 | 3 | 0 | 0 | 0.559 s |
| 68 | Assignmdent Submit Scenario | Check if user able to retrieve all submission with valid LMS API endpoint | 3 | 3 | 0 | 0 | 0.645 s |
| 69 | Assignmdent Submit Scenario | Check if user able to retrieve a submission with valid User ID | 3 | 3 | 0 | 0 | 0.240 s |
| 70 | Assignmdent Submit Scenario | Check if user able to retrieve a submission with valid Batch ID | 3 | 3 | 0 | 0 | 0.266 s |
| 71 | Assignmdent Submit Scenario | Check if user able to update a submission with valid submission ID and mandatory request body | 3 | 2 | 1 | 0 | 0.320 s |

SCENARIOS SUMMARY -- 21 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-----------------------------|---|---|---|---|---|----------|
| 72 | Assignmdent Submit Scenario | Check if user able to update a submission with valid submission ID and missing mandatory fields | 3 | 3 | 0 | 0 | 0.297 s |
| 73 | Assignmdent Submit Scenario | User update assignment due date | 3 | 3 | 0 | 0 | 0.264 s |
| 74 | Assignmdent Submit Scenario | Check if user able to grade assignment with valid submission Id and without mandatory fields | 3 | 3 | 0 | 0 | 0.371 s |
| 75 | Assignmdent Submit Scenario | Check if user able to grade assignment with valid submission Id and mandatory request body | 3 | 3 | 0 | 0 | 0.255 s |
| 76 | Assignmdent Submit Scenario | Check if user able to retrieve a grades with valid Assignment <u>ID</u> | 3 | 2 | 1 | 0 | 0.257 s |
| 77 | Assignmdent Submit Scenario | Check if user able to retrieve a grades with valid Student ID | 3 | 3 | 0 | 0 | 0.244 s |

SCENARIOS SUMMARY -- 22 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-----------------------------|---|---|---|---|---|----------|
| 78 | Assignmdent Submit Scenario | Check if user able to retrieve a grades with valid Assignment <u>ID</u> | 3 | 3 | 0 | 0 | 0.327 s |
| 79 | Assignmdent Submit Scenario | Check if user able to delete a submission with valid submission Id | 3 | 3 | 0 | 0 | 0.206 s |
| 80 | Assignmdent Submit Scenario | Check if user able to delete a submission with invalid submission Id | 3 | 3 | 0 | 0 | 0.371 s |
| 81 | Assignmdent Submit Scenario | Delete Assignment | 3 | 3 | 0 | 0 | 0.875 s |
| 82 | Assignmdent Submit Scenario | Delete User | 3 | 3 | 0 | 0 | 0.625 s |
| 83 | Assignmdent Submit Scenario | Delete User | 3 | 3 | 0 | 0 | 0.639 s |
| 84 | Assignmdent Submit Scenario | Delete Batch Byld | 3 | 3 | 0 | 0 | 0.492 s |
| 85 | Assignmdent Submit Scenario | User able to delete a program with valid programName and mandatory request body | 3 | 3 | 0 | 0 | 0.451 s |

SCENARIOS SUMMARY -- 23 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-----------------------------|---|---|---|---|---|----------|
| 86 | Assignmdent Submit Scenario | Check if user able to update a submission with Invalid submission ID and mandatory request body | 3 | 3 | 0 | 0 | 0.379 s |
| 87 | Assignmdent Submit Scenario | Check if user able to grade assignment with Invalid submission Id and mandatory request body | 3 | 3 | 0 | 0 | 0.262 s |
| 88 | Assignmdent Submit Scenario | Check if user able to retrieve a submission with invalid Batch ID | 3 | 2 | 1 | 0 | 0.339 s |
| 89 | Assignmdent Submit Scenario | Check if user able to retrieve a submission with invalid User ID | 3 | 3 | 0 | 0 | 0.249 s |
| 90 | Assignmdent Submit Scenario | Check if user able to retrieve a grades with Invalid Assignment ID | 3 | 3 | 0 | 0 | 0.316 s |
| 91 | Assignmdent Submit Scenario | Check if user able to retrieve a grades with Invalid Assignment ID | 3 | 3 | 0 | 0 | 0.339 s |

SCENARIOS SUMMARY -- 24 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|----|-----------------------------|--|---|---|---|---|----------|
| 92 | Assignmdent Submit Scenario | Check if user able to retrieve a grades with Invalid | 3 | 3 | 0 | 0 | 0.284 s |
| | | Assignment ID | | | | | |

Program Feature




User creates request for the LMS API endpoint




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.674 s |
| 2 | When User sends HTTPS Request and request Body for Program with mandatory ,additional fields | PASSED | 2.488 s |
| 3 | Then User receives 201 Created Status with response body for program | PASSED | 0.230 s |

User able to retrieve all programs with valid LMS API




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Request for Program to get all programs | PASSED | 0.376 s |
| 3 | Then User receives 200 OK Status with response body | PASSED | 0.492 s |

User able to update a program with valid programID and mandatory request body



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.002 s |
| 2 | When User sends HTTPS Request with mandatory and additional fields for Program with valid program ID | PASSED | 0.484 s |
| 3 | Then User receives 200 ok Status code with response body for update | PASSED | 0.167 s |

User able to retrieve a program with valid programID and LMS API



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Request for Program with valid program ID | PASSED | 0.200 s |
| 3 | Then User receives 200 OK Status with response body | PASSED | 0.003 s |


DETAILED SECTION -- 27 --

User able to delete a program with valid programId and mandatory request body

| PASSED DURATION - 0.380 s | 0.6 - | Steps |
|--|-------|-----------|
| / 6:08:53.038 PM // 6:08:53.418 PM / | ٠ | Total - 3 |
| , ciociocio i min ciocioci ilo i min | 0.4 - | Pass - 3 |
| Program Feature | 0.2 | Fail - 0 |
| | | Skip - 0 |
| @05DeleteRequest_DeleteProgramwithvalidProgramID | 0 - | |
| | | 1 2 3 |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Request to delete Program with valid program ID | PASSED | 0.352 s |
| 3 | Then User receive 200 Status with response body for delete request | PASSED | 0.013 s |


User able to delete a program with invalid programName and mandatory request body



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Request to delete Program with invalid program ID | PASSED | 0.244 s |
| 3 | Then User get 404 Status with response body for delete request | PASSED | 0.002 s |

User create program with missing mandatory fields.


DETAILED SECTION -- 28 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Request and request Body for program with missing mandatory fields. | PASSED | 0.487 s |
| 3 | Then User receives 400 Bad Request Status with message and boolean success details | FAILED | 0.029 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <500>. at java.base/java.lang.reflect.ConstructorHandleAccessor.newlinstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newlinstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newlinstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newlinstance(Constructor.java:484) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImplSHamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.stlidateResponselfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.stlidateResponselfRequired(ResponseSpecificationImpl.groovy) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.dolnvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.dolnvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:45) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassu | | |

| # | # Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | * Not displayable characters are replaced by '?'. | | |


User tries to update a program with missing mandatory request body



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTPS Request for Program with missing mandatory fields | PASSED | 0.370 s |
| 3 | Then User receives 400 Bad Request Status with message and boolean success details | FAILED | 0.007 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <404>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/java.lang.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.dolnvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) | | |
| | at api.StepDefinition.ProgramSD.user_receives_Bad_Request_Status_with_message_and_boolean_success_details(ProgramSD.java:177) | | |
| | at ?.User receives 400 Bad Request Status with message and boolean success details(file:///C:/Users/joshi/eclipse-workspace/ | | |
| | Team09_APIValidators_RestAssured-phase2/src/test/resources/features/001program.feature:49) | | |
| | * Not displayable characters are replaced by '?'. | | |

User tries to update a program with valid Program name and missing mandatory request body



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.003 s |
| 2 | When User sends HTTPS Request for Program with valid Program name and missing mandatory fields | PASSED | 0.624 s |
| 3 | Then User receives 404 Bad Request Status with message and boolean success details | PASSED | 0.001 s |


User creates request for the LMS API endpoint



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Request and request Body for Program with mandatory ,additional fields | PASSED | 0.336 s |
| 3 | Then User receives 201 Created Status with response body for program | PASSED | 0.031 s |


DETAILED SECTION -- 31 --

User create program with valid endpoint and existing Program name.



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Request and request Body for Program with existing values in program name. | PASSED | 0.416 s |
| 3 | Then User receives 400 Bad Request Status with message and boolean success details | PASSED | 0.002 s |


User able to update a program with valid programName and mandatory request body



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTPS Request with mandatory and additional fields for Program with valid program name | PASSED | 0.389 s |
| 3 | Then User receives 200 ok Status code with response body for update | PASSED | 0.041 s |


User able to delete a program with valid programName and mandatory request body

DETAILED SECTION -- 32 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Request to delete Program with valid program name | PASSED | 0.333 s |
| 3 | Then User receive 200 Status with response body for delete request | PASSED | 0.003 s |


User tries to retrieve a program with invalid programID and LMS API



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTPS Request for Program with invalid program ID | PASSED | 0.297 s |
| 3 | Then User receives 404 Status code with response body | PASSED | 0.004 s |


User tries to update a program with invalid programID and mandatory request body

DETAILED SECTION -- 33 -



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTPS Request with mandatory and additional fields for Program with invalid program ID | PASSED | 0.286 s |
| 3 | Then User receives 404 Status code with response body | PASSED | 0.002 s |


User tries to update a program with invalid programName and mandatory request body



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTPS Request with mandatory and additional fields for Program with invalid program Name | PASSED | 0.422 s |
| 3 | Then User receives 404 Status code with response body | PASSED | 0.003 s |

User able to delete a program with invalid programName and mandatory request body

DETAILED SECTION -- 34 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Request to delete Program with invalid program name | PASSED | 0.232 s |

Batch Module

| PASSED | DURATION - 6.314 s | Scenarios Total - 15 | | Steps Total - 44 | |
|-----------------------|--------------------|-----------------------|----|---------------------|----|
| / 6:08:58.931 PM // 6 | :09:05.245 PM / | Pass - 15 Fail - 0 | 15 | Pass - 44 | 44 |
| | | Skip - 0 | | Skip - 0 | |

User creates request for the LMS API endpoint

| PASSED | DURATION - 0.447 s | 0.6 - | | Steps Total - 3 | |
|------------------|-----------------------|-------|-------|--------------------------|---|
| / 6:08:58.931 PN | M // 6:08:59.378 PM / | 0.4 - | | Pass - 3 | |
| Batch Module | | 0.2 - | | Fail - 0 Skip - 0 | 3 |
| @01CreateProg | gramID200 | 0 - | 1 2 3 | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Request and request Body for Program with mandatory ,additional fields | PASSED | 0.392 s |
| 3 | Then User receives 201 Created Status with response body for program | PASSED | 0.040 s |


DETAILED SECTION -- 35 --

Check if user able to create a Batch with valid endpoint and request body

| PASSED DURATION - 0.537 s | 0.6 - | | Steps | |
|--------------------------------------|-------|-------|-----------------------|---|
| / 6:08:59.441 PM // 6:08:59.978 PM / | 0.4 - | | Total - 3 Pass - 3 | |
| Batch Module | 0.2 - | | Fail - 0 Skip - 0 | 3 |
| @02CreateBatchID200 | 0 - | 1 2 3 | SKIP 0 | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTPS post request for batch and request body with mandatory and additional fields | PASSED | 0.487 s |
| 3 | Then User receives 201 created status for batch | PASSED | 0.045 s |


Check if user able to create a Batch with valid endpoint and request body existing value in Batch Name



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Post Request with existing BatchName | PASSED | 0.326 s |
| 3 | Then User receives 400 Bad Request Status with message | PASSED | 0.010 s |


Check if user able to retrieve all batches with valid LMS API

DETAILED SECTION -- 36 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User creates GET Request for the LMS API endpoint | PASSED | 0.684 s |
| 3 | Then User receives 200 status code with response body | PASSED | 0.413 s |


Check if user able to retrieve a batch with valid BATCH ID



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User creates GET Request for the LMS API endpoint with valid Batch ID | PASSED | 0.240 s |
| 3 | Then User receives 200 OK Status with response body for batchID | PASSED | 0.018 s |


Check if user able to retrieve a batch with valid BATCH NAME

DETAILED SECTION -- 37 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | | 0.001 s |
| 2 | When User creates GET Request for the LMS API endpoint with valid Batch Name | PASSED | 0.225 s |
| 3 | Then User receives 200 OK Status with batch response body | PASSED | 0.020 s |


Check if user able to retrieve a batch with valid Program ID



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.004 s |
| 2 | When User creates Get Request for getting Batch by Valid ProgramID | PASSED | 0.248 s |
| 3 | Then User receives 200 OK Status with response body for batch by programID | PASSED | 0.003 s |


Check if user able to update a Batch with valid batchID and mandatory request body

DETAILED SECTION -- 38 -



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTPS Update Request and request Body with mandatory & additional fields | PASSED | 0.280 s |
| 3 | Then User receives 200 OK Status with updated value in response body for batch | PASSED | 0.014 s |


Check if user able to create a Batch missing mandatory fields in request body



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.002 s |
| 2 | When User sends HTTPS post request for batch and request body without mandatory and additional fields | PASSED | 0.365 s |
| 3 | Then User receives 400 Bad Request status for missing fields in batch module | PASSED | 0.005 s |


Check if user able to delete a batch with valid batch ID

DETAILED SECTION -- 39 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | | 0.001 s |
| 2 | When User sends HTTPS delete Request for batch | PASSED | 0.213 s |
| 3 | Then User receives 200 Ok status with message batchID deleted successfully | PASSED | 0.007 s |


User able to delete a program with valid programName and mandatory request body



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTPS Request to delete Program with valid program ID | PASSED | 0.285 s |
| 3 | Then User receive 200 Status with response body for delete request | PASSED | 0.003 s |


Check if user able to retrieve a batch with invalid Program Id

DETAILED SECTION -- 40 --




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | | 0.000 s |
| 2 | When User creates GET Request for the LMS API endpoint with invalid Program Id | PASSED | 0.272 s |
| 3 | Then User receives 404 Not Found Status with message and boolean success details for Invalid programID | PASSED | 0.003 s |

Check if user able to retrieve a batch with Invalid BATCH ID




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User creates GET Request for the LMS API endpoint with Invalid Batch ID | PASSED | 0.322 s |
| 3 | Then User receives 404 Not Found Status with message and boolean success details for Invalid batchID | PASSED | 0.003 s |

Check if user able to retrieve a batch with invalid BATCH NAME




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | When User creates GET Request for the LMS API endpoint with invalid Batch name | PASSED | 0.224 s |
| 2 | Then User receives 404 Not Found Status with message and boolean success details for Invalid batchName | PASSED | 0.005 s |

Check if user able to update a Batch with invalid batchID and mandatory request body



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User creates PUT Request for the LMS API endpoint and invalid batch ID | PASSED | 0.287 s |
| 3 | Then User receives 404 Not Found Status with message and boolean success details for UpdateByINvalidBatchID | PASSED | 0.002 s |

Assignment Scenario




DETAILED SECTION -- 42 --

Check if user able to retrieve a record with valid LMS API

| PASSED DURATION - 0.519 s | 0.6 - | Steps |
|--------------------------------------|-------|--------------------|
| / 6:09:05.267 PM // 6:09:05.786 PM / | 0.4 - | Total - 3 Pass - 3 |
| Assignment Scenario | 0.2 | Fail - 0 |
| @GetAllAssignments | 0 - | Skip - 0 |
| @ Oethinasignments | | 1 2 3 |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTP request | PASSED | 0.260 s |
| 3 | Then User receives 200 ok with response body | PASSED | 0.246 s |


User creates request for the LMS API endpoint



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTPS Request and request Body for Program with mandatory ,additional fields | PASSED | 0.326 s |
| 3 | Then User receives 201 Created Status with response body for program | PASSED | 0.026 s |


Create a new Batch

DETAILED SECTION -- 43 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Request and request Body for Batch with mandatory ,additional fields | PASSED | 0.423 s |
| 3 | Then User receives 201 Created Status with response body for batch | PASSED | 0.069 s |


Create a new User



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTPS Request and request Body for User with mandatory ,additional fields | PASSED | 0.468 s |
| 3 | Then User receives status code 201 with response body for creating an User for Admin role | PASSED | 0.088 s |


Check if user is able to add a record missing mandatory field

DETAILED SECTION -- 44 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Request and request Body for Assignment with missing mandatory field ,additional fields | PASSED | 0.392 s |
| 3 | Then User receives 400 bad request with message and boolean success details | PASSED | 0.002 s |


Check if user able to add a record with valid endpoint and request body(non existing values)



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Request and request Body for Assignment with mandatory ,additional fields | PASSED | 0.526 s |
| 3 | Then User receives 201 Created Status with response body | PASSED | 0.006 s |


Check if user able to update a record with valid AssignmentID and mandatory request body

DETAILED SECTION -- 45 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTP Request for Put with valid Assignment ID | PASSED | 0.408 s |
| 3 | Then User receives status code 200 with response body for updating Assignment by ID | PASSED | 0.007 s |


Check if user able to update a record with missing field



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTP Request for Put with valid Assignment ID with missing field | PASSED | 0.283 s |
| 3 | Then User receives 400 bad request with message and boolean success details | PASSED | 0.003 s |


Check if user able to add a record with valid endpoint and request body(existing value)

DETAILED SECTION -- 46 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Request and request Body for Assignment with existing mandatory ,additional fields | PASSED | 0.340 s |
| 3 | Then User receives 400 bad request with message and boolean success details | PASSED | 0.008 s |


Check if user able to retrieve record with valid assignment ID



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTP Request with Assignment ID | PASSED | 0.254 s |
| 3 | Then User receives 200 ok with response body | PASSED | 0.004 s |


Check if user able to retrieve record with valid Batch ID

DETAILED SECTION -- 47 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTP Request with Batch ID | PASSED | 0.248 s |
| 3 | Then User receives 200 ok with response body | PASSED | 0.003 s |


Check if user is able to delete arecord with valid assignment ID



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS delete Request for assignment | PASSED | 0.241 s |
| 3 | Then User receives 200 ok with response body | PASSED | 0.002 s |


Check if user is able to delete arecord with invalid assignment ID

DETAILED SECTION -- 48 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.002 s |
| 2 | When User sends HTTPS delete Request for assignment | PASSED | 0.222 s |
| 3 | Then User receives 404 not found with message and boolean success details | PASSED | 0.005 s |


Check if user able to add a record with valid endpoint and request body(non existing values)



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTPS Request and request Body for Assignment2 with mandatory ,additional fields | PASSED | 0.456 s |
| 3 | Then User receives 201 Created Status with response body | PASSED | 0.002 s |


Check if user is able to delete arecord with valid assignment ID

DETAILED SECTION -- 49 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS delete Request for assignment2 | PASSED | 0.222 s |
| 3 | Then User receives 200 ok with response body | PASSED | 0.004 s |


Delete User



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTPS delete Request for User | PASSED | 0.227 s |
| 3 | Then Validate response code 200 | PASSED | 0.002 s |


Delete Batch

DETAILED SECTION -- 50 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTPS delete Request for Batch | PASSED | 0.252 s |
| 3 | Then Validate response code 200 | PASSED | 0.010 s |


User able to delete a program with valid programName and mandatory request body



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Request to delete Program with valid program ID | PASSED | 0.261 s |
| 3 | Then User receive 200 Status with response body for delete request | PASSED | 0.003 s |


Check if user able to retrieve record with invalid Batch ID

DETAILED SECTION -- 51 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTP Request with Batch ID | PASSED | 0.228 s |
| 3 | Then User receives 404 not found with message and boolean success details | PASSED | 0.005 s |


Check if user able to retrieve record with invalid assignment ID



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTP Request with Assignment ID | PASSED | 0.297 s |
| 3 | Then User receives 404 not found with message and boolean success details | PASSED | 0.002 s |


Check if user able to retrieve record with valid Batch ID No Assignment

DETAILED SECTION -- 52 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTP Request with valid Batch ID no assignment | PASSED | 0.295 s |
| 3 | Then User receives 404 not found with message and boolean success details | PASSED | 0.002 s |


Check if user able to update a record with invalid AssignmentID and mandatory request body




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTP Request for Put with valid Assignment ID | PASSED | 0.333 s |
| 3 | Then User receives 404 not found with message and boolean success details | PASSED | 0.008 s |

Assignmdent Submit Scenario

DETAILED SECTION -- 53 --



User creates request for the LMS API endpoint



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.011 s |
| 2 | When User sends HTTPS Request and request Body for Program with mandatory ,additional fields | PASSED | 0.468 s |
| 3 | Then User receives 201 Created Status with response body for program | PASSED | 0.032 s |

Cretae Batch


| PASSED DURATION - 0.468 s | 0.6 - Steps |
|--------------------------------------|-----------------------|
| / 6:09:14.618 PM // 6:09:15.086 PM / | Total - 3 Pass - 3 |
| Assignmdent Submit Scenario | 02- Fall - 0 Skip - 0 |
| @Create_Batch | 0 -1 2 3 |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Request and request Body for Batch with mandatory ,additional fields | PASSED | 0.433 s |

DETAILED SECTION -- 54 --


| # | Step / Hook Details | Status | Duration |
|-------|--|--------|----------|
| 3 | Then User receives 201 Created Status with response body for batch | PASSED | 0.031 s |

Cretae Admin User



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTPS Request and request Body for Admin User with mandatory ,additional fields | PASSED | 0.407 s |
| 3 | Then User receives 201 Created Status with response body | PASSED | 0.002 s |

Cretae Student User



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Request and request Body for Student User with mandatory ,additional fields | PASSED | 0.475 s |
| 3 | Then User receives 201 Created Status with response body | PASSED | 0.001 s |

Cretae Assignment


DETAILED SECTION

| PASSED DURATION - 0.371 s | O.6 - Steps Total - 3 | |
|--------------------------------------|--------------------------|--|
| / 6:09:16.192 PM // 6:09:16.563 PM / | 0.4 | |
| Assignmdent Submit Scenario | 02 Fail - 0 Skip - 0 | |
| @Create_Assignment_By_Admin | 0 -1 <u>1 2 3</u> | |

-- 55 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Request and request Body for Assignment with mandatory ,additional fields | PASSED | 0.364 s |
| 3 | Then User receives 201 Created Status with response body | PASSED | 0.002 s |

Check if user able to create a submission missing mandatory field AssignmentID in request body




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Request and request Body for Assignment submit with missing Assignment ID | PASSED | 0.385 s |
| 3 | Then User receives 400 Status code | FAILED | 0.004 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <404>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) | | |

DETAILED SECTION -- 56 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. | | |
| | java:198) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) | | |
| | at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) | | |
| | at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) | | |
| | at api.StepDefinition.SubmitAssignmentSD.User receives Status code(SubmitAssignmentSD.java:394) | | |
| | at ?.User receives 400 Status code(file:///C:/Users/joshi/eclipse-workspace/Team09 APIValidators RestAssured-phase2/src/test/resources/ | | |
| | features/005AssignmentSubmit.feature:37) | | |
| | * Not displayable characters are replaced by '?'. | | |


Check if user able to create a submission missing mandatory field UserID in request body



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Request and request Body for Assignment submit with missing User ID | PASSED | 0.363 s |
| 3 | Then User receives 400 Status code | PASSED | 0.005 s |

Check if user able to create a submission missing mandatory field SubDateTime in request body

DETAILED SECTION -- 57 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTPS Request and request Body for Assignment submit with missing sub Date Time | PASSED | 0.434 s |
| 3 | Then User receives 400 Status code | FAILED | 0.007 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <201>. |] | |
| | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |
| | at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) | | |
| | at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) | | |
| | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) | | |
| | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. java:198) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) | | |
| | at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) | | |
| | at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) | | |
| | at api.StepDefinition.SubmitAssignmentSD.User_receives_Status_code(SubmitAssignmentSD.java:394) | | |
| | at ?.User receives 400 Status code(file:///C:/Users/joshi/eclipse-workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/ | | |
| | features/005AssignmentSubmit.feature:49) | | |
| | * Not displayable characters are replaced by '?'. | | |


DETAILED SECTION -- 58 --

Delete Assignment Submit

| PASSED DURATION - 0.520 s | 1 Steps | |
|--------------------------------------|-----------------|---|
| / C 00 40 005 PM // C 00 40 545 PM / | 0.8 - Total - 3 | |
| / 6:09:18.025 PM // 6:09:18.545 PM / | 0.6 - Pass - 3 | |
| Assignmdent Submit Scenario | 0.4 - Fail - 0 | 3 |
| | 0.2 - Skip - 0 | |
| @Delete_Test1_Assignment_Submit | 0 1 | |
| | 1 2 3 | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS delete Request for assignment submit | PASSED | 0.513 s |
| 3 | Then Validate response code 200 | PASSED | 0.002 s |

Check if user able to create a submission missing mandatory field Submissiondescription in request body




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.004 s |
| 2 | When User sends HTTPS Request and request Body for Assignment submit with missing Submission description | PASSED | 0.415 s |
| 3 | Then User receives 400 Status code | FAILED | 0.002 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <201>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) | | |

DETAILED SECTION -- 59 --

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) | | |
| | at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. | | |
| | java:198) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) | | |
| | at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) | | |
| | at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) | | |
| | at api.StepDefinition.SubmitAssignmentSD.User_receives_Status_code(SubmitAssignmentSD.java:394) | | |
| | at ?.User receives 400 Status code(file:///C:/Users/joshi/eclipse-workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/ | | |
| | features/005AssignmentSubmit.feature:61) | | |
| | * Not displayable characters are replaced by '?'. | | |


Delete Assignment Submit



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.006 s |
| 2 | When User sends HTTPS delete Request for assignment submit | PASSED | 0.265 s |
| 3 | Then Validate response code 200 | PASSED | 0.006 s |


Check if user able to create a submission with valid endpoint and request body (non existing values)

DETAILED SECTION -- 60 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Request and request Body for Assignment submit with mandatory ,additional fields | PASSED | 0.374 s |
| 3 | Then User receives 201 Created Status with response body for assignment submit | PASSED | 0.061 s |


Check if user able to create a submission with valid endpoint and request body (existing value)



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.004 s |
| 2 | When User sends HTTPS Request and request Body for duplicate Assignment submit with mandatory ,additional fields | PASSED | 0.546 s |
| 3 | Then User receives 400 Status code | PASSED | 0.005 s |


Check if user able to retrieve all submission with valid LMS API endpoint

DETAILED SECTION -- 61 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User creates GET Request for Assignment submit | PASSED | 0.396 s |
| 3 | Then User receives 200 OK Status with response body | PASSED | 0.243 s |


Check if user able to retrieve a submission with valid User ID



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends Get HTTPS Request for Assignment submit by User ID | PASSED | 0.228 s |
| 3 | Then User receives 200 OK Status with response body for getting assignment submit by user ID | PASSED | 0.010 s |


Check if user able to retrieve a submission with valid Batch ID

DETAILED SECTION -- 62 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends Get HTTPS Request for Assignment submit by Batch ID | PASSED | 0.256 s |
| 3 | Then User receives 200 OK Status with response body | PASSED | 0.002 s |

Check if user able to update a submission with valid submission ID and mandatory request body




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends Put HTTPS Request and request Body for Assignment Submit with mandatory fields | PASSED | 0.311 s |
| 3 | Then User receives 200 OK Status with response body | FAILED | 0.003 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <400>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) | | |

DETAILED SECTION -- 63 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. | | |
| | java:198) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) | | |
| | at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) | | |
| | at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) | | |
| | at api.StepDefinition.SubmitAssignmentSD.User_receives_OK_Status_with_response_body(SubmitAssignmentSD.java:516) | | |
| | at ?.User receives 200 OK Status with response body(file:///C:/Users/joshi/eclipse-workspace/Team09 APIValidators RestAssured- | | |
| | phase2/src/test/resources/features/005AssignmentSubmit.feature:103) | | |
| | * Not displayable characters are replaced by '?'. | | |


Check if user able to update a submission with valid submission ID and missing mandatory fields



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends Put HTTPS Request and request Body for Assignment Submit without mandatory fields | PASSED | 0.293 s |
| 3 | Then User receives 400 Not Found Status with message | PASSED | 0.002 s |


User update assignment due date

DETAILED SECTION -- 64 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends put HTTPS Request and request Body for updating date in Assignment | PASSED | 0.254 s |
| 3 | Then User receives 200 OK Status with response body | PASSED | 0.007 s |


Check if user able to grade assignment with valid submission Id and without mandatory fields



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends Put HTTPS Request and request Body to grade Assignment Submit without mandatory fields | PASSED | 0.364 s |
| 3 | Then User receives 400 Not Found Status with message | PASSED | 0.002 s |


Check if user able to grade assignment with valid submission Id and mandatory request body

DETAILED SECTION -- 65 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.003 s |
| 2 | When User sends Put HTTPS Request and request Body to grade Assignment Submit | PASSED | 0.243 s |
| 3 | Then User receives 200 OK Status with response body | PASSED | 0.006 s |

Check if user able to retrieve a grades with valid Assignment ID




| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTPS Get Request for Assignment submit with assignment ID | PASSED | 0.238 s |
| 3 | Then User receives 200 OK Status with response body | FAILED | 0.015 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) | | |

DETAILED SECTION -- 66 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. | | |
| | java:198) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) | | |
| | at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) | | |
| | at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) | | |
| | at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) | | |
| | at api.StepDefinition.SubmitAssignmentSD.User_receives_OK_Status_with_response_body(SubmitAssignmentSD.java:516) | | |
| | at ?.User receives 200 OK Status with response body(file:///C:/Users/joshi/eclipse-workspace/Team09 APIValidators RestAssured- | | |
| | phase2/src/test/resources/features/005AssignmentSubmit.feature:133) | | |
| | * Not displayable characters are replaced by '?'. | | |


Check if user able to retrieve a grades with valid Student ID



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.002 s |
| 2 | When User sends HTTPS Get Request for Assignment submit with Student ID | PASSED | 0.235 s |
| 3 | Then User receives 200 OK Status with response body | PASSED | 0.003 s |


Check if user able to retrieve a grades with valid Assignment ID

DETAILED SECTION -- 67 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Get Request for Assignment submit with Batch ID | PASSED | 0.311 s |
| 3 | Then User receives 200 OK Status with response body for getting assignment submit by grade assgn ID | PASSED | 0.010 s |


Check if user able to delete a submission with valid submission Id



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS delete Request for assignment submit | PASSED | 0.195 s |
| 3 | Then Validate response code 200 | PASSED | 0.006 s |


Check if user able to delete a submission with invalid submission Id

DETAILED SECTION -- 68 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTPS delete Request for assignment submit | PASSED | 0.363 s |
| 3 | Then User receives 404 Not Found Status with message | PASSED | 0.006 s |


Delete Assignment



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS delete Request for assignment | PASSED | 0.863 s |
| 3 | Then Validate response code 200 | PASSED | 0.003 s |


Delete User

DETAILED SECTION -- 69 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTPS delete Request for student user | PASSED | 0.615 s |
| 3 | Then Validate response code 200 | PASSED | 0.002 s |


Delete User



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.004 s |
| 2 | When User sends HTTPS delete Request for admin user | PASSED | 0.629 s |
| 3 | Then Validate response code 200 | PASSED | 0.002 s |


Delete Batch Byld

DETAILED SECTION -- 70 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS delete Request for batch | PASSED | 0.481 s |
| 3 | Then Validate response code 200 | PASSED | 0.003 s |


User able to delete a program with valid programName and mandatory request body



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends HTTPS Request to delete Program with valid program ID | PASSED | 0.446 s |
| 3 | Then User receive 200 Status with response body for delete request | PASSED | 0.001 s |


Check if user able to update a submission with Invalid submission ID and mandatory request body

DETAILED SECTION -- 71 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | | 0.000 s |
| 2 | When User sends Put HTTPS Request and request Body for Assignment Submit with invalid submission ID | | 0.370 s |
| 3 | Then User receives 404 Not Found Status with message | PASSED | 0.002 s |


Check if user able to grade assignment with Invalid submission Id and mandatory request body



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends Put HTTPS Request and request Body to grade Assignment Submit with invalid submition ID | PASSED | 0.255 s |
| 3 | Then User receives 404 Not Found Status with message | PASSED | 0.000 s |

Check if user able to retrieve a submission with invalid Batch ID

DETAILED SECTION -- 72 --



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.000 s |
| 2 | When User sends Get HTTPS Request for Assignment submit by invalid Batch ID | PASSED | 0.335 s |
| 3 | Then User receives 404 Not Found Status with message | FAILED | 0.001 s |
| | java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <200>. at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSiteSconstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.ConstructorSiteSconstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImplsHamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImplsHamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.stlidateResponselfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponselfRequired(ResponseSpecificationImpl.groovy) at java.base/java.lang.reflect.DirectMethod.invoke(Method.java:578) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(PogoMetaMethodSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ResponseSpecificationImp | | 0.0013 |


DETAILED SECTION -- 73 --

Check if user able to retrieve a submission with invalid User ID

| PASSED | DURATION - 0.249 s | | | Steps | |
|-----------------|-------------------------|-------|---------|-----------|---|
| / C.00.00 740 D | M // C 00 00 004 DM / | 0.3 - | <u></u> | Total - 3 | |
| 7 6:09:29.712 P | M // 6:09:29.961 PM / | 0.2 - | | Pass - 3 | |
| Assignmdent St | ubmit Scenario | 0.1 - | | Fail - 0 | 3 |
| | | 0.1 | | Skip - 0 | |
| @Get_Assignm | nent_By_Invalid_Used_ID | 0 - | | | |
| | _ | | 1 2 3 | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | | 0.002 s |
| 2 | When User sends Get HTTPS Request for Assignment submit with invalid User ID | | 0.245 s |
| 3 | Then User receives 404 Not Found Status with message | PASSED | 0.001 s |

Check if user able to retrieve a grades with Invalid Assignment ID




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Get Request for Assignment submit with invalid assignment ID | PASSED | 0.311 s |
| 3 | Then User receives 404 Not Found Status with message | PASSED | 0.003 s |

Check if user able to retrieve a grades with Invalid Assignment ID



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | | 0.000 s |
| 2 | When User sends HTTPS Get Request for Assignment submit with invalid Student ID | | 0.334 s |
| 3 | Then User receives 404 Not Found Status with message | PASSED | 0.001 s |

Check if user able to retrieve a grades with Invalid Assignment ID



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User creates request for the LMS API endpoint | PASSED | 0.001 s |
| 2 | When User sends HTTPS Get Request for Assignment submit with invalid Batch ID | PASSED | 0.279 s |
| 3 | Then User receives 404 Not Found Status with message | PASSED | 0.003 s |