

Question_Id	Db_Id	Question	Question Type(S/M/C)	Reasoning Type	Win(1)/Loss(0)	Query Generated(GPT5)	SINO	Type Error
22	california_schools	Which school in Contra Costa has the highest number of test takers?	Simple	No CoT	1	SELECT s.School, ss.NumTestTaker FROM satscores ss JOIN schools s ON ss.cds = s.CDSCode WHERE s.County = 'Contra Costa' ORDER BY ss.NumTestTaker DESC LIMIT 1;		1
22	california_schools	Which school in Contra Costa has the highest number of test takers?	Simple	CoT	1	SELECT s.School, ss.NumTestTaker FROM satscores ss JOIN schools s ON ss.cds = s.CDSCode WHERE s.County = 'Contra Costa' ORDER BY ss.NumTestTaker DESC LIMIT 1;		
22	california_schools	Which school in Contra Costa has the highest number of test takers?	Simple	CoT(divide & Conquer)	1	SELECT s.School, ss.NumTestTaker FROM satscores ss JOIN schools s ON ss.cds = s.CDSCode WHERE s.County = 'Contra Costa' ORDER BY ss.NumTestTaker DESC LIMIT 1;		
80	california_schools	What is the school type of the school with the highest latitude? Indicate the name of the school as well as the latitude coordinates.	Simple	No CoT	1	SELECT School, Latitude, DOCType AS School_Type FROM schools ORDER BY Latitude DESC LIMIT 1;		2
80	california_schools	What is the school type of the school with the highest latitude? Indicate the name of the school as well as the latitude coordinates.	Simple	CoT	1	SELECT s.School, s.Latitude, f."School Type" FROM schools s LEFT JOIN fpm f ON f.CDSCode = s.CDSCode WHERE s.Latitude = (SELECT MAX(Latitude) FROM schools WHERE Latitude IS NOT NULL LIMIT 1; LIMIT 1;		
80	california_schools	What is the school type of the school with the highest latitude? Indicate the name of the school as well as the latitude coordinates.	Simple	CoT(divide & Conquer)	1	SELECT School, EdOpsName AS SchoolType, Latitude FROM schools ORDER BY Latitude DESC LIMIT 1;		
78	california_schools	What is the most common type of grade span served in the city of Adelanto?	Simple	No CoT	1	SELECT GServed, COUNT(*) AS count_served FROM schools WHERE City = 'Adelanto' GROUP BY GServed ORDER BY count_served DESC LIMIT 1;		3
78	california_schools	What is the most common type of grade span served in the city of Adelanto?	Simple	CoT	1	SELECT CONCAT(L'Low Grade', '-', L'High Grade') AS GradeSpan, COUNT(*) AS Count FROM schools s JOIN fpm f ON f.CDSCode = s.CDSCode WHERE s.City = 'Adelanto' GROUP BY GradeSpan ORDER BY Count DESC LIMIT 1;		
78	california_schools	What is the most common type of grade span served in the city of Adelanto?	Simple	CoT(divide & Conquer)	1	SELECT GServed, COUNT(*) AS CountGServed FROM schools WHERE City = 'Adelanto' GROUP BY GServed ORDER BY CountGServed DESC LIMIT 1;		
15	california_schools	Which active district has the highest average score in Reading?	Simple	No CoT	1	SELECT s.District, AVG(ss.AvgScrRead) AS avg_read_score FROM satscores ss JOIN schools s ON ss.cds = s.CDSCode WHERE s.StatusType = 'Active' AND ss.AvgScrRead IS NOT NULL GROUP BY s.District ORDER BY avg_read_score DESC LIMIT 1;		4
15	california_schools	Which active district has the highest average score in Reading?	Simple	CoT	1	SELECT ss.dname AS DistrictName, ss.AvgScrRead FROM satscores ss WHERE LOWER(ss.rtype) LIKE '%district%' AND ss.AvgScrRead IS NOT NULL AND EXISTS (SELECT 1 FROM schools s WHERE s.District = ss.dname AND LOWER(s.StatusType) = 'active') ORDER BY ss.AvgScrRead DESC LIMIT 1;		
15	california_schools	Which active district has the highest average score in Reading?	Simple	CoT(divide & Conquer)	1	SELECT s.District, AVG(ss.AvgScrRead) AS AvgReadingScore FROM satscores ss JOIN schools s ON ss.cds = s.CDSCode WHERE s.StatusType = 'Active' GROUP BY s.District ORDER BY AvgReadingScore DESC LIMIT 1;		
70	california_schools	How many active and closed District Community Day Schools are there in the county of Alpine?	Simple	No CoT	1	SELECT StatusType, COUNT(*) AS total FROM schools WHERE County = 'Alpine' AND DOCType = 'District Community Day School' GROUP BY StatusType;		5

70	california_schools	How many active and closed District Community Day Schools are there in the county of Alpine?	Simple	CoT	1	SELECT LOWER(s.StatusType) AS Status, COUNT(*) AS Count FROM schools s JOIN frm f ON f.CDSCode = s.CDSCode WHERE s.County = 'Alpine' AND LOWER(f.School Type) LIKE '%community day%' GROUP BY LOWER(s.StatusType);		
70	california_schools	How many active and closed District Community Day Schools are there in the county of Alpine?	Simple	CoT(divide & Conquer)	1	SELECT StatusType, COUNT(*) AS SchoolCount FROM schools WHERE County = 'Alpine' AND DOCTYPE = 'District Community Day School' GROUP BY StatusType;		
7	california_schools	What is the phone number of the school that has the highest number of test takers with an SAT score of over 1500?	Simple	No CoT	1	SELECT s.School, s.Phone, ss.NumTstTkr FROM satscores ss JOIN schools s ON ss.cds = s.CDSCode WHERE ss.NumGE1500 IS NOT NULL ORDER BY ss.NumGE1500 DESC, ss.NumTstTkr DESC LIMIT 1;	6	
7	california_schools	What is the phone number of the school that has the highest number of test takers with an SAT score of over 1500?	Simple	CoT	1	SELECT s.Phone, s.School, ss.NumGE1500 FROM satscores ss JOIN schools s ON ss.cds = s.CDSCode WHERE ss.NumGE1500 IS NOT NULL ORDER BY ss.NumGE1500 DESC LIMIT 1;		
7	california_schools	What is the phone number of the school that has the highest number of test takers with an SAT score of over 1500?	Simple	CoT(divide & Conquer)	1	SELECT s.Phone FROM satscores ss JOIN schools s ON ss.cds = s.CDSCode ORDER BY ss.NumGE1500 DESC LIMIT 1;		
20	california_schools	How many schools in Amador which the Low Grade is 9 and the High Grade is 12?	Simple	No CoT	1	SELECT COUNT(*) AS total_schools FROM frm f JOIN schools s ON f.CDSCode = s.CDSCode WHERE s.County = 'Amador' AND f.Low Grade = '9' AND f.High Grade = '12';	7	
20	california_schools	How many schools in Amador which the Low Grade is 9 and the High Grade is 12?	Simple	CoT	1	SELECT COUNT(DISTINCT s.CDSCode) AS num_schools_9_12_in_Amador FROM schools s JOIN frm f ON f.CDSCode = s.CDSCode WHERE s.County = 'Amador' AND COALESCE(f.Low Grade, '') = '9' AND COALESCE(f.High Grade, '') = '12';		
20	california_schools	How many schools in Amador which the Low Grade is 9 and the High Grade is 12?	Simple	CoT(divide & Conquer)	1	SELECT COUNT(*) AS SchoolCount FROM frm WHERE "County Name" = 'Amador' AND "Low Grade" = '9' AND "High Grade" = '12';		
86	california_schools	What is the administrator's last name that oversees the school with Charter number 40? Indicate the district, the county where the school is situated, and the name of the school.	Simple	No CoT	1	SELECT s.School, s.District, s.County, s.AdminName1 AS Administrator_Last_Name FROM schools s WHERE s.CharterNum = '40';	8	
86	california_schools	What is the administrator's last name that oversees the school with Charter number 40? Indicate the district, the county where the school is situated, and the name of the school.	Simple	CoT	1	SELECT s.AdminName1 AS AdminLastName, s.District, s.County, s.School FROM schools s LEFT JOIN frm f ON f.CDSCode = s.CDSCode WHERE COALESCE(s.CharterNum, '') = '40' OR COALESCE(f.Charter School Number, '') = '40' LIMIT 1;		
86	california_schools	What is the administrator's last name that oversees the school with Charter number 40? Indicate the district, the county where the school is situated, and the name of the school.	Simple	CoT(divide & Conquer)	1	SELECT AdminName1 AS AdministratorLastName, District, County, School FROM schools WHERE CharterNum = '40';		
5	california_schools	How many schools with an average score in Math greater than 400 in the SAT test are exclusively virtual?	Simple	No CoT	1	SELECT COUNT(*) AS total_virtual_high_math FROM satscores ss JOIN schools s ON ss.cds = s.CDSCode WHERE ss.AvgScrMath > 400 AND s.Virtual = 'Yes';	9	
5	california_schools	How many schools with an average score in Math greater than 400 in the SAT test are exclusively virtual?	Simple	CoT	1	SELECT COUNT(DISTINCT s.CDSCode) AS num_virtual_schools_high_math FROM schools s JOIN satscores ss ON ss.cds = s.CDSCode WHERE ss.AvgScrMath > 400 AND LOWER(COALESCE(s.Virtual, '')) IN ('yes','y','true','1','virtual','online');		
5	california_schools	How many schools with an average score in Math greater than 400 in the SAT test are exclusively virtual?	Simple	CoT(divide & Conquer)	1	SELECT COUNT(*) AS VirtualHighMathScoreSchoolCount FROM satscores ss JOIN schools s ON ss.cds = s.CDSCode WHERE ss.AvgScrMath > 400 AND s.Virtual = 'Yes';		
54	california_schools	Please specify all of the schools and their related mailing zip codes that are under Avetik Atoian's administration.	Simple	No CoT	1	SELECT s.School, s.MailZip FROM schools s WHERE (s.AdminName1 = 'Avetik' AND s.AdminName1 = 'Atoian') OR (s.AdminName2 = 'Avetik' AND s.AdminName2 = 'Atoian') OR (s.AdminName3 = 'Avetik' AND s.AdminName3 = 'Atoian');	10	
54	california_schools	Please specify all of the schools and their related mailing zip codes that are under Avetik Atoian's administration.	Simple	CoT	1	SELECT s.School, s.MailZip FROM schools s WHERE (LOWER(COALESCE(s.AdminName1, '')) = 'avetik' AND LOWER(COALESCE(s.AdminName1, '')) = 'atoian') OR (LOWER(COALESCE(s.AdminName2, '')) = 'avetik' AND LOWER(COALESCE(s.AdminName2, '')) = 'atoian') OR (LOWER(COALESCE(s.AdminName3, '')) = 'avetik' AND LOWER(COALESCE(s.AdminName3, '')) = 'atoian');		
54	california_schools	Please specify all of the schools and their related mailing zip codes that are under Avetik Atoian's administration.	Simple	CoT(divide & Conquer)	1	SELECT School, MailZip FROM schools WHERE (AdminName1 = 'Avetik' AND AdminName1 = 'Atoian') OR (AdminName2 = 'Avetik' AND AdminName2 = 'Atoian') OR (AdminName3 = 'Avetik' AND AdminName3 = 'Atoian');		
16	california_schools	How many schools in merged Alameda have number of test takers less than 100?	Simple	No CoT	1	SELECT COUNT(DISTINCT s.CDSCode) AS num_schools_under_100_tst_takers FROM schools s JOIN satscores ss ON ss.cds = s.CDSCode WHERE s.County = 'Alameda' AND ss.NumTstTkr < 100;	11	

16	california_schools	How many schools in merged Alameda have number of test takers less than 100?	Simple	CoT	1	SELECT COUNT(s.CDSCode) AS num_schools FROM schools s JOIN satscores ss ON s.CDSCode = ss.cds WHERE s.StatusType = 'Merged' AND s.County = 'Alameda' AND ss.NumTstTskr < 100;		
16	california_schools	How many schools in merged Alameda have number of test takers less than 100?	Simple	CoT(divide & Conquer)	1	SELECT COUNT(*) AS SchoolCount FROM satscores ss JOIN schools s ON ss.cds = s.CDSCode WHERE s.District = 'merged Alameda' AND ss.NumTstTskr < 100;		
10	california_schools	For the school with the highest average score in Reading in the SAT test, what is its FRPM count for students aged 5-17?	Simple	No CoT	1	SELECT f.'FRPM Count (Ages 5-17)' AS frpm_count_ages_5_17 FROM satscores ss JOIN frpm f ON ss.cds = f.CDSCode ORDER BY ss.AvgScrRead DESC LIMIT 1;	12	
10	california_schools	For the school with the highest average score in Reading in the SAT test, what is its FRPM count for students aged 5-17?	Simple	CoT	1	SELECT f.'FRPM Count (Ages 5-17)' AS FRPM_5_17 FROM satscores ss JOIN frpm f ON ss.cds = f.CDSCode ORDER BY ss.AvgScrRead DESC LIMIT 1;		
10	california_schools	For the school with the highest average score in Reading in the SAT test, what is its FRPM count for students aged 5-17?	Simple	CoT(divide & Conquer)	1	SELECT f.'School Name', f.'FRPM Count (Ages 5-17)' FROM frpm f JOIN satscores ss ON f.CDSCode = ss.cds ORDER BY ss.AvgScrRead DESC LIMIT 1;		
44	california_schools	What is the average writing score of the school who has the highest number of test takers whose total SAT scores are greater or equal to 1500? Indicate the city to where the school is situated.	Simple	No CoT	1	SELECT s.City, ss.AvgScrWrite FROM satscores ss JOIN schools s ON ss.cds = s.CDSCode WHERE ss.NumGE1500 IS NOT NULL ORDER BY ss.NumGE1500 DESC LIMIT 1;	13	
44	california_schools	What is the average writing score of the school who has the highest number of test takers whose total SAT scores are greater or equal to 1500? Indicate the city to where the school is situated.	Simple	CoT	1	SELECT ss.AvgScrWrite, s.City FROM satscores ss JOIN schools s ON ss.cds = s.CDSCode ORDER BY ss.NumGE1500 DESC LIMIT 1;		
44	california_schools	What is the average writing score of the school who has the highest number of test takers whose total SAT scores are greater or equal to 1500? Indicate the city to where the school is situated.	Simple	CoT(divide & Conquer)	1	SELECT s.School, s.City, ss.AvgScrWrite AS AvgWritingScore FROM satscores ss JOIN schools s ON ss.cds = s.CDSCode ORDER BY ss.NumGE1500 DESC LIMIT 1;		
8	california_schools	What is the number of SAT test takers of the schools with the highest FRPM count for K-12 students?	Simple	No CoT	1	SELECT ss.NumTstTskr FROM frpm f JOIN satscores ss ON f.CDSCode = ss.cds WHERE f.'FRPM Count (K-12)' < 1 SELECT MAX(f.'FRPM Count (K-12)') FROM frpm f	14	
8	california_schools	What is the number of SAT test takers of the schools with the highest FRPM count for K-12 students?	Simple	CoT	1	SELECT ss.NumTstTskr FROM satscores ss WHERE ss.cds = (SELECT f.CDSCode FROM frpm f ORDER BY f.'FRPM Count (K-12)' DESC LIMIT 1)		
8	california_schools	What is the number of SAT test takers of the schools with the highest FRPM count for K-12 students?	Simple	CoT(divide & Conquer)	1	SELECT ss.NumTstTskr FROM frpm f JOIN satscores ss ON f.CDSCode = ss.cds ORDER BY f.'FRPM Count (K-12)' DESC LIMIT 1;		
57	california_schools	What is the phone number and extension number for the school that had the 333rd highest average writing score?	Simple	No CoT	1	SELECT s.Phone, s.Ext FROM satscores ss JOIN schools s ON ss.cds = s.CDSCode ORDER BY ss.AvgScrWrite DESC LIMIT 1 OFFSET 332;	15	
57	california_schools	What is the phone number and extension number for the school that had the 333rd highest average writing score?	Simple	CoT	1	SELECT s.Phone, s.Ext FROM satscores ss JOIN schools s ON ss.cds = s.CDSCode ORDER BY ss.AvgScrWrite DESC LIMIT 1 OFFSET 332;		
57	california_schools	What is the phone number and extension number for the school that had the 333rd highest average writing score?	Simple	CoT(divide & Conquer)	1	SELECT s.Phone, s.Ext FROM satscores ss JOIN schools s ON ss.cds = s.CDSCode ORDER BY ss.AvgScrWrite DESC LIMIT 1 OFFSET 332;		
79	california_schools	Between San Diego and Santa Barbara, which county offers the most number of schools that does not offer physical building? Indicate the amount.	Moderate	No CoT	1	SELECT s.County, COUNT(*) AS non_physical_school_count FROM schools s WHERE s.County IN ('San Diego', 'Santa Barbara') AND (s.Virtual = 'Yes' OR s.Virtual = 'Y' OR LOWER(s.Virtual) = 'true') GROUP BY s.County ORDER BY non_physical_school_count DESC LIMIT 1;	16	
79	california_schools	Between San Diego and Santa Barbara, which county offers the most number of schools that does not offer physical building? Indicate the amount.	Moderate	CoT	1	SELECT County, COUNT(*) AS num_virtual_schools FROM schools WHERE County IN ('San Diego', 'Santa Barbara') AND Virtual = 'F' GROUP BY County ORDER BY num_virtual_schools DESC LIMIT 1;		
79	california_schools	Between San Diego and Santa Barbara, which county offers the most number of schools that does not offer physical building? Indicate the amount.	Moderate	CoT(divide & Conquer)	1	SELECT County, COUNT(*) AS SchoolCount FROM schools WHERE County IN ('San Diego', 'Santa Barbara') AND Virtual = 'Yes' GROUP BY County ORDER BY SchoolCount DESC LIMIT 1;		

43	california_schools	What is the average math score of the school with the lowest average score for all subjects, and in which county is it located?	Moderate	No CoT	1	SELECT s.County, ss.AvgScrMath FROM satscores ss JOIN schools s ON ss.cds = s.CDSCode ORDER BY (COALESCE(ss.AvgScrRead,0) + COALESCE(ss.AvgScrMath,0) + COALESCE(ss.AvgScrWrite,0)) (CASE WHEN ss.AvgScrRead IS NOT NULL OR ss.AvgScrMath IS NOT NULL OR ss.AvgScrWrite IS NOT NULL THEN 3 ELSE 1 END) ASC LIMIT 1;	17	
43	california_schools	What is the average math score of the school with the lowest average score for all subjects, and in which county is it located?	Moderate	CoT	1	SELECT ss.AvgScrMath, s.County FROM satscores ss JOIN schools s ON ss.cds = s.CDSCode WHERE ss.AvgScrMath IS NOT NULL ORDER BY (ss.AvgScrMath + ss.AvgScrRead + ss.AvgScrWrite) ASC LIMIT 1;		
43	california_schools	What is the average math score of the school with the lowest average score for all subjects, and in which county is it located?	Moderate	CoT(divide & Conquer)	1	SELECT s.County, ss.AvgScrMath AS AvgMathScore FROM satscores ss JOIN schools s ON ss.cds = s.CDSCode ORDER BY (ss.AvgScrMath + ss.AvgScrRead + ss.AvgScrWrite) ASC LIMIT 1;		
72	california_schools	How many students from the ages of 5 to 17 are enrolled at the State Special School school in Fremont for the 2014-2015 academic year?	Moderate	No CoT	1	SELECT SUM(f."Enrollment (Ages 5-17)") AS enrollment_ages_5_17_2014_2015 FROM fpm f JOIN schools s ON f.CDSCode = s.CDSCode WHERE f."Academic Year" = '2014-2015' AND s.City = 'Fremont' AND f."Educational Option Type" = 'State Special School';	18	
72	california_schools	How many students from the ages of 5 to 17 are enrolled at the State Special School school in Fremont for the 2014-2015 academic year?	Moderate	CoT	1	SELECT f."Enrollment (Ages 5-17)" AS enrollment_5_17 FROM fpm f JOIN schools s ON f.CDSCode = s.CDSCode WHERE s.EdOptCode = 'SSS' AND s.City = 'Fremont' AND f."Academic Year" = '2014-2015';		
72	california_schools	How many students from the ages of 5 to 17 are enrolled at the State Special School school in Fremont for the 2014-2015 academic year?	Moderate	CoT(divide & Conquer)	1	SELECT "Enrollment (Ages 5-17)" AS EnrollmentAge5to17 FROM fpm WHERE "School Name" = 'State Special School' AND "City" = 'Fremont' AND "Academic Year" = '2014-2015';		
47	california_schools	What is the monthly average number of schools that opened in Alameda County under the jurisdiction of the Elementary School District in 1980?	Moderate	No CoT	0	SELECT (COUNT(*) / 12.0) AS monthly_avg_opened_1980 FROM schools WHERE County = 'Alameda' AND DOCType = 'Elementary School District' AND YEAR(OpenDate) = 1980;	19	no such function: YEAR
47	california_schools	What is the monthly average number of schools that opened in Alameda County under the jurisdiction of the Elementary School District in 1980?	Moderate	CoT	1	SELECT CAST(COUNT(*) AS REAL) / 12 AS monthly_avg_schools FROM schools WHERE DOC = 52 AND County = 'Alameda' AND strftime("%Y", OpenDate) = '1980';		
47	california_schools	What is the monthly average number of schools that opened in Alameda County under the jurisdiction of the Elementary School District in 1980?	Moderate	CoT(divide & Conquer)	0	SELECT COUNT(*) / 12.0 AS MonthlyAverage FROM schools WHERE County = 'Alameda' AND EdOptName = 'Elementary School District' AND YEAR(OpenDate) = 1980;		no such function: YEAR
31	california_schools	What is the eligible free rate of the 10th and 11th schools with the highest enrolment for students in grades 1 through 12?	Moderate	No CoT	1	SELECT f."School Name", f."Percent (%) Eligible Free (K-12)" FROM fpm f ORDER BY COALESCE(f."Enrollment (K-12)",0) DESC LIMIT 2 OFFSET 9;	20	
31	california_schools	What is the eligible free rate of the 10th and 11th schools with the highest enrolment for students in grades 1 through 12?	Moderate	CoT	1	SELECT "School Name", "Percent (%) Eligible Free (K-12)" AS eligible_free_rate FROM fpm ORDER BY "Enrollment (K-12)" DESC LIMIT 2 OFFSET 9;		
31	california_schools	What is the eligible free rate of the 10th and 11th schools with the highest enrolment for students in grades 1 through 12?	Moderate	CoT(divide & Conquer)	1	SELECT "School Name", "Percent (%) Eligible Free (K-12)" AS EligibleFreeRate FROM fpm ORDER BY "Enrollment (K-12)" DESC LIMIT 2 OFFSET 9;		
32	california_schools	What is the eligible free or reduced price meal rate for the top 5 schools in grades 1-12 with the highest free or reduced price meal count of the schools with the ownership code 66?	Moderate	No CoT	1	SELECT f."School Name", f."Percent (%) Eligible FRPM (K-12)" FROM fpm f JOIN schools s ON f.CDSCode = s.CDSCode WHERE s.EdOptCode = '66' ORDER BY COALESCE(f."FRPM Count (K-12)",0) DESC LIMIT 5;	21	
32	california_schools	What is the eligible free or reduced price meal rate for the top 5 schools in grades 1-12 with the highest free or reduced price meal count of the schools with the ownership code 66?	Moderate	CoT	1	SELECT T2.School, CAST(T1."FRPM Count (K-12)" AS REAL) / T1."Enrollment (K-12)" AS fpm_rate FROM fpm AS T1 JOIN schools AS T2 ON T1.CDSCode = T2.CDSCode WHERE T2.SOC = 66 ORDER BY T1."FRPM Count (K-12)" DESC LIMIT 5;		
32	california_schools	What is the eligible free or reduced price meal rate for the top 5 schools in grades 1-12 with the highest free or reduced price meal count of the schools with the ownership code 66?	Moderate	CoT(divide & Conquer)	0	SELECT "School Name", "FRPM Count (K-12)" / "Enrollment (K-12)" AS EligibleFRPMRate FROM fpm WHERE DOC = '66' ORDER BY "FRPM Count (K-12)" DESC LIMIT 5;		no such column: DOC
81	california_schools	In which city can you find the school in the state of California with the lowest latitude coordinates and what is its lowest grade? Indicate the school name.	Moderate	No CoT	1	SELECT s.School, s.City, f."Low Grade" FROM schools s LEFT JOIN fpm f ON f.CDSCode = s.CDSCode ORDER BY s.Latitude ASC LIMIT 1;	22	
81	california_schools	In which city can you find the school in the state of California with the lowest latitude coordinates and what is its lowest grade? Indicate the school name.	Moderate	CoT	1	SELECT T2.City, T1."Low Grade", T1."School Name" FROM fpm AS T1 JOIN schools AS T2 ON T1.CDSCode = T2.CDSCode WHERE T2.State = 'CA' ORDER BY T2.Latitude ASC LIMIT 1;		
81	california_schools	In which city can you find the school in the state of California with the lowest latitude coordinates and what is its lowest grade? Indicate the school name.	Moderate	CoT(divide & Conquer)	1	SELECT s.School, s.City, f."Low Grade" FROM schools s JOIN fpm f ON s.CDSCode = f.CDSCode WHERE s.State = 'CA' ORDER BY s.Latitude ASC LIMIT 1;		
36	california_schools	Under whose administration is the school with the highest number of students scoring 1500 or more on the SAT? Indicate their full names.	challenging	No CoT	1	SELECT s.AdminName1 AS Admin1_First, s.AdminName1 AS Admin1_Last, s.AdminName2 AS Admin2_First, s.AdminName2 AS Admin2_Last, s.AdminName3 AS Admin3_First, s.AdminName3 AS Admin3_Last FROM satscores ss JOIN schools s ON ss.cds = s.CDSCode ORDER BY COALESCE(ss.NumGE1500,0) DESC LIMIT 1;	23	

36	california_schools	Under whose administration is the school with the highest number of students scoring 1500 or more on the SAT? Indicate their full names.	challenging	CoT	1	SELECT T2.AdmFName1, T2.AdmLName1, T2.AdmFName2, T2.AdmLName2, T2.AdmFName3, T2.AdmLName3 FROM satscores AS T1 JOIN schools AS T2 ON T1.cds = T2.CDSCode ORDER BY T1.NumGE1500 DESC LIMIT 1;		
36	california_schools	Under whose administration is the school with the highest number of students scoring 1500 or more on the SAT? Indicate their full names.	challenging	CoT(divide & Conquer)	1	SELECT CONCAT(s.AdmFName1, ' ', s.AdmLName1) AS Admin1, CONCAT(s.AdmFName2, ' ', s.AdmLName2) AS Admin2, CONCAT(s.AdmFName3, ' ', s.AdmLName3) AS Admin3 FROM satscores ss JOIN schools s ON ss.cds = s.CDSCode ORDER BY ss.NumGE1500 DESC LIMIT 1;		
87	california_schools	What are the valid e-mail addresses of the administrator of the school located in the San Bernardino county, City of San Bernardino City Unified that opened between 1/1/2009 to 12/31/2010 whose school types are public Intermediate/Middle Schools and Unified Schools?	challenging	No CoT	1	SELECT s.AdminEmail1, s.AdminEmail2, s.AdminEmail3 FROM schools s JOIN fpm f ON f.CDSCode = s.CDSCode WHERE s.County = 'San Bernardino' AND s.District = 'San Bernardino City Unified' AND s.OpenDate BETWEEN '2009-01-01' AND '2010-12-31' AND f.School Type IN ('Public Intermediate/Middle School', 'Unified School');	24	
87	california_schools	What are the valid e-mail addresses of the administrator of the school located in the San Bernardino county, City of San Bernardino City Unified that opened between 1/1/2009 to 12/31/2010 whose school types are public Intermediate/Middle Schools and Unified Schools?	challenging	CoT	1	SELECT T2.AdminEmail1, T2.AdminEmail2 FROM fpm AS T1 JOIN schools AS T2 ON T1.CDSCode = T2.CDSCode WHERE T2.County = 'San Bernardino' AND T2.City = 'San Bernardino' AND T2.DOC = 54 AND T2.SOC = 62 AND strtime('%Y', T2.OpenDate) BETWEEN '2009' AND '2010';		
87	california_schools	What are the valid e-mail addresses of the administrator of the school located in the San Bernardino county, City of San Bernardino City Unified that opened between 1/1/2009 to 12/31/2010 whose school types are public Intermediate/Middle Schools and Unified Schools?	challenging	CoT(divide & Conquer)	0	SELECT DISTINCT email FROM (SELECT s.AdminEmail1 AS email FROM schools s JOIN fpm f ON s.CDSCode = f.CDSCode WHERE s.County = 'San Bernardino' AND s.District = 'San Bernardino City Unified' AND s.City = 'San Bernardino' AND s.OpenDate BETWEEN '2009-01-01' AND '2010-12-31' AND f.School Type IN ('Public Intermediate/Middle Schools', 'Unified Schools') AND s.AdminEmail1 REGEXP '^[A-Za-z0-9_]+@[A-Za-z0-9-]+[A-Za-z]{2,}\$' UNION SELECT s.AdminEmail2 FROM schools s JOIN fpm f ON s.CDSCode = f.CDSCode WHERE s.County = 'San Bernardino' AND s.District = 'San Bernardino City Unified' AND s.City = 'San Bernardino' AND s.OpenDate BETWEEN '2009-01-01' AND '2010-12-31' AND f.School Type IN ('Public Intermediate/Middle Schools', 'Unified Schools') AND s.AdminEmail2 REGEXP '^[A-Za-z0-9_]+@[A-Za-z0-9-]+[A-Za-z]{2,}\$' UNION SELECT s.AdminEmail3 FROM schools s JOIN fpm f ON s.CDSCode = f.CDSCode WHERE s.County = 'San Bernardino' AND s.District = 'San Bernardino City Unified' AND s.City = 'San Bernardino' AND s.OpenDate BETWEEN '2009-01-01' AND '2010-12-31' AND f.School Type IN ('Public Intermediate/Middle Schools', 'Unified Schools') AND s.AdminEmail3 REGEXP '^[A-Za-z0-9_]+@[A-Za-z0-9-]+[A-Za-z]{2,}\$') AS t WHERE email IS NOT NULL AND email <> '' ORDER BY email;		no such function: REGEXP
62	california_schools	What is the total number of non-chartered schools in the county of Los Angeles with a percent (%) of eligible free meals for grades 1 through 12 that is less than 0.18%?	challenging	No CoT	1	SELECT COUNT(DISTINCT s.CDSCode) AS non_chartered_count FROM schools s JOIN fpm f ON f.CDSCode = s.CDSCode WHERE s.County = 'Los Angeles' AND (s.Charter = 0 OR s.Charter IS NULL) AND f.Percent (%) Eligible Free (K-12) < 0.18;	25	
62	california_schools	What is the total number of non-chartered schools in the county of Los Angeles with a percent (%) of eligible free meals for grades 1 through 12 that is less than 0.18%?	challenging	CoT	1	SELECT COUNT(s.CDSCode) AS num_non_chartered_low_fpm FROM schools s JOIN fpm f ON s.CDSCode = f.CDSCode WHERE s.County = 'Los Angeles' AND s.Charter = 0 AND f.Percent (%) Eligible Free (K-12) < 0.18;		
62	california_schools	What is the total number of non-chartered schools in the county of Los Angeles with a percent (%) of eligible free meals for grades 1 through 12 that is less than 0.18%?	challenging	CoT(divide & Conquer)	1	SELECT COUNT(*) AS total_non_chartered_schools FROM schools s JOIN fpm f ON s.CDSCode = f.CDSCode WHERE s.County = 'Los Angeles' AND s.Charter = 0 AND f.Percent (%) Eligible Free (K-12) < 0.18;		