



ASSIGNMENT 07

Title : How to create a virtual machine (VM) on google cloud platform.

Name :- Shinde Ajayraje Dilipkumar Rollno :- 23107118 Branch :- AI&DS

Screenshots of VM creation process :-

1. Screenshots of VM creation process:



Google Cloud My First Project Search (/) for resources, docs, products, and more

Compute Engine VM instances CREATE INSTANCE IMPORT VM REFRESH

Virtual machines VM instances Instance templates Sole-tenant nodes Machine images TPUs Committed use discounts Reservations Migrate to Virtual Machin...

Storage Disks Snapshots Marketplace Release Notes

VM instances

Filter Enter property name or value

Status	Name	Zone	Machine type	Recommendations	In use by	Internal IP	External IP	Connect
☒	instance-1	us-west4-b	n1-standard-1			10.182.0.24 (nic0)	34.125.253.169 (nic0)	SSH

Related actions

- Explore Backup and DR NEW Back up your VMs and set up disaster recovery
- View billing report View and manage your Compute Engine billing
- Monitor VMs View outlier VMs across metrics like CPU and network
- Explore VM logs View, search, analyze, and download VM instance logs
- Set up firewall rules Control traffic to and from a VM instance
- Patch management Schedule patch updates and view patch compliance on VM instances
- Load balance between VMs Set up Load Balancing for your applications as your traffic and users grow

Compute Engine VM instances CREATE INSTANCE IMPORT VM REFRESH START / RESUME STOP SUSPEND RESET

Virtual machines VM instances Instance templates Sole-tenant nodes Machine images TPUs Committed use discounts Migrate for Compute Engi...

Storage Disks Snapshots Images Instance groups Health checks

VM instances

Filter Enter property name or value

Status	Name	Zone	Recommendations	In use by	Internal IP	External IP	Connect

VM Instances

Compute Engine lets you use virtual machines that run on Google's infrastructure. Create micro-VMs or larger instances running Debian, Windows, or other standard images. Create your first VM instance, import it using a migration service, or try the quickstart to build a sample app.

CREATE INSTANCE TAKE THE QUICKSTART

Google Cloud Platform VM instances CREATE INSTANCE IMPORT VM OPERATIONS HELP ASSISTANT SHOW INFO PANEL

Virtual machines VM instances Instance templates Sole-tenant nodes Machine images TPUs Committed use discounts Migrate for Compute Engi...

Storage Disks Snapshots Images Release notes

VM instances

Filter Enter property name or value

Status	Name	Zone	Recommendations	In use by	Internal IP	External IP	Connect
☒	ubuntu-1	us-east1-b	Increase perf.		10.142.0.3 (nic0)	None	SSH
☒	vscode-3	eu-west2-c			10.154.0.3 (nic0)		SSH
☒	vscode-4	us-east1-b			10.142.0.2 (nic0)	None	SSH

Related actions

- View billing report View and manage your Compute Engine billing
- Monitor VMs View outlier VMs across metrics like CPU and network
- Explore VM logs View, search, analyse and download VM instance logs
- Set up firewall rules Control traffic to and from a VM instance
- Patch management Schedule patch updates and view patch compliance on VM instances

Instance 'ubuntu-1' is overutilised. Consider switching to the machine type: e2-custom (1 vCPU, 5 GB memory). [Learn more](#)

Click name to edit props



Note IP address for NoMachine

Status of VM. Green tick indicates VM is running


Click SSH connect to VM Instance CLI

Check recommendations for machine


3. VM Running Status




Memory Utilization (Top 5 VMs) ?



Memory Utilization (Bottom 5 VMs) ?




Memory Bytes Used (Top 5 VMs) ?



Memory Bytes Unused (Top 5 VMs) ?



Processes by Memory (Top 5) ?



Memory by Process (Top 5 VMs) ?



May 11, 2023, 1:05:00 PM

quickstart-rmig-4w1c (us-central1-f)	250.31 MiB
uptime-demo (us-central1-f)	249.12 MiB
another-demo (us-west2-a)	242.45 MiB
large-demo (us-central1-b)	238.65 MiB
one-demo (us-central1-a)	232.32 MiB

Click on chart to pin card.