```
MariaDB [vaishnavi]> SELECT
    ->     MAX(SAL) AS highest_salary,
    ->     MIN(SAL) AS lowest_salary,
    ->     MAX(SAL) - MIN(SAL) AS difference
    -> FROM EMPLOYEE;
+----------------+---------------+------------+
| highest_salary | lowest_salary | difference |
+----------------+---------------+------------+
|           5000 |           800 |       4200 |
+----------------+---------------+------------+
1 row in set (0.002 sec)

MariaDB [vaishnavi]> SELECT DATEDIFF(
    ->        STR_TO_DATE(CONCAT(YEAR(CURDATE()), '-12-31'), '%Y-%m-%d'),
    ->        CURDATE()
    -> ) AS days_remaining;
+----------------+
| days_remaining |
+----------------+
|            282 |
+----------------+
1 row in set (0.003 sec)

MariaDB [vaishnavi]> SELECT
    ->     MAX(SAL) AS highest_salary,
    ->     MIN(SAL) AS lowest_salary,
    ->     MAX(SAL) - MIN(SAL) AS difference
    -> FROM EMPLOYEE;
+----------------+---------------+------------+
| highest_salary | lowest_salary | difference |
+----------------+---------------+------------+
|           5000 |           800 |       4200 |
+----------------+---------------+------------+
1 row in set (0.001 sec)
```

```
MariaDB [vaishnavi]> SELECT
    ->     EMPNO, ENAME, SAL, COMM
    -> FROM EMPLOYEE
    -> WHERE COMM IS NOT NULL
    ->   AND COMM > 0.25 * SAL;
+-------+-------+------+------+
| EMPNO | ENAME | SAL  | COMM |
+-------+-------+------+------+
|  7654 | MARTI | 1250 | 1400 |
+-------+-------+------+------+
1 row in set (0.002 sec)

MariaDB [vaishnavi]> SELECT
    ->     ENAME,
    ->     CONCAT('$', FORMAT(SAL, 2)) AS salary_in_dollar
    -> FROM EMPLOYEE;
+--------+------------------+
| ENAME  | salary_in_dollar |
+--------+------------------+
| SMITH  | $800.00          |
| ALLEN  | $1,600.00        |
| WARD   | $1,250.00        |
| JONES  | $2,975.00        |
| MARTI  | $1,250.00        |
| BLAKE  | $2,850.00        |
| CLARK  | $2,450.00        |
| SCOTT  | $3,000.00        |
| KING   | $5,000.00        |
| TURNER | $1,500.00        |
| ADAMS  | $1,100.00        |
| JAMES  | $950.00          |
| FORD   | $3,000.00        |
| MILLER | $1,300.00        |
+--------+------------------+
14 rows in set (0.003 sec)

MariaDB [vaishnavi]> SELECT
    ->     JOB,
    ->     SUM(CASE WHEN DEPTNO = 10 THEN SAL ELSE 0 END) AS Dept_10,
    ->     SUM(CASE WHEN DEPTNO = 20 THEN SAL ELSE 0 END) AS Dept_20,
    ->     SUM(CASE WHEN DEPTNO = 30 THEN SAL ELSE 0 END) AS Dept_30,
    ->     SUM(SAL) AS Total_Salary
    -> FROM EMPLOYEE
    -> GROUP BY JOB;
+-----------+---------+---------+---------+--------------+
| JOB       | Dept_10 | Dept_20 | Dept_30 | Total_Salary |
+-----------+---------+---------+---------+--------------+
| ANALYS    |       0 |    3000 |       0 |         6000 |
| CLERK     |    1300 |    1900 |     950 |         4150 |
| MANAGE    |       0 |    5425 |    2850 |         8275 |
| PRESIDENT |       0 |    5000 |       0 |         5000 |
| SALESM    |       0 |       0 |    5600 |         5600 |
+-----------+---------+---------+---------+--------------+
5 rows in set (0.004 sec)

MariaDB [vaishnavi]> SELECT
    ->     COUNT(*) AS Total_Employees,
    ->     SUM(CASE WHEN YEAR(HIREDATE) = 1980 THEN 1 ELSE 0 END) AS Hired_1980,
    ->     SUM(CASE WHEN YEAR(HIREDATE) = 1981 THEN 1 ELSE 0 END) AS Hired_1981,
    ->     SUM(CASE WHEN YEAR(HIREDATE) = 1982 THEN 1 ELSE 0 END) AS Hired_1982,
    ->     SUM(CASE WHEN YEAR(HIREDATE) = 1983 THEN 1 ELSE 0 END) AS Hired_1983
    -> FROM EMPLOYEE;
+----------------+-----------+-----------+-----------+-----------+
| Total_Employees | Hired_1980 | Hired_1981 | Hired_1982 | Hired_1983 |
+----------------+-----------+-----------+-----------+-----------+
|             14 |         1 |        10 |         2 |         1 |
+----------------+-----------+-----------+-----------+-----------+
1 row in set (0.001 sec)
```

```
5 rows in set (0.004 sec)

MariaDB [vaishnavi]> SELECT
    ->     COUNT(*) AS Total_Employees,
    ->     SUM(CASE WHEN YEAR(HIREDATE) = 1980 THEN 1 ELSE 0 END) AS Hired_1980,
    ->     SUM(CASE WHEN YEAR(HIREDATE) = 1981 THEN 1 ELSE 0 END) AS Hired_1981,
    ->     SUM(CASE WHEN YEAR(HIREDATE) = 1982 THEN 1 ELSE 0 END) AS Hired_1982,
    ->     SUM(CASE WHEN YEAR(HIREDATE) = 1983 THEN 1 ELSE 0 END) AS Hired_1983
    -> FROM EMPLOYEE;
+----------------+------------+------------+------------+------------+
| Total_Employees | Hired_1980 | Hired_1981 | Hired_1982 | Hired_1983 |
+----------------+------------+------------+------------+------------+
|             14 |          1 |         10 |          2 |          1 |
+----------------+------------+------------+------------+------------+
1 row in set (0.001 sec)

MariaDB [vaishnavi]> SELECT DATE_SUB(
    ->        LAST_DAY(CURDATE()),
    ->        INTERVAL (DAYOFWEEK(LAST_DAY(CURDATE())) - 1) DAY
    -> ) AS last_sunday;
+-------------+
| last_sunday |
+-------------+
| 2026-03-29  |
+-------------+
1 row in set (0.002 sec)

MariaDB [vaishnavi]> SELECT
    ->     DEPTNO,
    ->     COUNT(*) AS total_employees
    -> FROM EMPLOYEE
    -> GROUP BY DEPTNO;
+--------+----------------+
| DEPTNO | total_employees |
+--------+----------------+
|     10 |              1 |
|     20 |              6 |
|     30 |              6 |
|     40 |              1 |
+--------+----------------+
4 rows in set (0.009 sec)

MariaDB [vaishnavi]> SELECT
    ->     JOB,
    ->     COUNT(*) AS total_employees
    -> FROM EMPLOYEE
    -> GROUP BY JOB;
+----------+----------------+
| JOB      | total_employees |
+----------+----------------+
| ANALYS   |              2 |
| CLERK    |              4 |
| MANAGE   |              3 |
| PRESIDENT |              1 |
| SALESM   |              4 |
+----------+----------------+
5 rows in set (0.000 sec)

MariaDB [vaishnavi]> SELECT
    ->     DEPTNO,
    ->     SUM(SAL) AS total_salary
    -> FROM EMPLOYEE
    -> GROUP BY DEPTNO;
+--------+-------------+
| DEPTNO | total_salary |
+--------+-------------+
|     10 |        1300 |
|     20 |       15325 |
|     30 |        9400 |
|     40 |        3000 |
+--------+-------------+
4 rows in set (0.003 sec)
```