Package.json

```json
{
  "name": "practical-3",
  "version": "1.0.0",
  "description": "This is wad practica 3b",
  "main": "index.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  },
  "author": "Vaishnavi",
  "license": "ISC",
  "dependencies": {
    "express": "^4.19.2"
  }
}
```

Index.js

```javascript
const express = require('express');
const app = express();
app.use(express.static('public'))
app.listen(4000,()=>{
    console.log("Server is started");
})
```

Index.html

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Node JS</title>
```

```
</head>
<body>
   <h1>This is a staic website</h1>
</body>
</html>
```

Terminal Commands :-

Microsoft Windows [Version 10.0.22621.3447]

(c) Microsoft Corporation. All rights reserved.

D:\WAD PRACTICALS\Practical-3>npm init

This utility will walk you through creating a package.json file.

It only covers the most common items, and tries to guess sensible defaults.

See `npm help init` for definitive documentation on these fields

and exactly what they do.

Use `npm install <pkg>` afterwards to install a package and

save it as a dependency in the package.json file.

Press ^C at any time to quit.

package name: (practical-3)

version: (1.0.0)

description: This is wad practical 3b

entry point: (index.js)

test command:

git repository:

keywords:

author: Vaishnavi

license: (ISC)

About to write to D:\WAD PRACTICALS\Practical-3\package.json:

{

  "name": "practical-3",

  "version": "1.0.0",

  "description": "This is wad practica 3b",

```
  "main": "index.js",

  "scripts": {

    "test": "echo \"Error: no test specified\" && exit 1"

  },

  "author": "Vaishnavi",

  "license": "ISC"

}
```

Is this OK? (yes)

D:\WAD PRACTICALS\Practical-3>npm install express --save

added 64 packages, and audited 65 packages in 8s

12 packages are looking for funding

  run `npm fund` for details

found 0 vulnerabilities

D:\WAD PRACTICALS\Practical-3>node index.js

Server is started

Output

This is a staic website