

Module 8: SQS and SES ASSIGNMENT 4

Problem Statement:


You work for XYZ Corporation. Your team is asked to deploy similar architecture multiple times for testing, development, and production purposes. Implement CloudFormation for the tasks assigned to you below.

Tasks To Be Performed:

1. Create a FIFO SQS queue and test by sending messages.
2. Register your mail in SES and send a test mail to yourself.

SOLUTION:

1. Create a FIFO SQS queue and test by sending messages.



awsServicesSearch[Alt+S]

CloudFormationStacksCreate stack

Step 1
Create stack

Step 2
Specify stack details

Step 3
Configure stack options

Step 4
Review and create

Create stack

Prerequisite - Prepare template

Prepare template
Every stack is based on a template. A template is a JSON or YAML file that contains configuration information about the AWS resources you want to include in the stack.

☒ Template is ready

☐ Use a sample template

☐ Create template in Designer

Specify template

A template is a JSON or YAML file that describes your stack's resources and properties.

Template source

Selecting a template generates an Amazon S3 URL, where it will be stored.

☒ Amazon S3 URL
Provide an Amazon S3 URL to your template.

☐ Upload a template file
Upload your template directly to the console.

☐ Sync from Git - new
Sync a template from your Git repository.

Amazon S3 URL

https://s3-external-1.amazonaws.com/cf-templates-hsd6vmnhfau-us-east-1/2024076xoz-new.template2dcyvtvy55n

Amazon S3 template URL.

S3 URL: https://s3-external-1.amazonaws.com/cf-templates-hsd6vmnhfau-us-east-1/2024076xoz-new.template2dcyvtvy55n

View in Designer

Cancel

Next

awsServicesSearch[Alt+S]

CloudFormationStacksstack2

Stacks

Stack details

Drifts

StackSets

Exports

Designer

IoT generator

▼ Registry

Public extensions

Activated extensions

Publisher

Spotlight

Feedback

Stacks (2)

Filter by stack name

Filter status

Active

View nested

Stacks

stack2

2024-03-16 12:06:37 UTC+0530

CREATE_COMPLETE

stack1

2024-03-16 12:00:39 UTC+0530

ROLLBACK_COMPLETE

stack2

Delete

Update

Stack actions

Create stack

Stack info

Events

Resources

Outputs

Parameters

Template

Change sets

Git sync - new

Events (7)

Detect root cause

Search events

Timestamp	Logical ID	Status	Detailed status	Status reason
2024-03-16 12:07:12 UTC+0530	stack2	CREATE_COMPLETE	-	-
2024-03-16 12:07:12 UTC+0530	MyFIFOQueue	CREATE_COMPLETE	-	-
2024-03-16 12:06:42 UTC+0530	stack2	CREATE_IN_PROGRESS	CONFIGURATION_COMPLETE	Eventual consistency check initiated
2024-03-16 12:06:42 UTC+0530	MyFIFOQueue	CREATE_IN_PROGRESS	CONFIGURATION_COMPLETE	Eventual consistency check initiated
2024-03-16 12:06:41 UTC+0530	MyFIFOQueue	CREATE_IN_PROGRESS	-	Resource creation initiated
2024-03-16 12:06:40 UTC+0530	MyFIFOQueue	CREATE_IN_PROGRESS	-	-
2024-03-16 12:06:37 UTC+0530	stack2	CREATE_IN_PROGRESS	-	User initiated

awsServicesSearch[Alt+S]

Amazon SQSQueues

Queues

Queues (1)

Search queues by prefix

Create queue

Name	Type	Created	Messages available	Messages in flight	Encryption	Content-based deduplication
MyFIFOQueue.fifo	FIFO	2024-03-16T12:06+05:30	0	0	Amazon SQS key (SSE-SQS)	Enabled

aws

Services

Search

[Alt+S]

Amazon SQS

Queues

MyFIFOQueue.fifo

MyFIFOQueue.fifo

EditDeletePurgeSend and receive messages

Details

Name

MyFIFOQueue.fifo

Type

FIFO

High throughput mode is off

ARN

arn:aws:sqs:us-east-1:161681788148:MyFIFOQueue.fifo

Encryption

Amazon SQS key (SSE-SQS)

URL

https://sqs.us-east-1.amazonaws.com/161681788148/MyFIFOQueue.fifo

Dead-letter queue

-

More

SNS subscriptions

Lambda triggers

EventBridge Pipes

Dead-letter queue

Monitoring

Tagging

Access policy

Encryption

Dead-letter queue redrive tasks

Subscription region

us-east-1

SNS subscriptions (0)

View in SNS

Delete

Subscribe to Amazon SNS

Search subscriptions

Subscription ARN

Topic ARN

No Amazon SNS subscriptions

To allow your queue to receive messages, subscribe it to an Amazon SNS topic.

Subscribe to Amazon SNS topic

aws

Services

Search

[Alt+S]

Amazon SQS

Queues

MyFIFOQueue.fifo

Send and receive messages

Send and receive messages

Send messages to and receive messages from a queue.

Send message

Clear content

Send message

Message body

Enter the message to send to the queue.

Hello1

Message group ID

The tag that specifies that a message belongs to a specific message group.

Message deduplication ID - Optional

The token used for deduplication of messages within the deduplication interval.

Enter message deduplication id

Message attributes - Optional

Receive messages

Edit poll settings

Stop polling

Poll for messages

Messages available

0

Polling duration

30

Maximum message count

10

Polling progress

0 receives/second

0%

Messages (0)

View details

Delete

Search messages

ID

Sent

Size

Receive count

No messages. To view messages in the queue, poll for messages.

aws

Services

Search

[Alt+S]

Amazon SQS

Queues

MyFIFOQueue.fifo

Send and receive messages

Amazon SQS

Queues

Send and receive messages

Send messages to and receive messages from a queue.

Send message

info

Clear content

Send message

Your message has been sent and is ready to be received.

View details

X

Message body

Enter the message to send to the queue.

Hello2

Message group ID

The tag that specifies that a message belongs to a specific message group.

4

Message deduplication ID - Optional

The token used for deduplication of messages within the deduplication interval.

Enter message deduplication id

Message attributes - Optional

info

Receive messages

info

Edit poll settings

Stop polling

Poll for messages

Messages available

1

Polling duration

30

Maximum message count

10

Polling progress

0 receives/second

0%

Messages (0)

View details

Delete

Search messages

<

1

>

aws

Services

Search

[Alt+S]

Amazon SQS

Queues

MyFIFOQueue.fifo

Send and receive messages

Amazon SQS

Queues

Send and receive messages

Send messages to and receive messages from a queue.

Send message

info

Clear content

Send message

Your message has been sent and is ready to be received.

View details

X

Message body

Enter the message to send to the queue.

Hello3

Message group ID

The tag that specifies that a message belongs to a specific message group.

3

Message deduplication ID - Optional

The token used for deduplication of messages within the deduplication interval.

Enter message deduplication id

Message attributes - Optional

info

Receive messages

info

Edit poll settings

Stop polling

Poll for messages

Messages available

2

Polling duration

30

Maximum message count

10

Polling progress

0.1 receives/second

Messages (2)

View details

Delete



Search messages

<

1

>

☐	ID	Sent	Size	Receive count
☐	fbcf9c-44a0-41a4-8845-77158532ebc2	2024-05-16T12:09+05:30	6 bytes	2
☐	24809d47-aab1-4300-b066-b5137d617bfe	2024-05-16T12:10+05:30	6 bytes	1



► Message attributes - Optional [Info](#)

Receive messages [Info](#)

Edit poll settings

Stop polling

Poll for messages

Messages available	Polling duration	Maximum message count	Polling progress
2	30	10	0.1 receives/second

Messages (2)




Q Search messages




View details

Delete

☐	ID	Sent	Size	Receive count
☐	f8cfca9c-44a0-41a4-8845-77158532ebc2	2024-03-16T12:09:05:30	6 bytes	2
☐	24809d47-aab1-4300-b066-b5137d617bfe	2024-03-16T12:10:05:30	6 bytes	1

2. Register your mail in SES and send a test mail to yourself.





Send test email

The Amazon SES mailbox simulator lets you test how your application handles different email sending scenarios. Emails that you send to the mailbox simulator do not count towards your sending quota or your bounce and complaint rates. [Learn more](#)

Message details

Email format

☒ Formatted

Choose this option if you want to construct a simple test message using the form provided. SES takes the information entered in the form and parses it into email format for you.

☐ Raw

Choose this option if you want to send a more complex test message, such as one that uses HTML or includes attachments. This option requires you to format the entire message yourself.

From address

vaishnavigohar05@gmail.com

Scenario

Choose the email sending scenario that you want to simulate. Each scenario corresponds to a different recipient email address managed by the mailbox simulator. To specify a custom recipient, select Custom.

Successful delivery

Subject

Test message try 1

Body - optional

Hello Vaishnav,
I hope you are doing good in AWS course.

Configuration set - optional

Choose a configuration set

Additional configurations - optional

Cancel

Send test email

aws

Services

Search

[Alt+S]

N. Virginia

VaishnavGohar

more

Message details

Email format

☒ Formatted

Choose this option if you want to construct a simple test message using the form provided. SES takes the information entered in the form and parses it into email format for you.

☐ Raw

Choose this option if you want to send a more complex test message, such as one that uses HTML or includes attachments. This option requires you to format the entire message yourself.

From address

vaishnavigohar05@gmail.com

Scenario

Choose the email sending scenario that you want to simulate. Each scenario corresponds to a different recipient email address managed by the mailbox simulator. To specify a custom recipient, select Custom.

Custom

Custom recipient

While your account is in the Amazon SES sandbox, you can only send test emails to other verified identities. If you've verified an identity at the domain level, you can send a test email to any email address under that verified domain.

vaishnavigohar05@gmail.com

Subject

hi

Body - optional

Good Morning

Configuration set - optional

Choose a configuration set

Additional configurations - optional

Cancel

Send test email

© 2022 Amazon Web Services, Inc. or its affiliates. Privacy Terms Create a customer