

Module 6: S3 Bucket Versioning

Assignment

Problem Statement: You work for XYZ Corporation. Their application requires a storage service that can store files and publicly share them if required. Implement S3 for the same.

Tasks To Be Performed:

1. Enable versioning for the bucket created in task 1.
2. Re-upload any 2 files already uploaded to verify if versioning works.

Solution:

1. Open S3 dashboard of AWS console
2. Select the bucket from Task1: s3-vaishnavi-bucket
3. Go to the properties and edit Bucket Versioning.
4. Enable Bucket Versioning

aws

Services

Search

[Alt+S]

Global

VaishnaviGolhar

Amazon S3

Buckets

s3-vaishnavi-bucket

s3-vaishnavi-bucket

Info

Objects

Properties

Permissions

Metrics

Management

Access Points

Bucket overview

AWS Region

US East (N. Virginia) us-east-1

Amazon Resource Name (ARN)

arn:aws:s3::s3-vaishnavi-bucket

Creation date

February 25, 2024, 23:34:52 (UTC+05:30)

Bucket Versioning

Edit

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

Bucket Versioning

Disabled

Multi-factor authentication (MFA) delete

An additional layer of security that requires multi-factor authentication for changing Bucket Versioning settings and permanently deleting object versions. To modify MFA delete settings, use the AWS CLI, AWS SDK, or the Amazon S3 REST API. [Learn more](#)

Disabled

aws

Services

Search

[Alt+S]

Global

VaishnaviGolhar

Amazon S3

Buckets

s3-vaishnavi-bucket

Edit Bucket Versioning

Edit Bucket Versioning

Info

Bucket Versioning

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

Bucket Versioning

☐ Suspend

This suspends the creation of object versions for all operations but preserves any existing object versions.

☒ Enable

After enabling Bucket Versioning, you might need to update your lifecycle rules to manage previous versions of objects.

Multi-factor authentication (MFA) delete

An additional layer of security that requires multi-factor authentication for changing Bucket Versioning settings and permanently deleting object versions. To modify MFA delete settings, use the AWS CLI, AWS SDK, or the Amazon S3 REST API. [Learn more](#)

Disabled

Cancel

Save changes

aws

Services

Search

[Alt+S]

Global

VaishnaviGolhar

Successfully edited Bucket Versioning

To transition, archive, or delete older object versions, configure lifecycle rules for this bucket.

Amazon S3

Buckets

s3-vaishnavi-bucket

s3-vaishnavi-bucket

Info

Objects

Properties

Permissions

Metrics

Management

Access Points

Bucket overview

AWS Region

US East (N. Virginia) us-east-1

Amazon Resource Name (ARN)

arn:aws:s3::s3-vaishnavi-bucket

Creation date

February 25, 2024, 23:34:52 (UTC+05:30)

Bucket Versioning

Edit

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

Bucket Versioning


Enabled

Multi-factor authentication (MFA) delete

An additional layer of security that requires multi-factor authentication for changing Bucket Versioning settings and permanently deleting object versions. To modify MFA delete settings, use the AWS CLI, AWS SDK, or the Amazon S3 REST API. [Learn more](#)

Disabled

5. Upload the same 2 files. Which was uploaded in Task1



The screenshot shows the AWS Management Console interface for the 'Upload succeeded' event. A green banner at the top indicates 'Upload succeeded' with a link to 'View details below.' Below this, a blue box states: 'The information below will no longer be available after you navigate away from this page.'

Summary


Destination	Succeeded	Failed
s3://s3-vaishnavi-bucket	2 files, 465.5 KB (100.00%)	0 files, 0 B (0%)

Files and folders (2 Total, 465.5 KB)

Find by name

Name	Folder	Type	Size	Status	Error
23rdJan202...	-	-	465.2 KB	Succeeded	-
23rdJan202...	-	-	258.0 B	Succeeded	-

6. See the Bucket versions in the objects uploaded.



The screenshot shows the AWS Management Console interface for the 's3-vaishnavi-bucket'. The 'Objects' tab is selected, displaying a table of objects and their versions.

Objects (7) Info

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix Show versions

☐	Name	Type	Version ID	Last modified	Size	Storage class
☐	23rdJan2024_DevOps.drawio	drawio	al1Kwk3MEfj0agBCSJO3SwzcehopuqDE	February 25, 2024, 23:44:29 (UTC+05:30)	465.2 KB	Standard
☐	23rdJan2024_DevOps.drawio	drawio	null	February 25, 2024, 23:40:37 (UTC+05:30)	465.2 KB	Standard
☐	23rdJan2024.YAML	YAML	FfserfhqyBcp5waB3MILxjl.kkWeCV6J	February 25, 2024, 23:44:31 (UTC+05:30)	258.0 B	Standard
☐	23rdJan2024.YAML	YAML	null	February 25, 2024, 23:40:32 (UTC+05:30)	258.0 B	Standard