

Batch Code: ANP_D1838

Student ID: AF05202193

Student Name: S. Vaishnavi

LAB-02

Questions:


1. Write a simple java program for addition of two numbers?
 2. Write a simple java program for addition of two numbers using Scanner class, BufferedReader, DataInputStream [Any two]?
-

1. Addition of two numbers.

Program:

```
class Addition {  
    public static void main (String args []) {  
        int a = 234;  
        int b = 266;  
        int sum = a + b;  
        System.out.println("Addition = " + sum);  
    }  
}
```

Output:



```
Command Prompt  
Microsoft Windows [Version 10.0.26200.8246]  
(c) Microsoft Corporation. All rights reserved.  
  
C:\Users\acer>d:  
  
D:\>cd "D:\tasks"  
  
D:\tasks>javac Addition.java  
  
D:\tasks>java Addition  
Addition = 500  
  
D:\tasks>
```

Comments:

class	Keyword used to create a class
Addition	Class name
public	Access modifier – accessible from anywhere
static	Allows the method to run without creating an object.
void	Means the method does not return any value.
main ()	Starting point of Java program
String args []	Receive Multiple Text Values from Command Line Input.
int	Integer datatype
a, b, sum	Variable names
System	Predefined Java class
out	Output stream object
println()	Prints output with new line

2. (i) Addition of two numbers using Scanner class.

Program:

```
import java.util.Scanner;

class AdditionScanner {

    public static void main (String args []) {

        Scanner sc = new Scanner (System.in);

        System.out.print("Enter First Number: ");

        int a = sc. nextInt ();

        System.out.print("Enter Second Number: ");

        int b = sc. nextInt ();

        int sum = a + b;

        System.out.println("Addition = " + sum);

    }

}
```

Output:

```
Command Prompt
Microsoft Windows [Version 10.0.26200.8246]
(c) Microsoft Corporation. All rights reserved.

C:\Users\acer>D:

D:\>cd "D:\tasks"

D:\tasks>javac AdditionScanner.java

D:\tasks>java AdditionScanner
Enter First Number: 234
Enter Second Number: 266
Addition = 500

D:\tasks>|
```

Comments:

import	Used to include library/package
java.util.Scanner	Scanner class package
Scanner	Class used to get user input
sc	Scanner object name
new	Creates object
System.in	Takes input from keyboard
print()	Prints without new line
Enter First Number:	Get Input from User
nextInt()	Reads integer input
int	Integer datatype
a, b, sum	Variables
println()	Prints output with new line

(ii) Addition of two numbers using BufferedReader.

Program:

```
import java.io.*;


class AdditionBufferedReader {

    public static void main (String args []) throws Exception {

        BufferedReader br = new BufferedReader (new InputStreamReader
(System.in));

        System.out.print("Enter First Number: ");
        int a = Integer.parseInt(br.readLine());
        System.out.print("Enter Second Number: ");
        int b = Integer.parseInt(br.readLine());
        int sum = a + b;
        System.out.println("Addition = " + sum);
    }
}
```

Output:



```
Command Prompt
Microsoft Windows [Version 10.0.26200.8246]
(c) Microsoft Corporation. All rights reserved.

C:\Users\acer>D:

D:\>cd "D:\tasks"

D:\tasks>javac AdditionBufferedReader.java

D:\tasks>java AdditionBufferedReader
Enter First Number: 34
Enter Second Number: 66
Addition = 100

D:\tasks>
```

Comments:

import	Used to include package/library
java.io.*	Imports all input/output classes
throws	Declares exception handling
Exception	Handles runtime/input errors
BufferedReader	Reads text input efficiently
br	BufferedReader object name
new	Creates object
InputStreamReader	Converts byte input into character input
System.in	Keyboard input source
readLine()	Reads one line of input as String
Integer	Wrapper class for int
parseInt()	Converts String to integer
int	Integer datatype
println()	Prints output with new line