Project Report

Project Name: SMART SOLUTIONS FOR RAILWAYS

Team ID: **PNT2022TMID07171**

Team: VAISHNAVI C A S - TEAM LEAD

ABINAYA K

JESLENE PERSHIA I

MRITHULLA S

1. INTRODUCTION

1.1 Project Overview

As trains are one of the most preferred modes of transportation among middle class and impoverished people as it attracts for its amenities. Simultaneously there is an increase at risk from thefts and accidents like chain snatching, derailment, fire accident. In order to avoid or in better words to stop all such brutality we came up with a solution by providing an application which can be accessed by the user after booking their tickets. With a single click this app addresses issues by sending a text message to TC and RPF as an alert. In our project we use Node-Red service, app-development, IBM cloud platform to store passenger data.

1.2 Purpose

The purpose of this project is to report and get relived from the issues related to trains.

2. LITERATURE SURVEY

2.1 Existing problem

- A Web page is designed for the public where they can book tickets by seeing the available seats.
- After booking the train, the person will get a QR code which has to be shown to the Ticket Collector while boarding the train.
- The ticket collectors can scan the QR code to identify the personal details.
- A GPS module is present in the train to track it. The live status of the journey is updated in the Web app continuously
- All the booking details of the customers will be stored in the database with a unique ID and they can be retrieved back when the Ticket Collector scans the QR Code.

2.2 References


S.NO	TITLE	AUTHOR	YEAR	KEY TECHNOLOGY
1	Main geotechnical problems of railways androads in kriolitozone and their solutions.	Kondratiev, Valentin G	2017	Main problems in railways
2		Sañudo, Roberto, Marina Miranda, Carlos García, and David García- Sanchez	2019	Drainage in railways
3	Problems of Indian Railways	Benjamin	2021	Common problems in Indian railways
4	A comparative study of Indian and worldwiderailways.	Sharma, Sunil Kumar, and AnilKumar	2014	Study of Indian railways
5	_	Prasanth, Venugopal, and K.P. Soman	2009	Solution for ticketing using RFID

2.3 Problem Statement Definition


Smart Solutions for railways are designed to reduce the work load of the user and the use of paper.

3. IDEATION & PROPOSED SOLUTION

3.1 Empathy Map Canvas



3.2 Ideation & Brainstorming




3.3 Proposed Solution

S.No.	Parameter	Description
1.	Problem Statement (Problem to be solved)	Problems in the railways like robbery, fire accidents etc
2.	Idea / Solution description	Developing an app for the passengers.
3.	Novelty / Uniqueness	The passengers can send an alert to the respective officials during the travel time through the app when they are in trouble so that they can easily solve it.
4.	Social Impact / Customer Satisfaction	Usage of this app can be a great relief to the passengers, so that they can travel without any fear.
5.	Business Model (Revenue Model)	5000

6.	Scalability of the Solution	This solution will be useful for passengerswhile
		travelling. They can use the app between the
		time of their travel. The users will fell more
		secured, in-case of an emergency by simply
		clicking on a button the alert signal will be sent
		to the respective officials and the
		corresponding measures will be taken.

3.4 Problem Solution fit



4. **REQUIREMENT ANALYSIS**

4.1 Functional requirement


FR No.	Functional Requirement (Epic)	Sub Requirement (Story / Sub-Task)
FR-1	User Registration	Registration through Online
		Registration through Gmail
FR-2	User Confirmation	Confirmation via Email
		Confirmation via OTP
FR-3	Application installation	The application is installed through the given link
FR-4	User access	Access the app requirements

4.2 Non-Functional requirement

FR No.	Non-Functional Requirement	Description
NFR-1	Usability	 The app can be used during the travelling time Easy and simple Efficiency is high
NFR-2	Security	By clicking on the icon, the alert will be given to the respective officials
NFR-3	Reliability	Highly reliable to use
NFR-4	Performance	Low error rate
NFR-5	Availability	Free source
NFR-6	Scalability	It is scalable enough to support many users at the same time

5. PROJECT DESIGN

5.1 Data Flow Diagrams



5.2 Solution Architecture

As trains are one of the most preferred modes of transportation among middle class and impoverished people as it attracts for its amenities. Simultaneously there is an increase at risk from thefts and accidents like chain-snatching, derailment, fire accident. In order to avoid or in better words to stop all such brutality we came up with a solution by providing an application which can be accessed by the user after booking their tickets. With a single click this app addresses issues by sending a text message to TC and RPF as an alert. In our project we use Node-Red service, app-development, IBM cloud platform to store passenger data.

5.3 User Stories

User Type	Functional Requirement (Epic)	User Story Num ber	User Story / Task	Acceptance criteria	Priority	Release
PASSENGER (Mobile user)	Booking registrat ion	USN-1	As a passenger, I book the ticket for the journey by entering my personal information.	I can access the web linkto install the application.	High	Sprint-1
	Confirmation	USN-2	As a passenger, I will receive confirmation of the booking once I have registered for theapplication	I can receive confirmationemail & click confirm.	High	Sprint-1

Applicat	USN-3	As a	I can	U		access		Low	Sprint-2
ion		passenger, I	applica	ition throu	gh go	ogle logi	n.		
registrat		can register							
ion		for the							
		application							
		through the							
		weblink.							
Application	USN-4	As a passenger, I can						Medium	Sprint-1
access		access the application							
		during my travel for							
		resolving my issues.							

6. PROJECT PLANNING & SCHEDULING


6.1 Sprint Planning & Estimation

STEP 1	Identify the problem
STEP 2	Prepare an abstract, problem statement
STEP 3	List required objects needed
STEP 4	Create a code and run it
STEP 5	Make a prototype
STEP 6	Test with the created code and check the designed prototype is working


Solution for the problem is found

6.2 Reports from JIRA


SPRINT 1




SPRINT 2



SPRINT 3



SPRINT 4



7. CODING & SOLUTIONING

7.1 Feature 1

- IoT device
- IBM Watson Platform
- Node red
- Cloudant DB
- Web UI
- MIT App Inventor
- Python code


7.2 Feature 2

- Login
- Verification
- Ticket Booking
- Adding rating


8. TESTING AND RESULTS

8.1 Test Cases


Test case 1




Test case 2



Test case 3



Test case 4



9. ADVANTAGES

- The passengers can use this application, while they are travelling alone to ensure their safety.
- It is easy to use.
- It has minimized error rate.

10. DISADVANTAGES

Network issues may arise.

11. CONCLUSION

Almost all the countries across the globe strive to meet the demand for safe, fast, and reliable rail services. Lack of operational efficiency and reliability, safety, and security issues, besides aging railway systems and practices are haunting various countries to bring about a change in their existing rail infrastructure. The global rail industry struggles to meet the increasing demand for freight and passenger transportation due to lack of optimized use of rail network and inefficient use of rail assets. Often, they suffer from the lack in smart technologies and latest technological updates to provide the most efficient passenger services. This is expected to induce rail executives to build rail systems that are smarter and more efficient. The passenger reservation system of Indian Railways is one of the world's largest reservation models. Daily about one million passengers travel in reserved accommodation with Indian Railways. Another sixteen million travel with unreserved tickets in Indian Railways. In this vast system, it is a herculean task to efficiently handle the passenger data, which is a key point of consideration now-a-days. But the implementation of the latest technological updates in this system gradually turns inevitable due to increasing demand for providing the most efficient passenger services. Handling the passenger data efficiently backed by intelligent processing and timely retrieval would help backing up the security breaches. Here we've explored different issues of implementing smart computing in railway systems pertaining to reservation models besides pointing out some future scopes of advancement. Most significant improvements have been evidenced by more informative and user-friendly websites, mobile applications for real-time information about vehicles in motion, and e-ticket purchases and timetable information implemented at stations and stops. With the rise of Industry, railway companies can now ensure that they are prepared to avoid the surprise of equipment downtime. Like above mentioned, the developed application of our project can lead the passenger who travel can travel safely without any fear.

12. FUTURE SCOPE

This application is ensured for safety for the passengers while they are travelling alone as well as they travel with their family or friends.

In future, this application may also be used by passengers who travel through bus. By further enhancement of the application the passengers can explore more features regarding their safety.

13. APPENDIX

13.1 Source Code

```
LOGIN
from tkinter import *
import sqlite3
root = Tk()
root.title("Python: Simple Login Application")
width = 400
height = 280
screen_width = root.winfo_screenwidth()
screen height = root.winfo screenheight()
x = (screen width/2) - (width/2)
y = (screen\_height/2) - (height/2)
root.geometry("%dx%d+%d+%d" % (width, height, x, y))
root.resizable(0, 0)
_____
USERNAME = StringVar()
PASSWORD = StringVar()
_____
Top = Frame(root, bd=2, relief=RIDGE)
Top.pack(side=TOP, fill=X)
Form = Frame(root, height=200)
Form.pack(side=TOP, pady=20)
#=======================LABELS===============================
lbl_title = Label(Top, text = "Python: Simple Login Application", font=('arial', 15))
lbl_title.pack(fill=X)
lbl_username = Label(Form, text = "Username:", font=('arial', 14), bd=15)
lbl_username.grid(row=0, sticky="e")
lbl_password = Label(Form, text = "Password:", font=('arial', 14), bd=15)
```

```
lbl_password.grid(row=1, sticky="e")
lbl_text = Label(Form)
lbl_text.grid(row=2, columnspan=2)
WIDGETS=======
username = Entry(Form, textvariable=USERNAME, font=(14))
username.grid(row=0, column=1)
password = Entry(Form, textvariable=PASSWORD, show="*", font=(14))
password.grid(row=1, column=1)
def Database():
  global conn, cursor
  conn = sqlite3.connect("pythontut.db")
  cursor = conn.cursor()
  cursor.execute("CREATE TABLE IF NOT EXISTS `member` (mem_id INTEGER NOT
NULL PRIMARY KEY AUTOINCREMENT, username TEXT, password TEXT)")
  cursor.execute("SELECT * FROM `member` WHERE `username` = 'admin' AND
`password` = 'admin''')
 if cursor.fetchone() is None:
    cursor.execute("INSERT INTO `member` (username, password) VALUES('admin',
'admin')")
    conn.commit()
def Login(event=None):
  Database()
  if USERNAME.get() == "" or PASSWORD.get() == "":
    lbl_text.config(text="Please complete the required field!", fg="red")
  else:
    cursor.execute("SELECT * FROM `member` WHERE `username` = ? AND `password`
= ?", (USERNAME.get(), PASSWORD.get()))
    if cursor.fetchone() is not None:
      HomeWindow()
      USERNAME.set("")
      PASSWORD.set("")
      lbl_text.config(text="")
```

```
else:
      lbl_text.config(text="Invalid username or password", fg="red")
      USERNAME.set("")
      PASSWORD.set("")
  cursor.close()
  conn.close()
#======BUTTON
btn_login = Button(Form, text="Login", width=45, command=Login)
btn_login.grid(pady=25, row=3, columnspan=2)
btn_login.bind('<Return>', Login)
def HomeWindow():
  global Home
  root.withdraw()
  Home = Toplevel()
  Home.title("Python: Simple Login Application")
  width = 600
  height = 500
  screen_width = root.winfo_screenwidth()
  screen_height = root.winfo_screenheight()
  x = (screen_width/2) - (width/2)
  y = (screen\_height/2) - (height/2)
  root.resizable(0, 0)
  Home.geometry("%dx%d+%d+%d" % (width, height, x, y))
  lbl_home = Label(Home, text="Successfully Login!", font=('times new roman',
20)).pack()
  btn_back = Button(Home, text='Back', command=Back).pack(pady=20, fill=X)
def Back():
  Home.destroy()
 root.deiconify()
REGISTRATION
from tkinter import*
base = Tk()
base.geometry("500x500")
```

```
base.title("registration form")
labl_0 = Label(base, text="Registration form", width=20, font=("bold", 20))
labl_0.place(x=90,y=53)
lb1= Label(base, text="Enter Name", width=10, font=("arial",12))
lb1.place(x=20, y=120)
en1= Entry(base)
en1.place(x=200, y=120)
lb3= Label(base, text="Enter Email", width=10, font=("arial",12))
lb3.place(x=19, y=160)
en3= Entry(base)
en3.place(x=200, y=160)
lb4= Label(base, text="Contact Number", width=13,font=("arial",12))
lb4.place(x=19, y=200)
en4= Entry(base)
en4.place(x=200, y=200)
lb5= Label(base, text="Select Gender", width=15, font=("arial",12))
lb5.place(x=5, y=240)
var = IntVar()
Radiobutton(base, text="Male", padx=5, variable=var, value=1).place(x=180, y=240)
Radiobutton(base, text="Female", padx =10, variable=var, value=2).place(x=240,y=240)
Radiobutton(base, text="others", padx=15, variable=var, value=3).place(x=310,y=240)
list_of_cntry = ("United States", "India", "Nepal", "Germany")
cv = StringVar()
drplist= OptionMenu(base, cv, *list_of_cntry)
drplist.config(width=15)
cv.set("United States")
lb2= Label(base, text="Select Country", width=13,font=("arial",12))
lb2.place(x=14,y=280)
drplist.place(x=200, y=275)
lb6= Label(base, text="Enter Password", width=13,font=("arial",12))
lb6.place(x=19, y=320)
en6= Entry(base, show='*')
en6.place(x=200, y=320)
```

```
lb7= Label(base, text="Re-Enter Password", width=15,font=("arial",12))
lb7.place(x=21, y=360)
en7 =Entry(base, show='*')
en7.place(x=200, y=360)
Button(base, text="Register", width=10).place(x=200,y=400)
base.mainloop()
START AND DESTINATION
# import module
import requests
from bs4 import BeautifulSoup
# user define function
# Scrape the data
def getdata(url):
  r = requests.get(url)
  return r.text
# input by geek
from_Station_code = "GAYA"
from_Station_name = "GAYA"
To_station_code = "PNBE"
To_station_name = "PATNA"
# url
url
                                         "https://www.railyatri.in/booking/trains-between-
stations?from_code="+from_Station_code+"&from_name="+from_Station_name+"+JN+&j
ourney_date=+Wed&src=tbs&to_code=" + \
  To_station_code+"&to_name="+To_station_name + \
  "+JN+&user_id=-
1603228437&user_token=355740&utm_source=dwebsearch_tbs_search_trains"
# pass the url
# into getdata function
htmldata = getdata(url)
soup = BeautifulSoup(htmldata, 'html.parser')
```

```
# find the Html tag
# with find()
# and convert into string
data_str = ""
for item in soup.find_all("div", class_="col-xs-12 TrainSearchSection"):
  data_str = data_str + item.get_text()
result = data_str.split("\n")
print("Train between "+from_Station_name+" and "+To_station_name)
print("")
# Display the result
for item in result:
  if item != "":
     print(item)
TICKET BOOKING
print("\n\nTicket Booking System\n")
restart = ('Y')
while restart != ('N', 'NO', 'n', 'no'):
print("1.Check PNR status")
print("2.Ticket Reservation")
option = int(input("\nEnter your option : "))
if option == 1:
 print("Your PNR status is t3")
 exit(0)
elif option == 2:
 people = int(input("\nEnter no. of Ticket you want : "))
 name_l = []
 age_l = []
 sex_l = []
 for p in range(people):
 name = str(input("\nName : "))
 name_l.append(name)
 age = int(input("\nAge : "))
 age_l.append(age)
 sex = str(input("\nMale or Female : "))
 sex_l.append(sex)
```

```
restart = str(input("\nDid you forgot someone? y/n: "))
 if restart in ('y', 'YES', 'yes', 'Yes'):
 restart = ('Y')
 else:
 x = 0
 print("\nTotal Ticket : ",people)
 for p in range(1,people+1):
  print("Ticket:",p)
  print("Name : ", name_l[x])
  print("Age : ", age_l[x])
  print("Sex : ",sex_l[x])
  x += 1
SEATS BOOKING
def berth_type(s):
  if s>0 and s<73:
     if s % 8 == 1 or s % 8 == 4:
       print (s), "is lower berth"
     elif s % 8 == 2 or s % 8 == 5:
       print (s), "is middle berth"
     elif s % 8 == 3 or s % 8 == 6:
       print (s), "is upper berth"
     elif s % 8 == 7:
       print (s), "is side lower berth"
     else:
       print (s), "is side upper berth"
  else:
     print (s), "invalid seat number"
# Driver code
s = 10
berth_type(s)
                 # fxn call for berth type
s = 7
berth_type(s)
                 # fxn call for berth type
s = 0
berth_type(s)
                 # fxn call for berth type
```

CONFIRMATION

```
# import module
import requests
from bs4 import BeautifulSoup
import pandas as pd
# user define function
# Scrape the data
def getdata(url):
r = requests.get(url)
return r.text
# input by geek
train_name = "03391-rajgir-new-delhi-clone-special-rgd-to-ndls"
# url
url = "https://www.railyatri.in/live-train-status/"+train_name
# pass the url
# into getdata function
htmldata = getdata(url)
soup = BeautifulSoup(htmldata, 'html.parser')
# traverse the live status from
# this Html code
data = []
for item in soup.find_all('script', type="application/ld+json"):
data.append(item.get_text())
# convert into dataframe
df = pd.read_json(data[2])
# display this column of
# dataframe
print(df["mainEntity"][0]['name'])
print(df["mainEntity"][0]['acceptedAnswer']['text'])
```

TICKET GENERATION

```
class Ticket:
   counter=0
```

```
def __init__(self,passenger_name,source,destination):
     self.__passenger_name=passenger_name
     self.__source=source
     self. destination=destination
     self.Counter=Ticket.counter
     Ticket.counter+=1
  def validate_source_destination(self):
             (self.__source=="Delhi"
                                                        (self.__destination=="Pune"
                                             and
                                                                                           or
self. destination=="Mumbai"
                                                   self. destination=="Chennai"
                                        or
                                                                                           or
self. destination=="Kolkata")):
       return True
     else:
       return False
  def generate_ticket(self ):
     if True:
       __ticket_id=self.__source[0]+self.__destination[0]+"0"+str(self.Counter)
       print( "Ticket id will be:",__ticket_id)
     else:
       return False
  def get_ticket_id(self):
     return self.ticket_id
  def get_passenger_name(self):
     return self.__passenger_name
  def get_source(self):
     if self.__source=="Delhi":
       return self.__source
     else:
       print("you have written invalid soure option")
       return None
  def get_destination(self):
     if self.__destination=="Pune":
       return self.__destination
     elif self.__destination=="Mumbai":
       return self.__destination
     elif self.__destination=="Chennai":
       return self.__destination
     elif self.__destination=="Kolkata":
       return self. destination
```

```
else:
       return None
OTP GENERATION
import os
import math
import random
import smtplib
digits = "0123456789"
OTP = ""
for i in range (6):
  OTP += digits[math.floor(random.random()*10)]
otp = OTP + " is your OTP"
message = otp
s = smtplib.SMTP('smtp.gmail.com', 587)
s.starttls()
emailid = input("Enter your email: ")
s.login("YOUR Gmail ID", "YOUR APP PASSWORD")
s.sendmail('&&&&&',emailid,message)
a = input("Enter your OTP >>: ")
if a == OTP:
  print("Verified")
else:
  print("Please Check your OTP again")
OTP VERIFICATION
import os
import math
import random
import smtplib
digits = "0123456789"
OTP = ""
for i in range (6):
  OTP += digits[math.floor(random.random()*10)]
```

```
otp = OTP + " is your OTP"
message = otp
s = smtplib.SMTP('smtp.gmail.com', 587)
s.starttls()
emailid = input("Enter your email: ")
s.login("YOUR Gmail ID", "YOUR APP PASSWORD")
s.sendmail('&&&&&',emailid,message)

a = input("Enter your OTP >>: ")
if a == OTP:
    print("Verified")
else:
    print("Please Check your OTP again")
```

13.2 GitHub

GitHub link:

https://github.com/IBM-EPBL/IBM-Project-19581-1659700929