```java
import components.simplereader.SimpleReader;

/**
 * Program to convert an XML RSS (version 2.0) feed from a given URL into the
 * corresponding HTML output file.
 *
 * @author Vaishnavi Kasabwala
 *
 */
public final class RSSAggregator2 {

    /**
     * Private constructor so this utility class cannot be instantiated.
     */
    private RSSAggregator2() {
    }

    /**
     * Outputs the "opening" tags in the generated HTML file. These are the
     * expected elements generated by this method:
     *
     * <html> <head> <title>the channel tag title as the page title</title>
     * </head> <body>
     * <h1>the page title inside a link to the <channel> link</h1>
     * <p>
     * the channel description
     * </p>
     * <table border="1">
     * <tr>
     * <th>Date</th>
     * <th>Source</th>
     * <th>News</th>
     * </tr>
     *
     * @param channel
     *            the channel element XMLTree
     * @param out
     *            the output stream
     * @updates out.content
     * @requires [the root of channel is a <channel> tag] and out.is_open
     * @ensures out.content = #out.content * [the HTML "opening" tags]
     */
    private static void outputHeader(XMLTree channel, SimpleWriter out) {
        assert channel != null : "Violation of: channel is not null";
        assert out != null : "Violation of: out is not null";
        assert channel.isTag() && channel.label().equals("channel") : ""
                + "Violation of: the label root of channel is a <channel> tag";
        assert out.isOpen() : "Violation of: out.is_open";

        // title
        int titleNum = getChildElement(channel, "title");
        XMLTree title = channel.child(titleNum);

        out.print("<html> <head> <title>");
        if (title.numberOfChildren() > 0) {
            out.print(title.child(0).label());
        }
```

```
63          out.println("</title>");
64
65          out.println("</head> <body>");
66
67          //link
68          int linkNum = getChildElement(channel, "link");
69          XMLTree link = channel.child(linkNum);
70
71          out.print("<h1>");
72
73          out.print("<a href=\"" + link.child(0).label() + "\">");
74          if (title.numberOfChildren() > 0) {
75              out.print(title.child(0).label());
76          }
77          out.println("</a></h1>");
78
79          //description
80          int descriptionNum = getChildElement(channel, "description");
81          XMLTree description = channel.child(descriptionNum);
82
83          out.print("<p>");
84          if (description.numberOfChildren() > 0) {
85              out.print(description.child(0).label());
86          }
87          out.println("</p>");
88
89          out.println("<table border=\"1\">");
90          out.println("<tr><th>Date</th><th>Source</th><th>News</th></tr>");
91      }
92
93      /**
94       * Outputs the "closing" tags in the generated HTML file. These are the
95       * expected elements generated by this method:
96       *
97       * </table>
98       * </body> </html>
99       *
100      * @param out
101      *            the output stream
102      * @updates out.contents
103      * @requires out.is_open
104      * @ensures out.content = #out.content * [the HTML "closing" tags]
105      */
106     private static void outputFooter(SimpleWriter out) {
107         assert out != null : "Violation of: out is not null";
108         assert out.isOpen() : "Violation of: out.is_open";
109
110         out.println("</table>");
111         out.println("</body>");
112         out.println("</html>");
113     }
114
115     /**
116      * Finds the first occurrence of the given tag among the children of the
117      * given {@code XMLTree} and return its index; returns -1 if not found.
118      *
119      * @param xml
```

```
120      *            the {@code XMLTree} to search
121      * @param tag
122      *            the tag to look for
123      * @return the index of the first child of type tag of the {@code XMLTree}
124      *         or -1 if not found
125      * @requires [the label of the root of xml is a tag]
126      * @ensures <pre>
127      * getChildElement =
128      *  [the index of the first child of type tag of the {@code XMLTree} or
129      *   -1 if not found]
130      * </pre>
131      */
132     private static int getChildElement(XMLTree xml, String tag) {
133         assert xml != null : "Violation of: xml is not null";
134         assert tag != null : "Violation of: tag is not null";
135         assert xml.isTag() : "Violation of: the label root of xml is a tag";
136
137         int n = xml.numberOfChildren();
138         int index = -1;
139         int i = 0;
140
141         while (i < n && index == -1) {
142             if (xml.child(i).label().equals(tag)) {
143                 index = i;
144             }
145             i++;
146         }
147         return index;
148     }
149
150     /**
151      * Processes one news item and outputs one table row. The row contains three
152      * elements: the publication date, the source, and the title (or
153      * description) of the item.
154      *
155      * @param item
156      *            the news item
157      * @param out
158      *            the output stream
159      * @updates out.content
160      * @requires [the label of the root of item is an <item> tag] and
161      *           out.is_open
162      * @ensures <pre>
163      * out.content = #out.content *
164      *   [an HTML table row with publication date, source, and title of news item]
165      * </pre>
166      */
167     private static void processItem(XMLTree item, SimpleWriter out) {
168         assert item != null : "Violation of: item is not null";
169         assert out != null : "Violation of: out is not null";
170         assert item.isTag() && item.label().equals("item") : ""
171                 + "Violation of: the label root of item is an <item> tag";
172         assert out.isOpen() : "Violation of: out.is_open";
173
174         int indexPubDate = getChildElement(item, "pubDate");
175         int indexSource = getChildElement(item, "source");
176         int indexTitle = getChildElement(item, "title");
```

```
177         int indexDescription = getChildElement(item, "description");
178         int indexLink = getChildElement(item, "link");
179 
180         out.println("<tr>");
181 
182         //publication date (if pubDate exists, it is required to have a child)
183         if (indexPubDate >= 0) {
184             out.println("<td>" + item.child(indexPubDate).child(0).label()
185                     + "</td>");
186         } else {
187             out.println("<td>No date available</td>");
188         }
189 
190         //source
191         if (indexSource >= 0
192                 && item.child(indexSource).numberOfChildren() > 0) {
193             XMLTree source = item.child(indexSource);
194             out.print("<td>");
195             out.print("<a href=\"" + source.attributeValue("url") + "\">");
196             out.println(source.child(0).label() + "</a></td>");
197         } else {
198             out.println("<td>No source available</td>");
199         }
200 
201         // link (if link exists, it is required to have a child)
202 
203         if (indexTitle >= 0 && item.child(indexTitle).numberOfChildren() > 0) {
204             XMLTree title = item.child(indexTitle);
205             out.print("<td>");
206             if (indexLink >= 0) {
207                 XMLTree link = item.child(indexLink);
208                 out.print("<a href=\"" + link.child(0).label() + "\">");
209             }
210             out.println(title.child(0).label() + "</a></td>");
211         } else if (indexDescription >= 0
212                 && item.child(indexDescription).numberOfChildren() > 0) {
213             XMLTree description = item.child(indexDescription);
214             out.print("<td>");
215             if (indexLink >= 0) {
216                 XMLTree link = item.child(indexLink);
217                 out.print("<a href=\"" + link.child(0).label() + "\">");
218             }
219             out.println(description.child(0).label() + "</a></td>");
220         } else {
221             out.print("<td>No title available</td>");
222         }
223 
224         out.println("</tr>");
225     }
226 
227     /**
228      * Processes one XML RSS (version 2.0) feed from a given URL converting it
229      * into the corresponding HTML output file.
230      *
231      * @param url
232      *            the URL of the RSS feed
233      * @param file
```

```
234      *            the name of the HTML output file
235      * @param out
236      *            the output stream to report progress or errors
237      * @updates out.content
238      * @requires out.is_open
239      * @ensures <pre>
240      * [reads RSS feed from url, saves HTML document with table of news items
241      *   to file, appends to out.content any needed messages]
242      * </pre>
243      */
244     private static void processFeed(String url, String file, SimpleWriter out) {
245         SimpleWriter gen = new SimpleWriter1L(file);
246
247         XMLTree xml = new XMLTree1(url);
248         XMLTree channel = xml.child(0);
249
250         outputHeader(channel, gen);
251         // process item
252         for (int i = 0; i < channel.numberOfChildren(); i++) {
253             if (channel.child(i).label().equals("item")) {
254                 XMLTree item = channel.child(i);
255                 processItem(item, gen);
256             }
257         }
258         outputFooter(gen);
259     }
260
261     /**
262      * Main method.
263      *
264      * @param args
265      *            the command line arguments; unused here
266      */
267     public static void main(String[] args) {
268         SimpleReader in = new SimpleReader1L();
269         SimpleWriter out = new SimpleWriter1L();
270
271         /*
272          * Input the source URL.
273          * http://web.cse.ohio-state.edu/software/2221/web-sw1/assignments/
274          * projects/rss-aggregator/feeds.xml
275          */
276         out.print(
277                 "Enter an XML file containing a list of URLs for RSS v2.0 feeds: ");
278         String url = in.nextLine();
279         XMLTree feeds = new XMLTree1(url);
280
281         /*
282          * Asks user for the name of an output file including the .html
283          * extension.
284          */
285         out.print("Please enter the name of an output file: ");
286         String outFile = in.nextLine();
287         SimpleWriter file = new SimpleWriter1L(outFile);
288
289         file.println("<html>");
290         file.println("<head>");
```

```
291         file.println("<title>" + feeds.attributeValue("title") + "</title>");
292         file.println("<body>");
293         file.println("<h2>" + feeds.attributeValue("title") + "</h2>");
294         file.println("<ul>");
295 
296         // item tag and its children
297         for (int i = 0; i < feeds.numberOfChildren(); i++) {
298             XMLTree feed = feeds.child(i);
299             String feedUrl = feed.attributeValue("url");
300             String feedFile = feed.attributeValue("file");
301             String feedName = feed.attributeValue("name");
302             file.println("<li><a href=\"" + feedFile + "\">" + feedName
303                     + "</a></li>");
304             processFeed(feedUrl, feedFile, file);
305         }
306 
307         file.println("</ul>");
308         file.println("</body>");
309         file.println("</html>");
310 
311         // feeds.display();
312 
313         in.close();
314         out.close();
315     }
316 
317 }
```