

04. Cancer Stages

Introduction

Cancer staging describes how much cancer is present in the body, where it is located, whether it has spread, and how advanced it is. Determining the stage of cancer helps healthcare providers select the most appropriate treatment and estimate the likely outcome.

What is Cancer Staging?

Cancer staging is the process of determining:

- The size of the tumor
- Whether nearby lymph nodes are involved
- Whether cancer has spread to other organs
- The extent of disease throughout the body

Doctors use staging information to develop personalized treatment plans and monitor treatment progress.

Why is Staging Important?

Cancer staging helps doctors:

- Select the most effective treatment
 - Determine whether surgery is appropriate
 - Decide if chemotherapy or radiation therapy is needed
 - Estimate prognosis and survival
 - Monitor treatment response
 - Compare treatment outcomes among patients
-

TNM Staging System

Many cancers use the TNM staging system.

T – Tumor

Describes the size and extent of the primary tumor.

- T0 – No evidence of primary tumor
- T1–T4 – Increasing tumor size and local spread

N – Nodes

Indicates whether cancer has spread to nearby lymph nodes.

- N0 – No lymph node involvement
- N1–N3 – Increasing lymph node involvement

M – Metastasis

Shows whether cancer has spread to distant organs.

- M0 – No distant spread
 - M1 – Cancer has spread to distant organs
-

Stage 0 (Carcinoma in Situ)

Stage 0 means abnormal cells are present but have not invaded nearby tissues.

Characteristics:

- Earliest stage
- Non-invasive
- Highly treatable
- Excellent prognosis

Common treatments include surgery or localized therapy.

Stage I

Stage I cancer is usually small and confined to its original location.

Characteristics:

- Localized tumor
- No distant spread
- Few or no lymph nodes involved
- High chance of cure

Treatment may include:

- Surgery
 - Radiation therapy
 - Sometimes chemotherapy
-

Stage II

Stage II cancer is larger than Stage I or has spread to nearby lymph nodes.

Characteristics:

- Larger tumor
- Limited lymph node involvement
- No distant metastasis

Treatment often includes:

- Surgery
 - Chemotherapy
 - Radiation therapy
 - Targeted therapy in selected cases
-

Stage III

Stage III cancer has spread to nearby tissues or several lymph nodes but not distant organs.

Characteristics:

- Locally advanced disease
- Higher risk of recurrence
- Requires combined treatment

Treatment options include:

- Surgery
 - Chemotherapy
 - Radiation therapy
 - Immunotherapy (for selected cancers)
-

Stage IV (Metastatic Cancer)

Stage IV means cancer has spread to distant organs such as:

- Liver
- Lungs
- Brain
- Bones

Symptoms may include:

- Severe fatigue
- Pain
- Weight loss
- Organ-specific symptoms

Treatment focuses on:

- Controlling disease
- Improving quality of life
- Reducing symptoms
- Extending survival

Common treatments:

- Chemotherapy
- Immunotherapy
- Targeted therapy
- Hormone therapy
- Palliative care

Cancer Grade vs Cancer Stage

Cancer Grade

Grade describes how abnormal cancer cells look under a microscope.

- Low Grade – Slow growing
- Intermediate Grade

- High Grade – Fast growing

Cancer Stage

Stage describes how far cancer has spread.

Both grade and stage are important for planning treatment.