


exp_8.c > C exp1.c > main()

```
1  #include <stdio.h>
2
3  int main()
4  {
5      FILE *fp;
6      char text[100];
7
8      fp = fopen("sample.txt", "a");
9      if (fp == NULL)
10     {
11         printf("Error opening file!");
12         return 1;
13     }
14
15     printf("Enter text: ");
16     fgets(text, sizeof(text), stdin);
17
18     fputs(text, fp);
19     fclose(fp);
20
21     printf("File written successfully!");
22     return 0;
23 }
24
```



File handling

Q. Write a program to create a new file and write text in it

```
#include <stdio.h>
```

```
int main()
```

```
{ FILE * fp ;
```

```
  char text[100];
```

```
  fp = fopen("output.txt", "a");
```

```
  if (fp == NULL)
```

```
  { printf("Error opening file!");
```

```
    return 1;
```

```
  }
```

```
  printf("Error opening file!");
```

```
  return 1;
```

```
}
```

```
printf("Enter text: ");
```

```
fgets(text, sizeof(text), stdin);
```

```
fputs(text, fp);
```

```
fclose(fp);
```

```
printf("file written successfully!");
```

```
return 0;
```

```
}
```



```
1  #include <stdio.h>
2
3  int main()
4  {
5      FILE *fp;
6      char ch;
7
8      fp = fopen("sample.txt", "r");
9
10     if (fp == NULL)
11     {
12         printf("Could not open the file.\n");
13         return 1;
14     }
15
16     printf("File content:\n");
17     while ((ch = fgetc(fp)) != EOF)
18     {
19         printf("%c", ch);
20     }
21
22     fclose(fp);
23
24     return 0;
25 }
26
```


Open an existing file and read its content character by character and then close the file.

```
#include <stdio.h>
```

```
int main()
```

```
{ FILE * fp;
```

```
  char ch;
```

```
  fp = fopen("Output text", "r");
```

```
  if (fp == NULL)
```

```
  { printf("Could not open the file.\n");
```

```
    return 1;
```

```
}
```

```
printf("File content: \n");
```

```
while((ch = fgetc(fp)) != EOF)
{
    printf("%c", ch);
}
fclose(fp);
return 0;
}
```



```
1  #include <stdio.h>
2
3  int main()
4  {
5      FILE *fp;
6      char line[200];
7
8      fp = fopen("sample.txt", "r");
9
10     if (fp == NULL)
11     {
12         printf("Could not open the file.\n");
13         return 1;
14     }
15
16     printf("File content:\n");
17     while (fgets(line, sizeof(line), fp) != NULL)
18     {
19         printf("%s", line);
20     }
21
22     fclose(fp);
23
24     return 0;
25 }
26
```



myfile.txt



File

Edit

View

H1 ▾



B

I



Writing in this file for c files, experiment 9
This is experiment 9, question 3 of programming in c.

Ln 3, Col 1

101 characters

Plain text

100%

Wind

Q. Open a file and read its content line by line and display each line

```
#include <stdio.h>
```

```
int main ()
```

```
{ FILE * fp;
```

```
  char line[200];
```

```
  fp = fopen("output.txt", "r");
```

```
  if (fp == NULL)
```

```
  { printf("could not open the file.\n");
```

```
    return 1;
```

```
  }
```

```
  printf("File Content:\n");
```

```
  while (fgets(line, sizeof(line), fp) != NULL)
```

```
  { printf("%s", line);
```

```
  }
```

```
  fclose(fp);
```

```
  return 0;
```