

S3 Management Console

s3.console.aws.amazon.com/s3/buckets?region=us-east-1&region=us-east-1

Amazon S3 Buckets

**Account snapshot**  
Storage lens provides visibility into storage usage and activity trends. [Learn more](#)

[View Storage Lens dashboard](#)

**Buckets (1)** [Info](#)  
Buckets are containers for data stored in S3. [Learn more](#)

[Refresh](#) [Copy ARN](#) [Empty](#) [Delete](#) [Create bucket](#)

	Name	AWS Region	Access	Creation date
<input type="radio"/>	v-b-1	US East (N. Virginia) us-east-1	Objects can be public	March 21, 2023, 01:19:39 (UTC+05:30)

Feedback Language © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences

S3 bucket

s3.console.aws.amazon.com/s3/bucket/create?region=us-east-1

Amazon S3 Buckets Create bucket

**Create bucket** [Info](#)  
Buckets are containers for data stored in S3. [Learn more](#)

**General configuration**

Bucket name  
  
Bucket name must be globally unique and must not contain spaces or uppercase letters. See rules for bucket naming



AWS Region



Copy settings from existing bucket - optional  
Only the bucket settings in the following configuration are copied.  
[Choose bucket](#)

**Object Ownership** [Info](#)  
Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

☒ ACLs disabled (recommended) ☐ ACLs enabled

Feedback Language © 2023, Amazon Web Services India Private Limited or its affiliates. Privacy Terms Cookie preferences







react-b - S3 bucket

(2) WhatsApp

s3.console.aws.amazon.com/s3/buckets/react-b?region=us-east-1&tab=permissions

Amazon S3

Buckets

Access Points

Object Lambda Access Points

Multi-Region Access Points

Batch Operations

IAM Access Analyzer for S3

Block Public Access settings for this account

Storage Lens

Dashboards

AWS Organizations settings

Feature spotlight

AWS Marketplace for S3

Amazon S3 > Buckets > react-b

react-b

Publicly accessible

ObjectsPermissionsMetricsManagementAccess Points

Permissions overview

Access

Public

Block public access (bucket settings)

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to all your S3 buckets and objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to your buckets or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

Edit

Block all public access

Off

FeedbackLanguage

© 2023, Amazon Web Services India Private Limited or its affiliates. PrivacyTermsCookie preferences

react-b - S3 bucket

(2) WhatsApp

s3.console.aws.amazon.com/s3/buckets/react-b?region=us-east-1&tab=properties

Amazon S3

Buckets

Access Points

Object Lambda Access Points

Multi-Region Access Points

Batch Operations

IAM Access Analyzer for S3

Block Public Access settings for this account

Storage Lens

Dashboards

AWS Organizations settings

Feature spotlight

AWS Marketplace for S3

Amazon S3 > Buckets > react-b

react-b

Publicly accessible

ObjectsPropertiesPermissionsMetricsManagementAccess Points

Bucket overview

AWS Region

US East (N. Virginia) us-east-1

Amazon Resource Name (ARN)

arn:aws:s3::react-b

Creation date

March 22, 2023, 19:18:53 (UTC+05:30)

Bucket Versioning

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

Edit

Bucket Versioning



Enabled

Multi-factor authentication (MFA) delete

An additional layer of security that requires multi-factor authentication for changing Bucket Versioning settings and permanently deleting object versions. To modify MFA delete settings, use the

FeedbackLanguage

© 2023, Amazon Web Services India Private Limited or its affiliates. PrivacyTermsCookie preferences



S3 Management Console

WhatsApp

GitHub - snehal-herovired/Dev...

s3.console.aws.amazon.com/s3/upload/react-b?region=us-east-1

GmailYouTubeMapsNewsRed Hat AcademyV CSE AMail - 20A91A0552...Course Modules: A...Amazon - Home...Developer Trailmix...heroviredOnVUE

ServicesSearch[Alt+S]

Amazon S3> Buckets> react-b> Upload

## Upload

Info

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDK or Amazon S3 REST API. [Learn more](#)

Drag and drop files and folders you want to upload here, or choose [Add files](#), or [Add folders](#).

Files and folders (15 Total, 546.1 KB)

RemoveAdd filesAdd folder

All files and folders in this table will be uploaded.

Find by name< 1 2 >

<input type="checkbox"/>	Name	Folder	Type	Size
<input type="checkbox"/>	787.d3befce1.chunk.js	build/static/js/	text/javascript	4.5 KB
<input type="checkbox"/>	787.d3befce1.chunk.js.map	build/static/js/	-	10.3 KB
<input type="checkbox"/>	asset-manifest.json	build/	application/json	605.0 B
<input type="checkbox"/>	favicon.ico	build/	image/x-icon	3.8 KB
<input type="checkbox"/>	index.html	build/	text/html	644.0 B
<input type="checkbox"/>	logo.6ce24c58023cc2f8fd88fe9d219db6c6.svg	build/static/media/	image/svg+xml	2.6 KB
<input type="checkbox"/>	logo192.png	build/	image/png	5.2 KB
<input type="checkbox"/>	logo512.png	build/	image/png	9.4 KB
<input type="checkbox"/>	main.073c9b0a.css	build/static/css/	text/css	1.0 KB

FeedbackLanguage

© 2023, Amazon Web Services India Private Limited or its affiliates. PrivacyTermsCookie preferences

S3 Management Console

(1) WhatsApp

GitHub - snehal-herovired/Dev...

s3.console.aws.amazon.com/s3/upload/react-b?region=us-east-1

GmailYouTubeMapsNewsRed Hat AcademyV CSE AMail - 20A91A0552...Course Modules: A...Amazon - Home...Developer Trailmix...heroviredOnVUE

ServicesSearch[Alt+S]

Amazon S3> Buckets> react-b> Upload

<input type="checkbox"/>	787.d3befce1.chunk.js.map	build/static/js/	-	10.3 KB
<input type="checkbox"/>	asset-manifest.json	build/	application/json	605.0 B
<input type="checkbox"/>	favicon.ico	build/	image/x-icon	3.8 KB
<input type="checkbox"/>	index.html	build/	text/html	644.0 B
<input type="checkbox"/>	logo.6ce24c58023cc2f8fd88fe9d219db6c6.svg	build/static/media/	image/svg+xml	2.6 KB
<input type="checkbox"/>	logo192.png	build/	image/png	5.2 KB
<input type="checkbox"/>	logo512.png	build/	image/png	9.4 KB
<input type="checkbox"/>	main.073c9b0a.css	build/static/css/	text/css	1.0 KB
<input type="checkbox"/>	main.073c9b0a.css.map	build/static/css/	-	1.5 KB

### Destination

Destination

s3://react-b

► Destination details

Bucket settings that impact new objects stored in the specified destination.

► Permissions

Grant public access and access to other AWS accounts.

► Properties

Specify storage class, encryption settings, tags, and more.

CancelUpload

FeedbackLanguage

© 2023, Amazon Web Services India Private Limited or its affiliates. PrivacyTermsCookie preferences

