			THE RESERVE THE PARTY OF THE PA
W	nat is the use of underscore	variable in REPL session in Node.js?	2/2
	it is used to store the result.		
)	It is used to get the last command used.		
	It is used to get the last result.		
)	None of the above.		
. W	hich of the following is a GU	II-based debugging tool for Node.js?	2/2
0	Core node debugger	Co	
C	Console		
0	REPL		
•	Node Inspector		
1	Ei 💼 🍪		29°C ^

11/8/2023

earch

3	. Which of the foll	Owing mother		PERSONAL PROPERTY.	THE PARTY OF THE P	
		owing method can	append specified c	ontent to a fil	e? 2/2	
	fs.appendFile()					
(	Signal of the state of the stat					
,	fs.writeFile()					
	None of the above.					
	4. Which of the fo	llowing platforms d	oes Node.js suppor	1?	2/2	
	O Windows					
	O Macintosh	D .				
	O Unix/Linux					
	All of the above.					
	5. Which of the f	ollowing method is	used to compare the	e placement o	f 2/2	
sea	rch	Ħ <b>6</b> 6	e e 🧰 🔞 🧿	) ) ? 2	≥ 29°C ✓	10:19 PM 11/8/2023

11/8/2023

	nich of the following method is used to compare the placement of 2/2 nodes in the DOM hierarchy (document)?
0	loneNode()
•	compareDocumentPosition()
0	etFeature()
0	getUserData()
6. V	hich of the following is the correct syntax to initiate the Node.js File? 2/2
0	ilename.js
0	avascript filename.js
•	node filename.js
0	node filename

7. Which of the following route parameter formats are valid?	2/2	
(books/!:from-:to		
/flights/:from-:to		
/users/:userId/books/:bookId		
None of the above.		
8. A record in MongoDB is a	2/2	
Document		
O Table		
○ Application		
None of the mentioned above		
9. The Collections screen the existing collections.	2/2	
rch 🚁 🛱 💼 🍩 💼 🚥 🧿 🦪 🗘		10:19 PM 11/8/2023

2/2 9. The Collections screen \_\_\_ the existing collections. Lists Package Network None of the mentioned above 10. A document is a set of \_\_\_\_. 2/2 Key-value pairs 10 Application pairs Activity pair set None of the mentioned above







































Amongst which of the following is / are the client and user uthentication mechanisms in MongoDB.	2/2
SCRAM-SHA-1	
MongoDB Challenge and Response (MONGODB-CR)	
Both A. and B.	
None of the mentioned above	
2. Amongst which of the following is / are show the need of MongoDB	2/2
echnology –	
echnology – Option I	
Option 1	
Option I  Exceptional scalability feature	

earch 📑 📋 🍪 🧰 🕲 🧰 🚾 🗘 29°C ^ @ 🖫 🕬 10:19 PM

.3. The document structure is more in line with how developers construction.	rt 2/2
Network and security	
Classes and objects	
Tables and relations	
None of the mentioned above	
4. MongoDB supports searching by	2/2
○ Field	
○ Range queries	
Regular expression searches	
All of the mentioned above	

10:20 PM 11/8/2023

29℃ へ @ 밑 切

earch

15. Which of the following are the core features of the Express framework?	2/2			
O It allows us to set up middleware to respond to HTTP Requests.				
It defines a routing table that can work as per HTTP Method and URL				
It is used to render the HTML pages dynamically.				
All of the above.				
16. What is the way to store local variables that can be accessed within the application?  Using Config file Using database  Using applocals  Using app storage	2/2			
☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	9°C ^ @ 밑 (1)			

arch

































17. Where are the captured values populated regarding the route 2/2 parameters? req.data app.locals req.params All of the above 18. How is it possible to create chainable route handlers for a route path 2/2 in Express.js? Using app.route() Using app.routes() Using app.router() Using app.routing()

































