PES University, Bengaluru (Established under Karnataka Act No. 16 of 2013)

UE20CS101

APRIL 2021: IN SEMESTER ASSESSMENT B Tech 1 SEMESTER CHEMISTRY CYCLE

UE20CS101 (4 credit subject) - Python for Computational Problem Solving

		Time: 3 Hrs	Answer All	Questions	Max Marks: 100		
1	a)	 Evaluate the following expressions: i) print(4 / 2 ** 3) ii) a = 7; b = 2; print(a >> b << b) iii) print(~~~3 ** 2) iv) print(1,2 in [1,2,3,4,5]) v) a = 3; b = 4; print(a and b) 					
	b)	Write a program using control structures to print the following pattern: 4 3 4 2 3 4 1 2 3 4					
	c)	That is, one thous Python program. ii) The binary number iii) identifier line and L iv) if Statement may co	a comma can be used in numerical literal values greater than 999. one thousand can be represented as either 1,000 or 1000 within a			5	
	d)	<pre>What is the output? i) i = 0 while i<3: print(i,end = ' ') i++ print(i+1) iii) x = "abcdef" i = "a" while i in x: x = x[:-1] print(i, end = " ")</pre>	i	ii) i = 2 while True: if i%3 == 0: break print(i) i += 2		4	
2	a)	Write a program to find the frequency of words in a given string using dictionary. Example: string = "how much wood would a wood chuck chuck if a wood chuck could chuck wood" output: {'how': 1, 'much': 1, 'wood': 4, 'would': 1, 'a': 2, 'chuck': 4, 'if': 1, 'could': 1}			6		

```
What is the output for the following?
                                                                                                        8
                                                                                                      (2+2+
                                                             ii)
                                                                                                      1+1+2
        s = '12 345'
                                                             s = [ 'ab', 'cd']
                                                                                                        )
        for ch in s.split(' ')[::-1]:
                                                             for i in s:
           print(ch, end = ',')
                                                                  i.upper()
                                                                  print( i , end = ' ')
        iii) s1 = \{2,4,6\}; s2 = \{6,8,10\}; print(s2 - s1)
        iv) a = [3,5,7]; b = a; a[0] = 2; print(b)
        for i in ".join(sorted(list('python'))):
           print (i,end =',')
        Write a function that returns all prime numbers between 2 to n
    c)
                                                                                                        6
3
        Write a program to find the GCD (Greatest Common Divisor) of two numbers using
   a)
                                                                                                        6
        recursion.
   b)
        Read the contents of a file and display the frequency of a given word in the file
                                                                                                        6
        Example: word = 'chuck'
        Output: 'chuck' occurs 3 times in the file
        What is the output?
    c)
                                                                                                       2+2
        def outer(n):
                def inner(x):
                        nonlocal n
                        n += 1
                        return n*x
                return inner
        d = outer(2)
        r = d(3)
        print(r)
        ii)
        def fn(x,y=[]):
           y.append(x)
           return y
        print(fn(2,[3,4]))
        i) Explain with example the syntax of the button function in the tkinter module.
                                                                                                        4
        ii) Differentiate between pack and grid methods to place widgets in the tkinter
        window. Demonstrate with examples.
        i) Generate a list of even numbers between 7 and 50 that are divisible by 7
4
   a)
                                                                                                        6
                                                                                                      (2+2+
                                                                                                        2)
        ii) what is the output of the following snippets of code?
        a)
        li=[1, -2, -3, 4, 5]
        def fn(x):
            return x<2
        m=filter(fn, li)
        print(list(m))
```

		b) print(list(map((lambda x:x^2), range(5))))			
-	b)	Write a user defined function to mimic reduce and use it to find the shortest string from a list of strings strings = ['this', 'is', 'the', 'endgame']			
		output: 'is'			
-	c)	What is the output of the following? what does the function generate? def example():			
		n1,n2=0,1			
		while True:			
		yield n1			
		n1,n2=n2,n1+n2 e = example () for i in range(5):			
		print(next(e))			
	d)	 Write a test function that checks if the return value of a given function is a string and displays an appropriate error message. 			
		ii) write the command to run a test file from the terminal / command prompt			
		.,			
5	a)	· · · · · · · · · · · · · · · · · · ·			
		have attributes such as limit : maximum number of plates in a stack (consider the limit as 10) and plate_stack : which is a list of plate id's in the stack. A stack follows the principle of Last in - First out.			
		Implement the following methods: add2stack: that adds a number(id) of a plate to the top (end) of the stack and also indicates that the stack is full if there are already 10 plates in the stack and popStack: that removes one plate from the top (end) of the stack and indicate if the stack is empty and there are no more plates to remove from the stack.			
	b)	i) Differentiate between inheritance and object composition.	6 (2+2+		
		ii) What is the output of the following codes? a) b)			
		class A: class Phone:			
		definit(self,n): definit(self,n):			
		self.num1 = n self.num = n			
		class B(A): self.service = 'Airtel'			
		definit(self): class Person:			
		self.num2 = 1 definit(self,name):			
		self.a = A(3) self.name = name			
		obj = B() self.ph = Phone(9855886601)			
		print(len(objdict))			
		print(len(persondict))			
	c)	Write a program that allows the user to enter 10 non-zero numbers, entering one	6		
	٠,	number at a time. Write a user defined exception that is raised if the user enters 0			
		(zero).			