



10	9	8	7	6	5		4		3		2		1
	PARTS ハウジング HOUSING ハートカム HEART CAM ターミナル TERMINAL	HEAT F	り耐熱樹脂(LCP), ULS	94V-0 色:黒 R (LCP),UL94V-0,	BLACK 接点部 CONTA 下地 UNDER	FINIS -// : 金メッ CT AREA : G : ニッケ PLATING : N	ー キ 0.5 Hm N OLD 0.5 H ルメッキ 1.0 H ICKEL 1.0 Hr	m MIN. µm MIN. m MIN.					
	ディテクトネイル DETECT NAIL スイッチネイル SWITCH NAIL	1 銅合金 COPPER 1 銅合金 COPPER			SOLDE 接点部 CONTA 下地 UNDER 接点部 CONTA	部:錫メッキRAREA :TELLER : 金メッ CTAREA :GELLER : ニッケ PLATING :NELLER : 金メッ CTAREA :GELLER : ニッケ PLATING :NELLER :	* 0.2 Hm N OLD 0.2 H ルメッキ 1.0 H ICKEL 1.0 Hr * 0.2 Hm N OLD 0.2 H ルメッキ 1.0	n MIN. IIN. m MIN. Vm MIN. n MIN. IIN. m MIN.					
	メタルシェル METAL SHELL ピン PIN スプリング	1 ステンレ STAINLE	RSS STEEL ス鋼 ESS STEEL		SOLDE 全面 ALLOV 部分金。 SELEC	部 : 錫メッキ R AREA : T : ニッケ ER : NICKEL ッキ 0.02 μm TIVE GOLD 0.0 -//	IN 1.0 Hm ルメッキ 0.5 0.5 Hm MIN. MIN. 12 Hm MIN.	n MIN.					
	SPRING	SWP		6/02 6/06	GENERAL TOL (UNLESS SPE	ERANCES		ISION STYLE	SCA		SN UNITS		D ANGLE JECTION
				1/SED 1/OSED 1/O	.25 OVER 0.5 U .5 OVER 1.0 U	PPLICABLE 1AIN	DRAWN BY JUNH. CHECKED BY K.TOYOTA APPROVED B' N.UKITA MATERIAL NO SEE SIZE THIS	2007// DATE 2007// Y DATE 2007// SHEET	E TITLE 07/29 E 07/29 E 07/29 DOCUME 1 DOCUME	MICRO ENT NO. SD-5 RMATION THAT	SD CON MO O2774-0 Is propriet; USED WITHOU	ex 01 ary to molex	RSE SHEET N 2 OF
b_frame_A3_J_ME_S Rev J 2015/09/01	9	8	7	6	5	CNIOICA	4		3	.5525 NOT BE	2		1

