



planetmath.org

Math for the people, by the people.

convergence of integrals

Canonical name	ConvergenceOfIntegrals
Date of creation	2013-03-22 18:59:51
Last modified on	2013-03-22 18:59:51
Owner	pahio (2872)
Last modified by	pahio (2872)
Numerical id	9
Author	pahio (2872)
Entry type	Example
Classification	msc 40A10
Related topic	UniformConvergenceOfIntegral
Related topic	LogarithmicIntegral2
Related topic	ListOfImproperIntegrals
Related topic	SubstitutionNotation
Related topic	ONotation
Defines	convergent integral
Defines	divergent integral

Similarly as one speaks of convergence of series, one can speak of *convergence of integrals*, especially of Riemann integrals

$$\int_I f(t) dt.$$

This integral is *convergent*, if it exists, and otherwise *divergent*. One can also speak of *absolute convergence of integrals*.

**Example.** Study the convergence of the integral

$$\int_1^2 \frac{dx}{(\ln x)^c} \quad (1)$$

where  $c$  is a real constant.

According to the logarithm series, we may write for  $1 < x < b$ , where  $b$  is sufficiently close to 1, the estimations

$$\ln(x-1) = x-1 + O((x-1)^2) = (x-1)[1 + O(x-1)] \begin{cases} \leq 2(x-1), \\ \geq \frac{1}{2}(x-1). \end{cases}$$

Let  $1 < a < b$ .

1°. For  $c > 1$ :

$$\begin{aligned} \int_a^b \frac{dx}{(\ln x)^c} &\geq \int_a^b \frac{dx}{2^c(x-1)^c} = -\frac{1}{2^c} \Big/_{x=a}^b \frac{1}{(c-1)(x-1)^{c-1}} \\ &= \frac{1}{2^c(c-1)} \left[ \frac{1}{(a-1)^{c-1}} - \frac{1}{(b-1)^{c-1}} \right] \rightarrow \infty \quad \text{as } a \rightarrow 1+ \end{aligned}$$

2°. For  $c = 1$ :

$$\begin{aligned} \int_a^b \frac{dx}{\ln x} &\geq \int_a^b \frac{dx}{2(x-1)} = \frac{1}{2} \Big/_{x=a}^b \ln(x-1) \\ &= \frac{1}{2} [\ln(b-1) - \ln(a-1)] \rightarrow \infty \quad \text{as } a \rightarrow 1+ \end{aligned}$$

3°. For  $c < 1$ :

$$\begin{aligned} 0 < \int_a^b \frac{dx}{(\ln x)^c} &\leq \int_a^b \frac{2^c dx}{(x-1)^c} = 2^c \Big/_{x=a}^b \frac{x^{1-c}}{1-c} \\ &= \frac{2^c}{1-c} [(b-1)^{1-c} - (a-1)^{1-c}] \rightarrow \frac{2^c}{1-c} (b-1)^{1-c} \quad \text{as } a \rightarrow 1+ \end{aligned}$$

Consequently, the integral  $\int_a^b \frac{dx}{(\ln x)^c}$ , and thus also (1), converges if and only if  $c < 1$ .