

planetmath.org

Math for the people, by the people.

summation by parts

Canonical name SummationByParts
Date of creation 2013-03-22 16:28:10
Last modified on 2013-03-22 16:28:10

Owner rm50 (10146) Last modified by rm50 (10146)

Numerical id 8

 $\begin{array}{lll} \text{Author} & \text{rm}50 \text{ } (10146) \\ \text{Entry type} & \text{Theorem} \\ \text{Classification} & \text{msc } 40\text{A}05 \\ \text{Classification} & \text{msc } 40\text{D}05 \end{array}$

Synonym partial summation

The following corollaries apply Abel's lemma to allow estimation of certain bounded sums:

Corollary 1 (Summation by parts)

Let $\{a_i\}$, $\{b_i\}$ be sequences of complex numbers. Suppose the partial sums of the a_i are bounded in magnitude by h, that $\sum_{0}^{\infty} |b_i - b_{i+1}|$ converges, and that $\lim_{i \to \infty} b_i = 0$. Then $\sum_{0}^{\infty} a_i b_i$ converges, and

$$\left| \sum_{i=0}^{\infty} a_i b_i \right| \le h \sum_{i=0}^{\infty} |b_i - b_{i+1}|$$

Proof. By Abel's lemma,

$$\sum_{i=0}^{N} a_i b_i = \sum_{i=0}^{N-1} A_i (b_i - b_{i+1}) + A_N b_N$$

so that

$$\left| \sum_{i=0}^{N} a_i b_i \right| = \left| \sum_{i=0}^{N-1} A_i (b_i - b_{i+1}) + A_N b_N \right| \le \sum_{i=0}^{N-1} |A_i (b_i - b_{i+1})| + |A_N b_N|$$

$$\le h \sum_{i=0}^{N-1} |b_i - b_{i+1}| + h |b_N|$$

The condition that the $b_i \to 0$ is easily seen to imply that the sequence $\left|\sum_{i=0}^{N} a_i b_i\right|$ is Cauchy hence convergent, so that

$$\left| \sum_{i=0}^{\infty} a_i b_i \right| \le h \sum_{i=0}^{\infty} |b_i - b_{i+1}|$$

since $b_N \to 0$.

Corollary 2 (Summation by parts for real sequences)

Let $\{a_i\}$ be a sequence of complex numbers. Suppose the partial sums are bounded in magnitude by h. Let $\{b_i\}$ be a sequence of decreasing positive real numbers such that $\lim_{i\to\infty} b_i = 0$. Then $\sum_{1}^{\infty} a_i b_i$ converges, and $|\sum_{1}^{\infty} a_i b_i| \le hb_1$.

Proof. This follows immediately from the above, since $|b_i - b_{i+1}| = b_i - b_{i+1}$.