```
<template>
 <div>
    <scale-modal
      size="large"
      :opened="isModalOpen"
      @scaleClose="filterModalClose($event)"
      heading="Filter"
      <div>
        <scale-button variant="ghost" @click="resetFilters($event)">
          Alle Filter zurücksetzen
        </scale-button>
      </div>
      <scale-accordion icon-location="left" class="hydrated">
        <!-- Status -->
        <scale-collapsible id="status">
          <span slot="heading" style="display: flex; align-items: center"</pre>
            >Status<span
              style="
                display: flex;
                flex-grow: 1;
                justify-content: space-between;
                align-items: center;
              <scale-tag label="status" :data-selected="filterBy.sent.checked"</pre>
? true : undefined">{{
                getCount("status")
              }}</scale-tag>
              <scale-button variant="ghost" @click="resetStatus($event)">
                Filter zurücksetzen
              </scale-button>
            </span>
          </span>
          <scale-checkbox
            id="gesendet"
            label="gesendet"
            name="gesendet"
            :checked="filterBy.sent"
            @scale-change="filterBy.sent = $event.detail.checked"
          />
        </scale-collapsible>
        <!-- Benachrichtigungstyp -->
        <scale-collapsible id="benachrichtigungstyp">
          <span slot="heading" style="display: flex; align-items: center"</pre>
            >Benachrichtigungstyp<span
              style="
                display: flex;
                flex-grow: 1;
```

```
align-items: center;
            >
              <scale-tag
                label="benachrichtigungstyp"
                :data-selected="filterBy.checked ? true : undefined"
                >{{ getCount("benachrichtigungstyp") }}</scale-tag</pre>
              <scale-button
                slot="action"
                variant="ghost"
                @click="resetBenachrichtigungstyp($event)"
                Filter zurücksetzen
              </scale-button></span
            ></span
          >
          <scale-checkbox
            label="Informations-Email"
            name="Informations-Email"
            id="informationsemail"
            :checked="filterBy.info"
            @scale-change="filterBy.info = $event.detail.checked"
          />
          <scale-checkbox
            label="Maßnahmen-Email"
            name="Maßnahmen-Email"
            id="massnahmenemail"
            :checked="filterBy.measure"
            @scale-change="filterBy.measure = $event.detail.checked"
          />
        </scale-collapsible>
        <!-- Termin/-serie -->
        <scale-collapsible id="termin">
          <span slot="heading" style="display: flex; align-items: center"</pre>
            >Termin/-serie<span
              style="
                display: flex;
                flex-grow: 1;
                justify-content: space-between;
                align-items: center;
              <scale-tag label="countTermin" :data-selected="filterBy.checked"</pre>
? true : undefined">{{
                getCount("termin")
              }}</scale-tag>
              <scale-button
                slot="action"
```

justify-content: space-between;

```
@click="resetTermin($event)"
                style="align-items: flex-end"
                Filter zurücksetzen
              </scale-button></span
            ></span
          <scale-checkbox
            label="Sofortversand"
            name="Sofortversand"
            id="sofortversand"
            :checked="filterBy.immediate"
            @scale-change="filterBy.immediate = $event.detail.checked"
          />
          <scale-checkbox
            label="Termin"
            name="Termin"
            id="termin"
            :checked="filterBy.deadline"
            @scale-change="filterBy.deadline = $event.detail.checked"
          />
          <scale-checkbox
            label="Terminserie"
            name="Terminserie"
            id="terminserie"
            :checked="filterBy.series"
            @scale-change="filterBy.series = $event.detail.checked"
          />
        </scale-collapsible>
        <!-- Betreff -->
        <scale-collapsible id="betreff">
          <span slot="heading" style="display: flex; align-items: center"</pre>
            >Betreff<span
              style="
                display: flex;
                flex-grow: 1;
                justify-content: space-between;
                align-items: center;
              <scale-tag
                label="countBetreff"
                :data-selected="filterBy.checked ? true : undefined"
                >{{ getCount("betreff") }}</scale-tag
              <scale-button slot="action" variant="ghost"</pre>
@click="resetBetreff($event)">
                Filter zurücksetzen
              </scale-button></span
```

variant="ghost"

```
></span
          <div class="row withMarginBottom" style="margin-left: 0px; margin-</pre>
right: 0px">
            <div class="col-1-3">
               <scale-dropdown-select
                 ref="subjectSelect"
                 label="Vergleichsstrategie:"
                 :data-selected="filterBy.subjectCompare"
                 @scale-change="filterBy.subjectCompare = $event.detail.value"
                 <scale-dropdown-select-item value=""></scale-dropdown-select-</pre>
item>
                 <scale-dropdown-select-item value="gleich">Gleich</scale-</pre>
dropdown-select-item>
                 <scale-dropdown-select-item value="ungleich">Ungleich</scale-</pre>
dropdown-select-item>
                 <scale-dropdown-select-item value="enthaelt">Enthält</scale-</pre>
dropdown-select-item>
                 <scale-dropdown-select-item value="nichtenthaelt"</pre>
                   >Enthält nicht</scale-dropdown-select-item
                 <scale-dropdown-select-item value="beginntmit"</pre>
                   >Beginnt mit</scale-dropdown-select-item
                 <scale-dropdown-select-item value="beginntnichtmit"</pre>
                   >Beginnt nicht mit</scale-dropdown-select-item
                 <scale-dropdown-select-item value="endetmit">Endet mit</scale-</pre>
dropdown-select-item>
               </scale-dropdown-select>
            </div>
            <div class="col-1-9">
               <scale-text-field
                 label="Vergleichswert"
                 placeholder="WebApp"
                 input-mode-type="vergleichswert"
                 ref="subjectInput"
                 input-id="Vergleichswert"
                 :data-selected="filterBy.subjectValue"
                 @scale-change="filterBy.subjectValue = $event.detail.value"
               ></scale-text-field>
            </div>
          </div>
        </scale-collapsible>
        <!-- Inhalt -->
        <scale-collapsible>
          <span slot="heading" style="display: flex; align-items: center"</pre>
            >Inhalt<span
               style="
```

```
display: flex;
                 flex-grow: 1;
                 justify-content: space-between;
                 align-items: center;
               <scale-tag label="countInhalt" :data-selected="filterBy.checked"</pre>
? true : undefined">{{
                 getCount("inhalt")
               }}</scale-tag>
               <scale-button slot="action" variant="ghost"</pre>
@click="resetInhalt($event)">
                 Filter zurücksetzen
               </scale-button></span
            ></span
          <div class="row withMarginBottom" style="margin-left: 0px; margin-</pre>
right: 0px">
            <div class="col-1-3">
               <scale-dropdown-select
                 ref="contentSelect"
                 label="Vergleichsstrategie: "
                 :data-selected="filterBy.contentCompare"
                 @scale-change="filterBy.contentCompare = $event.detail.value"
                 <scale-dropdown-select-item value=""></scale-dropdown-select-
item>
                 <scale-dropdown-select-item value="gleich">Gleich</scale-</pre>
dropdown-select-item>
                 <scale-dropdown-select-item value="ungleich">Ungleich</scale-</pre>
dropdown-select-item>
                 <scale-dropdown-select-item value="enthaelt">Enthält</scale-</pre>
dropdown-select-item>
                 <scale-dropdown-select-item value="nichtenthaelt"</pre>
                   >Enthält nicht</scale-dropdown-select-item
                 <scale-dropdown-select-item value="beginntmit"</pre>
                   >Beginnt mit</scale-dropdown-select-item
                 <scale-dropdown-select-item value="beginntnichtmit"</pre>
                   >Beginnt nicht mit</scale-dropdown-select-item
                 <scale-dropdown-select-item value="endetmit">Endet mit</scale-</pre>
dropdown-select-item>
               </scale-dropdown-select>
            </div>
            <div class="col-1-9">
               <scale-text-field
                 label="Vergleichswert"
                 placeholder="WebApp"
```

```
input-mode-type="vergleichswert"
                ref="contentInput"
                input-id="Vergleichswert"
                :data-selected="filterBy.contentValue"
                @scale-change="filterBy.contentValue = $event.detail.value"
              ></scale-text-field>
            </div>
          </div>
        </scale-collapsible>
        <!-- Gesendet -->
        <scale-collapsible>
          <span slot="heading" style="display: flex; align-items: center"</pre>
            >Gesendet<span
              style="
                display: flex;
                flex-grow: 1;
                justify-content: space-between;
                align-items: center;
            >
              <scale-tag
                label="countGesendet"
                 :data-selected="filterBy.checked ? true : undefined"
                >{{ getCount("gesendet") }}</scale-tag
              <scale-button slot="action" variant="ghost"</pre>
@click="resetGesendet($event)">
                Filter zurücksetzen
              </scale-button></span
            ></span
          <div class="row withMarginBottom" style="margin-left: 0px; margin-</pre>
right: 0px">
            <scale-switch
              label="Datum und Uhrzeit vergleichen"
              ref="sentSwitchDT"
              size="small"
              :data-selected="filterBy.sentSwitch"
              @scale-change="filterBy.sentSwitch = $event.detail.value"
            ></scale-switch>
          </div>
          <div class="row withMarginBottom" style="margin-left: 0px; margin-</pre>
right: 0px">
            <div class="col-1-3">
              <scale-dropdown-select
                ref="sentSelect"
                label="Vergleichsstrategie:"
                :data-selected="filterBy.sentCompare"
                @scale-change="filterBy.sentCompare = $event.detail.value"
```

```
<scale-dropdown-select-item value=""></scale-dropdown-select-</pre>
item>
                 <scale-dropdown-select-item value="enthaeltdatum"</pre>
                   >Enthält Datum</scale-dropdown-select-item
                 <scale-dropdown-select-item value="gleich">Gleich</scale-</pre>
dropdown-select-item>
                 <scale-dropdown-select-item value="ungleich">Ungleich</scale-</pre>
dropdown-select-item>
                 <scale-dropdown-select-item value="kleinerals"</pre>
                   >Kleiner als</scale-dropdown-select-item
                 <scale-dropdown-select-item value="kleinergleich"</pre>
                   >Kleiner gleich</scale-dropdown-select-item
                 <scale-dropdown-select-item value="groesserals"</pre>
                   >Größer als</scale-dropdown-select-item
                 <scale-dropdown-select-item value="groessergleich"</pre>
                   >Größer gleich</scale-dropdown-select-item
                 <scale-dropdown-select-item value="zwischen">Zwischen</scale-</pre>
dropdown-select-item>
                 <scale-dropdown-select-item value="nichtzwischen"</pre>
                   >Nicht zwischen</scale-dropdown-select-item
              </scale-dropdown-select>
            </div>
            <div class="col-1-2" style="padding-right: 0%">
              <scale-text-field
                 ref="sentDateFrom"
                type="date"
                label="Datum (von)"
                 :data-selected="filterBy.sentDateStart"
                 @scale-change="filterBy.sentDateStart = $event.detail.value"
              ></scale-text-field>
            </div>
            <div class="col-l-2">
              <scale-text-field
                 ref="sentTimeFrom"
                type="time"
                label="Uhrzeit (von)"
                 :data-selected="filterBy.sentTimeStart"
                @scale-change="filterBy.sentTimeStart = $event.detail.value"
              ></scale-text-field>
            </div>
            <div
              style="
                 padding-left: 8px;
                 padding-right: 8px;
```

```
float: left;
                padding-top: 8px;
                font-size: 20px;
                font-weight: bold;
              bis
            </div>
            <div class="col-1-2" style="padding-right: 0%">
              <scale-text-field
                ref="sentDateTo"
                type="date"
                label="Datum (bis)"
                :data-selected="filterBy.sentDateEnd"
                @scale-change="filterBy.sentDateEnd = $event.detail.value"
              ></scale-text-field>
            </div>
            <div class="col-1-2">
              <scale-text-field
                ref="sentTimeTo"
                type="time"
                label="Uhrzeit (bis)"
                :data-selected="filterBy.sentTimeEnd"
                @scale-change="filterBy.sentTimeEnd = $event.detail.value"
              ></scale-text-field>
            </div>
          </div>
        </scale-collapsible>
        <!-- Erstellt -->
        <scale-collapsible>
          <span slot="heading" style="display: flex; align-items: center"</pre>
            >Erstellt<span
              style="
                display: flex;
                flex-grow: 1;
                justify-content: space-between;
                align-items: center;
              <scale-tag
                label="countErstellt"
                :data-selected="filterBy.checked ? true : undefined"
                >{{ getCount("erstellt") }}</scale-tag
              <scale-button slot="action" variant="ghost"</pre>
@click="resetErstellt($event)">
                Filter zurücksetzen
              </scale-button></span
            ></span
```

```
<div class="row withMarginBottom" style="margin-left: 0px; margin-</pre>
right: 0px">
            <scale-switch</pre>
               label="Datum und Uhrzeit vergleichen"
               ref="generatedSwitchDT"
               size="small"
               :data-selected="filterBy.generatedSwitch"
               @scale-change="filterBy.generatedSwitch = $event.detail.value"
            ></scale-switch>
          </div>
          <div class="row withMarginBottom" style="margin-left: 0px; margin-</pre>
right: 0px">
            <div class="col-1-3">
               <scale-dropdown-select
                 ref="generatedSelect"
                 label="Vergleichsstrategie:"
                 :data-selected="filterBy.generatedCompare"
                 @scale-change="filterBy.generatedCompare =
$event.detail.value"
                 <scale-dropdown-select-item value=""></scale-dropdown-select-</pre>
item>
                 <scale-dropdown-select-item value="enthaeltdatum"</pre>
                   >Enthält Datum</scale-dropdown-select-item
                 <scale-dropdown-select-item value="gleich">Gleich</scale-</pre>
dropdown-select-item>
                 <scale-dropdown-select-item value="ungleich">Ungleich</scale-</pre>
dropdown-select-item>
                 <scale-dropdown-select-item value="kleinerals"</pre>
                   >Kleiner als</scale-dropdown-select-item
                 <scale-dropdown-select-item value="kleinergleich"</pre>
                   >Kleiner gleich</scale-dropdown-select-item
                 <scale-dropdown-select-item value="groesserals"</pre>
                   >Größer als</scale-dropdown-select-item
                 <scale-dropdown-select-item value="groessergleich"</pre>
                   >Größer gleich</scale-dropdown-select-item
                 <scale-dropdown-select-item value="zwischen">Zwischen</scale-</pre>
dropdown-select-item>
                 <scale-dropdown-select-item value="nichtzwischen"</pre>
                   >Nicht zwischen</scale-dropdown-select-item
               </scale-dropdown-select>
            </div>
             <div class="col-1-2">
               <scale-text-field
```

```
ref="generatedDateFrom"
                type="date"
                label="Datum (von)"
                :data-selected="filterBy.generatedDateStart"
                @scale-change="filterBy.generatedDateStart =
$event.detail.value"
              ></scale-text-field>
            </div>
            <div class="col-1-2">
              <scale-text-field
                ref="generatedTimeFrom"
                type="time"
                label="Uhrzeit (von)"
                :data-selected="filterBy.generatedTimeStart"
                @scale-change="filterBy.generatedTimeStart =
$event.detail.value"
              ></scale-text-field>
            </div>
            <div
              style="
                padding-left: 8px;
                padding-right: 8px;
                float: left;
                padding-top: 8px;
                font-size: 20px;
                font-weight: bold;
              bis
            </div>
            <div class="col-l-2" style="padding-right: 0%">
              <scale-text-field
                ref="generatedDateTo"
                type="date"
                label="Datum (bis)"
                :data-selected="filterBy.generatedDateEnd"
                @scale-change="filterBy.generatedDateEnd =
$event.detail.value"
              ></scale-text-field>
            </div>
            <div class="col-1-2">
              <scale-text-field
                ref="generatedTimeTo"
                type="time"
                label="Uhrzeit (bis)"
                :data-selected="filterBy.generatedTimeEnd"
                @scale-change="filterBy.generatedTimeEnd =
$event.detail.value"
              ></scale-text-field>
            </div>
```

```
</div>
        </scale-collapsible>
        <!-- Geändert -->
        <scale-collapsible>
          <span slot="heading" style="display: flex; align-items: center"</pre>
            >Geändert<span
              style="
                display: flex;
                flex-grow: 1;
                justify-content: space-between;
                align-items: center;
              <scale-tag
                label="countGeaendert"
                 :data-selected="filterBy.checked ? true : undefined"
                 >{{ getCount("geaendert") }}</scale-tag
              >
              <scale-button slot="action" variant="ghost"</pre>
@click="resetGeaendert($event)">
                Filter zurücksetzen
              </scale-button></span
            ></span
          <div class="row withMarginBottom" style="margin-left: 0px; margin-</pre>
right: 0px">
            <scale-switch
              label="Datum und Uhrzeit vergleichen"
              ref="alteredSwitchDT"
              size="small"
               :data-selected="filterBy.alteredSwitch"
              @scale-change="filterBy.alteredSwitch = $event.detail.value"
            ></scale-switch>
          </div>
          <div class="row withMarginBottom" style="margin-left: 0px; margin-</pre>
right: 0px">
            <div class="col-1-3">
               <scale-dropdown-select
                 ref="alteredSelect"
                label="Vergleichsstrategie:"
                 :data-selected="filterBy.alteredCompare"
                @scale-change="filterBy.alteredCompare = $event.detail.value"
              >
                 <scale-dropdown-select-item value=""></scale-dropdown-select-</pre>
item>
                 <scale-dropdown-select-item value="enthaeltdatum"</pre>
                   >Enthält Datum</scale-dropdown-select-item
                 <scale-dropdown-select-item value="gleich">Gleich</scale-</pre>
dropdown-select-item>
```

```
<scale-dropdown-select-item value="ungleich">Ungleich</scale-</pre>
dropdown-select-item>
                <scale-dropdown-select-item value="kleinerals"</pre>
                   >Kleiner als</scale-dropdown-select-item
                <scale-dropdown-select-item value="kleinergleich"</pre>
                   >Kleiner gleich</scale-dropdown-select-item
                <scale-dropdown-select-item value="groesserals"</pre>
                   >Größer als</scale-dropdown-select-item
                <scale-dropdown-select-item value="groessergleich"</pre>
                   >Größer gleich</scale-dropdown-select-item
                <scale-dropdown-select-item value="zwischen">Zwischen</scale-
dropdown-select-item>
                <scale-dropdown-select-item value="nichtzwischen"</pre>
                   >Nicht zwischen</scale-dropdown-select-item
              </scale-dropdown-select>
            </div>
            <div class="col-1-2" style="padding-right: 0%">
              <scale-text-field
                ref="alteredDateFrom"
                type="date"
                label="Datum (von)"
                 :data-selected="filterBy.alteredDateStart"
                @scale-change="filterBy.alteredDateStart =
$event.detail.value"
              ></scale-text-field>
            </div>
            <div class="col-l-2">
              <scale-text-field
                ref="alteredTimeFrom"
                type="time"
                label="Uhrzeit (von)"
                :data-selected="filterBy.alteredTimeStart"
                @scale-change="filterBy.alteredTimeStart =
$event.detail.value"
              ></scale-text-field>
            </div>
            <div
              style="
                padding-left: 8px;
                padding-right: 8px;
                float: left;
                padding-top: 8px;
                font-size: 20px;
                font-weight: bold;
```

```
bis
            </div>
            <div class="col-l-2" style="padding-right: 0%">
              <scale-text-field</pre>
                ref="alteredDateTo"
                type="date"
                label="Datum (bis)"
                 :data-selected="filterBy.alteredDateEnd"
                 @scale-change="filterBy.alteredDateEnd = $event.detail.value"
               ></scale-text-field>
            </div>
            <div class="col-1-2">
               <scale-text-field
                ref="alteredTimeTo"
                type="time"
                label="Uhrzeit (bis)"
                 :data-selected="filterBy.alteredTimeEnd"
                @scale-change="filterBy.alteredTimeEnd = $event.detail.value"
               ></scale-text-field>
            </div>
          </div>
        </scale-collapsible>
        <!-- Lfdnr -->
        <scale-collapsible>
          <span slot="heading" style="display: flex; align-items: center"</pre>
            >Lfd. Nr.<span
              style="
                display: flex;
                flex-grow: 1;
                justify-content: space-between;
                align-items: center;
              <scale-tag label="countLfdnr" :data-selected="filterBy.checked ?</pre>
true : undefined">{{
                getCount("lfdnr")
              }}</scale-tag>
               <scale-button slot="action" variant="ghost"</pre>
@click="resetLfdnr($event)">
                Filter zurücksetzen
              </scale-button></span
            ></span
          <div class="row withMarginBottom" style="margin-left: 0px; margin-</pre>
right: 0px">
            <div class="col-1-3">
               <scale-dropdown-select
                 ref="lfdnrSelect"
```

>

```
label="Vergleichsstrategie:"
                 :data-selected="filterBy.numberCompare"
                 @scale-change="filterBy.numberCompare = $event.detail.value"
                 <scale-dropdown-select-item value="leer"></scale-dropdown-</pre>
select-item>
                 <scale-dropdown-select-item value="gleich">Gleich</scale-</pre>
dropdown-select-item>
                 <scale-dropdown-select-item value="ungleich">Ungleich</scale-</pre>
dropdown-select-item>
                 <scale-dropdown-select-item value="kleiner">Kleiner</scale-</pre>
dropdown-select-item>
                 <scale-dropdown-select-item value="kleinergleich"</pre>
                   >Kleiner gleich</scale-dropdown-select-item
                 <scale-dropdown-select-item value="groesser">Größer</scale-</pre>
dropdown-select-item>
                 <scale-dropdown-select-item value="groessergleich"</pre>
                   >Größer gleich</scale-dropdown-select-item
                 <scale-dropdown-select-item value="zwischen">Zwischen</scale-</pre>
dropdown-select-item>
                 <scale-dropdown-select-item value="beginntmit"</pre>
                   >Beginnt mit</scale-dropdown-select-item
                 <scale-dropdown-select-item value="beginntnichtmit"</pre>
                   >Beginnt nicht mit</scale-dropdown-select-item
                 <scale-dropdown-select-item value="enthaelt">Enthält</scale-</pre>
dropdown-select-item>
                 <scale-dropdown-select-item value="nichtenthaelt"</pre>
                   >Enthält nicht</scale-dropdown-select-item
                 <scale-dropdown-select-item value="beginntmit"</pre>
                   >Beginnt mit</scale-dropdown-select-item
                 <scale-dropdown-select-item value="beginntnichtmit"</pre>
                   >Beginnt nicht mit</scale-dropdown-select-item
                 <scale-dropdown-select-item value="endetmit">Endet mit</scale-</pre>
dropdown-select-item>
               </scale-dropdown-select>
            </div>
            <div class="col-1-4">
               <scale-text-field
                 label="Vergleichswert (von)"
                 placeholder="WebApp"
                 ref="lfdnrStart"
                 input-id="Vergleichswertvon"
                 :data-selected="filterBy.numberValueStart"
```

```
@scale-change="filterBy.numberValueStart =
$event.detail.value"
              ></scale-text-field>
            </div>
            <div
              style="
                float: left;
                font-size: 20px;
                font-weight: bold;
                padding-top: 8px;
                padding-left: 8px;
                padding-right: 8px;
              bis
            </div>
            <div class="col-l-4">
              <scale-text-field
                label="Vergleichswert (bis)"
                placeholder="WebApp"
                ref="lfdnrEnd"
                input-id="Vergleichswertbis"
                :data-selected="filterBy.numberValueEnd"
                @scale-change="filterBy.numberValueEnd = $event.detail.value"
              ></scale-text-field>
            </div>
          </div>
        </scale-collapsible>
      </scale-accordion>
      <div class="row withMarginBottom" style="margin-left: 0px; margin-right:</pre>
0px">
        <scale-button ref="resultsButton" slot="action" variant="primary"</pre>
@click="acceptSelection"
          >Ergebnisse anzeigen</scale-button
        <scale-button
          slot="action"
          variant="secondary"
          @click="filterModalClose"
          style="float: right"
          >Abbrechen</scale-button
        >
      </div>
    </scale-modal>
  </div>
</template>
<script>
export default {
  data() {
```

```
isModalOpen: false,
      filterBy: {
        sent: false,
        info: false,
        measure: false,
        immediate: false,
        appointment: false,
        series: false,
        subjectCompare: "",
        subjectValue: "",
        contentCompare: "",
        contentValue: "",
        sentSwitch: false,
        sentCompare: "",
        sentDateStart: ""
        sentTimeStart: "",
        sentDateEnd: "",
        sentTimeEnd: "",
        generatedSwitch: false,
        generatedCompare: "",
        generatedDateStart: "",
        generatedTimeStart: "",
        generatedDateEnd: "",
        generatedTimeEnd: "",
        alteredSwitch: false,
        alteredCompare: "",
        alteredDateStart: ""
        alteredTimeStart: "",
        alteredDateEnd: "",
        alteredTimeEnd: "",
        numberCompare: "",
        numberValueStart: "",
        numberValueEnd: ""
      }
    };
  },
  methods: {
    getCount(category) {
      switch (category) {
        case "status":
          return this.filterBy.sent ? 1 : 0;
        case "benachrichtigungstyp":
          return (this.filterBy.info ? 1 : 0) + (this.filterBy.measure ? 1 :
0);
        case "termin":
          return (
            (this.filterBy.immediate ? 1 : 0) +
            (this.filterBy.deadline ? 1 : 0) +
            (this.filterBy.series ? 1 : 0)
```

return {

```
);
        case "betreff":
          return (this.filterBy.subjectCompare ? 1 : 0) +
(this.filterBy.subjectValue ? 1 : 0);
        case "inhalt":
          return (this.filterBy.contentCompare ? 1 : 0) +
(this.filterBy.contentValue ? 1 : 0);
        case "gesendet":
          return (
            (this.filterBy.sentSwitch ? 1 : 0) +
            (this.filterBy.sentCompare ? 1 : 0) +
            (this.filterBy.sentDateStart ? 1 : 0) +
            (this.filterBy.sentDateEnd ? 1 : 0) +
            (this.filterBy.sentTimeStart ? 1 : 0) +
            (this.filterBy.sentTimeEnd ? 1 : 0)
          );
        case "erstellt":
          return (
            (this.filterBy.generatedSwitch ? 1 : 0) +
            (this.filterBy.generatedCompare ? 1 : 0) +
            (this.filterBy.generatedDateStart ? 1 : 0) +
            (this.filterBy.generatedDateEnd ? 1 : 0) +
            (this.filterBy.generatedTimeStart ? 1 : 0) +
            (this.filterBy.generatedTimeEnd ? 1 : 0)
          );
        case "geaendert":
          return (
            (this.filterBy.alteredSwitch ? 1 : 0) +
            (this.filterBy.alteredCompare ? 1 : 0) +
            (this.filterBy.alteredDateStart ? 1 : 0) +
            (this.filterBy.alteredDateEnd ? 1 : 0) +
            (this.filterBy.alteredTimeStart ? 1 : 0) +
            (this.filterBy.alteredTimeEnd ? 1 : 0)
          );
        case "lfdnr":
          return (
            (this.filterBy.numberCompare ? 1 : 0) +
            (this.filterBy.numberValueStart ? 1 : 0) +
            (this.filterBy.numberValueEnd ? 1 : 0)
          );
        default:
          return 0;
      }
    },
    resetStatus(event = null) {
      this.filterBy.sent = false;
      if (event) {
        event.stopPropagation();
      }
    },
```

```
resetBenachrichtigungstyp(event = null) {
  this.filterBy.info = 0;
  this.filterBy.measure = 0;
  if (event) {
    event.stopPropagation();
  }
},
resetTermin(event = null) {
  this.filterBy.immediate = 0;
  this.filterBy.deadline = 0;
  this.filterBy.series = 0;
  if (event) {
    event.stopPropagation();
  }
},
resetBetreff(event = null) {
  this.filterBy.subjectCompare = "";
  this.filterBy.subjectValue = "";
  this.$refs.subjectSelect.value = "";
  this.$refs.subjectInput.value = "";
  if (event) {
    event.stopPropagation();
  }
},
resetInhalt(event = null) {
  this.filterBy.contentCompare = 0;
  this.filterBy.contentValue = "";
  this.$refs.contentSelect.value = "";
  this.$refs.contentInput.value = "";
  if (event) {
    event.stopPropagation();
  }
},
resetGesendet(event = null) {
  this.filterBy.sentSwitch = 0;
  this.filterBy.sentCompare = 0;
  this.filterBy.sentDateStart = 0;
  this.filterBy.sentDateEnd = 0;
  this.filterBy.sentTimeStart = 0;
  this.filterBy.sentTimeEnd = 0;
  this.$refs.sentSwitchDT.checked = false;
  this.$refs.sentSelect.value = "";
  this.$refs.sentDateFrom.value = "";
  this.$refs.sentTimeFrom.value = "";
  this.$refs.sentDateTo.value = "";
  this.$refs.sentTimeTo.value = "";
  if (event) {
    event.stopPropagation();
  }
},
```

```
resetErstellt(event = null) {
  this.filterBy.generatedSwitch = 0;
 this.filterBy.generatedCompare = 0;
 this.filterBy.generatedDateStart = 0;
 this.filterBy.generatedDateEnd = 0;
 this.filterBy.generatedTimeStart = 0;
 this.filterBy.generatedTimeEnd = 0;
  this.$refs.generatedSwitchDT.checked = false;
  this.$refs.generatedSelect.value = "";
  this.$refs.generatedDateFrom.value = "";
  this.$refs.generatedTimeFrom.value = "";
 this.$refs.generatedDateTo.value = "";
 this.$refs.generatedTimeTo.value = "";
 if (event) {
   event.stopPropagation();
 }
},
resetGeaendert(event = null) {
 this.filterBy.alteredSwitch = 0;
 this.filterBy.alteredCompare = 0;
  this.filterBy.alteredDateStart = 0;
 this.filterBy.alteredDateEnd = 0;
 this.filterBy.alteredTimeStart = 0;
 this.filterBy.alteredTimeEnd = 0;
 this.$refs.alteredSwitchDT.checked = false;
 this.$refs.alteredSelect.value = "";
 this.$refs.alteredDateFrom.value = "";
 this.$refs.alteredTimeFrom.value = "";
 this.$refs.alteredDateTo.value = "";
 this.$refs.alteredTimeTo.value = "";
 if (event) {
    event.stopPropagation();
  }
},
resetLfdnr(event = null) {
 this.filterBy.numberCompare = 0;
 this.filterBy.numberValueStart = 0;
 this.filterBy.numberValueEnd = 0;
 this.$refs.lfdnrSelect.value = "";
 this.$refs.lfdnrStart.value = "";
 this.$refs.lfdnrEnd.value = "";
 if (event) {
    event.stopPropagation();
  }
},
resetFilters(event) {
 this.resetStatus();
 this.resetBenachrichtigungstyp();
 this.resetTermin();
  this.resetBetreff();
```

```
this.resetInhalt();
      this.resetGesendet();
      this.resetErstellt();
      this.resetGeaendert();
     this.resetLfdnr();
    },
    filterModalOpen() {
      this.isModalOpen = true;
    },
    filterModalClose() {
      this.isModalOpen = false;
    },
    acceptSelection() {
      this.filterModalClose();
    }
  }
};
</script>
<style scoped>
.align-right {
  padding-left: 10%;
scale-tag[data-selected]::part(base) {
  background-color: #e20074;
  color: white;
}
</style>
```