
Ohmyfood

Création d'un site


Contexte du projet

- Développeur chez Ohmyfood
- Création d'un site 100% mobile
- 5 maquettes mobile
- Cahier des charges à respecter



Mission

- Intégrer du contenu conformément aux maquettes fournies avec des animations
- Implémenter une interface responsive en mobil first
- Respecter un cahier des charges
- Versionner le code sur GitHub avec des commits réguliers



Présentation du rendu visuel

Présentation du code



```
<section class="place">
   <i class="place ico fa-solid fa-location-dot"></i></i></i></or>
   <h2 class="place_city">Paris, Belleville</h2>
<section class="explore">
   <h2>Réservez le menu qui <br> vous convient</h2>
   Découvrez des restaurants d'exception, séléctionnés par nos soins.
   <form action="#restaurants">
       <input type="submit" class="explore_button" value="Explorer nos restaurants">
<section class="steps">
   <div class="container">
       <h2 class="steps__title">Fonctionnement</h2>
       class="steps element"><i class="steps ico fas fa-mobile-alt"></i>Choisissez un restaurant
          class="steps element"><i class="steps ico fas fa-list-ul"></i>Composez votre menu
          class="steps element"><i class="steps ico fas fa-store"></i>>Dégustez au restaurant
```



```
<section id="restaurants" class="restaurants">
   <div class="container">
      <h2 class="restaurants title">Restaurants</h2>
      <a href="./html/01gout.html">
                <img class="restaurants-card_img" src="./public/img/restaurants/01gout.jpg" alt="Menu La palette du goût">
                <footer class="restaurants-card_footer">
                    <h3 class="restaurants-card_title">La palette du goût</h3>
                    Ménilmontant
             <input class="heart" type="checkbox" id="heart1">
             <label title="Ajouter aux favoris" for="heart1" class="restaurants-heart"></label>
         class="restaurants-card restaurants-card--new">
             <a href="./html/02enchantee.html">
                <img class="restaurants-card_img" src="./public/img/restaurants/02enchantee.jpg" alt="Menu La note enchantée">
                <footer class="restaurants-card footer">
                    <h3 class="restaurants-card title">La note enchantée</h3>
                    Charonne
             <input class="heart" type="checkbox" id="heart2">
             <label title="Ajouter aux favoris" for="heart2" class="restaurants-heart"></label>
```

SASS

```
IMPORT SCSS
@import "./utils/variables";
@import "./utils/mixins";
@import "./utils/animations";
@import "./utils/base";
// MAIN PAGE (00)
@import "./layouts/00loader";
@import "./layouts/01header";
@import "./layouts/02place";
@import "./layouts/03explore";
@import "./layouts/04steps";
@import "./layouts/05restaurants";
@import "./layouts/06footer";
@import "./pages/10card"
```

MAIN

VARIABLES

```
$color-primary: ■#9356DC;
$color-secondary: ■#FF79DA;
$color-thirdly: ■#99E2D0;
$color-gray1:  #ebebeb; //PLACE
$color-gray2: ■#f3f3f3; //EXPLORE
$color-gray3: □#353535; //F00TER
  Breakpoints
$breakpoints: (
   xs: 350px,
    sm: 576px,
   md: 768px,
    lg: 992px,
   x1: 1200px,
```

MIXINS

```
//! MIXINS

//! Breakpoint
@mixin media-breakpoint-up($size) {
    @media (min-width: map_get($breakpoints, $size)) {
    @content;
    }
}

//! Police
@mixin police-shrikhand {
    font-family: 'Shrikhand', cursive;
}
@mixin police-roboto {
    font-family: "Roboto", sans-serif;
}
```

∨ 🔞 layouts

sass

- _ 01header.scss
- _02place.scss

- _05restaurants.scss
- v 🥫 pages
 - _ 10card.scss
- 🗸 🐗 utils
 - _animations.scss

 - _mixins.scss
 - _variables.scss

FILES

MOBILE FIRST

```
.restaurants {
         background-color: $color-gray2;
         padding: 5rem 2rem;
         & title {
             padding-left: 2rem;
11
12
         & list {
13
             padding: 3rem 0;
             display: grid;
             grid-gap: 3rem;
             @include media-breakpoint-up (lg) {
                 grid-template-columns: repeat(2,1fr);
```

```
//! MIXINS

//! Breakpoint

@mixin media-breakpoint-up($size) {

@media (min-width: map_get($breakpoints, $size)) {

@content;

}

MIXINS
```

INCLUDE

LOADER

HTML

```
.loader {
   @include flex;
   position: fixed;
   background-color: $color-gray2;
   opacity: .9;
   inset: 0;
   z-index: 9999;
   animation: loader 0s 2s forwards;
   & dot {
       background-color: $color-primary;
       width: 0rem;
       height: 0rem;
       border-radius: 50%;
       margin: 0 1rem;
       animation: bounce .5s infinite alternate;
   & dot:nth-child(2) {
       background-color: $color-secondary;
       animation-delay: .2s;
   & dot:nth-child(3) {
       background-color: $color-thirdly;
       animation-delay: .4s;
```

KEYFRAMES

SCSS

```
@keyframes loader {
    0% {
        transform: scale(1);
        opacity: 1;
    100% {
        transform: scale(0);
        opacity: 0;
@keyframes bounce {
    100% {
        width: 2rem;
        height: 2rem;
```

MENUS

```
//! ANIMATIONS
// Menu
@keyframes menu {
          0% {
                transform: translateY(30%);
                opacity: 0;
          }
          100% {
                transform: translateY(0%);
                opacity: 1;
        }
}
```

ANIMATION

HTML

FUNCTION

```
//! ANIMATION MENU
@for $i from 1 through 10 {
    &--anim#{$i} {
        animation: menu 1.5s;
        animation-fill-mode: both;
        animation-delay: 300ms * $i;
    }
}
```



```
<input class="heart" type="checkbox" id="heart1">
<label title="Ajouter aux favoris" for="heart1" class="restaurants-heart"></label>
```

HTML

```
.restaurants-heart {
   // HEART EMPTY
   &::before {
       @include heart-restaurant;
   // HEART FULL
   &::after {
       @include heart-restaurant;
       @include heart-gradient;
       opacity: 0;
       font-weight: 900;
   // HOVER HEART EMPTY
   &:hover::before {
       opacity: 0;
   // HOVER HEART FULL
   &:hover::after {
       opacity: 1;
       cursor: pointer;
```

```
// HEART INPUT
.heart {
    display: none;
}
.heart:checked + label::before {
    opacity: 0;
}
.heart:checked + label::after {
    opacity: 1;
}
```

SCSS

MIXINS |

```
//! Hearts
@mixin heart-restaurant {
  position: absolute;
  right: 3rem;
  bottom: 14%;
  transform: translateY(50%);
  content: "\f004";
  font: var(--fa-font-solid);
  font-size: 2.5rem;
  font-weight: 400;
  opacity: 1;
  transition: all .5s ease-in-out;
}
```

```
// Heart
@mixin heart-gradient {
  background: linear-gradient(to left top,$color-primary,$color-secondary);
  color: transparent;
  background-clip: text;
  -webkit-background-clip: text;
}
```

CHECK

```
// ICO
&__check {
    @include flex;
    background-color: $color-thirdly;
    font-size: 2.5rem;
    color:    white;
    width: 7rem;
    height: 7rem;
    margin-right: -7rem;
    @include transition;
}
```

SCSS

HTML

```
//! Transition
@mixin transition {
  transition: all .3s ease-in-out;
}
```

MIXINS

```
//! BUTTON CHECK
&:hover .card-menu__check{
    margin-right: 0;
}
&:hover .fa-circle-check {
    transform: rotate(0deg);
    transition: .6s;
}
.fa-circle-check {
    transform: rotate(360deg);
}
```

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file index.html

Checker Input
Show source outline image report Options
Check by file upload v Parcourir Aucun fichier sélectionné.
Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.
Check

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 17 milliseconds.

About this checker • Report an issue • Version: 22.4.11

Validation W3C



Service de validation CSS du W3C

ésultats de la validation W3C CSS de style css (CSS niveau 3 + SVG)

Aller à: CSS valide

Résultats de la validation W3C CSS de style.css (CSS niveau 3 + SVG)


Félicitations! Aucune erreur trouvée.

Ce document est valide conformément à la recommandation CSS niveau 3 + SVG!

Pour montrer à vos lecteurs votre souci d'interopérabilité lors de la création de cette page Web, vous pouvez afficher cette icône sur toutes les pages valides. Voici le fragment de XHTML que vous pouvez utiliser pour ajouter cette icône à votre page Web.








GIT & GitHub

valen@Valentin MINGW64 ~/OneDrive/Web/Ohmyfood/Ohmyfood (main)

\$ git push

Bilan

- Objectif atteint
- Cahier des charges respecté
- Résultat fidèle aux maquettes
- Interface totalement responsive et adaptée aux différents supports
- HTML et CSS validé par W3C



Ohmyfood

Devenir Partenaire

Mentions légales

Contact