Table Design & Creation Data Analyst Program - Project 1

By: Valentin Plekhanov

About This Project

Creating a database and application for managing a small travel company.


"Lucky Trip" Shuttle company and private tours ltd.

A company specializing in providing shuttle service and private tours. The company has a wide fleet of cars, including luxury cars. The company has experienced drivers with 5 years of experience. System includes 4 branches.

Project Description

Creating an information system and application based on SQL SERVER 2017 data base. Through the system, company employees can manage various details of the orders, and enable the company's management to efficiently and profitably manage personnel allocation and trips.

ERD



Tables Description

Branches Table - Contains a list of company branches.

Column Name	Column Type	Constraint	Various
Branch_ID	smallint	PK	identity (1,1)
Branch_Name	varchar (20)		

Cars Table - Contains information about company cars offers.

Column Name	Column Type	Constraint	Various
Car_ID	varchar (8)	PK	
Maker	varchar (30)		
Model	varchar (30)		
Color	varchar (20)		
Start_EXP	date	Not Null	
End_EXP	date		
Branch_ID	smallint	FK	

Employees Table - Contains information about employees in the company.

Column Name	Column Type	Constraint	Various
Emp_ID	int	PK	
First_Name	varchar (30)	Not Null	
Last_Name	varchar (30)	Not Null	
Title	varchar (30)		
Gender	Char (1)	Check (Gender in ('M','F'))	
Phone_Number	varchar (13)	Check (Phone_Number like	
		'()%'), unique	
Branch_ID	smallint	FK	

Drivers Table - Contains information about drivers employed by the company.

Column Name	Column Type	Constraint	Various
Driver_License	varchar (7)	PK	
License_Type	Char (1)		Default ('B')
Issue_Date	date	check (datediff(yy,	
		Issue_Date ,Getdate())>=5)	
Emp_ID	int	FK	

Customers Types Table - Contains information about customer types.

Column Name	Column Type	Constraint	Various
Type_ID	smallint	PK	
Type_Name	varchar (20)	Not Null	

Customers table - contains information about the company's customers.

Column Name	Column Type	Constraint	Various
Cust_ID	int	PK	Identity (1,1)
Type_ID	smallint	FK	
Contact_Name	varchar (30)		
Phone_Number	varchar (13)	Check (Phone_Number like	
		'()%'), unique	
Email	varchar (50)	Check (Email like	
		'%@%.%')), unique	

Orders Table - Contains information about customers orders.

Column Name	Column Type	Constraint	Various
Order_ID	int	PK	
Cust_ID	int	FK	
Driver	varchar (7)	FK	
Branch_ID	smallint	FK	
Order_Date	date	Not Null	

Discounts table - The types of discounts the branch employees may give to the customer.

Column Name	Column Type	Constraint	Various
Discount_Type	smallint	PK	Identity (1,1)
Discount_Name	varchar (20)		
Disc_Level	real	Check (Disc_Level	
		between 0 and 0.5)	

Order Details Table - Contains detailed information about each order placed in the company.

Column Name	Column Type	Constraint	Various
Order_ID	int	PK, FK	
Car_ID	varchar (8)	PK, FK	
Distance_KM	int		
Price_per_KM	money	Not Null	
Discount_Type	smallint	FK	

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
USE master
GO.
IF EXISTS(SELECT * FROM SYS.DATABASES WHERE NAME = 'Lucky Trip')
   DROP DATABASE [Lucky Trip]
CREATE DATABASE [Lucky Trip]
-----"Lucky Trip" Travel Company ltd.-----
USE [Lucky Trip]
-----Branches Table-----
CREATE TABLE Branches
(Branch ID
                 smallint
                              identity (1,1) constraint br p k Primary Key,
 Branch Name
                 varchar (20))
-------Cars Table-----
CREATE TABLE Cars
(Car ID
                varchar (8)
                              constraint car_p_k Primary Key,
 Maker
                varchar (30),
 Model
                varchar (30),
 Color
                varchar (20),
 Start_EXP
                              Not Null,
                date
 End EXP
                date,
                smallint
                              constraint brC id fk references Branches
 Branch ID
   (Branch_ID) on delete cascade)
 -----Employees Table-----
CREATE TABLE Employees
                             identity (1,1) constraint emp_p_k Primary Key,
(Emp_ID
               int
 First Name
               varchar (30)
                                           Not Null,
 Last_Name
               varchar (30)
                                           Not Null,
 Title
               varchar (30),
 Gender
                                           check (Gender in ('M','F')),
               char (1)
               varchar (13)
 Phone Number
                             unique
                                           check (Phone Number like
   '(___)%'),
 Branch ID
                smallint
                                           constraint brE id fk references
  Branches(Branch ID) on delete cascade)
  ------Drivers Table-----
CREATE TABLE Drivers
(Driver License
               varchar (7)
                                          constraint dvr_p_k Primary Key,
 License_Type
                char (1)
                             default ('B'),
                                          check (datediff(yy,
 Issue_Date
               date
  Issue Date ,Getdate())>=5),
                                          constraint emp id fk references
 Emp ID
               int
  Employees(Emp_ID) on delete cascade)
   -----Customer Types Table-----
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
CREATE TABLE "Customer Types"
             smallint
                                        constraint ct p k Primary Key,
(Type_ID
            varchar (20)
                                        Not Null)
 Type_Name
   -----Customers Table-----
CREATE TABLE Customers
                           identity (1,1) constraint cus_p_k Primary Key,
(Cust_ID
              int
              smallint
 Type_ID
                                         constraint ct_id_fk references
  "Customer Types"(Type_ID) on delete cascade,
 Contact_Name varchar (30),
 Phone Number
                          unique check (Phone Number like '( )%'),
              varchar (13)
 Email
              varchar (50) unique
                                        check (Email like '%@%.%'))
   -----Orders Table-----
CREATE TABLE Orders
          int
(Order ID
                                        constraint ord p k Primary Key,
 Cust_ID
            int
                                        constraint cus_id_fk references
  Customers(Cust_ID) on delete no action,
 Driver
            varchar(7)
                                        constraint drv_id_fk references
  Drivers(Driver License) on delete no action,
 Branch ID
           smallint
                                        constraint br0 id fk references
  Branches(Branch ID) on delete no action,
 Order Date
           date
                                        Not Null)
    -----Discounts Table-----
CREATE TABLE Discounts
(Discount Type smallint identity (1,1) constraint dsc p k Primary Key,
 Discount Name varchar (20),
Disc_Level
             real
                                      check(Disc_Level between 0 and 0.5))
    -----Order Details Table-----
CREATE TABLE Order_Details
(Order ID
                                       constraint or id fk references Orders₹
           int
  (Order ID) on delete cascade,
 Car ID varchar (8)
                                       constraint car id fk references Cars ₹
   (Car_ID ) on delete no action,
 Distance_KM int,
 Price_per_KM money
                                       Not Null,
 Discount_Type smallint
                                       constraint dis_id_fk references
  Discounts(Discount_Type) on delete cascade,
 constraint od car id pk Primary Key (Order ID,Car ID))
-----Insert Braches Table-----
insert into Branches
values ('North'),
      ('South'),
      ('West'),
      ('East')
-----Insert Cars Table-----
insert into Cars
values (2965644, 'Mazda', 'MX-5', 'White', '2019-03-02', '2021-11-26', 1),
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
```

```
(1138091, 'GMC', 'Sonoma', 'Black', '2019-06-10', '2022-06-22', 3), (3330923, 'Chevrolet', 'Corvette', 'Black', '2019-01-26', '2022-11-19', 2),
          (4961095, 'GMC', 'Sierra 3500', 'Red', '2018-01-12', '2022-01-31', 4), (8933435, 'Buick', 'Reatta', 'Black', '2018-04-18', '2023-02-26', 1),
          (5303644, 'Ford', 'Explorer Sport Trac', 'White', '2018-03-25', '2022-02-28', >
               3),
          (8395402, 'Chevrolet', '2500', 'White', '2017-11-25', '2022-03-08', 3),
          (5823074, 'Daewoo', 'Nubira','Black' ,'2018-03-10', '2023-07-07', 4), (1191297, 'Ford', 'Thunderbird','Red', '2019-03-17', '2021-12-15', 1), (4437281, 'Toyota', 'Corolla','Yellow', '2018-10-20', '2021-12-27', 3),
          (3110704, 'Acura', 'RDX', 'White', '2018-02-12', '2023-10-10', 4),
          (2359220, 'Toyota', '4Runner', 'Black', '2019-10-13', '2023-10-06', 3), (4884496, 'Volkswagen', 'Eos', 'White', '2018-05-12', '2023-05-22', 4),
          (8469520, 'Lotus', 'Esprit', 'Silver', '2018-06-15', '2022-09-03', 2),
          (9204991, 'Pontiac', 'Grand Prix', 'White', '2019-10-08', '2022-11-30', 1), (4891233, 'Oldsmobile', 'Achieva', 'White', '2019-11-02', '2023-06-02', 3),
          (7938727, 'Jeep', 'Compass', 'Silver', '2018-04-16', '2022-04-26', 2),
          (4774886, 'Pontiac', 'Trans Sport', 'Black', '2017-11-14', '2023-09-08', 4), (4754874, 'Mercury', 'Mountaineer', 'Silver', '2019-04-04', '2022-12-29', 2), (4413901, 'Mitsubishi', 'Eclipse', 'Silver', '2017-12-08', '2023-08-07', 4),
          (2265318, 'Infiniti', 'I', 'White', '2019-09-19', '2023-09-19', 1),
          (4725602, 'Dodge', 'Shadow', 'Yellow', '2018-12-30', '2023-02-28', 4),
          (2827133, 'Pontiac', 'Grand Am', 'Black', '2018-12-29', '2023-03-08', 4), (9720383, 'Mitsubishi', '3000GT', 'Black', '2019-05-05', '2022-11-04', 3),
          (9161930, 'Lotus', 'Esprit', 'White', '2018-10-27', '2023-01-14', 3),
          (9929300, 'Toyota', 'T100 Xtra', 'White', '2019-05-27', '2022-05-13', 2),
          (8937732, 'Ford', 'Taurus', 'Red', '2017-12-10', '2021-11-13', 2),
          (4494707, 'Mazda', 'CX-9', 'Silver', '2018-06-24', '2023-11-05', 1),
          (8529283, 'Pontiac', 'LeMans', 'Black', '2018-09-20', '2022-03-19', 1),
          (6960930, 'GMC', 'Sierra 3500HD','White', '2017-11-14', '2022-06-15', 2), (8967993, 'Chevrolet', 'Tahoe','White', '2019-08-05', '2023-09-01', 2), (6185248, 'BMW', 'Z4','Black', '2018-10-23', '2022-05-08', 2),
          (6404858, 'Oldsmobile', 'Alero', 'Red', '2018-01-09', '2022-08-09', 4),
          (9337299, 'Porsche', '968', 'White', '2019-04-05', '2021-12-11', 1),
          (5145824, 'Chevrolet', 'Corvette', 'White', '2019-05-29', '2023-05-12', 4),
          (4618504, 'Volkswagen', 'GTI', 'Silver', '2019-08-26', '2023-03-13', 1),
          (6588756, 'Buick', 'LaCrosse', 'Black', '2018-08-07', '2022-06-06', 4),
          (1895168, 'Porsche', '911', 'White', '2018-06-09', '2023-07-31', 3), (6963858, 'Oldsmobile', '88', 'Red', '2018-11-14', '2022-08-24', 4),
          (7203149, 'Lincoln', 'Town Car', 'White', '2018-06-03', '2023-04-23', 4)
-----Insert Emploees Table-----
INSERT INTO Employees
VALUES ('Leland', 'Gres', 'Administration', 'F', '(137) 6326365', 3),
          ('Pren', 'Jillard', 'Driver', 'M', '(552) 3992585', 1),
('Noella', 'Rummings', 'Manager', 'F', '(784) 1702913', 2),
('Cyndia', 'Storer', 'Administration', 'F', '(883) 4467415', 1),
          ('Gerhardine', 'Cometson', 'Administration', 'F', '(950) 9902872', 4),
          ('Melony', 'Longhorn', 'Administration', 'F', '(222) 8157389', 1),
          ('Ford', 'Segges', 'Driver', 'M', '(821) 8985103', 1),
          ('Alana', 'Bonallack', 'Administration', 'F', '(309) 7798174', 3),
          ('Ariana', 'Leve', 'Administration', 'F', '(148) 8352899', 4), ('Etty', 'Gilliland', 'Administration', 'F', '(641) 8882968', 3), ('Misti', 'De Paepe', 'Administration', 'F', '(820) 5850359', 1), ('Rebe', 'Eglington', 'Administration', 'F', '(948) 9167408', 3),
          ('Svend', 'Novill', 'Driver', 'M', '(753) 9551899', 4),
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
            ('Bartholomeo', 'Beacroft', 'Driver', 'M', '(138) 1613830', 2), ('Albrecht', 'Swaysland', 'Driver', 'M', '(724) 3697045', 2), ('Cordell', 'Mary', 'Driver', 'M', '(872) 9827790', 3), ('Morly', 'Mousby', 'Driver', 'M', '(754) 7766726', 1),
            ('Briggs', 'Simeoli', 'Driver', 'M', '(927) 9394282', 4), ('Talbert', 'Shead', 'Manager', 'M', '(714) 9160138', 3),
            ('Eulalie', 'Hrihorovich', 'Administration', 'F', '(716) 9048833', 1),
            ('Ganny', 'MacKenney', 'Manager', 'M', '(524) 9954973', 1),
('Rollin', 'Zincke', 'Driver', 'M', '(644) 9565575', 4),
('Julienne', 'Datte', 'Administration', 'F', '(702) 5252560', 2),
('Yelena', 'Sewley', 'Administration', 'F', '(405) 7075778', 3),
            ('Hussein', 'Pescod', 'Driver', 'M', '(883) 3882030', 4), ('Garner', 'Hallwell', 'Driver', 'M', '(602) 3166359', 1),
            ('Walsh', 'Lowton', 'Driver', 'M', '(713) 6308990', 1),
            ('Grantley', 'Guinan', 'Administration', 'M', '(873) 3021562', 1),
            ('Neale', 'Clubb', 'Driver', 'M', '(986) 4972463', 3), ('Theodoric', 'Nunnery', 'Driver', 'M', '(425) 1153362', 3), ('Aubrey', 'Wimp', 'Driver', 'M', '(637) 6407740', 2),
            ('Micah', 'Bloodworthe', 'Driver', 'M', '(355) 8722290', 3),
            ('Skippie', 'Vell', 'Driver', 'M', '(874) 3728342', 4), ('Flint', 'Tomkies', 'Driver', 'M', '(478) 2623503', 4),
            ('Peg', 'Odegaard', 'Administration', 'F', '(544) 7491938', 2),
('Rafa', 'Van den Velde', 'Administration', 'F', '(154) 7014520', 4),
            ('Lind', 'Flury', 'Administration', 'F', '(959) 9223494', 2)
-----Insert Drivers Table-----
INSERT INTO Drivers
VALUES (6653876, 'B', '2007-10-27', 2),
            (3775413, 'B', '2012-05-11', 7),
            (6936499, 'C', '2006-02-15', 13),
            (6936499, C, 2006-02-15, 13), (7252939, 'B', '1992-05-22', 14), (9585301, 'B', '2008-08-20', 15), (6183835, 'B', '1991-05-10', 16), (5635583, 'C', '1998-05-06', 17), (7183069, 'D', '2007-05-12', 18),
            (5334556, 'B', '2012-10-05', 22),
            (8273795, 'B', '1997-01-03', 25),
            (82/3/95, B, 1997-01-03, 25),
(7449234, 'C', '2002-06-19', 26),
(2722641, 'B', '1991-10-02', 27),
(6290280, 'B', '2009-06-19', 29),
(7220969, 'B', '2011-03-22', 30),
            (9469107, 'B', '2002-04-02', 31),
            (2238453, 'B', '2009-09-24', 32),
            (2557362, 'C', '2008-07-19', 33),
            (5894565, 'B', '1998-08-09', 34)
-----Insert Customers Types Table-----
INSERT INTO [Customer Types]
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  'Evelyn Humburton', '(508) 7337671', 'ehumburton1@patch.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Lorne Losel', '(765) 9710426', 'llosel2@ovh.net');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Lorine Habden', '(151) 9900417', 'lhabden3@pagesperso-orange.fr');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2, 'Lari

   Geall', '(779) 6639401', 'lgeall4@unc.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1, 'Gabi⊋
   Cockell', '(899) 1216998', 'gcockell5@ovh.net');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Michal Jeynes', '(443) 4129032', 'mjeynes6@wikimedia.org');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
  'Cyrill Gobell', '(458) 8478014', 'cgobell7@wired.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Nikki Owthwaite', '(332) 2692300', 'nowthwaite8@msn.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Katherina Doge', '(584) 4445119', 'kdoge9@w3.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3, 'Tome→
   Hurley', '(999) 9336526', 'thurleya@marketwatch.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Jennee Sweating', '(692) 7354490', 'jsweatingb@twitpic.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Karney Claisse', '(851) 2721356', 'kclaissec@cdbaby.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Marillin Ladlow', '(363) 4474025', 'mladlowd@rediff.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Storm Thickins', '(900) 1290253', 'sthickinse@symantec.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Rossy Swate', '(666) 4425205', 'rswatef@hp.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Lancelot Devil', '(514) 7214946', 'ldevilg@omniture.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Lucky Jellicorse', '(694) 3572950', 'ljellicorseh@arizona.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1, 'Nico→
   Boldt', '(321) 2104124', 'nboldti@goodreads.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3, 'Cly >
  De Giorgio', '(697) 8655698', 'cdej@elegantthemes.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Norean Creebo', '(309) 2643800', 'ncreebok@google.cn');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1, 'Hal >
  Cutteridge', '(348) 9438564', 'hcutteridgel@cnet.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2,
  'Holli Stuer', '(706) 7010868', 'hstuerm@diigo.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Tully Zeal', '(875) 2457523', 'tzealn@google.cn');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Romeo Beadel', '(255) 3008993', 'rbeadelo@buzzfeed.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Raven Rollinshaw', '(527) 4043053', 'rrollinshawp@webnode.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Brenden Neill', '(300) 8833560', 'bneillq@woothemes.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2,
  'Hanni McCorley', '(800) 7760307', 'hmccorleyr@blogs.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3, 'Bret⊋
   Emanuelli', '(309) 6653435', 'bemanuellis@facebook.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (1,
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  'Karly Renowden', '(651) 7995563', 'krenowdent@army.mil');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Jamie Myall', '(396) 5070609', 'jmyallu@cafepress.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Ginny Peschka', '(975) 5520799', 'gpeschkav@squidoo.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Natale Lates', '(391) 1133213', 'nlatesw@myspace.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Amalia Stollhofer', '(603) 9026142', 'astollhoferx@desdev.cn');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Dania Arney', '(662) 3705918', 'darneyy@go.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2, 'Bran₹
   Crix', '(331) 4233422', 'bcrixz@sogou.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Corey Lavarack', '(122) 4232501', 'clavarack10@xing.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Dennie Phythien', '(137) 8410661', 'dphythien11@weibo.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Eliot Paladino', '(901) 6382448', 'epaladino12@unc.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Nikola Overpool', '(304) 8170014', 'noverpool13@yale.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Aline Ewebank', '(827) 4003910', 'aewebank14@cornell.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Andee Rook', '(718) 8986860', 'arook15@over-blog.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Linnea Braksper', '(806) 3742602', 'lbraksper16@un.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Rudolfo Thomasen', '(103) 3312510', 'rthomasen17@printfriendly.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Corabella Chellam', '(890) 7999394', 'cchellam18@rakuten.co.jp');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Cobbie Brabin', '(409) 1579611', 'cbrabin19@biblegateway.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
  'Tedie Dameisele', '(649) 9574635', 'tdameisele1a@usa.gov');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Yancy Heckle', '(195) 8686222', 'yheckle1b@drupal.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Emmeline Liddy', '(461) 7225261', 'eliddy1c@instagram.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Terri Fuxman', '(896) 2872900', 'tfuxman1d@huffingtonpost.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (1, 'Nico→
   Pidgeley', '(266) 2694764', 'npidgeley1e@wikipedia.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Zelig Rayne', '(114) 5980408', 'zrayne1f@jigsy.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Amery Hopkins', '(432) 7055959', 'ahopkins1g@nasa.gov');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Ganny Scutter', '(687) 3639643', 'gscutter1h@vk.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Anallise Touhig', '(492) 5179421', 'atouhig1i@ustream.tv');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Leoline Crummey', '(326) 1270846', 'lcrummey1j@facebook.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Preston Maestro', '(700) 1109789', 'pmaestro1k@ow.ly');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (1,
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  'Tiphanie Phipps', '(785) 3145444', 'tphipps1l@tmall.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Moria Howselee', '(387) 8462787', 'mhowselee1m@issuu.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Wilie Fothergill', '(217) 9959575', 'wfothergill1n@nbcnews.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1, 'Edan'

   Daltrey', '(869) 7684932', 'edaltrey1o@ted.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Sydney Petrovykh', '(630) 7324226', 'spetrovykh1p@loc.gov');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Georges MacVaugh', '(415) 1424894', 'gmacvaugh1q@shinystat.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2, 'Neel₹
   Monelli', '(199) 4972617', 'nmonelli1r@apple.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Goddart Matten', '(488) 9284104', 'gmatten1s@angelfire.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Rafaelia Martland', '(538) 7247074', 'rmartland1t@linkedin.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Blair Braden', '(350) 8355354', 'bbraden1u@pagesperso-orange.fr');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Keriann Luquet', '(484) 5490566', 'kluquet1v@e-recht24.de');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Gallagher Christofol', '(290) 1453970', 'gchristofol1w@joomla.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Peggie Kobiela', '(959) 3284804', 'pkobiela1x@xing.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Goldie Gowing', '(268) 8418507', 'ggowing1y@ucoz.ru');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Gabriellia Chapell', '(608) 5298299', 'gchapell1z@soundcloud.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Virgilio Mangin', '(961) 9030487', 'vmangin20@ehow.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Dorey Winchcum', '(427) 7582087', 'dwinchcum21@flavors.me');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (1,
  'Camella Callear', '(254) 9891230', 'ccallear22@ow.ly');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Keven Castellaccio', '(273) 9308298', 'kcastellaccio23@biblegateway.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3, 'Asia→
   Chittock', '(251) 1426007', 'achittock24@storify.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Clyve Fooks', '(372) 2327723', 'cfooks25@vistaprint.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2,
  'Ammamaria Rutter', '(597) 9625383', 'arutter26@4shared.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Thorsten deKnevet', '(350) 9705557', 'tdeknevet27@miibeian.gov.cn');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1, 'Meg \nearrow
  Ceschelli', '(342) 9021908', 'mceschelli28@opensource.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Pavlov D''Ambrosio', '(184) 9566006', 'pdambrosio29@dagondesign.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Eleanora Dreghorn', '(438) 8845683', 'edreghorn2a@51.la');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
  'Davie Corringham', '(572) 3829479', 'dcorringham2b@youku.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Paulette Duddell', '(875) 8283100', 'pduddell2c@amazon.de');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  'Stacie Rush', '(212) 2112701', 'srush2d@cbsnews.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Nicolas Perse', '(721) 7788771', 'nperse2e@ovh.net');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Annissa Brombell', '(446) 2437122', 'abrombell2f@cbc.ca');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Belinda Capron', '(146) 4359818', 'bcapron2g@nasa.gov');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Amalle Huncote', '(330) 9116349', 'ahuncote2h@marketwatch.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Staford Deeprose', '(480) 4197495', 'sdeeprose2i@europa.eu');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2, 'Aniaマ
   Lemmers', '(363) 4065896', 'alemmers2j@microsoft.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Paula Hinder', '(326) 5528332', 'phinder2k@engadget.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Onfre Cardenoso', '(265) 5251213', 'ocardenoso2l@squidoo.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Rowland Orto', '(905) 9730280', 'rorto2m@etsy.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1, 'Etan⊋
   Harrisson', '(188) 6697989', 'eharrisson2n@wordpress.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Debor Zamorrano', '(182) 8349480', 'dzamorrano2o@illinois.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2, 'Ina →
  Flemming', '(932) 5958505', 'iflemming2p@sakura.ne.jp');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Phineas Klessmann', '(699) 2342617', 'pklessmann2q@umn.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Roley Head', '(603) 8795675', 'rhead2r@liveinternet.ru');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Ginger Crossley', '(855) 3592183', 'gcrossley2s@nsw.gov.au');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Janessa Grcic', '(792) 7879566', 'jgrcic2t@mlb.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
  'Irving Blackly', '(239) 7762337', 'iblackly2u@jugem.jp');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1, 'Evie→
Binstead', '(559) 5325820', 'ebinstead2v@dagondesign.com'); insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Erhart Swine', '(549) 9615877', 'eswine2w@ameblo.jp');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Aland Millard', '(722) 7403922', 'amillard2x@hc360.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2,
  'Mallorie Pendock', '(747) 1933204', 'mpendock2y@pen.io');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Ashleigh Frontczak', '(823) 3039406', 'afrontczak2z@people.com.cn');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Tommi Peterffy', '(944) 1436598', 'tpeterffy30@sitemeter.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1, 'Aron'

   Spight', '(101) 4326186', 'aspight31@lulu.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Kathryne Whitter', '(361) 3679365', 'kwhitter32@t.co');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
  'Eddie Mustoo', '(935) 5856707', 'emustoo33@alexa.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Blanche Gori', '(476) 4848281', 'bgori34@independent.co.uk');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (1,
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  'Tanitansy Varley', '(172) 4698756', 'tvarley35@wisc.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Gusta Koppe', '(407) 8551743', 'gkoppe36@examiner.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Kilian Bohlmann', '(550) 9508346', 'kbohlmann37@mapy.cz');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3, 'Arie→
Spencley', '(684) 5346004', 'aspencley38@army.mil');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Tilly Denford', '(205) 2322266', 'tdenford39@drupal.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Kissie Suscens', '(418) 4293093', 'ksuscens3a@unicef.org');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (1,
  'Ursala Leeburne', '(731) 9887036', 'uleeburne3b@oracle.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Druci Brisco', '(744) 5203038', 'dbrisco3c@prlog.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Armstrong Shoutt', '(279) 7264794', 'ashoutt3d@uiuc.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Nickolaus Crucitti', '(922) 2320091', 'ncrucitti3e@fastcompany.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2, 'Kirk'>
   Gerhold', '(991) 5607127', 'kgerhold3f@ihg.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Antonietta Basilotta', '(484) 7252762', 'abasilotta3g@jigsy.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Byrann Storrier', '(222) 8975314', 'bstorrier3h@gmpg.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3, 'Gaye>
   Garrard', '(825) 6114784', 'ggarrard3i@1und1.de');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Sharon Goreisr', '(824) 9167242', 'sgoreisr3j@4shared.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Gerianna Bouch', '(923) 7823098', 'gbouch3k@soup.io');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Theodoric Okroy', '(481) 8470981', 'tokroy31@bbc.co.uk');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Ramona Kitchingman', '(325) 7238044', 'rkitchingman3m@list-manage.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Rubie Orme', '(299) 1461478', 'rorme3n@123-reg.co.uk');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Valaree Edwicke', '(696) 8751175', 'vedwicke3o@unblog.fr');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Ginger Gouth', '(786) 1593908', 'ggouth3p@youtube.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2,
  'Mercedes O''Scannill', '(606) 5525079', 'moscannill3q@typepad.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Johnny Casse', '(192) 6885044', 'jcasse3r@imgur.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Courtnay Chaperlin', '(771) 2700955', 'cchaperlin3s@elpais.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Richart Block', '(817) 8642365', 'rblock3t@amazon.co.uk');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Pascale Prydden', '(518) 3626673', 'pprydden3u@nationalgeographic.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
  'Lindsay Antognetti', '(176) 7721333', 'lantognetti3v@zdnet.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Ashla Oliveira', '(861) 9353197', 'aoliveira3w@wordpress.org');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2,
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
                                                                                   10
  'Hannah Berrow', '(385) 6397800', 'hberrow3x@eepurl.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Ludwig McEwan', '(940) 7413656', 'lmcewan3y@wikispaces.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Minnnie Beckwith', '(350) 6898397', 'mbeckwith3z@ft.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1, 'Mufiマ
   Rintoul', '(402) 7693782', 'mrintoul40@mlb.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Rustin Eaken', '(258) 8257146', 'reaken41@cornell.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Sydney Buddleigh', '(416) 2178777', 'sbuddleigh42@about.me');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2,
  'Lanie Aries', '(100) 2485558', 'laries43@upenn.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Kirstyn Lammerich', '(302) 7765491', 'klammerich44@hao123.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1, 'Ednaマ
   Losseljong', '(619) 5096936', 'elosseljong45@google.pl');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Armando Tillot', '(445) 7450532', 'atillot46@accuweather.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Gwyneth Beaushaw', '(999) 5198259', 'gbeaushaw47@yelp.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Danice Matveyev', '(996) 9286495', 'dmatveyev48@xinhuanet.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Benetta Trice', '(862) 2901802', 'btrice49@1und1.de');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Raquel Brasner', '(967) 7118197', 'rbrasner4a@oakley.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Sheffie Lyburn', '(634) 5544715', 'slyburn4b@google.it');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Denis Elvin', '(434) 3482541', 'delvin4c@mlb.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Seamus Dawkes', '(336) 2538228', 'sdawkes4d@mit.edu');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
  'Rutherford Sowrah', '(972) 9397411', 'rsowrah4e@multiply.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Vinita McLagan', '(587) 9346103', 'vmclagan4f@canalblog.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Judas Menary', '(342) 1631604', 'jmenary4g@wunderground.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Fairleigh Elms', '(498) 5930689', 'felms4h@google.com.br');
insert into Customers (Type_ID, Contact_Name, Phone Number, Email) values (3,
  'Maryrose Tukely', '(131) 3766928', 'mtukely4i@omniture.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Juliette Schuricke', '(491) 8132222', 'jschuricke4j@usda.gov');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Claudius Phizackarley', '(291) 4508335', 'cphizackarley4k@sina.com.cn');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Gearard Semmence', '(485) 1626395', 'gsemmence4l@theglobeandmail.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Renard Pounder', '(625) 3102682', 'rpounder4m@dailymotion.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (1,
  'Willi Igonet', '(296) 6258183', 'wigonet4n@t-online.de');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Aurea Roggers', '(281) 4947074', 'aroggers4o@unesco.org');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2,
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
                                                                                   11
  'Vivia Dunlop', '(426) 5687017', 'vdunlop4p@gizmodo.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Ximenez Mieville', '(658) 7379762', 'xmieville4q@canalblog.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Marchelle Vennart', '(173) 4741678', 'mvennart4r@bigcartel.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Atlanta Van Arsdall', '(175) 4029858', 'avan4s@free.fr');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Brook Cogger', '(336) 1397257', 'bcogger4t@blogger.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Alistair Ducaen', '(377) 5143169', 'aducaen4u@msn.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2,
  'Christie Gulston', '(518) 8995820', 'cgulston4v@squarespace.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3, 'Clem⊋
   Sollowaye', '(530) 5344492', 'csollowaye4w@jugem.jp');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Raina Mcmanaman', '(801) 8462978', 'rmcmanaman4x@fema.gov');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Sianna Groucock', '(877) 7431339', 'sgroucock4y@ebay.co.uk');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3, 'Ailaマ
   Trowill', '(667) 5270034', 'atrowill4z@plala.or.jp');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2, 'Don →
  Antoinet', '(949) 4861440', 'dantoinet50@google.it');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Minerva Scardafield', '(696) 8502408', 'mscardafield51@mtv.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Electra Scraggs', '(877) 3625316', 'escraggs52@de.vu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Gregorius Bacup', '(817) 3735661', 'gbacup53@pinterest.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Madalyn Oliveira', '(434) 9075213', 'moliveira54@wordpress.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Carree Sherreard', '(967) 3202355', 'csherreard55@prnewswire.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3, 'Doro→
   Lambshine', '(607) 3740892', 'dlambshine56@geocities.jp');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Camile Shekle', '(176) 1705909', 'cshekle57@pen.io');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Kalila Disley', '(451) 1475320', 'kdisley58@gravatar.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Viola Rattery', '(116) 1205360', 'vrattery59@guardian.co.uk');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
  'Lainey Castanone', '(865) 6950070', 'lcastanone5a@360.cn');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Candice Belvard', '(398) 8951584', 'cbelvard5b@moonfruit.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Nicky O''Doherty', '(457) 2114949', 'nodoherty5c@patch.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Fletcher Andress', '(444) 5485980', 'fandress5d@vkontakte.ru');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Dania Teliga', '(344) 3447527', 'dteliga5e@tamu.edu');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2,
  'Auroora Meake', '(378) 7520227', 'ameake5f@earthlink.net');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3, 'Sim →
  Steinor', '(693) 9314117', 'ssteinor5g@yelp.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (1,
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
                                                                                   12
  'Bernie Kenright', '(433) 6117362', 'bkenright5h@bizjournals.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Dugald Spellard', '(930) 6632441', 'dspellard5i@multiply.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Ronny Bailes', '(119) 4423867', 'rbailes5j@senate.gov');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Aubrie Jardin', '(890) 7929552', 'ajardin5k@reuters.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Bertine Accombe', '(499) 2922233', 'baccombe5l@wiley.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Aurlie Starbuck', '(533) 1939142', 'astarbuck5m@craigslist.org');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
  'Wilow Boulder', '(505) 7366412', 'wboulder5n@fda.gov');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Dalli Puckey', '(854) 6993404', 'dpuckey5o@cornell.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Deeanne Guillford', '(298) 3510424', 'dguillford5p@mapy.cz');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Nariko Wilding', '(843) 7149650', 'nwilding5q@edublogs.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Abdel Fisbey', '(803) 4693976', 'afisbey5r@ft.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Monty Coventry', '(510) 9884449', 'mcoventry5s@un.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3, 'Innaマ
   Pain', '(892) 1661891', 'ipain5t@fc2.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Catharina Espinazo', '(125) 7560677', 'cespinazo5u@ihg.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Benton Pleace', '(344) 4581028', 'bpleace5v@java.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Ferrel Gerretsen', '(735) 5104990', 'fgerretsen5w@twitter.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Kylynn Thwaite', '(423) 1261413', 'kthwaite5x@weebly.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1, 'Uta →
  Guillerman', '(959) 9277765', 'uguillerman5y@nationalgeographic.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Iggie Braemer', '(796) 4674865', 'ibraemer5z@wix.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Deonne Breffitt', '(422) 8907354', 'dbreffitt60@plala.or.jp');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Katleen Giabucci', '(471) 2453996', 'kgiabucci61@wufoo.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Mikel Guiducci', '(688) 5174605', 'mguiducci62@t-online.de');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3, 'Care→
   Astell', '(403) 1867556', 'castell63@auda.org.au');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Andreana McGuiney', '(118) 8698587', 'amcguiney64@pcworld.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Katusha Basnall', '(232) 6427112', 'kbasnall65@fotki.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Marcela McBrearty', '(327) 2493550', 'mmcbrearty66@sina.com.cn');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Billy Meddemmen', '(257) 4345639', 'bmeddemmen67@dropbox.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Nevins Goodreid', '(292) 8794504', 'ngoodreid68@rediff.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3, 'June→
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
                                                                                    13
Alwin', '(951) 5108717', 'jalwin69@skype.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Darice Smallwood', '(435) 4350325', 'dsmallwood6a@sourceforge.net');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Henka Yakunkin', '(469) 9414489', 'hyakunkin6b@cdbaby.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Carolin Banbrick', '(509) 6182785', 'cbanbrick6c@accuweather.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1, 'Lelaマ
   Twittey', '(515) 3196452', 'ltwittey6d@freewebs.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Sybilla Merton', '(260) 2377749', 'smerton6e@wikimedia.org');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
  'Carmen Burdikin', '(339) 4714176', 'cburdikin6f@theglobeandmail.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Scotty Lindberg', '(895) 2280698', 'slindberg6g@wisc.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Teriann Rigts', '(687) 2611878', 'trigts6h@tiny.cc');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1, 'Tadd'>
   Stonestreet', '(917) 7949784', 'tstonestreet6i@slashdot.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Nannette Vasyunichev', '(482) 1758885', 'nvasyunichev6j@moonfruit.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (1, 'Roxi⊋
   Pautard', '(523) 6028755', 'rpautard6k@stanford.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Jerrold Galgey', '(580) 2575152', 'jgalgey6l@multiply.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Rennie Stockings', '(997) 7024867', 'rstockings6m@fema.gov');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3, 'Edi →
  Basindale', '(442) 6154524', 'ebasindale6n@parallels.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Eldin Portt', '(380) 6609758', 'eportt6o@techcrunch.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Fulton Ipwell', '(690) 8128259', 'fipwell6p@mozilla.org');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (1,
  'Cristine Yeardley', '(289) 8728156', 'cyeardley6q@github.io');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Barny Boerderman', '(877) 4060099', 'bboerderman6r@51.la');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Meryl Denyer', '(428) 7551072', 'mdenyer6s@techcrunch.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2, 'Ase →
  Rash', '(180) 9071918', 'arash6t@rambler.ru');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
  'Roddie Claus', '(186) 4404869', 'rclaus6u@imgur.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Laural Andreassen', '(657) 7820719', 'landreassen6v@behance.net');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Prent Bail', '(108) 1049823', 'pbail6w@independent.co.uk');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2, 'Ditaマ
   Swaile', '(426) 7310748', 'dswaile6x@diigo.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Maurizia Rayson', '(577) 3192690', 'mrayson6y@irs.gov');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Dahlia Smorthit', '(534) 4540713', 'dsmorthit6z@cargocollective.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Martainn Varren', '(540) 2517066', 'mvarren70@unesco.org');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  'Sheena Vokes', '(138) 8393925', 'svokes71@icio.us');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Darnall Bulfoy', '(383) 2831909', 'dbulfoy72@i2i.jp');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Ronda Merrison', '(563) 8489595', 'rmerrison73@nature.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Merci Kinmond', '(675) 2189256', 'mkinmond74@engadget.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Sydney Evenden', '(560) 1116611', 'sevenden75@istockphoto.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Hurley MacDuff', '(224) 8007908', 'hmacduff76@xrea.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3, 'York₹
   GiacobbiniJacob', '(152) 1041488', 'ygiacobbinijacob77@addthis.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Wilmer Welling', '(464) 6681214', 'wwelling78@bbb.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Ketty Diess', '(773) 6408813', 'kdiess79@instagram.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Farlie Perrelli', '(344) 6013191', 'fperrelli7a@nyu.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Casey Arter', '(834) 6292030', 'carter7b@businesswire.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3, 'Meir?
Skeleton', '(395) 9547252', 'mskeleton7c@ucsd.edu'); insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Adriaens Felipe', '(949) 7814898', 'afelipe7d@ted.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3, 'Bald'>
   Leates', '(309) 5817591', 'bleates7e@cmu.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Eirena Seivwright', '(382) 7573615', 'eseivwright7f@creativecommons.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Adrian Leith-Harvey', '(137) 5325220', 'aleithharvey7g@tripod.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Shelba O''Cannon', '(892) 7050983', 'socannon7h@jalbum.net');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2,
  'Marylou Widmoor', '(475) 8636949', 'mwidmoor7i@woothemes.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Nicky Boneham', '(561) 4954033', 'nboneham7j@loc.gov');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Drucy Tardiff', '(462) 6186718', 'dtardiff7k@chron.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Trefor Wragg', '(821) 4721620', 'twragg7l@gnu.org');
insert into Customers (Type_ID, Contact_Name, Phone Number, Email) values (2,
  'Pernell Peaddie', '(952) 5306530', 'ppeaddie7m@cdc.gov');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Pegeen Askaw', '(158) 5764892', 'paskaw7n@umn.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Augusta Nourse', '(974) 8834445', 'anourse7o@merriam-webster.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Stefanie Gotthard.sf', '(553) 5595094', 'sgotthardsf7p@epa.gov');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1, 'Noah⊋
   Childerhouse', '(146) 7374140', 'nchilderhouse7q@odnoklassniki.ru');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
  'Theodor Amphlett', '(242) 1626183', 'tamphlett7r@mapy.cz');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Reube Matusov', '(311) 2060022', 'rmatusov7s@netlog.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (1,
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
                                                                                   15
  'Mathias Hugnet', '(925) 1533773', 'mhugnet7t@chronoengine.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Karel Edson', '(213) 7242806', 'kedson7u@163.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Daren Wrenn', '(338) 4313988', 'dwrenn7v@bing.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Pancho Adam', '(869) 3889344', 'padam7w@archive.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Daisie Arnout', '(515) 1107170', 'darnout7x@indiegogo.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Tadeo Iacovaccio', '(373) 6117895', 'tiacovaccio7y@nasa.gov');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
  'Gwendolyn Babon', '(700) 2839339', 'gbabon7z@discuz.net');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Valma Janosevic', '(485) 8527902', 'vjanosevic80@businessweek.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Evelyn Egger', '(365) 8227728', 'eegger81@ovh.net');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Sascha Giacomazzo', '(255) 7980202', 'sgiacomazzo82@hostgator.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Darell McAvaddy', '(270) 7778271', 'dmcavaddy83@chron.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Judah Tattam', '(763) 1769877', 'jtattam84@ask.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Reginald Blade', '(285) 8398958', 'rblade85@networksolutions.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Everard Barwick', '(489) 9544897', 'ebarwick86@lulu.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Davey Craythorne', '(903) 8367324', 'dcraythorne87@youku.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Adams Tomashov', '(214) 7425037', 'atomashov88@shop-pro.jp');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Freddi Oxe', '(755) 5045477', 'foxe89@hibu.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Karoline Dominighi', '(757) 4127328', 'kdominighi8a@51.la');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Thane Jakoviljevic', '(495) 3551729', 'tjakoviljevic8b@jugem.jp');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Antonie Duckering', '(180) 4891079', 'aduckering8c@squarespace.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Berty Mc Cahey', '(583) 7918381', 'bmc8d@home.pl');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Skipton Henricsson', '(724) 4776362', 'shenricsson8e@goodreads.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Daniel Guswell', '(463) 3266320', 'dguswell8f@blogtalkradio.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Zulema Kettlestringe', '(837) 9921077', 'zkettlestringe8g@usatoday.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Frankie Grinaway', '(202) 8543125', 'fgrinaway8h@sogou.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Angelico Kupec', '(405) 8650019', 'akupec8i@theguardian.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
  'Ximenes Sharphouse', '(723) 6242745', 'xsharphouse8j@typepad.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Patsy Joules', '(818) 3020552', 'pjoules8k@addtoany.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (1,
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
                                                                                   16
  'Alfreda Wolfers', '(229) 1524211', 'awolfers8l@msu.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Margaret Gasson', '(177) 1749114', 'mgasson8m@google.ru');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Derrek Hortop', '(942) 6538242', 'dhortop8n@reverbnation.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Kaitlin Cartwright', '(882) 1310564', 'kcartwright8o@theatlantic.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Moria Donnett', '(809) 7586546', 'mdonnett8p@digg.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Debora Capon', '(199) 4246370', 'dcapon8q@usa.gov');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
  'Moselle Lacotte', '(916) 8039730', 'mlacotte8r@t-online.de');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Kettie Stavers', '(602) 2607632', 'kstavers8s@sciencedirect.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Rodrigo Cashen', '(537) 8406492', 'rcashen8t@storify.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Elsey Ebbens', '(418) 7664563', 'eebbens8u@nih.gov');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Brandyn Grassick', '(356) 6795686', 'bgrassick8v@purevolume.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2,
  'Quill Malby', '(802) 6767539', 'qmalby8w@ezinearticles.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Valerie Blackstock', '(995) 1882920', 'vblackstock8x@delicious.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Chicky Tessier', '(865) 8643852', 'ctessier8y@studiopress.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Buddie Klimp', '(837) 9309472', 'bklimp8z@wikispaces.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Marlon Kayser', '(449) 1755423', 'mkayser90@youtube.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Berri Gromley', '(242) 4948939', 'bgromley91@accuweather.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
  'Juline Govern', '(990) 8758152', 'jgovern92@mail.ru');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Flory Iglesia', '(518) 7665570', 'figlesia93@mtv.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Gretna Popham', '(724) 8395153', 'gpopham94@symantec.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Marianne Anton', '(852) 3214648', 'manton95@is.gd');
insert into Customers (Type_ID, Contact_Name, Phone Number, Email) values (2,
  'Dedra Pratchett', '(761) 1950125', 'dpratchett96@geocities.jp');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Haskel Matskiv', '(440) 1100397', 'hmatskiv97@mit.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Kiley Kaemena', '(600) 6063422', 'kkaemena98@marriott.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Raynell Cotty', '(353) 8706687', 'rcotty99@flavors.me');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Curcio Saipy', '(695) 5873755', 'csaipy9a@hc360.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (1,
  'Wright Tokell', '(787) 9581271', 'wtokell9b@microsoft.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Haley Coughlan', '(643) 2918630', 'hcoughlan9c@pagesperso-orange.fr');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3, 'Cate→
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
                                                                                    17
Chantree', '(987) 7576436', 'cchantree9d@msn.com'); insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Rickert Kirimaa', '(648) 4261545', 'rkirimaa9e@drupal.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Malinda Harrower', '(367) 4527263', 'mharrower9f@i2i.jp');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Missy Boagey', '(896) 5829340', 'mboagey9g@blogtalkradio.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Eveline Phlippi', '(599) 8871507', 'ephlippi9h@ebay.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Elnora Cogar', '(661) 6012415', 'ecogar9i@dailymotion.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
  'Claudian De Lascy', '(264) 8487548', 'cde9j@jugem.jp');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Mohandis Jewson', '(420) 3338254', 'mjewson9k@fastcompany.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Danila Cowie', '(942) 6977427', 'dcowie91@fda.gov');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Linnea Durbin', '(340) 1000953', 'ldurbin9m@google.com.hk');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Ramsey Penwarden', '(948) 2454481', 'rpenwarden9n@paypal.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Ripley Jacquemot', '(918) 8230770', 'rjacquemot9o@geocities.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2, 'Emma→
   Denley', '(729) 1876357', 'edenley9p@skyrock.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Waring Ropars', '(394) 6344081', 'wropars9q@dedecms.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Debee Issacoff', '(310) 8586374', 'dissacoff9r@engadget.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Adara Jerams', '(630) 4055232', 'ajerams9s@wordpress.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Noland McCullough', '(374) 6269730', 'nmccullough9t@dion.ne.jp');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3, 'Zsa →
  zsa De Bernardis', '(482) 9538797', 'zzsa9u@storify.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Lucinda Farnham', '(600) 4410952', 'lfarnham9v@sciencedirect.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Vernice Royse', '(894) 6896886', 'vroyse9w@is.gd');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Janeczka Deroche', '(444) 7040199', 'jderoche9x@w3.org');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2, 'Gus →
  Peterken', '(646) 2492661', 'gpeterken9y@squidoo.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Janice Russam', '(143) 4704906', 'jrussam9z@desdev.cn');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Jimmy Fausset', '(362) 1787960', 'jfausseta0@de.vu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Elisha Tarbard', '(912) 1441557', 'etarbarda1@meetup.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Emelda Fawson', '(507) 6388454', 'efawsona2@bizjournals.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
  'Jeannie Faucherand', '(767) 2272748', 'jfaucheranda3@yelp.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Bette Lempel', '(189) 2105704', 'blempela4@buzzfeed.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2,
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  'Katti Butteris', '(749) 3106793', 'kbutterisa5@topsy.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1, 'Rufe⊋
   Judkins', '(672) 5307347', 'rjudkinsa6@angelfire.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Corinna Latchmore', '(489) 8818240', 'clatchmorea7@facebook.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Lorine Edeson', '(125) 7124845', 'ledesona8@ning.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Justina Dedon', '(527) 7656823', 'jdedona9@google.nl');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Maren Brownhall', '(784) 6494014', 'mbrownhallaa@un.org');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2,
  'Courtney Crossgrove', '(802) 7847990', 'ccrossgroveab@toplist.cz');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Ambrosio McNeil', '(301) 3551095', 'amcneilac@istockphoto.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Nathanial Seabrocke', '(941) 1463382', 'nseabrockead@engadget.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Antonio Kippin', '(229) 3381750', 'akippinae@csmonitor.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Harley Fromont', '(180) 3013228', 'hfromontaf@japanpost.jp');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Allyn Tuminini', '(999) 6925923', 'atumininiag@examiner.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Delilah Bettaney', '(108) 2995855', 'dbettaneyah@scribd.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Aldous Atty', '(418) 1400384', 'aattyai@lulu.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Shelbi Hartwell', '(286) 9072131', 'shartwellaj@pen.io');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Grissel Antoniottii', '(222) 4740444', 'gantoniottiiak@t-online.de');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Jaquelyn Vasilic', '(455) 3913560', 'jvasilical@jugem.jp');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
  'Merrie Goering', '(875) 2692364', 'mgoeringam@rakuten.co.jp');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Mariele Pedroli', '(481) 2117185', 'mpedrolian@wikimedia.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Damon Shemmans', '(852) 1204343', 'dshemmansao@prlog.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Britni Haigh', '(232) 1711931', 'bhaighap@dion.ne.jp');
insert into Customers (Type_ID, Contact_Name, Phone Number, Email) values (1,
  'Raffarty Walkey', '(964) 3880963', 'rwalkeyaq@indiatimes.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Emelyne Springer', '(946) 2391562', 'espringerar@hugedomains.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Gabriell Hicklingbottom', '(605) 5318553', 'ghicklingbottomas@lycos.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Connor Smethurst', '(320) 3523674', 'csmethurstat@digg.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Pearla Utterson', '(894) 1126332', 'puttersonau@webs.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Algernon Maycey', '(277) 3364916', 'amayceyav@tumblr.com');
```

insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,

insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2,

'Allyn Lyle', '(279) 9319994', 'alyleaw@indiatimes.com');

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
                                                                                     19
  'Timmie Pietruszewicz', '(2<mark>24) 1692548', 'tpietruszewiczax@ustream.tv');</mark>
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Mathew Reeday', '(158) 9096707', 'mreedayay@blog.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Angelo Mc Carrick', '(518) 9714846', 'amcaz@cbsnews.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1, 'Litaマ
   Colnet', '(117) 1599805', 'lcolnetb0@hud.gov');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Lemmie Rhoddie', '(982) 9280445', 'lrhoddieb1@photobucket.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Devina Woolveridge', '(796) 7219396', 'dwoolveridgeb2@scribd.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2, 'Liz →
  Wickstead', '(831) 6836980', 'lwicksteadb3@cargocollective.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Amelina Growy', '(434) 6356444', 'agrowyb4@php.net');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Lorine Callow', '(649) 8001120', 'lcallowb5@wsj.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Wilburt Jeffries', '(914) 7684557', 'wjeffriesb6@apache.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1, 'Cleaマ
   Beals', '(630) 7057354', 'cbealsb7@etsy.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Gunar Lytton', '(922) 8331791', 'glyttonb8@pinterest.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Clarke Cocozza', '(882) 9529538', 'ccocozzab9@stanford.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Malvin Pickrill', '(720) 6211119', 'mpickrillba@ehow.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Ansel Sinclaire', '(960) 1141294', 'asinclairebb@live.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Morena Dutch', '(675) 5922292', 'mdutchbc@seattletimes.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Bernelle Addinall', '(821) 3039108', 'baddinallbd@oakley.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1, 'Toby→
   Fyall', '(366) 9840260', 'tfyallbe@cdbaby.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3, 'Eddi?
Trudgion', '(355) 2980228', 'etrudgionbf@google.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Agretha D''Alesco', '(687) 4512754', 'adalescobg@unc.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Madel Pharro', '(717) 4186051', 'mpharrobh@ftc.gov');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2,
  'Reinaldos Farge', '(268) 9060198', 'rfargebi@facebook.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Kaylil Lambole', '(833) 7588523', 'klambolebj@netscape.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Alonzo Ellaway', '(642) 9263094', 'aellawaybk@123-reg.co.uk');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Henri Busse', '(655) 8444883', 'hbussebl@trellian.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Fonsie Sketch', '(587) 9851725', 'fsketchbm@is.gd');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2,
  'Elspeth Norrie', '(181) 7873814', 'enorriebn@desdev.cn');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Danielle Boosey', '(998) 8547146', 'dbooseybo@cmu.edu');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
                                                                                   20
  'Wally Phettis', '(284) 8614371', 'wphettisbp@shareasale.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2, 'Dosi⊋
   Champney', '(712) 5593841', 'dchampneybq@technorati.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Torey Sidney', '(472) 1347834', 'tsidneybr@uiuc.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1, 'Lay →
  Caron', '(758) 4598138', 'lcaronbs@linkedin.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Merola Kencott', '(540) 4021472', 'mkencottbt@paginegialle.it');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Karol Bambery', '(358) 6029337', 'kbamberybu@phoca.cz');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (1, 'Burt'>
   Deverock', '(175) 2987944', 'bdeverockbv@instagram.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Rinaldo Dutteridge', '(770) 9935611', 'rdutteridgebw@taobao.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Felicia Balogun', '(280) 8531138', 'fbalogunbx@clickbank.net');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Wileen Thal', '(110) 1394760', 'wthalby@delicious.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2, 'Tim →
  Olivet', '(502) 1904517', 'tolivetbz@ft.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Carlota Burdett', '(151) 2056597', 'cburdettc0@youku.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Robyn Calan', '(981) 7933243', 'rcalanc1@edublogs.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Neils Keyme', '(578) 2287867', 'nkeymec2@newyorker.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Adelina Tagg', '(195) 7670013', 'ataggc3@pbs.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Chilton Frany', '(702) 3474156', 'cfranyc4@tmall.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Lorne Dickinson', '(165) 6326254', 'ldickinsonc5@zdnet.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Florencia Witheridge', '(818) 9294814', 'fwitheridgec6@thetimes.co.uk');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3, 'Ed
  Bradnock', '(769) 3844001', 'ebradnockc7@independent.co.uk');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Fabien Philimore', '(906) 4310558', 'fphilimorec8@creativecommons.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Gladys Schollick', '(347) 5387041', 'gschollickc9@dagondesign.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (1,
  'Xenos Maggs', '(445) 4508615', 'xmaggsca@zimbio.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Prentiss Iiannoni', '(470) 4978760', 'piiannonicb@prlog.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Jourdan Jarman', '(588) 9685076', 'jjarmancc@craigslist.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Christian Mullineux', '(922) 7508654', 'cmullineuxcd@vinaora.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3, 'Kev →
  Vater', '(370) 4738762', 'kvaterce@cnet.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Salomi Louw', '(309) 8272665', 'slouwcf@artisteer.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
```

'Griffith Tarborn', '(547) 1952716', 'gtarborncg@ycombinator.com'); insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2,

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
                                                                                   21
  'Boote Videan', '(465) 8426032', 'bvideanch@paginegialle.it');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Cheryl Trace', '(728) 4628956', 'ctraceci@addthis.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2, 'Nikeマ
   Tapton', '(757) 4276884', 'ntaptoncj@mlb.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Rustin Bonniface', '(276) 9152089', 'rbonnifaceck@wikimedia.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Sonya McVey', '(583) 2011598', 'smcveycl@ning.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2, 'Nap →
  Ketch', '(394) 9576378', 'nketchcm@indiegogo.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (1,
  'Dimitri Stookes', '(326) 7570238', 'dstookescn@bravesites.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Imogen Geharke', '(782) 8795453', 'igeharkeco@usgs.gov');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Nikolaus Wenzel', '(413) 1504938', 'nwenzelcp@google.ca');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Carine Duffil', '(683) 7024583', 'cduffilcq@bbb.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Katherina Blundel', '(323) 9037796', 'kblundelcr@nbcnews.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (2,
  'Neddy Jurczak', '(999) 5495203', 'njurczakcs@liveinternet.ru');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2, 'Bay →
  Teers', '(736) 4658175', 'bteersct@clickbank.net');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Angelo Vizard', '(194) 1528218', 'avizardcu@e-recht24.de');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Godfry Castellino', '(125) 7780307', 'gcastellinocv@cbsnews.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Alyosha Jellard', '(550) 7729714', 'ajellardcw@aboutads.info');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Candi McTaggart', '(229) 7481011', 'cmctaggartcx@google.co.jp');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1, 'Waly>
   Samuel', '(234) 9982387', 'wsamuelcy@de.vu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Kellby Derdes', '(421) 6798479', 'kderdescz@va.gov');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Gaven Rosenkrantz', '(314) 1466207', 'grosenkrantzd0@webnode.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Joline Hurt', '(530) 7152588', 'jhurtd1@moonfruit.com');
insert into Customers (Type_ID, Contact_Name, Phone Number, Email) values (1,
  'Arlin Canny', '(847) 8032002', 'acannyd2@comcast.net');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2, 'Riviマ
   Amorts', '(298) 7970324', 'ramortsd3@bizjournals.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Bendix Bleasby', '(698) 9149200', 'bbleasbyd4@ox.ac.uk');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Leonelle Ragbourn', '(603) 2035954', 'lragbournd5@examiner.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Esmeralda O''Scollee', '(773) 7668023', 'eoscolleed6@vimeo.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (1,
  'Katalin Graeber', '(542) 8615512', 'kgraeberd7@prlog.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Rossie Marling', '(237) 3354858', 'rmarlingd8@posterous.com');
insert into Customers (Type ID, Contact Name, Phone Number, Email) values (3,
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  'Lesli Wantling', '(327) 7713471', 'lwantlingd9@skype.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Janka Waterhouse', '(214) 6542394', 'jwaterhouseda@imdb.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'North Jeaneau', '(925) 7969522', 'njeaneaudb@ibm.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Wendy Preddle', '(829) 7005806', 'wpreddledc@nyu.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Frasier Hucklesby', '(643) 9534222', 'fhucklesbydd@themeforest.net');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2, 'Al
  Benettolo', '(454) 6900884', 'abenettolode@whitehouse.gov');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Rosalinde Krause', '(115) 3925671', 'rkrausedf@salon.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Malinde England', '(786) 2069909', 'menglanddg@dyndns.org');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Phaedra Cowderoy', '(920) 1702698', 'pcowderoydh@chicagotribune.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Lindy Pudner', '(162) 7428292', 'lpudnerdi@yellowpages.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Evangeline Cordsen', '(814) 1502913', 'ecordsendj@php.net');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Halsey Juschke', '(893) 8032802', 'hjuschkedk@xrea.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2, 'Tim →
  Marcome', '(190) 4071446', 'tmarcomedl@blog.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3, 'Liraマ
   Swaddle', '(261) 1789934', 'lswaddledm@msu.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Lucienne Farrears', '(646) 9743402', 'lfarrearsdn@smh.com.au');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Eddie Menezes', '(500) 7654072', 'emenezesdo@yale.edu');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Aubrette Yekel', '(276) 9885037', 'ayekeldp@google.it');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2, 'Jan →
  Bryning', '(519) 8323065', 'jbryningdq@cafepress.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Anette O''Mullally', '(889) 4189089', 'aomullallydr@aol.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Moishe Richardsson', '(676) 9328438', 'mrichardssonds@networksolutions.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (2,
  'Katlin Gabbatt', '(786) 6597662', 'kgabbattdt@trellian.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (3,
  'Laurence Simonson', '(750) 4633132', 'lsimonsondu@sohu.com');
insert into Customers (Type_ID, Contact_Name, Phone_Number, Email) values (1,
  'Darla Lambertz', '(406) 4626238', 'dlambertzdv@sfgate.com');
------Insert Orders Table-----
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (100, '484', '7252939', '1', '2019-05-15');
INSERT INTO Orders([Order ID],[Cust ID],[Driver],[Branch ID],[Order Date]) VALUES
  (101, '81', '9585301', '2', '2019-01-12');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (102, '340', '5894565', '3', '2020-04-25');
INSERT INTO Orders([Order_ID], [Cust_ID], [Driver], [Branch_ID], [Order_Date]) VALUES >
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
                                                                                     23
  (103, '219', '8273795', '3', '2018-12-15');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (104, '191', '6290280', '3', '2019-10-19');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (105, '338', '6183835', '2', '2020-08-06');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (106, '268', '5635583', '3', '2019-09-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (107, '108', '2238453', '1', '2020-04-06');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (108, '245', '2722641', '3', '2019-01-06');
INSERT INTO Orders([Order ID],[Cust ID],[Driver],[Branch ID],[Order Date]) VALUES
  (109, '107', '5635583', '4', '2020-08-25');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (110, '281', '7183069', '1', '2020-07-15');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (111, '273', '3775413', '1', '2020-09-01');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (112, '335', '6183835', '1', '2019-04-24');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (113, '376', '7220969', '1', '2019-10-01');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (114, '244', '8273795', '4', '2020-03-02');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (115, '271', '7183069', '3', '2019-02-15');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (116, '488', '7252939', '1', '2019-03-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (117, '252', '9585301', '3', '2020-01-18');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (118, '453', '5635583', '2', '2019-02-17');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (119, '233', '5894565', '2', '2020-07-07');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (120, '54', '2557362', '4', '2019-03-13');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (121, '348', '5635583', '4', '2020-11-03');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (122, '331', '5894565', '4', '2019-09-15');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (123, '42', '9469107', '4', '2020-04-27');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (124, '384', '2722641', '1', '2019-05-30');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (125, '452', '2557362', '3', '2020-08-09');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (126, '230', '8273795', '4', '2020-03-05');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (127, '258', '6290280', '2', '2020-05-17');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (128, '358', '7220969', '4', '2020-03-01');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (129,' 296','2238453','1','2018-12-20');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (130, '261', '9469107', '1', '2020-03-11');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  (131, ' 22', '7449234', '4', '2018-11-20');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (132, '212', '2557362', '3', '2018-11-23');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (133, '65', '6290280', '1', '2020-02-25');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (134, ' 266', '6936499', '1', '2019-03-07');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (135, '232', '7252939', '2', '2020-05-25');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (136, '497', '3775413', '1', '2019-07-12');
INSERT INTO Orders([Order ID],[Cust ID],[Driver],[Branch ID],[Order Date]) VALUES
  (137, '26', '7252939', '4', '2020-05-28');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (138, '121', '6653876', '2', '2018-12-01');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (139, '328', '9469107', '1', '2020-06-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (140, '15', '5635583', '1', '2020-10-27');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (141, '237', '6290280', '2', '2020-11-06');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (142, '464', '7183069', '2', '2020-05-11');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (143, '367', '5894565', '3', '2018-11-14');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (144, '299', '5894565', '2', '2019-05-07');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (145, ' 224', '5334556', '4', '2019-12-04');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (146, '96', '7220969', '1', '2020-05-12');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (147, '76', '6183835', '2', '2019-11-15');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (148, '66', '2722641', '4', '2018-12-18');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (149, '498', '5635583', '4', '2019-12-06');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (150, '289', '7183069', '4', '2018-11-13');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (151, '180', '7183069', '3', '2020-07-18');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (152, '427', '6183835', '2', '2018-12-15');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (153, '329', '7183069', '3', '2019-03-19');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (154, '184', '2238453', '3', '2019-09-03');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (155, '326', '3775413', '3', '2020-06-26');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (156, '267', '3775413', '3', '2019-10-12');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (157, '351', '8273795', '1', '2020-09-30');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (158, '338', '8273795', '1', '2019-06-22');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
                                                                                     25
  (159, '49', '5894565', '1', '2020-10-26');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (160, '61', '7220969', '2', '2020-10-15');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (161, '154', '8273795', '3', '2020-03-26');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (162, '161', '9469107', '3', '2019-08-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (163, '498', '9469107', '1', '2018-12-09');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (164, '495', '3775413', '4', '2020-10-29');
INSERT INTO Orders([Order ID],[Cust ID],[Driver],[Branch ID],[Order Date]) VALUES
  (165, '131', '2557362', '1', '2020-03-09');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (166, '14', '6936499', '4', '2020-07-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (167, '31', '6653876', '3', '2020-03-15');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (168, '425', '7183069', '1', '2019-02-19');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (169, '470', '6936499', '2', '2019-10-27');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (170, '355', '2722641', '4', '2020-03-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (171, ' 202', '5894565', '2', '2020-01-31');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (172, '256', '5894565', '1', '2019-04-25');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (173, '86', '5894565', '2', '2020-03-30');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (174, ' 263', '6653876', '2', '2020-08-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (175, '98', '7220969', '4', '2020-09-08');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (176, '62', '7252939', '4', '2020-04-13');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (177, '63', '8273795', '3', '2019-05-05');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (178, '168', '7449234', '3', '2018-12-31');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (179, '225', '6653876', '2', '2019-01-11');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (180, '443', '6653876', '4', '2020-05-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (181, '180', '7183069', '1', '2019-02-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (182, '243', '3775413', '2', '2019-05-30');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (183, '69', '5334556', '1', '2020-03-08');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (184, '133', '7449234', '2', '2020-10-28');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (185, '181', '7183069', '3', '2019-08-08');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (186, '355', '9469107', '4', '2020-10-26');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
                                                                                     26
  (187, '182', '5334556', '4', '2019-10-23');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (188, '118', '6936499', '2', '2020-06-10');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (189, '113', '8273795', '4', '2020-03-15');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (190, '179', '7220969', '3', '2019-06-12');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (191, '56', '3775413', '3', '2020-05-17');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (192, '228', '2557362', '1', '2019-06-11');
INSERT INTO Orders([Order ID],[Cust ID],[Driver],[Branch ID],[Order Date]) VALUES
  (193, '397', '2238453', '2', '2019-03-06');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (194, '61', '9585301', '4', '2020-03-03');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (195,' 222','2238453','1','2019-01-16');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (196, '254', '2238453', '3', '2019-03-06');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (197, '307', '9469107', '4', '2020-06-07');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (198, '456', '5334556', '4', '2020-09-15');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (199, '75', '7183069', '2', '2020-08-30');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (200, '21', '6183835', '4', '2018-12-13');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (201, '58', '6653876', '3', '2020-09-19');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (202, '322', '5635583', '2', '2020-09-22');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (203, '426', '2238453', '3', '2019-07-05');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (204, '145', '6183835', '2', '2020-05-12');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (205,' 378','2722641','4','2019-05-30');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (206, '56', '7220969', '3', '2019-11-14');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (207, '277', '5894565', '4', '2019-10-13');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (208, '300', '7449234', '2', '2019-10-14');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (209, '230', '6183835', '2', '2019-10-06');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (210, '26', '6183835', '4', '2020-10-31');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (211, '419', '7183069', '3', '2019-10-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (212, '320', '7449234', '1', '2020-10-09');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (213,' 243','2722641','2','2019-05-09');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (214, '361', '7183069', '4', '2019-11-26');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
                                                                                     27
  (215, '416', '3775413', '3', '2019-03-08');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (216, '399', '2238453', '3', '2019-08-28');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (217, '3', '7252939', '1', '2019-08-10');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (218, '191', '5894565', '2', '2019-12-20');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (219, '286', '2238453', '2', '2018-11-28');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (220, '210', '3775413', '2', '2019-08-17');
INSERT INTO Orders([Order ID],[Cust ID],[Driver],[Branch ID],[Order Date]) VALUES
  (221, '378', '6290280', '1', '2020-07-26');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (222, '199', '6290280', '4', '2019-07-12');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (223, '466', '5334556', '1', '2020-03-01');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (224, '115', '3775413', '3', '2019-03-15');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (225, '121', '6183835', '1', '2020-05-12');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (226, '133', '8273795', '3', '2020-11-02');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (227, '486', '7220969', '1', '2019-04-26');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (228, '168', '5334556', '3', '2019-12-10');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (229, '287', '9469107', '2', '2019-07-24');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (230, '480', '7449234', '2', '2020-08-31');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (231, '461', '6183835', '3', '2018-12-03');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (232, '101', '6936499', '1', '2019-01-30');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (233, '356', '5334556', '3', '2020-06-10');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (234, '233', '5894565', '2', '2019-06-01');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (235, '302', '3775413', '1', '2020-06-07');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (236, '267', '5894565', '4', '2020-05-03');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (237, '311', '2238453', '1', '2020-10-10');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (238, '311', '9469107', '1', '2019-08-13');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (239, '167', '6183835', '3', '2019-08-10');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (240, '91', '7220969', '3', '2020-06-24');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (241, '387', '7183069', '4', '2020-06-11');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (242, '321', '5635583', '1', '2020-05-09');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  (243, '62', '2238453', '3', '2019-02-18');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (244, '126', '2238453', '4', '2019-07-16');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (245, '492', '6936499', '3', '2019-07-09');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (246, '145', '5334556', '2', '2020-09-19');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (247, '408', '2238453', '3', '2018-12-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (248, '34', '5635583', '1', '2020-09-02');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (249, '195', '6936499', '4', '2019-04-02');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (250, '442', '6653876', '4', '2020-03-07');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (251, '23', '7252939', '3', '2019-01-07');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (252, '143', '2557362', '4', '2020-05-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (253, '439', '6936499', '2', '2019-12-23');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (254, '291', '9469107', '3', '2019-05-11');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (255, '387', '8273795', '4', '2020-01-02');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (256, '168', '6936499', '2', '2019-08-28');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (257, '239', '9585301', '3', '2020-01-15');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (258, '181', '6936499', '4', '2019-12-15');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (259, '156', '6290280', '4', '2019-01-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (260, '94', '7449234', '4', '2019-06-13');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (261, '434', '6183835', '1', '2020-01-11');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (262, '166', '7252939', '1', '2020-05-20');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (263, '414', '8273795', '3', '2019-12-12');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (264, '105', '7449234', '4', '2019-10-03');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (265, '119', '6653876', '1', '2020-03-01');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (266, '476', '8273795', '2', '2020-07-01');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (267, '482', '6290280', '1', '2020-02-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (268, '148', '2238453', '4', '2019-01-31');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (269, '190', '2557362', '4', '2018-12-13');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (270, '242', '2722641', '1', '2020-09-02');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  (271, ' 113', '9469107', '3', '2019-07-19');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (272, '484', '5894565', '2', '2019-05-06');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (273,' 216','5334556','4','2020-08-12');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (274, '479', '3775413', '3', '2020-10-27');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (275,' 208','6183835','2','2019-10-08');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (276, '312', '7183069', '2', '2019-07-27');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (277, '83', '2557362', '1', '2020-09-03');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (278, '215', '5635583', '3', '2019-08-22');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (279, '333', '5894565', '4', '2020-04-24');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (280, '331', '6653876', '3', '2018-11-16');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (281, '409', '5334556', '4', '2020-10-12');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (282, '91', '7183069', '4', '2019-04-01');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (283, '155', '6653876', '1', '2019-09-28');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (284, '473', '2238453', '2', '2020-01-16');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (285, '421', '2722641', '4', '2020-01-31');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (286, '413', '5334556', '1', '2020-04-19');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (287, '86', '2557362', '4', '2019-03-28');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (288, '467', '5635583', '3', '2020-05-11');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (289, '218', '2557362', '3', '2020-08-26');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (290, '429', '6290280', '2', '2019-05-05');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (291, '373', '9585301', '4', '2019-09-03');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (292, '354', '7183069', '3', '2019-11-23');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (293, '41', '6936499', '4', '2019-06-06');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (294, '452', '6183835', '2', '2020-02-02');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (295, '404', '6183835', '2', '2020-01-24');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (296, '40', '6653876', '2', '2019-09-07');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (297, '142', '6183835', '3', '2019-04-18');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (298, '109', '7183069', '2', '2020-03-07');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  (299, '442', '6290280', '4', '2020-03-26');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (300, '423', '9585301', '1', '2020-01-25');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (301, '166', '6936499', '1', '2019-09-05');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (302, '267', '5635583', '4', '2020-04-04');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (303, '122', '5635583', '2', '2020-04-03');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (304, '429', '5894565', '3', '2020-09-06');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (305, '21', '5635583', '3', '2019-11-19');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (306, '472', '2722641', '3', '2019-06-07');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (307, '99', '6653876', '3', '2019-08-03');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (308, '160', '8273795', '3', '2020-07-07');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (309, '479', '7449234', '2', '2019-12-05');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (310, '338', '7220969', '2', '2020-04-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (311, '203', '9585301', '1', '2020-10-19');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (312, '341', '8273795', '4', '2020-10-22');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (313, '40', '7220969', '4', '2020-05-06');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (314, '306', '9585301', '4', '2019-07-25');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (315, '32', '7183069', '4', '2020-03-30');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (316, '381', '2557362', '2', '2020-06-26');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (317, '466', '5334556', '2', '2019-11-09');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (318, '447', '5894565', '1', '2019-11-28');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (319, '218', '5334556', '2', '2020-01-11');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (320, '131', '2238453', '4', '2020-07-09');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (321, '467', '9469107', '4', '2019-01-09');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (322, '71', '8273795', '3', '2019-01-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (323, '354', '7220969', '1', '2019-08-13');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (324, '495', '8273795', '2', '2019-10-15');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (325,' 265','7252939','2','2019-12-18');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (326, '399', '9469107', '1', '2019-05-06');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  (327, '199', '3775413', '3', '2020-01-04');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (328, '41', '9469107', '3', '2020-09-19');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (329, '286', '6183835', '3', '2020-11-02');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (330, '406', '2557362', '3', '2018-11-26');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (331,' 71','2722641','4','2019-06-03');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (332, '302', '9585301', '1', '2020-10-17');
INSERT INTO Orders([Order ID],[Cust ID],[Driver],[Branch ID],[Order Date]) VALUES
  (333, '413', '2722641', '1', '2020-03-02');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (334, '417', '6183835', '2', '2020-07-12');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (335, '314', '7183069', '2', '2019-08-18');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (336, '177', '7183069', '3', '2019-08-13');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (337, '11', '7449234', '3', '2019-01-13');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (338, '92', '2557362', '1', '2018-12-05');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (339,' 200','5334556','2','2020-10-11');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (340, '84', '7183069', '2', '2020-04-27');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (341, '30', '7449234', '4', '2019-12-19');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (342, '340', '2557362', '2', '2020-05-28');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (343, '249', '2557362', '1', '2019-02-02');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (344, '269', '8273795', '1', '2020-10-17');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (345,' 28','5635583','2','2020-10-22');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (346, '43', '7220969', '4', '2019-12-04');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (347, '493', '7449234', '3', '2019-08-22');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (348, '467', '6183835', '1', '2020-01-22');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (349, '397', '7183069', '4', '2020-02-01');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (350, '281', '9585301', '4', '2020-10-19');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (351, '197', '6653876', '4', '2020-03-18');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (352, '57', '7449234', '2', '2019-07-15');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (353, '296', '5334556', '2', '2019-12-12');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (354, '117', '8273795', '1', '2019-11-13');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  (355, ' 225', '9585301', '4', '2019-12-15');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (356, '151', '3775413', '4', '2019-10-25');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (357, '465', '9469107', '3', '2019-03-29');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (358, '250', '6653876', '4', '2020-04-13');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (359,' 284','7183069','3','2019-04-02');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (360, '98', '5894565', '4', '2020-06-10');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (361, '111', '9469107', '3', '2020-08-17');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (362, '308', '5894565', '3', '2019-11-20');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (363, '150', '2557362', '3', '2019-11-16');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (364, '458', '7449234', '1', '2020-04-23');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (365, '406', '2557362', '3', '2019-11-02');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (366, '284', '9585301', '4', '2020-08-13');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (367, '470', '8273795', '3', '2019-07-11');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (368, '325', '7252939', '4', '2020-07-16');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (369, '454', '6290280', '1', '2019-08-24');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (370, '272', '6936499', '4', '2020-04-26');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (371, '369', '9585301', '3', '2020-07-12');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (372, '357', '6653876', '4', '2020-07-19');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (373, '362', '7252939', '1', '2019-02-09');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (374, '15', '9585301', '3', '2020-07-26');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (375, '312', '6653876', '4', '2020-05-18');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (376, '279', '5334556', '1', '2020-07-17');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (377, '272', '2557362', '1', '2020-05-25');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (378, '316', '8273795', '4', '2020-10-01');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (379, '359', '2238453', '1', '2020-03-19');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (380, '161', '5894565', '2', '2019-03-16');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (381, '385', '5635583', '1', '2020-01-29');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (382, '346', '7183069', '1', '2020-06-26');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  (383, '130', '9585301', '2', '2018-12-10');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (384, '417', '9585301', '4', '2019-01-10');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (385,' 248','7183069','3','2019-11-17');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (386, '80', '5334556', '1', '2019-01-31');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (387,' 222','3775413','1','2019-12-16');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (388, '420', '3775413', '2', '2019-03-28');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (389, '226', '3775413', '3', '2019-12-14');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (390, '26', '5894565', '2', '2019-08-05');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (391, '40', '5635583', '3', '2020-05-14');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (392, '499', '6653876', '4', '2020-02-14');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (393, '365', '2557362', '1', '2019-10-12');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (394, '394', '3775413', '2', '2020-05-20');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (395, '57', '8273795', '4', '2019-01-15');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (396, '355', '9585301', '1', '2019-08-04');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (397, '428', '2557362', '1', '2019-06-20');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (398, '382', '2722641', '2', '2019-10-20');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (399, '310', '9585301', '1', '2018-12-04');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (400, '229', '8273795', '1', '2020-09-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (401, '337', '6936499', '4', '2019-09-28');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (402, '417', '8273795', '2', '2019-02-07');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (403, '23', '7183069', '4', '2019-07-11');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (404, '98', '9585301', '2', '2020-05-31');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (405,' 186','6936499','1','2019-05-08');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (406, '206', '5635583', '3', '2020-09-11');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (407, '155', '9469107', '3', '2020-05-03');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (408, '154', '7220969', '3', '2019-02-01');
INSERT INTO Orders([Order ID],[Cust ID],[Driver],[Branch ID],[Order Date]) VALUES
  (409, '158', '9469107', '4', '2019-05-22');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (410, '491', '8273795', '1', '2020-09-17');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  (411, ' 120', '7449234', '3', '2020-08-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (412, '395', '7252939', '3', '2018-12-10');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (413, '58', '2557362', '2', '2020-09-08');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (414, '88', '5334556', '4', '2018-11-26');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (415, '387', '7220969', '3', '2019-07-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (416, '462', '7220969', '3', '2018-11-09');
INSERT INTO Orders([Order ID],[Cust ID],[Driver],[Branch ID],[Order Date]) VALUES
  (417, '195', '9469107', '2', '2020-09-08');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (418, '8', '7252939', '4', '2019-06-07');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (419, ' 204', '6653876', '2', '2019-10-24');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (420, '342', '6290280', '1', '2019-08-02');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (421, '458', '6653876', '3', '2019-03-29');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (422, '297', '8273795', '2', '2019-12-13');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (423, '61', '5894565', '1', '2019-05-11');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (424, '289', '6183835', '3', '2019-06-18');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (425, '136', '2722641', '2', '2019-02-17');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (426, '224', '2238453', '3', '2020-09-06');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (427, '488', '7449234', '4', '2019-07-19');
INSERT INTO Orders([Order_ID], [Cust_ID], [Driver], [Branch_ID], [Order_Date]) VALUES
  (428, ' 206', '2722641', '4', '2018-12-11');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (429, '392', '7220969', '3', '2019-05-17');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (430, '405', '9585301', '1', '2020-05-11');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (431, '203', '7220969', '2', '2020-09-28');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (432, '447', '5894565', '4', '2020-02-09');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (433,' 278','5894565','3','2020-10-12');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (434, '94', '5334556', '4', '2019-05-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (435, '426', '7183069', '1', '2018-12-26');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (436, '140', '7449234', '3', '2020-03-03');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (437, '447', '6183835', '2', '2019-09-03');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (438, '240', '8273795', '3', '2020-06-13');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  (439, ' 298', '9585301', '3', '2020-11-06');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (440, '75', '3775413', '3', '2019-03-14');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (441, '421', '5635583', '1', '2019-12-14');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (442, '13', '7449234', '3', '2020-05-18');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (443, '494', '8273795', '1', '2020-05-15');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (444, '3', '8273795', '2', '2019-10-23');
INSERT INTO Orders([Order ID],[Cust ID],[Driver],[Branch ID],[Order Date]) VALUES
  (445, '205', '3775413', '1', '2020-11-07');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (446, '208', '5635583', '4', '2019-06-09');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (447, '193', '6183835', '3', '2020-07-31');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (448, '158', '6653876', '4', '2020-10-31');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (449, '404', '6936499', '2', '2020-02-27');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (450, '206', '6936499', '3', '2019-06-26');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (451, '346', '2238453', '2', '2019-01-30');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (452, '402', '9469107', '1', '2019-11-09');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (453, '413', '3775413', '1', '2019-07-11');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (454, '332', '6290280', '4', '2019-09-16');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (455, '229', '6653876', '1', '2019-12-07');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (456, '398', '5635583', '3', '2019-07-15');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (457, '348', '6183835', '2', '2019-11-04');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (458, '251', '2238453', '4', '2020-03-27');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (459, '145', '8273795', '4', '2019-01-13');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (460, '475', '5894565', '3', '2019-09-13');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (461, '397', '7252939', '1', '2019-06-07');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (462, '24', '7449234', '1', '2018-12-16');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (463, '440', '6936499', '1', '2020-10-22');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (464, '129', '9585301', '4', '2019-02-06');
INSERT INTO Orders([Order ID],[Cust ID],[Driver],[Branch ID],[Order Date]) VALUES
  (465, '87', '9585301', '1', '2019-12-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (466, '434', '7252939', '3', '2020-04-30');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  (467, '292', '37<mark>75413', '2', '2019-08-06'</mark>);
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (468, '499', '7183069', '4', '2019-10-28');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (469, '130', '5635583', '2', '2019-06-22');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (470, '480', '6290280', '1', '2019-08-04');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (471, '390', '2722641', '1', '2020-08-02');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (472, '218', '7449234', '2', '2020-06-16');
INSERT INTO Orders([Order ID],[Cust ID],[Driver],[Branch ID],[Order Date]) VALUES
  (473, '165', '5334556', '1', '2020-06-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (474, '51', '9585301', '1', '2019-06-16');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (475, '251', '7183069', '2', '2019-04-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (476, '339', '2238453', '2', '2020-06-26');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (477, '83', '7252939', '2', '2020-05-28');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (478, '253', '6183835', '2', '2020-03-31');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (479, '21', '7220969', '3', '2019-01-20');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (480, '313', '6183835', '2', '2020-07-10');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (481, '24', '5635583', '1', '2020-06-16');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (482, '267', '2557362', '3', '2020-02-22');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (483, '17', '2238453', '4', '2019-08-17');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (484, '29', '6183835', '2', '2020-04-30');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (485, '417', '8273795', '2', '2019-12-10');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (486, '241', '5894565', '4', '2018-12-06');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (487, '359', '2557362', '2', '2020-01-04');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (488, '51', '7183069', '2', '2020-05-12');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (489, '72', '9469107', '3', '2020-09-11');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (490, '454', '2557362', '2', '2020-01-24');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (491, '376', '5894565', '4', '2019-09-25');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (492, '460', '9585301', '1', '2019-06-03');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (493, '469', '6653876', '3', '2020-04-04');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (494, '210', '7183069', '1', '2020-08-22');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
                                                                                     37
  (495,' 268','2238453','3','2019-07-24');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (496, '24', '7252939', '2', '2019-03-17');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (497,' 460','7252939','2','2020-07-13');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (498, '87', '6183835', '2', '2020-09-12');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (499,' 295','6290280','4','2020-09-03');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (500, '201', '7252939', '2', '2019-10-20');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (501, '140', '2238453', '4', '2020-04-09');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (502, '117', '5894565', '1', '2019-10-24');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (503, '404', '6290280', '4', '2020-07-30');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (504, '258', '7183069', '2', '2019-06-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (505, '12', '2722641', '2', '2020-04-05');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (506, '184', '9469107', '3', '2019-08-11');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (507, '11', '5894565', '4', '2019-04-28');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (508, '96', '2557362', '4', '2019-05-11');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (509, '159', '5334556', '2', '2019-03-07');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (510, '86', '7183069', '3', '2019-11-30');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (511, '441', '2722641', '1', '2018-11-25');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (512, '99', '6183835', '2', '2020-11-01');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (513, '489', '2722641', '3', '2018-12-22');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (514, '84', '7183069', '4', '2020-06-05');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (515, '33', '5894565', '2', '2020-07-08');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (516, '359', '9585301', '3', '2019-04-08');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (517,' 281','6936499','3','2019-10-12');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (518,' 246','2238453','4','2019-06-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (519, ' 267', '7449234', '4', '2020-07-20');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (520, '86', '7252939', '3', '2019-04-24');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (521,' 358','2238453','2','2019-01-05');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (522, '25', '3775413', '1', '2019-02-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  (523, ' 134', '5635583', '1', '2019-10-23');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (524, '234', '9585301', '3', '2020-04-09');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (525,' 230','9469107','4','2019-07-20');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (526, '230', '9469107', '1', '2020-01-07');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (527, '162', '5334556', '1', '2019-02-09');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (528, '74', '7183069', '4', '2018-11-24');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (529, '67', '2557362', '4', '2020-07-07');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (530, '261', '9469107', '3', '2020-02-16');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (531, '105', '6290280', '3', '2020-04-27');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (532, '258', '9585301', '1', '2020-01-15');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (533, '148', '6936499', '2', '2020-04-13');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (534, '89', '7183069', '2', '2019-09-02');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (535, '479', '3775413', '2', '2019-02-20');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (536, '317', '2238453', '4', '2019-03-19');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (537, '21', '2722641', '1', '2019-03-29');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (538,' 221','2722641','2','2020-04-09');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (539, '448', '3775413', '3', '2020-05-13');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (540, '473', '3775413', '3', '2019-12-27');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (541, '92', '5635583', '3', '2019-05-19');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (542, '429', '6653876', '4', '2019-03-01');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (543, '307', '7183069', '1', '2018-11-21');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (544, '16', '6936499', '1', '2020-10-28');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (545,' 404','7252939','3','2019-02-17');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (546, '13', '7252939', '2', '2020-09-03');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (547, '339', '9585301', '2', '2019-10-16');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (548, '203', '7183069', '3', '2019-02-26');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (549, '396', '6653876', '1', '2019-01-13');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (550, '178', '5635583', '4', '2019-04-12');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  (551, '458', '7183069', '3', '2019-07-14');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (552,' 406','5635583','2','2020-02-05');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (553,' 370','2238453','2','2020-03-30');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (554, '484', '7449234', '1', '2019-08-22');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (555,' 269','7183069','4','2019-01-26');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (556, '13', '3775413', '2', '2019-01-15');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (557, '55', '7252939', '2', '2020-09-22');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (558, '410', '9469107', '2', '2019-04-10');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (559, '199', '2722641', '4', '2020-02-20');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (560, '91', '7449234', '3', '2019-02-22');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (561, '179', '5635583', '4', '2020-04-05');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (562, '109', '5635583', '3', '2020-07-10');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (563,' 273','2722641','4','2019-03-12');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (564, '345', '9585301', '2', '2019-12-25');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (565, '156', '6653876', '3', '2019-07-10');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (566, '2', '6936499', '2', '2019-12-24');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (567, '363', '6936499', '3', '2020-09-01');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (568, '483', '9585301', '3', '2019-07-25');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (569, '301', '3775413', '3', '2019-04-19');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (570, '273', '5635583', '1', '2020-10-24');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (571, '375', '2238453', '4', '2020-11-05');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (572, '234', '5894565', '4', '2020-04-03');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (573, '62', '7220969', '3', '2020-10-29');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (574, '406', '3775413', '4', '2020-02-22');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (575,' 244','5334556','4','2020-07-22');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (576, '46', '5894565', '4', '2020-04-09');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (577, '405', '2557362', '3', '2019-07-14');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
  (578, '127', '2557362', '1', '2020-09-16');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  (579,' 273','7449234','3','2019-09-07');
INSERT INTO Orders([Order_ID],[Cust_ID],[Driver],[Branch_ID],[Order_Date]) VALUES >
  (580, '294', '7183069', '1', '2020-06-09');
-----Insert Discounts Table-----
INSERT INTO Discounts
VALUES ('Full Price',0),
       ('Standart',0.10),
       ('Premium', 0.20),
       ('Extra Premium', 0.25),
       ('Elite', 0.35)
-----Insert Order Details Table-----
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(100, '1138091', 499, 1, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(101, '8967993', 138, 6, '2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(102, '8395402', 428, 1, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(103, '6588756', 385, 3, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(104, '3110704', 417, 7, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(105, '6185248', 515, 5, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(106, '9720383', 246, 4, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(107, '2827133', 388, 9, '4');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(108, '9337299', 296, 4, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(109, '4618504', 306, 4, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(110, '3110704', 493, 8, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(111, '4891233', 392, 5, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount Type]) VALUES(112, '4494707', 407, 1, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(113, '4891233', 205, 1, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(114, '5145824', 138, 1, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(115, '8529283', 213, 10, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(116, '3110704', 435, 3, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(117, '9720383', 389, 4, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(118, '5823074', 89, 6, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(119, '4725602', 219, 3, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  [Discount Type]) VALUES(120, '4961095', 106, 5, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(121, '1138091', 157, 9, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(122, '4754874', 205, 3, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(123, '4961095', 375, 1, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(124, '9161930', 318, 9, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(125, '5145824', 426, 2, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(126, '8529283', 192, 7, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(127, '4754874', 131, 1, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(128, '4891233',85,7,'3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(129, '6404858', 165, 4, '4');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(130, '4437281', 352, 7, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(131, '4884496', 224, 5, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(132, '6404858', 314, 10, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(133, '8395402', 78, 1, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(134, '9929300', 229, 8, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(135, '8937732', 402, 5, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(136, '3330923', 316, 8, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(137, '4437281', 124, 7, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(138, '9161930', 458, 10, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(139, '8933435', 370, 7, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount Type]) VALUES(140, '8395402', 446, 7, '2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(141, '4618504', 301, 2, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(142, '6588756', 179, 9, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(143, '8395402', 311, 5, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(144, '3110704', 288, 5, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(145, '1191297', 454, 6, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(146, '4494707', 309, 2, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(147, '8933435', 111, 2, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  [Discount Type]) VALUES(148, '4494707', 458, 3, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(149, '9337299', 158, 5, '4');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(150, '9720383', 251, 5, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(151, '9720383', 491, 10, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(152, '3110704', 488, 7, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(153, '1138091', 89, 10, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(154, '4437281', 115, 1, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(155, '4437281', 79, 1, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(156, '3330923', 242, 6, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(157, '6963858', 328, 1, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(158, '4494707', 284, 2, '4');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(159, '8933435', 423, 7, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(160, '4884496', 238, 6, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(161, '8395402', 151, 10, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(162, '8469520', 193, 9, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(163, '4961095', 194, 1, '4');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(164, '4725602', 462, 1, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(165, '4884496', 100, 2, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(166, '8933435', 493, 1, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(167, '4754874', 442, 6, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount Type]) VALUES(168, '8469520', 250, 1, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(169, '8529283', 261, 6, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(170, '8933435', 282, 8, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(171, '1191297', 434, 3, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(172, '4891233', 144, 2, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(173, '9720383', 191, 3, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(174, '3330923', 335,1, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(175, '4891233', 345, 9, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  [Discount Type]) VALUES(176, '6185248', 339, 2, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(177, '1191297', 398, 2, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(178, '9337299', 204, 5, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(179, '8529283', 469, 2, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(180, '2265318',63,3,'3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(181, '8967993', 366, 9, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(182, '8937732', 260, 5, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(183, '8967993', 363, 10, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(184, '4891233', 423, 2, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(185, '1191297', 64, 10, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(186, '4891233', 221, 3, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(187, '2359220', 297, 5, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(188, '2265318', 241, 3, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(189, '4961095', 245, 6, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(190, '6963858', 81, 4, '2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(191, '6404858', 505, 9, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(192, '2965644', 372, 3, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(193, '2359220', 40, 2, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(194, '4437281', 427, 8, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(195, '2359220',72,8,'3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount Type]) VALUES(196, '6963858', 170, 8, '4');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(197, '3110704', 249, 5, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(198, '1895168', 220, 3, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(199, '8937732', 352, 1, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(200, '9204991', 259, 2, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(201, '4618504', 289, 8, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(202, '8469520', 500, 7, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(203, '4754874', 464, 5, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  [Discount Type]) VALUES(204, '1138091', 280, 2, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(205, '4437281', 86, 9, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(206, '8395402', 487, 3, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(207, '8395402', 276, 7, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(208, '6185248', 127, 1, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(209, '3110704', 397, 8, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(210, '8967993', 71, 2, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(211, '5145824', 414, 8, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(212, '6404858', 435, 2, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(213, '1191297', 139, 10, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(214, '4437281', 163, 4, '4');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(215, '9929300', 442, 2, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(216, '6185248', 510, 8, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(217, '4413901', 258, 5, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(218, '8395402', 268, 3, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(219, '9720383', 340, 8, '4');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(220, '4961095', 157, 6, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(221, '6960930', 373, 9, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(222, '5145824', 464, 3, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(223, '9720383', 355, 6, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount Type]) VALUES(224, '8469520', 464, 8, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(225, '4618504', 440, 8, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(226, '6185248', 259, 8, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(227, '4725602', 88, 7, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(228, '8469520', 315, 6, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(229, '6960930', 64, 10, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(230, '8967993', 205, 6, '2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(231, '9204991', 112, 8, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  [Discount Type]) VALUES(232, '2965644', 298, 7, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(233, '4774886', 247, 5, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(234, '2359220', 375, 1, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(235, '4961095', 346, 3, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(236, '4884496', 104, 1, '4');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(237, '4774886', 253, 6, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(238, '6185248', 127, 1, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(239, '8529283', 224, 8, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(240, '2965644', 483, 3, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(241, '9204991', 319, 10, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(242, '9337299', 67, 3, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(243, '8529283', 206, 3, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(244, '4413901', 281, 9, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(245, '9929300', 367, 7, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(246, '7938727', 133, 4, '4');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(247, '4725602', 242, 2, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(248, '8933435', 190, 2, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(249, '2965644', 374, 5, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(250, '2965644', 194, 8, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(251, '8529283', 253, 2, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount Type]) VALUES(252, '9204991', 70, 7, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(253, '4884496', 135, 2, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(254, '5823074', 87, 4, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(255, '4618504', 391, 7, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(256, '9204991', 330, 5, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(257, '4413901', 133, 5, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(258, '1138091', 276, 4, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(259, '2265318', 416, 5, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  [Discount Type]) VALUES(260, '8469520', 67, 2, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(261, '1191297', 295, 7, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(262, '7203149', 115, 10, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(263, '9720383', 375, 3, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(264, '4961095', 279, 2, '2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(265, '4437281', 168, 9, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(266, '7938727', 241, 1, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(267, '6185248', 380, 10, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(268, '9204991',136,7,'4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(269, '2265318', 251, 4, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(270, '4754874', 69, 6, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(271, '1191297', 446, 6, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(272, '9161930', 371, 9, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(273, '6588756', 477, 7, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(274, '6185248', 427, 3, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(275, '4413901', 429, 1, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(276, '3330923', 300, 5, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(277, '1895168', 38, 7, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(278, '4437281', 136, 4, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(279, '9161930', 242, 1, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount Type]) VALUES(280, '1895168', 416, 2, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(281, '4774886', 223, 3, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(282, '9720383', 34, 10, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(283, '4618504', 373, 10, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(284, '4961095', 424, 2, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(285, '7938727', 289, 8, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(286, '1138091',88,5,'2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(287, '4494707', 106, 8, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  [Discount Type]) VALUES(288, '4884496', 66, 6, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(289, '7203149', 323, 6, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(290, '4884496', 152, 6, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(291, '8395402', 424, 5, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(292, '4891233', 373, 3, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(293, '4437281', 401, 5, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(294, '5823074', 75, 8, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(295, '4891233', 347, 7, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(296, '9204991', 148, 2, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(297, '6960930', 314, 7, '2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(298, '7938727', 353, 8, '2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(299, '3330923', 366, 9, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(300, '8529283', 319, 8, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(301, '6960930', 391, 9, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(302, '1138091', 350, 7, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(303, '9161930', 518, 6, '2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(304, '4754874', 434, 10, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(305, '9204991', 254, 4, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(306, '9204991',59,9,'1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(307, '3110704', 226, 5, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount Type]) VALUES(308, '8933435', 485, 2, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(309, '9161930', 419, 8, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(310, '9204991', 409, 2, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(311, '6588756', 496, 3, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(312, '4725602', 368, 10, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(313, '4437281', 215, 6, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(314, '1191297', 506, 4, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(315, '2965644', 64, 9, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  [Discount Type]) VALUES(316, '3330923', 380, 1, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(317, '5303644', 138, 5, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(318, '5823074', 488, 3, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(319, '3110704', 459, 10, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(320, '4413901', 46, 1, '4');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(321, '1138091', 83, 7, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(322, '2965644', 97, 10, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(323, '1191297', 163, 7, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(324, '1191297', 191, 7, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(325, '8937732', 208, 4, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(326, '4754874', 359, 2, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(327, '4437281', 466, 5, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(328, '1138091', 433, 3, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(329, '9204991', 344, 2, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(330, '1191297',94,4,'2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(331, '8395402', 299, 8, '4');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(332, '4891233', 235, 10, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(333,'2965644',514,3,'2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(334, '6404858', 476, 8, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(335, '9204991', 93, 5, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount Type]) VALUES(336, '9161930', 91, 1, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(337, '8937732',131,2,'3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(338, '6588756', 339, 5, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(339, '2265318',63,5,'4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(340, '6960930', 424, 6, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(341, '9337299',507,7,'4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(342, '6960930', 97, 8, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(343, '6588756', 510, 3, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  [Discount Type]) VALUES(344, '4494707', 385, 1, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(345, '8937732', 342, 3, '2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(346, '2827133', 63, 2, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(347, '5145824', 245, 7, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(348, '7938727', 110, 4, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(349, '4725602', 68, 1, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(350, '4725602', 416, 9, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(351, '4754874', 381, 4, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(352, '4437281', 245, 10, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(353, '6404858', 191, 5, '4');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(354, '8469520', 476, 10, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(355, '9161930', 122, 4, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(356, '4891233', 491, 5, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(357, '8395402', 402, 5, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(358, '4725602', 136, 1, '2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(359, '1191297', 516, 10, '2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(360, '4891233', 300, 4, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(361, '4884496', 345, 6, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(362, '5145824', 306, 9, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(363, '6185248', 461, 6, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount Type]) VALUES(364, '4774886', 60, 3, '2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(365, '2827133', 174, 3, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(366, '8469520', 450, 4, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(367, '4884496', 104, 5, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(368, '4437281', 508, 10, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(369, '4961095', 312, 4, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(370, '6404858',77,9,'2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(371, '6588756', 222, 4, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  [Discount Type]) VALUES(372, '4884496', 51, 10, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(373, '5145824', 423, 1, '4');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(374, '9929300', 343, 7, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(375, '9204991', 371, 1, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(376, '6960930', 179, 2, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(377, '6963858', 80, 8, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(378, '9204991', 304, 6, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(379, '4413901',116,10, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(380, '3330923',86,1,'2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(381, '6404858', 443, 3, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(382, '6185248', 78, 5, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(383, '1895168', 165, 7, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(384, '4725602', 252, 4, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(385, '6404858', 91, 10, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(386, '8967993', 508, 4, '4');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(387, '5823074', 469, 10, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(388, '4618504', 197, 9, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(389, '6404858', 130, 4, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(390, '9929300', 449, 1, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(391, '2265318', 178, 8, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount Type]) VALUES(392, '8529283', 111, 8, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(393, '2965644', 373, 1, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(394, '4961095', 504, 10, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(395, '6588756', 129, 2, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(396, '1138091', 291, 10, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(397, '8933435',195,10,'3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(398, '7203149', 179, 6, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(399, '6588756', 60, 5, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  [Discount Type]) VALUES(400, '6185248', 45, 6, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(401, '7938727', 229, 10, '2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(402, '5823074', 491, 10, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(403, '5145824', 448, 9, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(404, '7938727', 110, 10, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(405, '2965644', 454, 6, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(406, '5303644', 156, 9, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(407, '8933435',520,3,'1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(408, '2965644', 270, 8, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(409, '9720383', 47, 3, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(410, '6404858', 265, 8, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(411, '1138091', 339, 9, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(412, '6185248', 97, 8, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(413, '6404858', 274, 9, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(414, '4725602', 467, 10, '2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(415, '9720383', 441, 4, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(416, '1191297', 489, 4, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(417, '9204991', 92, 1, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(418, '4884496', 186, 9, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(419, '2359220', 301, 8, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount Type]) VALUES(420, '9161930', 390, 8, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(421, '4891233', 419, 6, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(422, '4774886', 50, 10, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(423, '6185248', 113, 9, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(424, '8937732', 255, 6, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(425, '5823074', 214, 5, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(426, '2827133', 170, 8, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(427, '2965644', 348, 9, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  [Discount Type]) VALUES(428, '5823074', 306, 3, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(429, '6588756', 237, 4, '4');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(430, '4413901', 364, 3, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(431, '9337299',134,8,'5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(432, '8933435', 40, 1, '4');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(433, '2265318', 187, 9, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(434, '4494707', 79, 7, '4');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(435, '4413901', 472, 7, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(436, '6963858', 401, 2, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(437, '1191297', 31, 3, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(438, '6588756', 383, 1, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(439, '6185248', 32, 8, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(440, '4961095', 464, 9, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(441, '3330923', 468, 5, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(442, '6960930', 184, 5, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(443, '8967993', 53, 4, '2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(444, '6963858', 359, 9, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(445, '6960930', 364, 9, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(446, '8933435', 500, 1, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(447, '4754874', 348, 8, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount Type]) VALUES(448, '4725602', 96, 8, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(449, '9204991', 207, 10, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(450, '4961095', 403, 1, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(451, '4774886', 345, 6, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(452, '4754874', 54, 1, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(453, '4774886', 249, 9, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(454, '4754874', 475, 3, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(455, '9204991', 242, 9, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  [Discount Type]) VALUES(456, '8933435', 489, 3, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(457, '9161930', 309, 3, '4');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(458, '4437281', 87, 7, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(459, '5303644', 488, 10, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(460, '9204991', 365, 1, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(461, '9161930', 511, 9, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(462, '2827133', 105, 1, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(463, '4774886', 35, 6, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(464, '8395402', 331, 4, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(465, '8529283', 470, 4, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(466, '9337299',137,7,'1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(467, '5303644', 281, 8, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(468, '6588756', 454, 10, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(469, '6404858', 342, 9, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(470, '4618504', 474, 8, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(471, '4725602', 222, 1, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(472, '6588756', 131, 8, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(473, '8395402', 251, 2, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(474, '4494707', 426, 8, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(475, '4754874', 195, 3, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount Type]) VALUES(476, '5823074', 146, 1, '4');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(477, '4774886',84,8,'2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(478, '6960930', 346, 2, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(479, '2265318', 396, 10, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(480, '4754874', 194, 2, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(481, '8967993', 419, 9, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(482, '4725602', 461, 4, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(483, '4961095', 255, 7, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  [Discount Type]) VALUES(484, '9204991', 127, 5, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(485, '8937732', 227, 2, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(486, '9720383', 448, 6, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(487, '2265318', 34, 6, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(488, '4961095', 457, 1, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(489, '1191297', 315,7, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(490, '9161930', 418, 3, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(491, '2965644', 195, 8, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(492, '5145824', 509, 10, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(493, '6185248', 461, 6, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(494, '4725602', 302, 9, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(495, '4618504', 260, 3, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(496, '4884496', 158, 3, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(497, '8469520', 132, 1, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(498, '6404858', 285, 4, '2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(499, '4754874', 448, 6, '2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(500, '9720383', 336, 6, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(501, '5303644', 140, 7, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(502, '2965644', 448, 5, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(503, '6963858', 46, 6, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount Type]) VALUES(504, '9204991', 447, 7, '2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(505, '9929300', 301, 9, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(506, '4884496', 58, 6, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(507, '6588756', 356, 2, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(508, '9929300', 151, 10, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(509, '6404858',73,8,'3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(510, '4725602', 427, 1, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(511, '4413901', 35, 9, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  [Discount Type]) VALUES(512, '2827133', 127, 9, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(513, '4494707', 459, 6, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(514, '7203149', 129, 2, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(515, '2965644', 335, 6, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(516, '7938727', 80, 10, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(517, '4774886', 31, 1, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(518, '9161930', 38, 1, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(519, '8469520', 421, 10, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(520, '5823074', 35, 5, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(521, '4437281', 236, 1, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(522, '9337299', 416, 3, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(523, '4884496', 506, 3, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(524, '7938727', 358, 3, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(525, '1895168', 215, 7, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(526, '4413901', 198, 6, '2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(527, '6404858', 273, 3, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(528, '4413901', 500, 1, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(529, '5145824', 361, 1, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(530, '9929300', 473, 1, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(531, '8529283',61,9,'2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount Type]) VALUES(532, '1895168', 207, 7, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(533, '4884496', 100, 5, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(534, '2965644', 179, 10, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(535, '4725602', 376, 9, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(536, '2265318', 302, 2, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(537, '4494707', 260, 5, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(538, '3330923', 50, 9, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(539, '9161930', 259, 8, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
  [Discount Type]) VALUES(540, '4891233', 78, 2, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(541, '6185248', 302, 2, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(542, '3330923', 234, 8, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(543, '4618504', 45, 7, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(544, '4891233', 388, 9, '2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(545, '6404858', 381, 10, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(546, '6963858', 105, 3, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(547, '5823074', 270, 9, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(548, '9204991', 256, 1, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(549, '6404858', 460, 6, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(550, '8395402', 383, 5, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(551, '5303644', 363, 3, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(552, '9204991', 147, 1, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(553, '8933435', 283, 8, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(554, '5145824', 389, 6, '1');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(555, '1895168', 386, 1, '4');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(556, '3110704', 274, 2, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(557, '7938727', 443, 2, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(558, '4884496', 133, 9, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(559, '5823074', 173, 6, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount Type]) VALUES(560, '4494707', 339, 1, '2');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(561, '4725602', 158, 2, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(562, '4754874', 505, 1, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(563, '3330923', 447, 7, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(564, '5145824', 514, 8, '2');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(565, '1895168', 321, 1, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(566, '3110704', 195, 6, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(567, '1191297', 452, 7, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
```

```
C:\Users\Valentin\Desktop\Project Last\Lucky Trip.sql
                                                                                       57
  [Discount Type]) VALUES(568, '5303644', 102, 9, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(569, '4725602', 359, 7, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount Type]) VALUES(570, '8395402', 128, 4, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(571, '1895168', 72, 8, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(572, '9337299', 377, 7, '3');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount Type]) VALUES(573, '8395402', 340, 5, '1');
INSERT INTO Order Details([Order ID],[Car ID],[Distance KM],[Price per KM],
  [Discount Type]) VALUES(574, '1138091', 327, 2, '5');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(575, '2265318', 334, 7, '1');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(576, '4725602', 509, 8, '3');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(577, '4774886', 254, 9, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(578, '7203149', 223, 10, '5');
INSERT INTO Order_Details([Order_ID], [Car_ID], [Distance_KM], [Price_per_KM],
  [Discount_Type]) VALUES(579, '2827133', 295, 3, '4');
INSERT INTO Order_Details([Order_ID],[Car_ID],[Distance_KM],[Price_per_KM],
  [Discount_Type]) VALUES(580, '8933435', 65, 6, '5');
```