

Studentu vertinimo sistema

Generated by Doxygen 1.13.2

1 Hierarchical Index	1
1.1 Class Hierarchy	1
2 Class Index	3
2.1 Class List	3
3 File Index	5
3.1 File List	5
4 Class Documentation	7
4.1 Studentas Class Reference	7
4.1.1 Constructor & Destructor Documentation	8
4.1.1.1 Studentas() [1/5]	8
4.1.1.2 Studentas() [2/5]	8
4.1.1.3 Studentas() [3/5]	8
4.1.1.4 Studentas() [4/5]	8
4.1.1.5 Studentas() [5/5]	8
4.1.1.6 ~Studentas()	9
4.1.2 Member Function Documentation	9
4.1.2.1 egzaminas()	9
4.1.2.2 galutinis_mediana()	9
4.1.2.3 galutinis_vidurkis()	9
4.1.2.4 ivedimas_generuojant_viska()	9
4.1.2.5 ivedimas_pazymiu_generavimu()	9
4.1.2.6 ivedimas_ranka()	9
4.1.2.7 operator=() [1/2]	9
4.1.2.8 operator=() [2/2]	9
4.1.2.9 paskaiciuoti_gal()	10
4.1.2.10 paskaiciuoti_vid_ir_med()	10
4.1.2.11 pavarde()	10
4.1.2.12 spausdinti()	10
4.1.2.13 sugeneruoti_lyti()	10
4.1.2.14 sugeneruoti_pavarde()	10
4.1.2.15 sugeneruoti_varda()	10
4.1.2.16 vardas()	10
4.1.3 Friends And Related Symbol Documentation	10
4.1.3.1 operator<<	10
4.1.3.2 operator>>	11
4.2 Zmogus Class Reference	11
4.2.1 Constructor & Destructor Documentation	11
4.2.1.1 Zmogus() [1/2]	11
4.2.1.2 Zmogus() [2/2]	11
4.2.1.3 ~Zmogus()	12

4.2.2 Member Function Documentation	12
4.2.2.1 pavarde()	12
4.2.2.2 spausdinti()	12
4.2.2.3 vardas()	12
4.2.3 Member Data Documentation	12
4.2.3.1 pav_	12
4.2.3.2 var_	12
5 File Documentation	13
5.1 class/failu_funkcijos.cpp File Reference	13
5.1.1 Function Documentation	13
5.1.1.1 buferio_apdorojimas()	13
5.1.1.2 failo_generavimas()	13
5.1.1.3 failo_pav_gavimas()	13
5.1.1.4 ivedimas_failu()	14
5.1.1.5 rasti_nd_skaiciu_faile()	14
5.2 class/failu_funkcijos.h File Reference	14
5.2.1 Function Documentation	14
5.2.1.1 buferio_apdorojimas()	14
5.2.1.2 failo_generavimas()	14
5.2.1.3 failo_pav_gavimas()	14
5.2.1.4 ivedimas_failu()	15
5.2.1.5 rasti_nd_skaiciu_faile()	15
5.3 failu_funkcijos.h	15
5.4 class/main.cpp File Reference	15
5.4.1 Function Documentation	15
5.4.1.1 main()	15
5.5 class/mano_lib.h File Reference	16
5.6 mano_lib.h	16
5.7 class/spausdinimo_funkcijos.cpp File Reference	16
5.7.1 Function Documentation	17
5.7.1.1 eigos_parinktis()	17
5.7.1.2 spausdinimas_atskiras()	17
5.7.1.3 spausdinimas_kartu()	17
5.8 class/spausdinimo_funkcijos.h File Reference	17
5.8.1 Function Documentation	17
5.8.1.1 eigos_parinktis()	17
5.8.1.2 spausdinimas_atskiras()	17
5.8.1.3 spausdinimas_kartu()	17
5.9 spausdinimo_funkcijos.h	18
5.10 class/studentas.cpp File Reference	18
5.10.1 Function Documentation	18

5.10.1.1 lyginti_pagal_mediana()	18
5.10.1.2 lyginti_pagal_pavarde()	18
5.10.1.3 lyginti_pagal_varda()	18
5.10.1.4 lyginti_pagal_vidurki()	19
5.10.1.5 operator<<()	19
5.10.1.6 operator>>()	19
5.10.1.7 pasirink_rusiavimas()	19
5.10.1.8 rusiuoti_grupemis()	19
5.11 class/studentas.h File Reference	19
5.11.1 Function Documentation	20
5.11.1.1 lyginti_pagal_mediana()	20
5.11.1.2 lyginti_pagal_pavarda()	20
5.11.1.3 lyginti_pagal_varda()	20
5.11.1.4 lyginti_pagal_vidurki()	20
5.11.1.5 pasirink_rusiavimas()	20
5.11.1.6 rusiuoti_grupemis()	20
5.12 studentas.h	21
5.13 class/zmogus.h File Reference	21
5.14 zmogus.h	22
Index	23

Chapter 1

Hierarchical Index

1.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

Zmogus	11
Studentas	7

Chapter 2

Class Index

2.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

Studentas		7
Zmogus		11

Chapter 3

File Index

3.1 File List

Here is a list of all files with brief descriptions:

class/failu_funkcijos.cpp	13
class/failu_funkcijos.h	14
class/main.cpp	15
class/mano_lib.h	16
class/spausdinimo_funkcijos.cpp	16
class/spausdinimo_funkcijos.h	17
class/studentas.cpp	18
class/studentas.h	19
class/zmogus.h	21


Chapter 4

Class Documentation

4.1 Studentas Class Reference

```
#include <studentas.h>
```

Inheritance diagram for Studentas:



Public Member Functions

- [Studentas](#) ()
- [Studentas](#) (const string &[vardas](#), const string &[pavarde](#), const vector< int > &paz, int [egzaminas](#))
- [Studentas](#) (std::istream &is, int sk)
- [Studentas](#) (const [Studentas](#) &other)
- [Studentas](#) ([Studentas](#) &&other) noexcept
- [Studentas](#) & [operator=](#) (const [Studentas](#) &other)
- [Studentas](#) & [operator=](#) ([Studentas](#) &&other) noexcept
- [~Studentas](#) ()
- void [ivedimas_ranka](#) ()
- void [ivedimas_pazymiu_generavimu](#) ()
- void [ivedimas_generuojant_viska](#) ()
- void [paskaiciuoti_vid_ir_med](#) ()
- void [paskaiciuoti_gal](#) ()
- void [sugeneruoti_lyti](#) ()
- void [sugeneruoti_varda](#) ()
- void [sugeneruoti_pavarde](#) ()
- string [vardas](#) () const
- string [pavarde](#) () const
- int [egzaminas](#) () const
- double [galutinis_vidurkis](#) () const
- double [galutinis_mediana](#) () const
- void [spausdinti](#) (std::ostream &os) const override

Public Member Functions inherited from [Zmogus](#)

- [Zmogus](#) ()=default
- [Zmogus](#) (const string &[vardas](#), const string &[pavarde](#))
- virtual [~Zmogus](#) ()

Friends

- std::istream & [operator>>](#) (std::istream &is, [Studentas](#) &s)
- std::ostream & [operator<<](#) (std::ostream &os, const [Studentas](#) &s)

Additional Inherited Members

Protected Attributes inherited from [Zmogus](#)

- string [var_](#)
- string [pav_](#)

4.1.1 Constructor & Destructor Documentation

4.1.1.1 [Studentas\(\)](#) [1/5]

```
Studentas::Studentas ()
```

4.1.1.2 [Studentas\(\)](#) [2/5]

```
Studentas::Studentas (
    const string & vardas,
    const string & pavarde,
    const vector< int > & paz,
    int egzaminas)
```

4.1.1.3 [Studentas\(\)](#) [3/5]

```
Studentas::Studentas (
    std::istream & is,
    int sk)
```

4.1.1.4 [Studentas\(\)](#) [4/5]

```
Studentas::Studentas (
    const Studentas & other)
```

4.1.1.5 [Studentas\(\)](#) [5/5]

```
Studentas::Studentas (
    Studentas && other) [noexcept]
```

4.1.1.6 ~Studentas()

```
Studentas::~~Studentas ()
```

4.1.2 Member Function Documentation

4.1.2.1 egzaminas()

```
int Studentas::egzaminas () const [inline]
```

4.1.2.2 galutinis_mediana()

```
double Studentas::galutinis_mediana () const [inline]
```

4.1.2.3 galutinis_vidurkis()

```
double Studentas::galutinis_vidurkis () const [inline]
```

4.1.2.4 ivedimas_generuojant_viska()

```
void Studentas::ivedimas_generuojant_viska ()
```

4.1.2.5 ivedimas_pazymiu_generavimu()

```
void Studentas::ivedimas_pazymiu_generavimu ()
```

4.1.2.6 ivedimas_ranka()

```
void Studentas::ivedimas_ranka ()
```

4.1.2.7 operator=() [1/2]

```
Studentas & Studentas::operator= (  
    const Studentas & other)
```

4.1.2.8 operator=() [2/2]

```
Studentas & Studentas::operator= (  
    Studentas && other) [noexcept]
```

4.1.2.9 paskaiciuoti_gal()

```
void Studentas::paskaiciuoti_gal ()
```

4.1.2.10 paskaiciuoti_vid_ir_med()

```
void Studentas::paskaiciuoti_vid_ir_med ()
```

4.1.2.11 pavarde()

```
string Studentas::pavarde () const [inline], [virtual]
```

Implements [Zmogus](#).

4.1.2.12 spausdinti()

```
void Studentas::spausdinti (  
    std::ostream & os) const [override], [virtual]
```

Implements [Zmogus](#).

4.1.2.13 sugeneruoti_lyti()

```
void Studentas::sugeneruoti_lyti ()
```

4.1.2.14 sugeneruoti_pavarde()

```
void Studentas::sugeneruoti_pavarde ()
```

4.1.2.15 sugeneruoti_varda()

```
void Studentas::sugeneruoti_varda ()
```

4.1.2.16 vardas()

```
string Studentas::vardas () const [inline], [virtual]
```

Implements [Zmogus](#).

4.1.3 Friends And Related Symbol Documentation

4.1.3.1 operator<<

```
std::ostream & operator<< (  
    std::ostream & os,  
    const Studentas & s) [friend]
```


4.1.3.2 operator>>

```
std::istream & operator>> (
    std::istream & is,
    Studentas & s) [friend]
```


The documentation for this class was generated from the following files:

- class/studentas.h
- class/studentas.cpp

4.2 Zmogus Class Reference

```
#include <zmogus.h>
```

Inheritance diagram for Zmogus:



Public Member Functions

- [Zmogus](#) ()=default
- [Zmogus](#) (const string &[vardas](#), const string &[pavarde](#))
- virtual string [vardas](#) () const =0
- virtual string [pavarde](#) () const =0
- virtual void [spausdinti](#) (std::ostream &os) const =0
- virtual [~Zmogus](#) ()

Protected Attributes

- string [var_](#)
- string [pav_](#)

4.2.1 Constructor & Destructor Documentation

4.2.1.1 Zmogus() [1/2]

```
Zmogus::Zmogus () [default]
```

4.2.1.2 Zmogus() [2/2]

```
Zmogus::Zmogus (
    const string & vardas,
    const string & pavarde) [inline]
```

4.2.1.3 ~Zmogus()

```
virtual Zmogus::~Zmogus () [inline], [virtual]
```

4.2.2 Member Function Documentation

4.2.2.1 pavarde()

```
virtual string Zmogus::pavarde () const [pure virtual]
```

Implemented in [Studentas](#).

4.2.2.2 spausdinti()

```
virtual void Zmogus::spausdinti (  
    std::ostream & os) const [pure virtual]
```

Implemented in [Studentas](#).

4.2.2.3 vardas()

```
virtual string Zmogus::vardas () const [pure virtual]
```

Implemented in [Studentas](#).

4.2.3 Member Data Documentation

4.2.3.1 pav_

```
string Zmogus::pav_ [protected]
```

4.2.3.2 var_

```
string Zmogus::var_ [protected]
```

The documentation for this class was generated from the following file:

- [class/zmogus.h](#)

Chapter 5

File Documentation

5.1 class/failu_funkcijos.cpp File Reference

```
#include "failu_funkcijos.h"
```

Functions

- int [rasti_nd_skaiciu_faile](#) (ifstream &fd)
- void [buferio_apdorojimas](#) (vector< [Studentas](#) > &grupe, size_t buffer_size, vector< char > &buffer, ifstream &fd, int nd_sk)
- void [failo_generavimas](#) (ifstream &fd)
- void [failo_pav_gavimas](#) (ifstream &fd)
- void [ivedimas_failu](#) (vector< [Studentas](#) > &grupe)

5.1.1 Function Documentation

5.1.1.1 buferio_apdorojimas()

```
void buferio_apdorojimas (  
    vector< Studentas > & grupe,  
    size_t buffer_size,  
    vector< char > & buffer,  
    ifstream & fd,  
    int nd_sk)
```

5.1.1.2 failo_generavimas()

```
void failo_generavimas (  
    ifstream & fd)
```

5.1.1.3 failo_pav_gavimas()

```
void failo_pav_gavimas (  
    ifstream & fd)
```

5.1.1.4 ivedimas_failu()

```
void ivedimas_failu (  
    vector< Studentas > & grupe)
```

5.1.1.5 rasti_nd_skaiciu_faile()

```
int rasti_nd_skaiciu_faile (  
    ifstream & fd)
```

5.2 class/failu_funkcijos.h File Reference

```
#include "studentas.h"  
#include "spausdinimo_funkcijos.h"
```

Functions

- int [rasti_nd_skaiciu_faile](#) (ifstream &fd)
- void [buferio_apdorojimas](#) (vector< [Studentas](#) > &grupe, size_t buffer_size, vector< char > &buffer, ifstream &fd, int nd_sk)
- void [failo_generavimas](#) (ifstream &fd)
- void [failo_pav_gavimas](#) (ifstream &fd)
- void [ivedimas_failu](#) (vector< [Studentas](#) > &grupe)

5.2.1 Function Documentation

5.2.1.1 buferio_apdorojimas()

```
void buferio_apdorojimas (  
    vector< Studentas > & grupe,  
    size_t buffer_size,  
    vector< char > & buffer,  
    ifstream & fd,  
    int nd_sk)
```

5.2.1.2 failo_generavimas()

```
void failo_generavimas (  
    ifstream & fd)
```

5.2.1.3 failo_pav_gavimas()

```
void failo_pav_gavimas (  
    ifstream & fd)
```

5.2.1.4 ivedimas_failu()

```
void ivedimas_failu (  
    vector< Studentas > & grupe)
```

5.2.1.5 rasti_nd_skaiciu_faile()

```
int rasti_nd_skaiciu_faile (  
    ifstream & fd)
```

5.3 failu_funkcijos.h

[Go to the documentation of this file.](#)

```
00001 #ifndef APDOROJIMO_H  
00002 #define APDOROJIMO_H  
00003  
00004 #include "studentas.h"  
00005 #include "spausdinimo_funkcijos.h"  
00006 int rasti_nd_skaiciu_faile(ifstream& fd);  
00007 void buferio_apdorojimas(vector <Studentas> &grupe, size_t buffer_size, vector <char> &buffer,  
    ifstream &fd, int nd_sk);  
00008 void failo_generavimas(ifstream &fd);  
00009 void failo_pav_gavimas(ifstream &fd);  
00010 void ivedimas_failu(vector <Studentas> &grupe);  
00011 #endif
```

5.4 class/main.cpp File Reference

```
#include "mano_lib.h"  
#include "spausdinimo_funkcijos.h"  
#include "failu_funkcijos.h"  
#include "studentas.h"
```

Functions

- int [main](#) ()

5.4.1 Function Documentation

5.4.1.1 main()

```
int main ()
```

5.5 class/mano_lib.h File Reference

```
#include <iostream>
#include <vector>
#include <algorithm>
#include <cmath>
#include <iomanip>
#include <random>
#include <ctime>
#include <string>
#include <fstream>
#include <sstream>
#include <chrono>
#include <limits>
#include <exception>
#include <numeric>
```

5.6 mano_lib.h

[Go to the documentation of this file.](#)

```
00001 #ifndef MANO_BIBLIOTEKA
00002 #define MANO_BIBLIOTEKA
00003 #include <iostream>
00004 #include <vector>
00005 #include <algorithm>
00006 #include <cmath>
00007 #include <iomanip>
00008 #include <random>
00009 #include <ctime>
00010 #include <string>
00011 #include <fstream>
00012 #include <sstream>
00013 #include <chrono>
00014 #include <limits>
00015 #include <exception>
00016 #include <numeric>
00017
00018 using std::istringstream;
00019 using std::string;
00020 using std::cout;
00021 using std::endl;
00022 using std::vector;
00023 using std::endl;
00024 using std::cin;
00025 using std::sort;
00026 using std::setw;
00027 using std::ifstream;
00028 using std::ofstream;
00029
00030 #endif
```

5.7 class/spausdinimo_funkcijos.cpp File Reference

```
#include "spausdinimo_funkcijos.h"
```

Functions

- void [spausdinimas_atskiras](#) (vector< [Studentas](#) > &grupe)
- void [spausdinimas_kartu](#) (vector< [Studentas](#) > &grupe, bool spausdinimas)
- int [eigos_parinktis](#) ()

5.7.1 Function Documentation

5.7.1.1 eigos_parinktis()

```
int eigos_parinktis ()
```

5.7.1.2 spausdinimas_atskiras()

```
void spausdinimas_atskiras (  
    vector< Studentas > & grupe)
```

5.7.1.3 spausdinimas_kartu()

```
void spausdinimas_kartu (  
    vector< Studentas > & grupe,  
    bool spausdinimas)
```

5.8 class/spausdinimo_funkcijos.h File Reference

```
#include "studentas.h"
```

Functions

- void `spausdinimas_kartu` (vector< `Studentas` > &grupe, bool spausdinimas)
- void `spausdinimas_atskiras` (vector< `Studentas` > &grupe)
- int `eigos_parinktis` ()

5.8.1 Function Documentation

5.8.1.1 eigos_parinktis()

```
int eigos_parinktis ()
```

5.8.1.2 spausdinimas_atskiras()

```
void spausdinimas_atskiras (  
    vector< Studentas > & grupe)
```

5.8.1.3 spausdinimas_kartu()

```
void spausdinimas_kartu (  
    vector< Studentas > & grupe,  
    bool spausdinimas)
```

5.9 spausdinimo_funkcijos.h

[Go to the documentation of this file.](#)

```
00001 #ifndef spausdinimo_H
00002 #define spausdinimo_H
00003
00004 #include "studentas.h"
00005
00006 void spausdinimas_kartu(vector<Studentas> &grupe, bool spausdinimas);
00007 void spausdinimas_atskiras(vector<Studentas> &grupe);
00008 int eigos_parinktis();
00009 #endif
```

5.10 class/studentas.cpp File Reference

```
#include "studentas.h"
```

Functions

- std::istream & [operator>>](#) (std::istream &is, [Studentas](#) &s)
- std::ostream & [operator<<](#) (std::ostream &os, const [Studentas](#) &s)
- bool [lyginti_pagal_varda](#) (const [Studentas](#) &a, const [Studentas](#) &b)
- bool [lyginti_pagal_pavarde](#) (const [Studentas](#) &a, const [Studentas](#) &b)
- bool [lyginti_pagal_vidurki](#) (const [Studentas](#) &a, const [Studentas](#) &b)
- bool [lyginti_pagal_mediana](#) (const [Studentas](#) &a, const [Studentas](#) &b)
- void [pasirink_rusiavimas](#) (vector< [Studentas](#) > &grupe)
- void [rusiuoti_grupemis](#) (std::vector< [Studentas](#) > &grupe, std::vector< [Studentas](#) > &vargseliai)

5.10.1 Function Documentation

5.10.1.1 lyginti_pagal_mediana()

```
bool lyginti_pagal_mediana (
    const Studentas & a,
    const Studentas & b)
```

5.10.1.2 lyginti_pagal_pavarde()

```
bool lyginti_pagal_pavarde (
    const Studentas & a,
    const Studentas & b)
```

5.10.1.3 lyginti_pagal_varda()

```
bool lyginti_pagal_varda (
    const Studentas & a,
    const Studentas & b)
```


5.10.1.4 lyginti_pagal_vidurki()

```
bool lyginti_pagal_vidurki (  
    const Studentas & a,  
    const Studentas & b)
```

5.10.1.5 operator<<()

```
std::ostream & operator<< (  
    std::ostream & os,  
    const Studentas & s)
```

5.10.1.6 operator>>()

```
std::istream & operator>> (  
    std::istream & is,  
    Studentas & s)
```

5.10.1.7 pasirink_rusiavimas()

```
void pasirink_rusiavimas (  
    vector< Studentas > & grupe)
```

5.10.1.8 rusiuoti_grupemis()

```
void rusiuoti_grupemis (  
    std::vector< Studentas > & grupe,  
    std::vector< Studentas > & vargseliai)
```

5.11 class/studentas.h File Reference

```
#include "mano_lib.h"  
#include "zmogus.h"
```

Classes

- class [Studentas](#)

Functions

- bool [lyginti_pagal_varda](#) (const [Studentas](#) &a, const [Studentas](#) &b)
- bool [lyginti_pagal_pavarda](#) (const [Studentas](#) &a, const [Studentas](#) &b)
- bool [lyginti_pagal_vidurki](#) (const [Studentas](#) &a, const [Studentas](#) &b)
- bool [lyginti_pagal_mediana](#) (const [Studentas](#) &a, const [Studentas](#) &b)
- void [pasirink_rusiavimas](#) (vector< [Studentas](#) > &grupe)
- void [rusiuoti_grupemis](#) (vector< [Studentas](#) > &grupe, vector< [Studentas](#) > &vargseliai)

5.11.1 Function Documentation

5.11.1.1 lyginti_pagal_mediana()

```
bool lyginti_pagal_mediana (  
    const Studentas & a,  
    const Studentas & b)
```

5.11.1.2 lyginti_pagal_pavarda()

```
bool lyginti_pagal_pavarda (  
    const Studentas & a,  
    const Studentas & b)
```

5.11.1.3 lyginti_pagal_varda()

```
bool lyginti_pagal_varda (  
    const Studentas & a,  
    const Studentas & b)
```

5.11.1.4 lyginti_pagal_vidurki()

```
bool lyginti_pagal_vidurki (  
    const Studentas & a,  
    const Studentas & b)
```

5.11.1.5 pasirink_rusiavimas()

```
void pasirink_rusiavimas (  
    vector< Studentas > & grupe)
```

5.11.1.6 rusiuoti_grupemis()

```
void rusiuoti_grupemis (  
    vector< Studentas > & grupe,  
    vector< Studentas > & vargseliai)
```

5.12 studentas.h

[Go to the documentation of this file.](#)

```

00001 #ifndef student_H
00002 #define student_H
00003
00004 #include "mano_lib.h"
00005 #include "zmogus.h"
00006
00007 class Studentas : public Zmogus {
00008     private:
00009         int lytis_;
00010         vector<int> paz_;
00011         int egz_;
00012         double vidurkis_;
00013         double mediana_;
00014         double galutinis_pagal_vid_;
00015         double galutinis_pagal_med_;
00016
00017     public:
00018         Studentas();
00019         Studentas(const string& vardas, const string& pavarde, const vector<int>& paz, int egzaminas);
00020         Studentas(std::istream& is, int sk);
00021
00022         Studentas(const Studentas& other);
00023         Studentas(Studentas&& other) noexcept;
00024         Studentas& operator=(const Studentas& other);
00025         Studentas& operator=(Studentas&& other) noexcept;
00026         ~Studentas();
00027
00028         friend std::istream& operator>(std::istream& is, Studentas& s);
00029         friend std::ostream& operator<(std::ostream& os, const Studentas& s);
00030
00031         void ivedimas_ranka();
00032         void ivedimas_pazymiu_generavimu();
00033         void ivedimas_generuojant_viska();
00034         void paskaiciuoti_vid_ir_med();
00035         void paskaiciuoti_gal();
00036         void sugeneruoti_lyti();
00037         void sugeneruoti_varda();
00038         void sugeneruoti_pavarde();
00039
00040         string vardas() const { return var_; }
00041         string pavarde() const { return pav_; }
00042         int egzaminas() const { return egz_; }
00043         double galutinis_vidurkis() const { return galutinis_pagal_vid_; }
00044         double galutinis_mediana() const { return galutinis_pagal_med_; }
00045         void spausdinti(std::ostream& os) const override;
00046
00047 };
00048
00049 bool lyginti_pagal_varda(const Studentas &a, const Studentas &b);
00050 bool lyginti_pagal_pavarda(const Studentas &a, const Studentas &b);
00051 bool lyginti_pagal_vidurki(const Studentas &a, const Studentas &b);
00052 bool lyginti_pagal_mediana(const Studentas &a, const Studentas &b);
00053 void pasirink_rusiavimas(vector<Studentas> &grupe);
00054 void rusiuoti_grupemis(vector<Studentas> &grupe, vector<Studentas> &vargseliai);
00055
00056 #endif

```

5.13 class/zmogus.h File Reference

```
#include <string>
```

Classes

- class [Zmogus](#)

5.14 zmogus.h

[Go to the documentation of this file.](#)

```
00001 #ifndef ZMOGUS_H
00002 #define ZMOGUS_H
00003
00004 #include <string>
00005 using std::string;
00006
00007 class Zmogus {
00008 protected:
00009     string var_, pav_;
00010
00011 public:
00012     Zmogus() = default;
00013     Zmogus(const string& vardas, const string& pavarde) : var_(vardas), pav_(pavarde) {}
00014
00015     virtual string vardas() const = 0;
00016     virtual string pavarde() const = 0;
00017
00018     virtual void spausdinti(std::ostream& os) const = 0;
00019     virtual ~Zmogus() {}
00020 };
00021
00022 #endif
```

Index

- ~Studentas
 - Studentas, 8
- ~Zmogus
 - Zmogus, 11
- buferio_apdorojimas
 - failu_funkcijos.cpp, 13
 - failu_funkcijos.h, 14
- class/failu_funkcijos.cpp, 13
- class/failu_funkcijos.h, 14, 15
- class/main.cpp, 15
- class/mano_lib.h, 16
- class/spausdinimo_funkcijos.cpp, 16
- class/spausdinimo_funkcijos.h, 17, 18
- class/studentas.cpp, 18
- class/studentas.h, 19, 21
- class/zmogus.h, 21, 22
- egzaminas
 - Studentas, 9
- eigos_parinktis
 - spausdinimo_funkcijos.cpp, 17
 - spausdinimo_funkcijos.h, 17
- failo_generavimas
 - failu_funkcijos.cpp, 13
 - failu_funkcijos.h, 14
- failo_pav_gavimas
 - failu_funkcijos.cpp, 13
 - failu_funkcijos.h, 14
- failu_funkcijos.cpp
 - buferio_apdorojimas, 13
 - failo_generavimas, 13
 - failo_pav_gavimas, 13
 - ivedimas_failu, 13
 - rasti_nd_skaiciu_faile, 14
- failu_funkcijos.h
 - buferio_apdorojimas, 14
 - failo_generavimas, 14
 - failo_pav_gavimas, 14
 - ivedimas_failu, 14
 - rasti_nd_skaiciu_faile, 15
- galutinis_mediana
 - Studentas, 9
- galutinis_vidurkis
 - Studentas, 9
- ivedimas_failu
 - failu_funkcijos.cpp, 13
- failu_funkcijos.h, 14
- ivedimas_generuojant_viska
 - Studentas, 9
- ivedimas_pazymiu_generavimu
 - Studentas, 9
- ivedimas_ranka
 - Studentas, 9
- lyginti_pagal_mediana
 - studentas.cpp, 18
 - studentas.h, 20
- lyginti_pagal_pavarda
 - studentas.h, 20
- lyginti_pagal_pavarde
 - studentas.cpp, 18
- lyginti_pagal_varda
 - studentas.cpp, 18
 - studentas.h, 20
- lyginti_pagal_vidurki
 - studentas.cpp, 18
 - studentas.h, 20
- main
 - main.cpp, 15
- main.cpp
 - main, 15
- operator<<
 - Studentas, 10
 - studentas.cpp, 19
- operator>>
 - Studentas, 10
 - studentas.cpp, 19
- operator=
 - Studentas, 9
- pasirink_rusiavimas
 - studentas.cpp, 19
 - studentas.h, 20
- paskaiciuoti_gal
 - Studentas, 9
- paskaiciuoti_vid_ir_med
 - Studentas, 10
- pav_
 - Zmogus, 12
- pavarde
 - Studentas, 10
 - Zmogus, 12
- rasti_nd_skaiciu_faile
 - failu_funkcijos.cpp, 14

- failu_funkcijos.h, 15
- rusiuoti_grupemis
 - studentas.cpp, 19
 - studentas.h, 20
- spausdinimas_atskiras
 - spausdinimo_funkcijos.cpp, 17
 - spausdinimo_funkcijos.h, 17
- spausdinimas_kartu
 - spausdinimo_funkcijos.cpp, 17
 - spausdinimo_funkcijos.h, 17
- spausdinimo_funkcijos.cpp
 - eigos_parinktis, 17
 - spausdinimas_atskiras, 17
 - spausdinimas_kartu, 17
- spausdinimo_funkcijos.h
 - eigos_parinktis, 17
 - spausdinimas_atskiras, 17
 - spausdinimas_kartu, 17
- spausdinti
 - Studentas, 10
 - Zmogus, 12
- Studentas, 7
 - ~Studentas, 8
 - egzaminas, 9
 - galutinis_mediana, 9
 - galutinis_vidurkis, 9
 - ivedimas_generuojant_viska, 9
 - ivedimas_pazymiu_generavimu, 9
 - ivedimas_ranka, 9
 - operator<<, 10
 - operator>>, 10
 - operator=, 9
 - paskaiciuoti_gal, 9
 - paskaiciuoti_vid_ir_med, 10
 - pavarde, 10
 - spausdinti, 10
 - Studentas, 8
 - sugeneruoti_lyti, 10
 - sugeneruoti_pavarde, 10
 - sugeneruoti_varda, 10
 - vardas, 10
- studentas.cpp
 - lyginti_pagal_mediana, 18
 - lyginti_pagal_pavarde, 18
 - lyginti_pagal_varda, 18
 - lyginti_pagal_vidurki, 18
 - operator<<, 19
 - operator>>, 19
 - pasirink_rusiavimas, 19
 - rusiuoti_grupemis, 19
- studentas.h
 - lyginti_pagal_mediana, 20
 - lyginti_pagal_pavarda, 20
 - lyginti_pagal_varda, 20
 - lyginti_pagal_vidurki, 20
 - pasirink_rusiavimas, 20
 - rusiuoti_grupemis, 20
- sugeneruoti_lyti
 - Studentas, 10
 - sugeneruoti_pavarde
 - Studentas, 10
 - sugeneruoti_varda
 - Studentas, 10
- var_
 - Zmogus, 12
- vardas
 - Studentas, 10
 - Zmogus, 12
- Zmogus, 11
 - ~Zmogus, 11
 - pav_, 12
 - pavarde, 12
 - spausdinti, 12
 - var_, 12
 - vardas, 12
 - Zmogus, 11