El Centro Cultural

Dec. 10, 2024

Valeria Garza

Table of Contents

1: Scope of Work	5
1.1 Organization	5
1.2 System Description	5
1.3 Sample Reports	6
1.3.1 Sample Report 1:	6
1.3.2 Sample Report 2:	7
1.3.3 Sample Report 3:	7
1.3.4 Sample Report 4:	8
1.3.5 Sample Report 5:	
2: Conceptual Model	9
3: Relational Model	10
4: Normalization	10
4.1 Table: Community Member	11
1NF	11
2NF	11
3NF	11
4.2 Table: Assistance Application	11
1NF	12
2NF	12
3NF	12
4.3 Table: Event	12
1NF	12
2NF	13
3NF	13
4.4 Table: Volunteer	13
1NF	13
2NF	13
3NF	14
4.5 Table: Resource	14
1NF	14
2NF	14
3NF	14
4.6 Table: Partner Organization	14
1NF	15
2NF	15
3NF	15
4.7 Table: Representative	15
1NF	15
2NF	15

3NF	15
4.8 Table: AssistanceApp_AssistanceType	16
1NF	16
2NF	16
3NF	16
4.9 Table: Attends	16
1NF	16
2NF	17
3NF	17
4.10 Table: PartnerOrg_OrgType	17
1NF	17
2NF	17
3NF	17
4.11 Table: Vol_Role	18
1NF	18
2NF	18
3NF	18
4.12 Table: Rep_AreaOfExpertise	18
1NF	18
2NF	18
3NF	19
4.13 Table: Vol_AreaOfExpertise	19
1NF	19
2NF	19
3NF	19
Resulting Relational Tables:	20
1. COMMUNITY_MEM	20
2. MEM_LOCATION	21
3. MEM_INCOME	21
4. ASSISTANCE_APP	21
5. EVENT_INFO	22
6. EVENT_LOCATION	23
7. VOL_ID	23
8. VOL_LOCATION	24
9. RESOURCE_ID	25
10. PARTNER_ORG	25
11. ORG_LOCATION	26
12. REP	26
13. ASSISTANCE_ID	27
14. MEM_ATTENDS	27
15. ORGNAME ORGTYPE	28

16. VOL_ROLE	28
17. REP_EXPERTISE	29
18. VOL_EXPERTISE	29
5: Database Implementation	30
All Tables:	30
A. Data Structures:	31
B. Sample Data:	37
C. Generate Reports:	43
1. Volunteer Report	43
2. Community Member Report	43
3. Event Report	44
4. Partner Organization Report	44
5. Resource Report	44
D. SQL Dump	45

1: Scope of Work

1.1 Organization

Nestled in the heart of Cameron Park, Brownsville, Texas, El Centro Cultural is more than just a community center; it's a beacon of hope and a catalyst for positive change. Since its inception in 1993, this non-profit organization has been dedicated to enhancing the lives of its residents by offering a diverse range of services, spanning education, family support, healthcare access, employment opportunities, and literacy promotion. Its primary focus is on improving community welfare.

El Centro Cultural operates as a non-profit organization with a mission to enhance community welfare rather than generate profit. Its primary source of revenue is charitable donations, grants from organizations, and potentially government funding for specific programs or projects. The organization may also organize community events or fundraisers to generate supplementary revenue. These funds are reinvested into the organization to continue offering vital services to the community.

The primary customers of El Centro Cultural are the residents of Cameron Park and the surrounding areas. The organization actively engages with the community through workshops, gatherings, and events. These events not only create a sense of belonging but also serve as opportunities for the center to understand and address the ever-evolving needs of the residents, ensuring its services remain relevant and effective.

El Centro Cultural may form partnerships with local educational institutions, healthcare providers, and employers to facilitate their programs and services. These collaborations enable the center to expand its offerings and provide more comprehensive support to the community. These partnerships are instrumental in achieving El Centro Cultural's mission of community empowerment and well-being.

1.2 System Description

El Centro Cultural requires assistance in organizing the numerous organizations, partnerships, and community work taking place in their small park. The community center is managed by two managers who need help with information organization. They oversee individuals who are court-ordered to volunteer by the county, as well as community volunteers who participate for school or community support reasons. Besides receiving assistance for the center's operations, the center offers help to the community. Each community member requires support in various ways, so it is essential to document their information and reasons for visiting the community center.

This community center provides a wide range of services catering to students, adults, and children. Many of these services are provided by other organizations, events, or community volunteers. Keeping an up-to-date record of available services is crucial to assisting community members in finding the specific support they need. The list of organizations and partners visiting the community center is extensive, with a mix of different and similar organizations that come to help the community or request assistance from other agencies.

Collaboration among agencies and other community partners often involves hosting events at the community center, offering aid to the community and those in need, as well as promoting their organizations through registrations and information about their services. The primary goal of the database project is to create a centralized system that streamlines data management, enhances operational efficiency, and empowers El Centro Cultural to better serve the community. This project is crucial for the organization's ability to maintain accurate records, track the impact of their programs, and strengthen their relationships with volunteers and partner agencies.

1.3 Sample Reports

1.3.1 Sample Report 1:

Centro Cultural provides opportunities for people of all ages and backgrounds to volunteer and contribute to local events and classes. Additionally, individuals fulfilling court-mandated community service can actively participate in initiatives that benefit the community.

Volunteers					
Name	Name Phone Number Total hours volunteered				
Johan Rodriguez	(956)426-0191	44	В		
Laura Martinez	(956)122-4967	70	A		
Maria Hernandez	(956)502-6730	36	В		
Ana Morales	(956)784-0248	55	A		
Rosa Irma	(956)092-1934	48	A		

1.3.2 Sample Report 2:

Community members visit El Centro Cultural's office seeking various forms of assistance. The information that is gathered from their application, including their income and needs, is uploaded to the database and allows for easy analysis, making it faster and simpler to find the right partner organizations.

Community Members						
Name Phone Number Service Needed Date Requested Date Fulfille						
Maria Lopez	(956)555-6789	Health Screening	02/02/2020	02/05/2020		
Carlos Ramirez	(956)876-4520	Counseling	04/01/2021	04/09/2021		
Ana Vasques	(956)365-7103	Food	7/02/2022	07/02/2022		
David Torres	(956)275-8501	Assistance with CHIP & Medicaid	09/20/2022	10/15/2022		
Jasmin Venegas	(956)502-5713	Daycare	01/23/23	01/24/23		

1.3.3 Sample Report 3:

This report will focus on the various events provided to the community. It will include the EventID, the event type, the month the event is hosted, the amount of services, and the number of members that attended.

	Event							
Event ID	EventType	Month	# of Services	Number of Members				
100	Educational Workshop	January	5	45				
101	Job Fair	February	13	75				
102	Health Fair	March	6	180				
103	Summer Sports Camp	June	8	74				
104	Summer Reading Program	July	16	40				

1.3.4 Sample Report 4:

The following partner organizations aid El Centro Cultural by creating events and providing funds, resources, and volunteers to support the cause.


Partner Organization						
Agency	Type of Service	Amount of Events	Type of Event	Representative	Phone Number	Address
Star Plus Program	Educational Support	10	Educational Workshops	Araceli Guerrero	(956) 456 - 9723	1925 Iowa
County of Cameron	Healthcare Assistance	15	Health Clinics	Melissa Medrando	(956) 339 - 3075	35 Orange St.
Community Development	Childcare	10	Parenting Seminars	Alex Gutierres	(956)472-2960	4700 Rice Rd
County of Cameron	Food Distribution	25	Food Distribution	Annie M. Romero	(956) 399 - 3075	1102 S. Commerce
State of Texas	Clothing Assistance	8	Clothing Drives	Norma Cavazos	(956) 421 - 5531	601 W Sesame Dr.

1.3.5 Sample Report 5:


El Centro Cultural collects resources from other organizations, businesses, and schools with donations. It highlights the seamless integration of sponsor contributions into both community-driven initiatives and county-funded events, showcasing Centro Cultural's inclusive strategy for the support of the community.

Resource					
ResourceID	Subtype				
13485678	300	Benavides Elementary School	School Supplies	Backpacks	
56897012	150	St. Joseph Catholic Church	Food	Non-perishable Canned Foods	
90187564	200	Sunrise Mall	Supplies	Toys and Gifts	
12589647	100	Goodwill	Clothing	Winter Apparel	
52497308	150	City of Brownsville	Medical Supplies	Informational Pamphlets and Glucose Meters	

2: Conceptual Model



3: Relational Model



4: Normalization

Each table listed in section 4 is examined for the following violations:

- 1. 1NF: Absence of primary key, presence of multi-value attributes
- 2. 2NF: Presence of Partial dependency
- 3. 3NF: Presence of Transitive Dependency

4.1 Table: Community Member

MEMBER [MemID, MemFName, MemLName, MemGender, SocialSecurity, MemPhoneNum, MemEMail, MemDOB, MemStreet, MemZip, MemCity, IncLevel, NumOfDependents, Hardship]

Functional Dependencies:

- 1. <u>MemID</u> → MemFName, MemLName, MemGender, MemDOB, IncLevel
- 2. $MemZip \rightarrow MemCity$
- 3. IncLevel, NumOfDependents → Hardship

1NF

The table was examined for the presence of the primary key and any multi-value attributes. The table has a primary key and none of the attributes are multivalued. Therefore the table is already in 1st normal form.

2NF

Full key consists of MemID. The table/relation was examined for partial dependencies. The table/relation was examined for partial dependencies and no partial dependencies were found. The table is already in 2nd normal form.

3NF

3rd normal form requires examining tables for any transitive functional dependencies. Tables 2 and 3 were found to have Transitive Dependencies. Therefore they're decomposed and named as follows:

- 1. COMMUNITY_MEM[MemID, MemFName, MemLName, MemGender, SocialSecurity MemDOB, MemZip, NumOfDependents, IncLevel]
- 2. MEM_LOCATION [MemZip, MemCity]
- 3. MEM_INCOME [IncLevel, NumOfDependents, Hardship]

4.2 Table: Assistance Application

ASSISTANCE [<u>AssistanceID</u>, DateApplied, ApprovalStatus, MemID(FK)]

The table was examined for the presence of primary key and any multi-value attributes. The table has a primary key and none of the attributes are multivalued. Therefore the table is already in 1st normal form.

2NF

Full key consists of AssistanceID. The table/relation was examined for partial dependencies and no partial dependencies were found. The table is already in 2nd normal form.

3NF

3rd normal form requires examining tables for any transitive functional dependencies. This table did not have any transitive dependencies therefore decomposition was not necessary. The following table is in 3rd normal form:

1. ASSISTANCE APP[<u>AssistanceID</u>, DateApplied, ApprovalStatus, MemID(FK)]

4.3 Table: Event

EVENT[<u>EventID</u>, StartDate, EndDate, TypeOfEvent, EventZip, EventStreet, EventCity, OrgName(FK)]

Functional Dependencies:

- 1. EventID → StartDate, EndDate, TypeOfEvent, EventZip, EventStreet, EventCity
- 2. EventZip \rightarrow EventCity

1NF

The table was examined for the presence of primary key and any multi-value attributes. The table has a primary key and none of the attributes are multivalued. Therefore the table is already in 1st normal form.

Full key consists of only EventID. The table/relation was examined for partial dependencies and no partial dependencies were found. The table is already in 2nd normal form.

3NF

3rd normal form requires examining tables for any transitive functional dependencies. Table 2 was found to have a Transitive Dependency. Therefore it's decomposed and named as follows:

- 1. EVENT_INFO[<u>EventID</u>, StartDate, EndDate, TypeOfEvent, <u>EventZip</u>, EventStreet, OrgName(FK)]
- 2. EVENT_LOCATION[<u>EventZip</u>, EventCity]

4.4 Table: Volunteer

VOLUNTEER[<u>VolID</u>, VolPhoneNum, VolDOB, VolEmail, VolFirstName, VolLastName, VolGender, VolStreet, VolCity, VolZip, Availability, Grade]

Functional Dependencies:

- 1. <u>VolID</u> → VolPhoneNum, VolDOB, VolEmail, VolFirstName, VolLastName, VolGender, VolStreet, VolCity, VolZip, Availability, Grade
- 2. $VolZip \rightarrow VolCity$

1NF

The table was examined for the presence of primary key and any multi-value attributes. The table has a primary key and none of the attributes are multivalued. Therefore the table is already in 1st normal form.

2NF

Full key consists of VolID, VolPhoneNum, and VolEmail. The table/relation was examined for partial dependencies and no partial dependencies were found. The table is already in 2nd normal form.

3rd normal form requires examining tables for any transitive functional dependencies. Table 2 was found to have a Transitive Dependency. Therefore it's decomposed and named as follows:

- 1. VOL_IDENTIFICATION[<u>VolID</u>, VolPhoneNum, VolDOB, VolEmail, VolFirstName, VolLastName, VolGender, VolStreet, <u>VolZip</u>, Availability, Grade]
- 2. VOL LOCATION[VolZip VolCity]

4.5 Table: Resource

RESOURCE[<u>ResourceID</u>, Type, SubType Value, ResourceCondition, ExpirationDate, EventID(FK)]

1NF

The table was examined for the presence of primary key and any multi-value attributes. The table has a primary key and none of the attributes are multivalued. Therefore the table is already in 1st normal form.

2NF

Full key consists of only ResourceID. The table/relation was examined for partial dependencies and no partial dependencies were found. The table is already in 2nd normal form.

3NF

3rd normal form requires examining tables for any transitive functional dependencies. This table did not have any transitive dependencies therefore decomposition was not necessary. The following table is in 3rd normal form:

1. RESOURCE_ID[ResourceID, Type, SubType Value, ResourceCondition, ExpirationDate, EventID(FK)]

4.6 Table: Partner Organization

PARTNERORGANIZATION[OrgName, OrgPhoneNum, City, Zip, StreetAddress, OrgEmail]

Functional Dependencies:

- 1. OrgName→ OrgPhoneNum, City, Zip, StreetAddress, OrgEmail
- 2. $Zip \rightarrow City$

The table was examined for the presence of primary key and any multi-value attributes. The table has a primary key and none of the attributes are multivalued. Therefore the table is already in 1st normal form.

2NF

Full key consists of OrgName, OrgPhoneNum, and OrgEmail. The table/relation was examined for partial dependencies and no partial dependencies were found. The table is already in 2nd normal form.

3NF

3rd normal form requires examining tables for any transitive functional dependencies. Table 2 was found to have a Transitive Dependency. Therefore it's decomposed and named as follows:

- 1. PARTNER ORG [OrgName, OrgPhoneNum, Zip, StreetAddress, OrgEmail]
- 2. ORG LOCATION [Zip, City]

4.7 Table: Representative

REPRESENTATIVE[RepEmail, RepFName, RepLName, RepPhoneNum, OrgName(FK)]

1NF

The table was examined for the presence of primary key and any multi-value attributes. The table has a primary key and none of the attributes are multivalued. Therefore the table is already in 1st normal form.

2NF

Full key consists of only RepEmail. The table/relation was examined for partial dependencies and no partial dependencies were found. The table is already in 2nd normal form.

3NF

3rd normal form requires examining tables for any transitive functional dependencies. This table did not have any transitive dependencies therefore decomposition was not necessary. The following table is in 3rd normal form:

1. REP[RepEmail, RepFName, RepLName, RepPhoneNum, OrgName(FK)]

4.8 Table: AssistanceApp_AssistanceType

ASSISTANCEAPP_TYPE[<u>AssistanceID</u>(FK), <u>AssistanceType</u>]

1NF

The table was examined for the presence of primary key and any multi-value attributes. The table has a primary key and none of the attributes are multivalued. Therefore the table is already in 1st normal form.

2NF

Full key consists of AssistanceType and AssistanceID. The table/relation was examined for partial dependencies and no partial dependencies were found. The table is already in 2nd normal form.

3NF

3rd normal form requires examining tables for any transitive functional dependencies. This table did not have any transitive dependencies therefore decomposition was not necessary. The following table is in 3rd normal form:

1. ASSISTANCEID [AssistanceID(FK), AssistanceType]

4.9 Table: Attends

ATTENDS [MemID (FK), EventID(FK), DateFulfilled, TypeOfServiceRecieved]

1NF

The table was examined for the presence of primary key and any multi-value attributes. The table has a primary key and none of the attributes are multivalued. Therefore the table is already in 1st normal form.

Full key consists of MemID and EventID. The table/relation was examined for partial dependencies and no partial dependencies were found. The table is already in 2nd normal form.

3NF

3rd normal form requires examining tables for any transitive functional dependencies. This table did not have any transitive dependencies therefore decomposition was not necessary. The following table is in 3rd normal form:

1. MEM_ATTENDS [MemID(FK), EventID(FK), DateFulfilled, TypeOfServiceRecieved]

4.10 Table: PartnerOrg OrgType

PARTNERORG ORGTYPE [OrgName(FK), OrgType]

1NF

The table was examined for the presence of primary key and any multi-value attributes. The table has a primary key and none of the attributes are multivalued. Therefore the table is already in 1st normal form.

2NF

Full key consists of OrgType and OrgName. The table/relation was examined for partial dependencies and no partial dependencies were found. The table is already in 2nd normal form.

3NF

3rd normal form requires examining tables for any transitive functional dependencies. Because there is at least 1 primary key, this table could not have any transitive dependencies. Therefore decomposition was not necessary. The following table is in 3rd normal form:

1. ORGNAME_ORGTYPE [OrgName(FK), OrgType]

4.11 Table: Vol_Role

OFFERS HELP[VolID(FK), EventID(FK), Hours, Date, Role]

1NF

The table was examined for the presence of primary key and any multi-value attributes. The table has a primary key and none of the attributes are multivalued. Therefore the table is already in 1st normal form.

2NF

Full key consists of VolID and EventID. The table/relation was examined for partial dependencies and no partial dependencies were found. The table is already in 2nd normal form.

3NF

3rd normal form requires examining tables for any transitive functional dependencies. Because there is at least 1 primary key, this table could not have any transitive dependencies. Therefore decomposition was not necessary. The following table is in 3rd normal form:

1. VOL ROLE[VolID(FK), EventID(FK), Hours, Date, Role]

4.12 Table: Rep_AreaOfExpertise

REPRESENTATIVE_EXPERTISE [RepEmail(FK), AreaOfExpertise]

1NF

The table was examined for the presence of primary key and any multi-value attributes. The table has a primary key and none of the attributes are multivalued. Therefore the table is already in 1st normal form

2NF

Full key consists of RepEmail and AreaOfExpertise. The table/relation was examined for partial dependencies and no partial dependencies were found. The table is already in 2nd normal form.

3rd normal form requires examining tables for any transitive functional dependencies. Because there is at least 1 primary key, this table could not have any transitive dependencies. Therefore decomposition was not necessary. The following table is in 3rd normal form:

1. REP_EXPERTISE [RepEmail(FK), AreaOfExpertise]

4.13 Table: Vol AreaOfExpertise

VOLUNTEER_EXPERTISE [VolID(FK), AreaOfExpertise]

1NF

The table was examined for the presence of primary key and any multi-value attributes. The table has a primary key and none of the attributes are multivalued. Therefore the table is already in 1st normal form.

2NF

Full key consists of AreaOfExpertise and VolID. The table/relation was examined for partial dependencies and no partial dependencies were found. The table is already in 2nd normal form.

3NF

3rd normal form requires examining tables for any transitive functional dependencies. Because there is at least 1 primary key, this table could not have any transitive dependencies. Therefore decomposition was not necessary. The following table is in 3rd normal form:

1. VOL_EXPERTISE [VolID(FK), AreaOfExpertise]

Resulting Relational Tables:

1. COMMUNITY MEM

- MemID: MemID is the unique identification number for community members.
- MemFName: MemFName represents the first name of the community member.
- MemLName: MemLName represents the last name of the community member.
- MemGender: MemGender represents the gender of the community member.
- SocialSecurity: SocialSecurity is the social security number of the community member.
- MemDOB: MemDOB represents the date of birth of the community member.
- MemZip: MemZip represents the zip code of the community member.
- NumOfDependents: NumOfDependents represents the number of dependents of the community member.
- IncLevel: IncLevel represents the income level of the community member.

Field	Type	Null	Key	Default
MemID	CHAR(7)	NO	PRI	NULL
MemFName	VARCHAR(8)	YES		NULL
MemLName	VARCHAR(12)	YES		NULL
MemGender	ENUM('M','F')	YES		NULL
SocialSecurity	CHAR(11)	YES		NULL
MemDOB	DATE	YES		NULL
MemZip	CHAR(5)	NO	PRI	NULL
NumOfDependents	INT	NO	PRI	NULL
IncLevel	MEDIUMINT	NO	PRI	NULL

2. MEM_LOCATION

- MemZip: MemZip represents the zip code of the community member.
- MemCity: MemCity represents the city of the community member.

Field	Type	Null	Key	Default
MemZip	CHAR(5)	NO	PRI	NULL
MemCity	VARCHAR(11)	YES		NULL

[&]quot;MemZip" is the foreign key and references the MemZip column in the COMMUNITY MEM table.

3. MEM INCOME

- IncLevel: IncLevel represents the income level of the community member.
- NumOfDependents: NumOfDependents represents the number of dependents of the community member.
- Hardship: Hardship represents the level of hardship that a community member is experiencing.

Field	Type	Null	Key	Default
IncLevel	INT	NO	PRI	NULL
NumOfDependents	INT	NO	PRI	NULL
Hardship	VARCHAR(6)	YES		NULL

[&]quot;IncLevel" is the foreign key and references the IncLevel column in the COMMUNITY MEM table.

4. ASSISTANCE APP

- AssistanceID: AssistanceID is the unique identification number for assistance applications.
- DateApplied: DateApplied represents the date when the assistance application was submitted.

[&]quot;NumOfDependents" is the foreign key and references the NumOfDependents column in the COMMUNITY MEM table

- ApprovalStatus: ApprovalStatus represents the approval status of the assistance application.
- MemID: MemID is the foreign key referencing the member associated with the assistance application.

Field	Туре	Null	Key	Default
AssistanceID	INT	NO	PRI	NULL
DateApplied	DATE	YES		NULL
ApprovalStatus	ENUM('Y','N')	YES		NULL
MemID	INT	YES		NULL

[&]quot;MemID" is the foreign key and references the MemID column in COMMUNITY_MEM table.

5. EVENT_INFO

- EventID: EventID is the unique identification number for events.
- StartDate: StartDate represents the date when the event starts.
- EndDate: EndDate represents the date when the event ends.
- TypeOfEvent: TypeOfEvent represents the type of the event.
- EventZip: EventZip represents the zip code of the event.
- EventStreet: EventStreet represents the street of the event.
- OrgName: OrgName is the foreign key referencing the partner organization associated with the event.

Field	Type	Null	Key	Default
EventID	INT	NO	PRI	NULL
StartDate	DATE	YES		NULL
EndDate	DATE	YES		NULL
TypeOfEvent	VARCHAR(22)	YES		NULL
EventZip	CHAR(5)	NO	PRI	NULL

EventStreet	VARCHAR(19)	YES	NULL
OrgName	VARCHAR(50)	YES	NULL

[&]quot;OrgName" is the foreign key and references the OrgName column in the PARTNER ORG table.

6. EVENT LOCATION

- EventZip: EventZip represents the zip code of the event.
- EventCity: EventCity represents the city of the event.

Field	Туре	Null	Key	Default
EventZip	CHAR(5)	NO	PRI	NULL
EventCity	VARCHAR(11)	YES		NULL

[&]quot;EventZip" is the foreign key and references the EventZip column in the EVENT_INFO table.

7. VOL_ID

- VolID: VolID is the unique identification number for volunteers.
- VolPhoneNum: VolPhoneNum represents the phone number of the volunteer.
- VolDOB: VolDOB represents the date of birth of the volunteer.
- VolEmail: VolEmail represents the email of the volunteer.
- VolFirstName: VolFirstName represents the first name of the volunteer.
- VolLastName: VolLastName represents the last name of the volunteer.
- VolGender: VolGender represents the gender of the volunteer.
- VolStreet: VolStreet represents the street address of the volunteer's residence.
- VolZip: VolZip represents the zip code of the volunteer's residence.
- Availability: Availability represents the availability of the volunteer (Weekdays, Weekends, Evenings, etc.).

• Grade: The grade determines the score a volunteer gets when considering factors like punctuality, trustworthiness, effort, etc. This determines their likelihood of being asked to return for more events.

Field	Туре	Null	Key	Default
VolID	INT	NO	PRI	NULL
VolPhoneNum	CHAR(13)	YES		NULL
VolDOB	DATE	YES		NULL
VolEmail	VARCHAR(27)	YES		NULL
VolFirstName	VARCHAR(9)	YES		NULL
VolLastName	VARCHAR(11)	YES		NULL
VolGender	ENUM(' Male',' Female')	YES		NULL
VolStreet	VARCHAR(14)	YES		NULL
VolZip	INT	NO	PRI	NULL
Availability	VARCHAR(10)	YES		NULL
Grade	ENUM('A','B','C')	YES		NULL

8. VOL_LOCATION

• VolZip: VolZip represents the zip code of the volunteer.

• VolCity: VolCity represents the city of the volunteer.

Field	Туре	Null	Key	Default
VolZip	CHAR(5)	NO	PRI	NULL
VolCity	VARCHAR(11)	YES		NULL

[&]quot;VolZip" is the foreign key and references the VolZip column in the VOL ID table.

9. RESOURCE_ID

- ResourceID: ResourceID is the unique identification number for resources.
- Type: Type represents the type of the resource.
- SubType: SubType represents the subtype of the resource.
- Value: Value represents the value of the resource.
- ResourceCondition: ResourceCondition represents the condition of the resource(New, Used, Non-expired, etc.)
- ExpirationDate: ExpirationDate represents the expiration date of the resource.
- EventID: EventID is the unique ID for each event hosted

Field	Туре	Null	Key	Default
ResourceID	INT	NO	PRI	NULL
Туре	VARCHAR(21)	YES		NULL
SubType	VARCHAR(42)	YES		NULL
Value	INT	YES		NULL
ResourceCondition	VARCHAR(11)	YES		NULL
ExpirationDate	DATE	YES		NULL
EventID	INT	YES		NULL

[&]quot;EventID" is the foreign key and references the EventID column in EVENT_INFO table.

10.PARTNER ORG

- OrgName: OrgName is the unique identification name for partner organizations.
- OrgPhoneNum: OrgPhoneNum represents the phone number of the partner organization.
- Zip: Zip represents the zip code of the partner organization.
- StreetAddress: StreetAddress represents the street address of the partner organization.
- OrgEmail: OrgEmail represents the email of the partner organization.

Field	Туре	Null	Key	Default
OrgName	VARCHAR(50)	NO	PRI	NULL
OrgPhoneNum	CHAR(13)	YES		NULL
Zip	CHAR(5)	NO	PRI	NULL
StreetAddress	VARCHAR(25)	YES		NULL
OrgEmail	VARCHAR(32)	YES		NULL

11.ORG LOCATION

- Zip: Zip represents the zip code of the organization.
- City: City represents the city of the organization.

Field	Туре	Null	Key	Default
Zip	CHAR(5)	NO	PRI	NULL
City	VARCHAR(11)	YES		NULL

[&]quot;Zip" is the foreign key and references the Zip column in the PARTNER_ORG table.

12. REP

- RepEmail: RepEmail represents the email of the representative.
- RepFName: RepFName represents the first name of the representative.
- RepLName: RepLName represents the last name of the representative.
- RepPhoneNum: RepPhoneNum represents the phone number of the representative.
- AreaOfExpertise: AreaOfExpertise represents the area of expertise of the representative.
- OrgName: OrgName is the foreign key referencing the partner organization associated with the representative.

Field	Туре	Null	Key	Default
RepEmail	VARCHAR(32)	NO	PRI	NULL
RepFName	VARCHAR(20)	YES		NULL
RepLName	VARCHAR(20)	YES		NULL
RepPhoneNum	CHAR(13)	YES		NULL
OrgName	VARCHAR(50)	YES		NULL

[&]quot;OrgName" is the foreign key and references the OrgName column in the PARTNER ORG table.

13. ASSISTANCE_ID

- AssistanceID: AssistanceID is the foreign key referencing assistance applications.
- AssistanceType: AssistanceType represents the type of assistance.

Field	Туре	Null	Key	Default
AssistanceID	INT	NO	PRI	NULL
AssistanceType	VARCHAR(31)	NO	PRI	NULL

[&]quot;AssistanceID" is the foreign key and references the AssistanceID column in the ASSISTANCE APP table.

14.MEM ATTENDS

- MemID: MemID represents the member ID.
- EventID: EventID represents the event ID.
- DateFulfilled: DateFulfilled represents the date when the service was fulfilled.
- TypeOfServiceReceived: TypeOfServiceReceived represents the type of service received by the member at the event.

Field	Туре	Null	Key	Default
MemID	INT	NO	PRI	NULL
EventID	INT	NO	PRI	NULL
DateFulfilled	DATE	YES		NULL

TypeOfService	VARCHAR(19)	YES	NULL
Received			

[&]quot;MemID" is the foreign key and references the MemID column in COMMUNITY_MEM table.

15.ORGNAME ORGTYPE

- OrgName: OrgName is the foreign key referencing the name of the organization.
- OrgType: OrgType represents the type of organization.

Field	Туре	Null	Key	Default
OrgName	VARCHAR(40)	NO	PRI	NULL
OrgType	VARCHAR(21)	NO	PRI	NULL

[&]quot;OrgName" is the foreign key and references the OrgName column in PARTNER_ORG table.

16.VOL ROLE

- VolID: VolID represents the unique identification number of the volunteer offering help.
- EventID: EventID represents the unique identification number of the event where help is offered.
- Hours: Hours represent the number of hours the volunteer is offering to help during the event.
- Date: Date represents the date on which the volunteer is offering help during the event.
- Role: Role represents the specific role or task that the volunteer is offering to perform during the event.

Field	Туре	Null	Key	Default
VolID	INT	NO	PRI	NULL
EventID	INT	NO	PRI	NULL
Hours	INT	YES		NULL

[&]quot;EventID" is the foreign key and references the EventID column in the EVENT_INFO table.

Date	DATE	YES	NULL
Role	VARCHAR(30)	YES	NULL

[&]quot;VolID" is the foreign key and references the VolID column in the VOL ID table.

17.REP EXPERTISE

- RepEmail: RepEmail is the foreign key referencing the Representative table.
- AreaOfExpertise: AreaOfExpertise represents the area of expertise of the volunteer.

Field	Type	Null	Key	Default
RepEmail	VARCHAR(21)	NO	PRI	NULL
AreaOfExpertise	VARCHAR(32)	NO	PRI	NULL

[&]quot;RepEmail" is the foreign key and references the RepEmail column in the REP table.

18.VOL EXPERTISE

- VolID: VolID is the foreign key referencing the volunteer tables.
- AreaOfExpertise: AreaOfExpertise represents the area of expertise of the volunteer.

Field	Туре	Null	Key	Default
VolID	INT	NO	PRI	NULL
AreaOfExpertise	VARCHAR(19)	NO	PRI	NULL

[&]quot;VolID" is the foreign key and references the VolID column in the VOL_ID table.

[&]quot;EventID" is the foreign key and references the EventID column in the EVENT_INFO table.

5: Database Implementation

All Tables:

```
mysql> show tables;
| Tables_in_project_3 |
| ASSISTANCE APP
| ASSISTANCE ID
| COMMUNITY MEM
| EVENT INFO
| EVENT_LOCATION
| MEM ATTENDS
| MEM INCOME
| MEM LOCATION
| OFFERS_HELP
| ORGNAME ORGTYPE
ORG LOCATION
| PARTNER ORG
| REP
| REP_EXPERTISE
| RESOURCE ID
| VOL EXPERTISE
| VOL ID
| VOL LOCATION
18 rows in set (0.00 sec)
```

A. Data Structures:

mysql> DESC ASSISTANCE_APP;

Field	+						+	
AssistanceID		Field	Туре	Null	Key	Default	Extra	
		AssistanceID DateApplied ApprovalStatus MemID	int date enum('Y','N') int	NO YES YES YES	PRI	NULL NULL NULL NULL		

4 rows in set (0.00 sec)

mysql> DESC ASSISTANCE_ID;

Field	Type	İ	Null	İ	Key	Default	Extra	İ
AssistanceID AssistanceType	int varchar(31)		NO NO		PRI PRI	NULL NULL		

2 rows in set (0.00 sec)

mysql> DESC COMMUNITY_MEM;

Field	Туре	Null	Key	Default	Extra
MemID MemFName MemLName MemGender SocialSecurity MemDOB MemZip NumOfDependents IncLevel	int varchar(8) varchar(12) enum('M','F') char(11) date char(5) int int	NO YES YES YES YES YES YES YES YES YES	PRI MUL MUL	NULL NULL NULL NULL NULL NULL NULL NULL	

mysql> DESC EVENT_INFO;

Field	Туре	Null	Key	Default	Extra
EventID StartDate EndDate TypeOfEvent EventZip EventStreet	int date date varchar(22) char(5) varchar(19) varchar(50)	NO YES YES YES YES YES YES	PRI	NULL NULL NULL NULL NULL NULL NULL	

7 rows in set (0.00 sec)

mysql> DESC EVENT_LOCATION;

+			•	Extra
EventZip char EventCity vard	r(5) NO char(11) YES	PRI	NULL NULL	

2 rows in set (0.00 sec)

mysql> DESC MEM_ATTENDS;

+	Туре	Null	Key	Default	Extra
MemID EventID	int int date	NO NO YES	PRI PRI		

```
mysql> DESC MEM INCOME;
      | Type | Null | Key | Default | Extra |
              | YES
       | int
| IncLevel
                   | MUL | NULL
| Hardship | varchar(6) | YES | NULL
+----+
3 rows in set (0.01 sec)
mysql> DESC MEM LOCATION;
+----+
| Field | Type | Null | Key | Default | Extra |
+----
| MemZip | char(5) | NO | PRI | NULL
| MemCity | varchar(11) | YES | NULL
+-----
2 rows in set (0.00 sec)
mysql> DESC ORGNAME ORGTYPE;
            | Null | Key | Default | Extra |
| OrgName | varchar(40) | NO | PRI | NULL
| OrgType | varchar(21) | NO | PRI | NULL |
+----+
2 rows in set (0.00 sec)
mysql> DESC ORG LOCATION;
+----+
          | Null | Key | Default | Extra |
 Field | Type
| City | varchar(11) | YES | NULL
+----+
2 rows in set (0.01 sec)
```

mysql> DESC PARTNER_ORG;

Field	Туре	Null	Key	Default Extra
OrgName OrgPhoneNum Zip StreetAddress OrgEmail	varchar(50) char(13) char(5) varchar(25) varchar(32)	NO	PRI MUL	NULL

5 rows in set (0.00 sec)

mysql> DESC REP;

		Null	Key	Default	Extra
RepLName RepPhoneNum	varchar(32) varchar(10) varchar(9) char(13) varchar(50)	NO YES YES YES YES	PRI 	NULL NULL NULL NULL NULL	

5 rows in set (0.00 sec)

mysql> DESC REP_EXPERTISE;

Field	Type	Null	Key	Default	Extra
AreaOfExpertise	varchar(21) varchar(32)	NO NO	PRI PRI	NULL NULL	

mysql> DESC RESOURCE_ID;

Field	Type			Default	
ResourceID Type SubType Value ResourceCondition ExpirationDate EventID	int varchar(21) varchar(42) int varchar(11) date int	NO YES YES YES YES YES YES YES YES	PRI MUL	NULL NULL NULL NULL NULL NULL	

7 rows in set (0.00 sec)

mysql> DESC VOL_EXPERTISE;

Field	Туре	Null	Key	Default Extra	
VolID	int	NO	PRI	NULL	
AreaOfExpertise	varchar(19)	NO	PRI	NULL	

2 rows in set (0.00 sec)

mysql> DESC VOL_ID;

Field	Туре	•	Key	Default	Extra
VolID VolPhoneNum VolDOB VolEmail VolFirstName VolLastName VolGender VolStreet VolZip Availability Grade	<pre>int char(13) date varchar(27) varchar(9) varchar(11) enum('Male','Female') varchar(14) int varchar(10) enum('A','B','C')</pre>	NO	PRI PRI MUL	NULL NULL NULL NULL NULL NULL NULL NULL	

```
mysql> DESC VOL_LOCATION;
```

	 Type		_		
VolZip	int	NO	PRI	NULL	
VolCity	varchar(11)	YES		NULL	

2 rows in set (0.00 sec)

mysql> DESC VOL_ROLE;

Field	+	Null Key	Default	Extra
VolID EventID Hours Date Role	int int int	NO	NULL NULL NULL NULL NULL	

B. Sample Data:

```
mysql> select * from ASSISTANCE APP limit 10;
  AssistanceID | DateApplied | ApprovalStatus | MemID |
       103570 | 2022-06-24
       123456 | 2023-12-05
                                               19 I
       128358 | 2022-09-02 | Y
       167416 | 2023-02-24 | Y
       185347 | 2023-04-29 | Y
                                               9
       198765 | 2023-11-08 | Y
                                             16
       239485 | 2022-05-15 | Y
                                               1
       309846 | 2023-07-22 | Y
                                               12
       432189 | 2023-10-12 | Y
                                               14 I
      459830 | 2022-12-02
10 rows in set (0.00 sec)
mysql> select * from ASSISTANCE ID limit 10;
 AssistanceID | AssistanceType
       103570 | Counseling
       123456 | Counseling
       128358 | Food Assistance
       167416 | Housing Assistance
       185347 | Utility Bill Assistance
       198765 | Transportation Assistance
       239485 | Medical Expense
       309846 | Medical Expenses
       432189 | Housing Assistance
       459830 | Assistance with CHIP & Medicaid |
```

mysql> mysql> select * from COMMUNITY_MEM limit 10;

į N	1emID	MemFName	MemLName	MemGender	SocialSecurity	MemDOB	MemZip	NumOfDependents	IncLevel
i	1	Maria	Lopez	F	128-83-6758	2000-05-15	78520	3	16000
i.	2	Carlos	Ramirez	ј М	479-93-2914	1998-09-25	78501	2	14200
- į	3	Ana	Vasques	F	570-28-5482	1992-02-12	78521	4	13920
- į	4	David	Torres	M	478-68-1924	1989-03-21	78524	1	16470
Ĺ	5	Jasmin	Venegas	F	174-28-5829	1996-08-16	78550	5	21735
i	6	Michael	Rodriguez	M	690-25-2398	1990-02-18	78521	7	10000
Ĺ	7	Sophia	Pinales	F	567-89-0123	1982-06-10	78521	3	16000
Ĺ	8	Daniel	Reynolds	M	623-96-4547	1976-07-08	78501	1	28000
- į	9 j	Noah	Chavez	M	542-74-3108	2010-05-06	78521	5	15000
İ	10	Marcelo	Gamez	j M	128-83-6759	2001-01-07	78520	3	18665


10 rows in set (0.00 sec)

mysql> mysql> select * from EVENT_INFO limit 10;

4			+	+	+	+	++
	EventID	StartDate	EndDate	TypeOfEvent	EventZip	EventStreet	OrgName
4	+		+	+	+	+	+
	100	2023-01-01	2023-04-01	Educational Workshop	78521	E 6th St	Star Plus
ı	101	2023-02-01	2023-10-31	Job Fair	78521	1 Event Center	County of Cameron
Ì	102	2023-03-01	2023-07-01	Health Fair	78521	191 E Price Rd	Community Development
İ	103	2023-06-01	2023-08-31	Summer Sports Camp	78521	1000 Sports Park	CC Food Distribution
i	104	2023-07-01	2023-08-31	Summer Reading Program	78521	2600 Central Blvd	State of Texas
i	105	2023-08-01	2023-09-30	Educational Seminar	78521	35 W Elizabeth St	Select Staff
Ì	106	2023-09-01	2023-10-31	Career Development	78521	1 Event Center	Valley Baptist heart & vascular outreach services
i	107	2023-11-01	2023-11-01	Diaper Giveaway	78521	34 Tony Gonzalez Dr	Valley Baptist Family Practice Residency
i	108	2023-12-01	2023-12-07	Winter Coat Drive	78521	1254 E Tyler St	Cameron County Housing Authority
i	109	2023-12-01	2023-12-15	Holiday Toy Drive	78521	2370 Frontage Rd	Cameron County Beach Patrol
- 1							<u> </u>

10 rows in set (0.00 sec)

mysql> select * from EVENT_LOCATION limit 10;



mysql> select * from MEM_ATTENDS limit 10;

+			
MemID	EventID	DateFulfilled	TypeOfServiceReceived
1 2 3 4 5 6 7 8 9 10	100 101 102 103 104 105 106 107 108 109	2022-05-23 2022-06-25 2022-09-03 2022-10-01 2023-01-24 2023-02-10 2023-03-16 2023-04-15 2023-05-05 2020-02-05	Educational Support Employment HealthCare Aid Child Care Educational Support Educational Support Employment Child Care Clothing Assistance Child Care
+	+		++

```
mysql> select * from MEM INCOME limit 10;
| IncLevel | NumOfDependents | Hardship |
                           3 | Medium
     16000 I
    14200 I
                           2 | Low
                           4 | Medium
    13920
                           1 | Low
    16470
                           5 | High
    21735 I
    10000 l
                          7 | High
                           3 | Medium
    16000 l
                           1 | Low
    28000 I
    15000
                           5 | High
     18665 I
                           3 | Medium
10 rows in set (0.00 sec)
```

mysql> select * from MEM_LOCATION limit 10;

```
+----+
| MemZip | MemCity |
+----+
| 78501 | McAllen |
| 78520 | Brownsville |
| 78521 | Brownsville |
| 78524 | Brownsville |
| 78550 | Harlingen |
```

5 rows in set (0.00 sec)

mysql> select * from ORGNAME_ORGTYPE limit 10;

+	
	OrgType
Cameron County Beach Patrol Cameron County Housing Authority CC Food Distribution Community Development County of Cameron Select Staff Star Plus State of Texas Valley Baptist Family Practice Residence Valley Baptist heart & vascular outreach	

mysql> select * from PARTNER_ORG limit 10;

Cameron County Beach Patrol (956)455-8727 78520 33174 State Park Road 100 michael.Johnson@co.cameron.tx.us (956)541-9637 78520 65 Castellano Circle mjmartinez@CCHatx.org CC Food Distribution (956)399-3075 78520 1102 S Commerce annie.romero@outlook.com Community Development (956)472-2960 78521 4700 Rice Rd alex.gutierres@outlook.com County of Cameron (956)339-3075 78521 35 Orange St melissa.medrano@outlook.com Select Staff (956)778-3755 78520 N. Paredes line Road MBaca@select-staff.com Star Plus (956)456-9723 78521 1925 Iowa St araceli.guerrero02@outlook.com State of Texas (956)421-5531 78521 601 W Sesame Dr norma.cavazos@outlook.com Valley Baptist Family Practice Residence NULL NUL	OrgName	+ OrgPhoneNum	 Zip	StreetAddress	++ OrgEmail
	Cameron County Housing Authority CC Food Distribution Community Development County of Cameron Select Staff Star Plus State of Texas Valley Baptist Family Practice Residence	(956)541-9637 (956)399-3075 (956)472-2960 (956)339-3075 (956)778-3755 (956)456-9723 (956)421-5531 NULL	78520 78520 78521 78521 78521 78520 78521 78521	65 Castellano Circle 1102 S Commerce 4700 Rice Rd 35 Orange St N. Paredes line Road 1925 Iowa St 601 W Sesame Dr NULL	mjmartinez@CCHatx.org annie.romero@outlook.com alex.gutierres@outlook.com melissa.medrano@outlook.com MBaca@select-staff.com araceli.guerrero02@outlook.com norma.cavazos@outlook.com

10 rows in set (0.00 sec)

mysql> select * from REP limit 10;

RepEmail	RepFName	RepLName	RepPhoneNum	OrgName
alex.gutierres@outlook.com annie.romero@outlook.com araceli.guerrero02@outlook.com Ben.Her@valley.baptist.org liza.gamez@valleybaptist.net MBaca@select-staff.com melissa.medrano@outlook.com michael.Johnson@co.cameron.tx.us mjmartinez@CCHatx.org norma.cavazos@outlook.com	Alex Annie Araceli Benjamin Liza Maria Melissa Michael Maria Jane Norma	Gutierres Romero Guerrero Hernandez Gamez Baca Medrano Johnson Martinez Cavazos	(956)472-2960 (956)399-3075 (956)456-9723 (956)389-2440 (956)389-1532 (956)778-3755 (956)339-3075 (956)455-8727 (956)541-9637 (956)421-5531	CC Food Distribution Star Plus Valley Baptist Family Practice Residency Valley Baptist heart & vascular outreach services Select Staff County of Cameron

10 rows in set (0.00 sec)

mysql> select * from REP_EXPERTISE limit 10;

AreaOfExpertise	RepEmail
Child Care	alex.gutierres@outlook.com
Food Distribution	annie.romero@outlook.com
Educational Support	araceli.guerrero02@outlook.com
HealthCare Assistance	Ben.Her@valley.baptist.org
HealthCare Assistance	liza.gamez@valleybaptist.net
Employment	MBaca@select-staff.com
HealthCare Assistance	melissa.medrano@outlook.com
Employment	michael.Johnson@co.cameron.tx.us
Housing	mjmartinez@CCHatx.org
Clothing Assistance	norma.cavazos@outlook.com

mysql> select * from RESOURCE_ID limit 10;

46598101 Supplies Toys and Gifts 2500 52497308 Clothing Winter Apparel 1500 56897012 Medical Supplies Informational Pamphlets and Glucose Meters 600 78906543 School Supplies Notebooks and Pencils 300 90135426 Educational Resources Books and Learning Materials 700	Non-expired New Used New	2099-01-01 2030-04-01 2099-01-01 2099-01-01 2030-01-01 2099-01-01 2099-01-01 2030-01-01	109 102 109 108 102 109 109 102

8 rows in set (0.00 sec)

mysql> select * from VOL_EXPERTISE limit 10;

+	++					
NOTID	AreaOfExpertise					
+						
1	Education					
2	Education					
3	Social Services					
4	Mentoring					
5	Counseling					
6	Legal					
7	Education					
8	Counseling					
9	Medical Services					
10	Employment Services					
+	++					
10 rows i	in set (0.00 sec)					

10 rows in set (0.00 sec)

mysql> select * from VOL_ID limit 10;

-			+	+	+	+			+		++
	VolID	VolPhoneNum	VolDOB	VolEmail	VolFirstName	VolLastName	VolGender	VolStreet	VolZip	Availability	Grade
+	+			+	+	+	+				++
	1	(956)426-0191	1985-03-15	jonah.rodriguez@gmail.com	Johan	Rodriguez	Male	123 Main St	78521	Weekends	A
	2	(956)122-4967	1993-01-05	laura.m93@gmail.com	Laura	Martinez	Female	456 Elm St	78521	Evenings	A
	3	(956)502-6730	1980-08-08	hernandez.maria@outlook.com	Maria	Hernandez	Female	752 Oak St	78521	Weekdays	A
	4	(956)784-0248	1984-04-09	amorales1@hotmail.com	Ana	Morales	Female	1200 Pine St	78521	Weekends	B
	5	(956)092-1934	1995-03-05	rosa.irma@gmail.com	Rosa Irma	Irma	Female	1223 Saint ln	78521	Weekdays	A
	6	(956)542-2995	1988-12-12	carlopez1988@gmail.com	Carlos	Lopez	Male	520 Birch Ln	78550	Weekdays	A
	7	(956)363-2955	1987-06-14	mariana.r@yahoo.com	Mariana	Ramirez	Female	2669 Cedar Ave	78521	Evenings	A
	8	(956)466-2394	1990-02-28	chavezjose01@outlook.com	Jose	Chavez	Male	1885 Simon Ave	78566	Weekends	B
	9	(956)635-8855	1989-07-18	yolandadgarza@outlook.com	Yolanda	De la Garza	Female	265 Applewind	78521	Weekdays	A
	10	(956)546-7436	1994-09-16	zuniga86luis@gmail.com	Luis	Zuniga	Male	4225 Palma Dr	78521	Weekdays	A
-				+	+	+			+		++

```
mysql> select * from VOL_LOCATION limit 10;
+----+
| VolZip | VolCity |
+----+
| 78521 | Brownsville |
| 78550 | Harlingen |
| 78566 | Los Fresnos |
+----+
3 rows in set (0.00 sec)
```

mysql> mysql> select * from VOL_ROLE limit 10;

1 100 48 2022-03-15 Tutor
2 101 20 2022-06-08 Guide
3 102 15 2022-09-05 Guide
4 103 40 2022-11-20 Camp Counselor
5 104 24 2023-01-10 Counselor
6 105 22 2023-04-03 Guide 7 106 10 2023-07-17 Guide
8 107 15 2023-10-12 Inventory Manager
9 108 25 2023-12-01 Inventory Manager
10 109 48 2023-02-28 Inventory Manager

C. Generate Reports:

1. Volunteer Report

mysql> mysql> SELECT CONCAT(VOL_ID.VolFirstName, ' ', VOL_ID.VolLastName) AS Name, VOL_ID.
eNum AS 'Phone Number', SUM(VOL_ROLE.Hours) AS 'Total Hours Volunteered', VOL_ID.Grade FRO
M VOL_ID JOIN VOL_LOCATION ON VOL_ID.VolZip = VOL_LOCATION.VolZip JOIN VOL_ROLE ON VOL_ID.
VolID = VOL_ROLE.VolID GROUP BY Name, VOL_ID.VolPhoneNum, VOL_ID.Grade LIMIT 10;

	L	L	L	L	┖
	Name	Phone Number	Total Hours Volunteered	Grade	ĺ
	Johan Rodriguez Laura Martinez Maria Hernandez Ana Morales Rosa Irma Irma Mariana Ramirez Yolanda De la Garza Luis Zuniga Natalie Ramirez Alicia Torres	(956)426-0191 (956)122-4967 (956)502-6730 (956)784-0248 (956)092-1934 (956)363-2955 (956)635-8855 (956)546-7436 (956)542-2274	48 20 15 40 24 10 25 48 27 48	A A B A A A	<u> </u>
-		+			۰

¹⁰ rows in set (0.00 sec)

2. Community Member Report

mysql> SELECT CONCAT(CM.MemFName, ' ', CM.MemLName) AS Name, CM.MemZip AS 'Zip Code', CM.NumOfDependents AS 'Number of Dependents', CM.IncLevel AS 'Income Level' FROM COMMUNITY_MEM CM LIMIT 10;

+	+		++
Name	Zip Code	Number of Dependents	Income Level
Maria Lopez Carlos Ramirez Ana Vasques David Torres Jasmin Venegas Michael Rodriguez Sophia Pinales Daniel Reynolds Noah Chavez Marcelo Gamez	78520 78501 78521 78524 78524 78550 78521 78521 78521 78521 78521	3 2 4 1 5 7 3 1 5 3	16000 14200 13920 16470 21735 10000 16000 28000 15000
4		L	b .

¹⁰ rows in set (0.00 sec)

3. Event Report

mysql> SELECT EI.EventID, EI.TypeOfEvent AS 'Event Type', MONTHNAME(EI.StartDate) AS Month, COUNT(MA.MemID)
AS 'Number Of Services', COUNT(DISTINCT MA.MemID) AS 'Number Of Members' FROM MEM_ATTENDS MA JOIN EVENT_IN
FO EI ON MA.EventID = EI.EventID GROUP BY EI.EventID, EI.TypeOfEvent, MONTH(EI.StartDate);

-4					L -
į	EventID	Event Type	Month	Number Of Services	Number Of Members
	100 101 102 103 104	Educational Workshop Job Fair Health Fair Summer Sports Camp Summer Reading Program	January February March June July	2 2 2 2 2 2	2 2 2 2 2 2
	105 106 107 108 109	Educational Seminar Career Development Diaper Giveaway Winter Coat Drive Holiday Toy Drive	August September November December December	2 2 2 1	2 2 2 2 1

10 rows in set (0.00 sec)

4. Partner Organization Report

mysql> SELECT PO.OrgName AS Agency, PO.OrgEmail AS 'Type Of Service', CASE WHEN PO.OrgName = 'Cameron County Beach Patrol' THEN 10 WHEN PO.OrgName = 'Cameron County Housing Authority' THEN 15 WHEN PO.OrgName = 'CC Food Distribution' THEN 10 WHEN PO.OrgName = 'Community Development' THEN 25 WHEN PO.OrgName = 'State of Texas' THEN 8 ELSE NULL END AS 'Amount Of Events', ONT.OrgType AS 'Type Of Events', CONCAT(REP, RepFName) AS Representative, PO.OrgPhoneNum AS 'Phone Number', CONCAT(PO.StreetAddress, ', ', LOC.City, ', ', PO.Zip) AS Address FROM PARTNER_ORG PO JOIN ORG_LOCATION LOC ON PO.Zip = LOC.Zip JOIN ORGANME_DRGTYPE ONT ON PO.OrgName = ONT.OrgName JOIN REP ON PO.OrgName = REP.OrgName LIMIT 5;

Agency	Type Of Service	Amount Of Events	Type Of Event	Representative	Phone Number	Address
Cameron County Beach Patrol Cameron County Housing Authority CC Food Distribution Select Staff Community Development	michael.Johnson@co.cameron.tx.us mjmartinez@CCHatx.org annie.romero@outlook.com MBaca@select-staff.com alex.gutierres@outlook.com	15 10 NULL	Employment Housing Food Distribution Employment Child Care	Michael Maria Jane Annie Maria Alex	(956)541-9637 (956)399-3075 (956)778-3755	33174 State Park Road 100, Brownsville, 78520 65 Castellano Circle, Brownsville, 78520 1102 S Commerce, Brownsville, 78520 N. Paredes Line Road, Brownsville, 78520 4700 Rice Rd, Brownsville, 78521

rows in set (0.00 sec)

5. Resource Report

mysql> SELECT RESOURCE_ID.ResourceID AS 'ResourceID', RESOURCE_ID.Value AS 'Volume', EVENT_INFO.OrgName AS 'Host', RESOURCE_ID.Type, RESOURCE_ID.SubType FROM RESOURCE_ID JOIN EVENT_INFO ON RESOURCE_ID.EventID = EVENT_INFO.EventID;

-						-
į	ResourceID	Volume	Host	Туре	SubType	
	12589647 13485678 46598101 52497308 56897012 78906543 90135426 90187564	200 2500 1500 600 300 700	Community Development Cameron County Beach Patrol Cameron County Housing Authority Community Development Cameron County Beach Patrol Cameron County Beach Patrol	School Supplies Food Supplies Clothing Medical Supplies School Supplies Educational Resources Medical Supplies	Backpacks Non-perishable Canned Foods Toys and Gifts Winter Apparel Informational Pamphlets and Glucose Meters Notebooks and Pencils Books and Learning Materials First Aid Kits	
- +						

D. SQL Dump

```
[ity150@ofr-ldbahluwp2 ~]$ mysqldump --no-tablespaces -u dbuser 4 -p project 3 > project 3.sql
Enter password:
[ity150@ofr-ldbahluwp2 ~]$ ls -lah
total 3.9M
                3 ity150 domain users 4.0K Dec 10 23:01 .
drwx----.
drwxr-xr-x. 140 root root 4.0K Nov 9 15:53 ...
-rw-----. 1 ity150 domain users 138K Oct 31 17:09 1505.png
                1 ity150 domain users 8.9K Dec 10 17:25 .bash history
-rw-----. 1 ity150 domain users 18 Sep 7 18:49 .bash_logout
-rw-----. 1 ity150 domain users 141 Sep 7 18:49 .bash_profile
-rw-----. 1 ity150 domain users 376 Sep 7 18:49 .bashrc
-rwx-----. 1 ity150 domain users 36 Sep 10 15:29 connect.sh
-rw-r----. 1 ity150 domain users 62K Nov 9 23:56 copy.sql
-rw-----. 1 ity150 domain users 334 Sep 7 18:49 .emacs
-rw-----. 1 ity150 domain users 778 Sep 29 03:47 er1_feedback.txt
-rw-----. 1 ity150 domain users 672 Oct 5 15:12 er2_feedback.txt
-rw-r----. 1 ity150 domain users 40K Nov 2 19:35 funds.csv
-rwx-----. 1 ity150 domain users 124 Nov 30 21:09 get_investor.sh
-rwx-----. 1 ity150 domain users 201 Nov 30 21:18 get_portfolio.sh
-rw-r---. 1 ity150 domain users 719K Nov 14 18:52 homework120231114.sql
-rw-r----. 1 ity150 domain users 719K Nov 15 12:13 homework1.sql
-rw-r----. 1 ity150 domain users 723K Dec 2 18:33 homework2.sql
-rw-r----. 1 ity150 domain users 77K Nov 11 01:10 hw1help.sql
-rw-r----. 1 ity150 domain users 178 Nov 3 01:25 investor.csv
-rw-r----. 1 ity150 domain users 183 Nov 3 01:21 investor.txt
-rw-r----. 1 ity150 domain users 0 Nov 9 23:36 myname.sql
-rw------ 1 ity150 domain users 611K Dec 10 23:01 .mysql_history
-rw----- 1 ity150 domain users 75K Nov 1 11:02 norm_1505.pdf
-rw-r----. 1 ity150 domain users 620K Nov 14 10:05 prices.csv
-rw-r----. 1 ity150 domain users 29K Dec 10 23:03 project_3.sql
-rw-----. 1 ity150 domain users 67 Nov 28 22:12 script_1.sh.save
-rw-r----. 1 ity150 domain users 0 Sep 7 19:02 testfile
-rw-r----. 1 ity150 domain users 0 Sep 7 19:02 testfi
-rw-r----. 1 ity150 domain users 139 Nov 30 21:18 tmp_1
-rwx-----. 1 ity150 domain users 293 Sep 7 19:20 validate.sh
-rw-----. 1 ity150 domain users 600 Dec 10 17:08 .Xauthority drwx-----. 2 ity150 domain users 21 Sep 7 18:49 .xemacs
[ity150@ofr-ldbahluwp2 ~]$
```