



Relationship Between Phenotype and Its Optimum ($h^2 = 1$)

Replica 2




Relationship Between Phenotype and Its Optimum ($h^2 = 1$)

Replica 2




Relationship Between Phenotype and Its Optimum ($h^2 = 1$)


Replica 2




Average phenotypic value by region (Replica 2)




Average phenotypic value by region (Replica 2)




Average phenotypic value by region (Replica 2)




Frequency of Mutational Effects (Replica 2)



Frequency of Mutational Effects by Group (Replica 2)



Phenotype-genotype relationship ($h^2 = 1$)
Replica 2



Estimation of genetic values (Z) by region

– Replica 2

Region	Z
1	0.805004634188862
2	0.776388540070755
3	0.785661654119107
4	0.731596402337079
5	0.599632288472554
6	0.454482208041475
7	0.4314801025
8	0.325274435921053
9	0.283282725390428
10	0.229890942915601

Region	Z
1	0.79050854827957
2	0.75729014817217
3	0.525781016600234
4	0.381777943263547
5	0.256790102360406

Region	Z
1	0.78947612379683
2	0.538279813269098
3	0.298203369159599

FST Values – Replica 2

FST – 3 Regions

Region	Region.1	Fst
1	2	0.0210642
1	3	0.0515424
2	3	0.0174889

FST Values – Replica 2

FST – 5 Regions

Region	Region.1	Fst
1	2	0.0142746
1	3	0.0278468
1	4	0.0475173
1	5	0.0653858
2	3	0.0104904
2	4	0.0300525
2	5	0.0490883
3	4	0.0120484
3	5	0.0260113
4	5	0.00863198

FST Values – Replica 2		
2	4	0.0229459
2	5	0.0243622
2	6	0.0302623
2	7	0.045978
2	8	0.0502997
2	9	0.0597249
2	10	0.0763337
3	4	0.0101157
3	5	0.0147715
3	6	0.0243568
3	7	0.0386874
3	8	0.0426635
3	9	0.0525058
3	10	0.0739784
4	5	0.0040917
4	6	0.0148041
4	7	0.0261442
4	8	0.0284993
4	9	0.0367224
4	10	0.0554604
5	6	0.0048664
5	7	0.0170252