



Relationship Between Phenotype and Its Optimum ($h^2 = 1$)

Replica 5




Relationship Between Phenotype and Its Optimum ($h^2 = 1$)

Replica 5




Relationship Between Phenotype and Its Optimum ($h^2 = 1$)


Replica 5




Average phenotypic value by region (Replica 5)




Average phenotypic value by region (Replica 5)




Average phenotypic value by region (Replica 5)



Frequency of Mutational Effects (Replica 5)




Frequency of Mutational Effects by Group (Replica 5)



Phenotype-genotype relationship ($h^2 = 1$)

Replica 5



Estimation of genetic values (Z) by region

– Replica 5

Region	Z
1	0.141210956591837
2	0.238487114424942
3	0.282259523631579
4	0.393057260566745
5	0.460380293772152
6	0.559577715902439
7	0.578062427942029
8	0.676407954658824
9	0.74583190952381
10	0.841023672558139

Region	Z
1	0.192266200642424
2	0.338248439218935
3	0.51090320442236
4	0.627879887840286
5	0.793987742588235

Region	Z
1	0.241260167510823
2	0.495960371048387
3	0.740113787162659

FST Values – Replica 5

FST – 3 Regions

Region	Region.1	Fst
1	2	0.0174327
1	3	0.0447761
2	3	0.0179712

FST Values – Replica 5

FST – 5 Regions

Region	Region.1	Fst
1	2	0.0144693
1	3	0.0296397
1	4	0.0521427
1	5	0.0644963
2	3	0.0079931
2	4	0.0233591
2	5	0.0334579
3	4	0.012447
3	5	0.0253196
4	5	0.00766342

FST Values – Replica 5		
2	4	0.0152282
2	5	0.0222075
2	6	0.0290003
2	7	0.0403137
2	8	0.0503181
2	9	0.0556817
2	10	0.0630197
3	4	0.00457543
3	5	0.0103713
3	6	0.0162273
3	7	0.0235172
3	8	0.0313129
3	9	0.0349415
3	10	0.039488
4	5	0.0030849
4	6	0.0103351
4	7	0.0189009
4	8	0.0269092
4	9	0.0306576
4	10	0.0373069
5	6	0.00387409
5	7	0.0103124