



Relationship Between Phenotype and Its Optimum ($h^2 = 0.5$)

Replica 2




Relationship Between Phenotype and Its Optimum ($h^2 = 0.5$)

Replica 2




Relationship Between Phenotype and Its Optimum ($h^2 = 0.5$)


Replica 2




Average phenotypic value by region (Replica 2)




Average phenotypic value by region (Replica 2)




Average phenotypic value by region (Replica 2)




Frequency of Mutational Effects (Replica 2)



Frequency of Mutational Effects by Group (Replica 2)



Phenotype-genotype relationship ($h^2 = 0.5$)
Replica 2



Estimation of genetic values (Z) by region

– Replica 2

Region	Z
1	0.00864040569674185
2	−0.0492593146674877
3	−0.00339054233995323
4	−0.00599952401204824
5	0.013927235495086
6	−0.0393011176858513
7	−0.0173751085187638
8	−0.0218324163369565
9	−0.050241404643038
10	−0.117770885719128

Region	Z
1	−0.0205611924
2	−0.00467491647271647
3	−0.0130099286753641
4	−0.019503511559977
5	−0.0847583299950496

Region	Z
1	−0.014115318981414
2	−0.0135160919939025
3	−0.0567701093218682

FST Values – Replica 2

FST – 3 Regions

Region	Region.1	Fst
1	2	0.0117075
1	3	0.0289244
2	3	0.0132795

FST Values – Replica 2

FST – 5 Regions

Region	Region.1	Fst
1	2	0.00931318
1	3	0.0191275
1	4	0.0298606
1	5	0.0439506
2	3	0.00554413
2	4	0.015923
2	5	0.0323991
3	4	0.0067566
3	5	0.0264476
4	5	0.0160569

FST Values – Replica 2		
2	4	0.0138664
2	5	0.0184631
2	6	0.022277
2	7	0.0307983
2	8	0.0323319
2	9	0.0405774
2	10	0.047626
3	4	0.00260045
3	5	0.0080425
3	6	0.0101476
3	7	0.0191341
3	8	0.0211785
3	9	0.0325205
3	10	0.0398123
4	5	0.00278963
4	6	0.0062401
4	7	0.0135805
4	8	0.0155239
4	9	0.0278152
4	10	0.0353409
5	6	0.0027447
5	7	0.00237600