



Relationship Between Phenotype and Its Optimum ($h^2 = 1$)

Replica 1




Relationship Between Phenotype and Its Optimum ($h^2 = 1$)

Replica 1




Relationship Between Phenotype and Its Optimum ($h^2 = 1$)


Replica 1




Average phenotypic value by region (Replica 1)




Average phenotypic value by region (Replica 1)




Average phenotypic value by region (Replica 1)




Frequency of Mutational Effects (Replica 1)



Frequency of Mutational Effects by Group (Replica 1)



Phenotype-genotype relationship ($h^2 = 1$)
Replica 1



Estimation of genetic values (Z) by region

– Replica 1

Region	Z
1	−0.203986272827161
2	−0.133854224925837
3	−0.0271689011724138
4	−0.0125380037139424
5	−0.0721265948558559
6	−0.0220449542096386
7	−0.012862614889785
8	−0.0341631568618091
9	−0.00694571433027527
10	−0.00770099011494259

Region	Z
1	−0.168366350563791
2	−0.0200167820857815
3	−0.0479311572910361
4	−0.0238725054155845
5	−0.00732291865442025

Region	Z
1	−0.104973287418958
2	−0.0406273198775801
3	−0.013971359667628

FST Values – Replica 1

FST – 3 Regions

Region	Region.1	Fst
1	2	0.0127781
1	3	0.0280154
2	3	0.0199116

FST Values – Replica 1

FST – 5 Regions

Region	Region.1	Fst
1	2	0.0130631
1	3	0.0227888
1	4	0.0242545
1	5	0.041882
2	3	0.00567671
2	4	0.0159527
2	5	0.0364861
3	4	0.00792881
3	5	0.0355101
4	5	0.0169474

FST Values – Replica 1		
2	4	0.0187728
2	5	0.0218169
2	6	0.0225434
2	7	0.0234082
2	8	0.0276578
2	9	0.0408129
2	10	0.0508252
3	4	0.0052546
3	5	0.00814747
3	6	0.0125191
3	7	0.0175102
3	8	0.0179606
3	9	0.0326569
3	10	0.04569
4	5	0.00262547
4	6	0.00806455
4	7	0.0195941
4	8	0.0179609
4	9	0.0315156
4	10	0.0455767
5	6	0.0033755
5	7	0.0104222