



Relationship Between Phenotype and Its Optimum ($h^2 = 0.5$)

Replica 1




Relationship Between Phenotype and Its Optimum ($h^2 = 0.5$)

Replica 1




Relationship Between Phenotype and Its Optimum ($h^2 = 0.5$)


Replica 1




Average phenotypic value by region (Replica 1)




Average phenotypic value by region (Replica 1)




Average phenotypic value by region (Replica 1)




Frequency of Mutational Effects (Replica 1)



Frequency of Mutational Effects by Group (Replica 1)



Phenotype-genotype relationship ($h^2 = 0.5$)
Replica 1



Estimation of genetic values (Z) by region

– Replica 1

Region	Z
1	0.749973968290521
2	0.715118841225347
3	0.64788434535901
4	0.55959961832031
5	0.551647348040279
6	0.481996895393801
7	0.388482484195968
8	0.286268091836347
9	0.201263133993475
10	0.15835031059037

Region	Z
1	0.732104080810406
2	0.604690679917825
3	0.517524409792361
4	0.33419697979602
5	0.18101213867965

Region	Z
1	0.69332316325852
2	0.497280348497948
3	0.232486480280386

FST Values – Replica 1

FST – 3 Regions

Region	Region.1	Fst
1	2	0.0141751
1	3	0.035453
2	3	0.0153073

FST Values – Replica 1

FST – 5 Regions

Region	Region.1	Fst
1	2	0.0110755
1	3	0.0213394
1	4	0.0354353
1	5	0.0438292
2	3	0.00661549
2	4	0.0231325
2	5	0.0369303
3	4	0.00938995
3	5	0.0239655
4	5	0.00947018

FST Values – Replica 1		
2	4	0.013004
2	5	0.0173485
2	6	0.0212693
2	7	0.0300684
2	8	0.040516
2	9	0.0468511
2	10	0.051672
3	4	0.00340626
3	5	0.00971514
3	6	0.0136434
3	7	0.0226167
3	8	0.0335369
3	9	0.0405797
3	10	0.0465338
4	5	0.00177047
4	6	0.0078646
4	7	0.0153339
4	8	0.0260323
4	9	0.0324655
4	10	0.0383007
5	6	0.0033676
5	7	0.00997594