

Hogeschool van Arnhem en Nijmegen
HAN University of Applied Sciences

**Course bi5b chemistry: Chapter 23
lipids (vetten)**

HAN www.han.nl

Eigen werk auteur (c) Dr. Ing. P.J. de Groot

Hogeschool van Arnhem en Nijmegen
HAN University of Applied Sciences

Reference

Fundamentals of General, Organic, and Biological
Chemistry Seventh Edition

John McMurry
Cornell University

David S. Ballantine
Northern Illinois University

Carl A. Hoeger
University of California, San Diego

Virginia E. Peterson
University of Missouri, Columbia

(Reference: Chapter 23 from McMurry et al.)

HAN

Eigen werk auteur (c) Dr. Ing. P.J. de Groot

Hogeschool van Arnhem en Nijmegen
HAN University of Applied Sciences

Chapter goals

CHAPTER GOALS

1. What are the major classes of fatty acids and lipids?
THE GOAL: Be able to describe the chemical structures and general properties of fatty acids, waxes, fats, sterols, and oils. (◀▶ B, C, D, E)
2. What reactions do triacylglycerols undergo?
THE GOAL: Be able to describe the results of hydrogenation and hydrolysis of triacylglycerols, and, given the reactants, predict the products. (◀▶ B, C)
3. What are sterols?
THE GOAL: Be able to identify sterols and their derivatives, describe their structures and roles.
4. What are the membrane lipids?
THE GOAL: Be able to identify the membrane lipids; describe their structures and roles. (◀▶ A, C, D)
5. What is the nature of a cell membrane?
THE GOAL: Be able to describe the general structure of a cell membrane and its chemical composition. (◀▶ A, E)
6. How do substances cross cell membranes?
THE GOAL: Be able to distinguish between passive transport and active transport and between simple diffusion and facilitated diffusion. (◀▶ A)
7. What are eicosanoids?
THE GOAL: Be able to describe the general structure of prostaglandins and leukotrienes, and some of their functions. (◀▶ E)

CONCEPTS TO REVIEW

- A. Intermolecular Forces (Section 8.2)
- B. Cis-Trans Isomerism (Section 13.3)
- C. Esters and Amides (Sections 17.4, 17.6)
- D. Phosphoric Acid Derivatives (Section 17.8)
- E. Carboxylic Acids (Sections 17.1, 17.2)

HAN

(Reference: Chapter 23 from McMurry et al.)

Eigen werk auteur (c) Dr. Ing. P.J. de Groot

Hogeschool van Arnhem en Nijmegen
HAN University of Applied Sciences

Inhoud

- 23.1 Structure and Classification of Lipids
- 23.2 Fatty Acids and Their Esters
- 23.3 Properties of Fats and Oils
- 23.4 Chemical Reactions of Triacylglycerols
- 23.5 Phospholipids and Glycolipids
- 23.6 Sterols
- 23.7 Structure of Cell Membranes
- 23.8 Transport Across Cell Membranes
- 23.9 Eicosanoids: Prostaglandins and Leukotrienes

HAN

(Reference: Chapter 23 from McMurry et al.)

Eigen werk auteur (c) Dr. Ing. P.J. de Groot

Hogeschool van Arnhem en Nijmegen
HAN University of Applied Sciences

23.5 Phospholipids and Glycolipids

Glycerol 3-phosphate (alcohol in glycerophospholipids)

Sphingosine (alcohol in sphingolipids)

HAN

(Reference: Chapter 23 from McMurry et al.)

Eigen werk auteur (c) Dr. Ing. P.J. de Groot

Hogeschool van Arnhem en Nijmegen
HAN University of Applied Sciences

23.5 Phospholipids and Glycolipids

A glycerophospholipid (a phosphatidylcholine)

A sphingomyelin

A glycolipid

HAN


(Reference: Chapter 23 from McMurry et al.)

Eigen werk auteur (c) Dr. Ing. P.J. de Groot

23.5 Phospholipids and Glycolipids

Hogendael van Antwerpen en Wijngaert
Maastricht University of Applied Sciences

TABLE 23.3 Some Glycerophospholipids


PRECURSOR OF X (HO-X)	FORMULA OF X	NAME OF RESULTING GLYCEROPHOSPHOLIPID FAMILY	FUNCTION
Water	—H	Phosphatidate	Basic structure of glycerophospholipids
Choline	—CH ₂ CH ₂ N ⁺ (CH ₃) ₃	Phosphatidylcholine	Basic structure of lecithins; most abundant membrane phospholipids
Ethanolamine	—CH ₂ CH ₂ NH ₃ ⁺	Phosphatidylethanolamine	Membrane lipids
Serine	—CH ₂ —CH(NH ₃ ⁺)COO [−]	Phosphatidylserine	Present in most tissues; abundant in brain
myo-Inositol		Phosphatidylinositol	Relays chemical signals across cell membranes

© 2013 Pearson Education, Inc. Eigen werk auteur (c) Dr. Ing. P.J. de Groot

(Reference: Chapter 23 from McMurry et al.)

23.5 Phospholipids and Glycolipids

Hogendael van Antwerpen en Wijngaert
Maastricht University of Applied Sciences



© 2013 Pearson Education, Inc.


HAN

Eigen werk auteur (c) Dr. Ing. P.J. de Groot

(Reference: Chapter 23 from McMurry et al.)

23.5 Phospholipids and Glycolipids

Hogendael van Antwerpen en Wijngaert
Maastricht University of Applied Sciences




Eigen werk auteur (c) Dr. Ing. P.J. de Groot

(Reference: Chapter 23 from McMurry et al.)

23.5 Phospholipids and Glycolipids

Hogendael van Antwerpen en Wijngaert
Maastricht University of Applied Sciences



© 2013 Pearson Education, Inc.

HAN

Eigen werk auteur (c) Dr. Ing. P.J. de Groot

(Reference: Chapter 23 from McMurry et al.)

Problem 23.12

Hogendael van Antwerpen en Wijngaert
Maastricht University of Applied Sciences

PROBLEM 23.12

Lecithins are often used as food additives to provide emulsification. How do they accomplish this purpose?

23.12 Lecithins emulsify fats in the same way as soaps dissolve grease: The fats are coated by the nonpolar part of a lecithin, and the polar part of lecithins allows fats to be suspended in aqueous solution.

HAN

Eigen werk auteur (c) Dr. Ing. P.J. de Groot


(Reference: Chapter 23 from McMurry et al.)

Problem 23.13

Hogendael van Antwerpen en Wijngaert
Maastricht University of Applied Sciences

PROBLEM 23.13

Identify the products formed by complete hydrolysis of all ester bonds in (a) the phosphatidylcholine on p. 735 and (b) the sphingomyelin in Figure 23.5.



HAN

23.13 (a) glycerol, phosphate ion, choline, RCOO[−]Na⁺, R'COO[−]Na⁺

Eigen werk auteur (c) Dr. Ing. P.J. de Groot

(Reference: Chapter 23 from McMurry et al.)

23.5 Phospholipids and Glycolipids

Hogendael van Arnhem en Nijmegen
2015 University of Applied Sciences



A glycolipid


Eigen werk auteur (c) Dr. Ing. P.J. de Groot™

(Reference: Chapter 23 from McMurry et al.)

HAN

23.5 Phospholipids and Glycolipids

Hogendael van Arnhem en Nijmegen
2015 University of Applied Sciences



© 2013 Pearson Education, Inc.

Eigen werk auteur (c) Dr. Ing. P.J. de Groot

(Reference: Chapter 23 from McMurry et al.)

HAN

Problem 23.15


Hogendael van Arnhem en Nijmegen
2015 University of Applied Sciences

PROBLEM 23.15

Draw the structure of the glycerophospholipid that contains a stearic acid acyl group, an oleic acid acyl group, and a phosphate bonded to ethanolamine.

Stearic acid: $\text{HO}-\text{CO}-(\text{CH}_2)_{16}-\text{CH}_3$

Oleic acid: $\text{HO}-(\text{CH}_2)_7-\text{CH}=\text{CH}-(\text{CH}_2)_7-\text{CH}_3$



Eigen werk auteur (c) Dr. Ing. P.J. de Groot

(Reference: Chapter 23 from McMurry et al.)

HAN


Problem 23.16

Hogendael van Arnhem en Nijmegen
2015 University of Applied Sciences

PROBLEM 23.16

Which of the following terms apply to the compound shown below? (Hint: Look at the functional groups and the bonds involved to begin analyzing the compound part by part in comparison to the lipids discussed in this chapter.)

- (a) A phospholipid (b) A steroid
(c) A sphingolipid (d) A glycerophospholipid
(e) A lipid (f) A phosphate ester
(g) A ketone



23.16 (a), (c), (e), (f)

Eigen werk auteur (c) Dr. Ing. P.J. de Groot


(Reference: Chapter 23 from McMurry et al.)

HAN

23.6 Sterolen

Hogendael van Arnhem en Nijmegen
2015 University of Applied Sciences

The steroid nucleus



© 2013 Pearson Education, Inc.


Eigen werk auteur (c) Dr. Ing. P.J. de Groot

(Reference: Chapter 23 from McMurry et al.)

HAN

23.6 Sterolen

Hogendael van Arnhem en Nijmegen
2015 University of Applied Sciences




© 2013 Pearson Education, Inc.

Eigen werk auteur (c) Dr. Ing. P.J. de Groot


(Reference: Chapter 23 from McMurry et al.)

HAN



23.6 Sterolen

Hogeschule van Arnhem en Nijmegen
HIS University of Applied Sciences




HAN

Eigen werk auteur (c) Dr. Ing. P.J. de Groot

(Reference: Chapter 23 from McMurry et al.)

23.6 Sterolen

Hogeschule van Arnhem en Nijmegen
HIS University of Applied Sciences




HAN

Eigen werk auteur (c) Dr. Ing. P.J. de Groot

(Reference: Chapter 23 from McMurry et al.)

23.7 Structure of Cell Membranes

Hogeschule van Arnhem en Nijmegen
HIS University of Applied Sciences




HAN

Eigen werk auteur (c) Dr. Ing. P.J. de Groot

(Reference: Chapter 23 from McMurry et al.)

23.7 Structure of Cell Membranes

Hogeschule van Arnhem en Nijmegen
HIS University of Applied Sciences




HAN

Eigen werk auteur (c) Dr. Ing. P.J. de Groot

(Reference: Chapter 23 from McMurry et al.)

23.7 Structure of Cell Membranes

Hogeschule van Arnhem en Nijmegen
HIS University of Applied Sciences



HAN

Eigen werk auteur (c) Dr. Ing. P.J. de Groot

(Reference: Chapter 23 from McMurry et al.)

Key Concept Problem 23.18

Hogeschule van Arnhem en Nijmegen
HIS University of Applied Sciences

KEY CONCEPT PROBLEM 23.18

Integral membrane proteins are not water-soluble. Why? How must these proteins differ from globular proteins?

23.18 They must be hydrophobic, contain many amino acids with nonpolar side chains, and must be folded so that the hydrophilic regions face outward.


HAN

Eigen werk auteur (c) Dr. Ing. P.J. de Groot

(Reference: Chapter 23 from McMurry et al.)


23.8 Transport Across Cell Membranes

Boagcheid van Arnhem en Hogenen
MHI University of Applied Sciences



23.8 Transport Across Cell Membranes

Boagcheid van Arnhem en Hogenen
MHI University of Applied Sciences



Problems 23.19 & 23.20

Boagcheid van Arnhem en Hogenen
MHI University of Applied Sciences

PROBLEM 23.19

Does an NO molecule cross a lipid bilayer by simple diffusion? Explain.

PROBLEM 23.20

As noted earlier (Section 22.3), the first step in glycolysis, which occurs within cells, is phosphorylation of glucose to glucose 6-phosphate. Why does this step prevent passive diffusion of glucose back out of the cell?

23.19 yes


23.20 Glucose 6-phosphate has a charged phosphate group and can't pass through the hydrophobic lipid bilayer.

Eigen werk auteur (c) Dr. Ing. P.J. de Groot

(Reference: Chapter 23 from McMurry et al.)

23.9 Eicosanoids: Prostaglandins and Leukotrienes

Boagcheid van Arnhem en Hogenen
MHI University of Applied Sciences



Multistep



enzyme-catalyzed

synthesis

Multistep

enzyme-catalyzed

synthesis



© 2013 Pearson Education, Inc. Eigen werk auteur (c) Dr. Ing. P.J. de Groot


(Reference: Chapter 23 from McMurry et al.)

Key Concept Problem 23.22

Boagcheid van Arnhem en Hogenen
MHI University of Applied Sciences

KEY CONCEPT PROBLEM 23.22

In the eicosanoid shown here, identify all the functional groups. Which groups are capable of hydrogen bonding? Which are most acidic? Is this molecule primarily nonpolar, polar, or something in between?



23.22 carboxylic acid (most acidic), alcohol, C—C double bonds, ethers. The molecule has both polar and nonpolar regions. Form hydrogen bonds: —COOH, —OH.

Eigen werk auteur (c) Dr. Ing. P.J. de Groot

(Reference: Chapter 23 from McMurry et al.)