```
al97216@DESKTOP-S6FAKDK MINGW64 ~
 al97216@DESKTOP-S6FAKDK MINGW64 /c
| Ts
| $Recycle.Bin'/
| $SysReset'/
| Apps/
| DELL/
                                   PerfLogs/
'Program Files'/
'Program Files (x86)'/
ProgramData/
                                                                                hiberfil.sys
                                                                                langpacks/
maison/
nom_du_dossier/
DELL/
Documents and Settings'@ Recovery/
Drivers/
DummyDir/ Users/
Users/
                                                                                nom_du_fichier
pagefile.sys
swapfile.sys
Documents and Set
Drivers/
DummyDir/
Intel/
IntelOptaneData/
MSOCache/
                                                                                test/
xampp/
                                      enfants/
/al97216@DESKTOP-S6FAKDK MINGW64 /c
mkdir git_tp1
val97216@DESKTOP-S6FAKDK MINGW64 /c
$ cd git_tp1/
ral97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1
s mkdir oper
 al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1
$ ls
/al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1
$ ls
oper/ recette/
al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1
ls: cannot access ':a': No such file or directory
/al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1
```

```
val97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1
$ cd recette/
val97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
$ touch index.html
val97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
$ 1s
index.html
val97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
$ vi index.html
val97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
$ 1s
index.html
val97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
$ cat index.html
<h1>Hello World</h1>
val97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
$
```

```
al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
index.html
/al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
$ cp index.html index_v2.html
/al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
$ 1s
index.html index_v2.html
al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
$ vi index_v2.html
/al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
index.html index_v2.html
/al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
$ cat index_v2.html
<h1>Hello World</h1>
Ceci est mon premier code !
/al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
```

```
val97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
$ cp index.html index_v2.html
$ 1s
index.html index_v2.html
val97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
$ vi index_v2.html
 /al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
index.html index_v2.html
 val97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
$ cat index_v2.html
<h1>Hello World</h1>
Ceci est mon premier code !
val97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
$ mv index_v2.html ..oper
/al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
index.html
 /al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
$ cd oper/
bash: cd: oper/: No such file or directory
/al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
$ cd .. oper
bash: cd: too many arguments
/al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
$ 1s
index.html
 /al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
vai9/2106065NOF-50FARDN MIRMW4 /C/git_tpi//recette
$ mv index_v2.html ../oper
mv: cannot stat 'index_v2.html': No such file or directory
/al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
index.html
/al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
$ vi index_v2.html
 /al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
$ cat index_v2.html
Ceci est mon premier code !
val97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette $ mv index_v2.html ../oper
index.html
 /al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
$ cd /git_tp1
bash: cd: /git_tp1: No such file or directory
/al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/recette
```

```
97216@DESKTOP-S6FAKDK MINGW64 /c
 $ ls
'$Recycle.Bin'/
'$SysReset'/
                                   PerfLogs/
'Program Files'/
'Program Files (x86)'/
ProgramData/
Recovery/
'System Volume Information'/
Users/
                                                                              git_tp1/
hiberfil.sys
langpacks/
 Apps/
DELL/
                                                                              maison/
nom_du_dossier/
 Documents and Settings'@
 Drivers/
DummyDir/
Intel/
IntelOptaneData/
MSOCache/
                                                                              nom_du_fichier
pagefile.sys
swapfile.sys
                                      Windows/
                                     backup/
enfants/
                                                                              test/
xampp/
 al97216@DESKTOP-S6FAKDK MINGW64 /c
bash: cd: /oper: No such file or directory
$ cd oper/
bash: cd: oper/: No such file or directory
 cd git_tp1
 /al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1
 ls: cannot access 'a': No such file or directory
$ ls -a
./ ../ oper/ recette/
 al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tpl
 1s -R
 .:
oper/ recette/
 ./oper:
index_v2.html
 ./recette:
index.html
 /al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1
$ cat index_v2.html
cat: index_v2.html: No such file or directory
 val97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1
$ cd oper/
 /al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tpl/oper
 index_v2.html
 al97216@DESKTOP-S6FAKDK MINGW64 /c/git_tp1/oper
$ cat index_v2.html
<P>Ceci est mon premier code !
```