

INTRODUCTION OF PROC GCHART

Vicki Tagore School of Public Health University of Saskatchewan Saskatoon

Outline


- > Introduction
- Draw Bar charts
- Write axis label
- > Change the bar patterns and width



```
data sashelp;
input name $ sex $ age height weight;
datalines;
Alfred
         M 14
                  69
                       112.5
Alice
         F
             13
                  56.5 84
Barbara
            13
                  65.3 98
Carol
         F
             14
                  62.8 102.5
Henry
         M
             14
                  63.5 102.5
         M
            12
                 57.3 83
James
         F
             12
                  59.8 84.5
Jane
        F
             15
                  62.5 112.5
Janet
Jeffrey
        M
             13
                  62.5 84
         M
             12
                  59
John
                       99.5
        F
             11
                  51.3 50.5
Joyce
Judy
         F
             14
                   64.3 90
Louise
             12
                   56.3 77
Mary
             15
                   66.5 112
Philip
        M
             16
                   72
                        150
             12
Robert
        M
                  64.8
                       128
Ronald
        M
              15
                  67
                        133
Thomas M
             11
                  57.5
                        85
William M
             15
                  66.5
                        112
```




proc gchart data = sashelp;
vbar age;






```
proc gchart data = sashelp;
title1' Simple Bar Chart';
vbar age / discrete ;
```






```
proc gchart data = sashelp;
title1' Simple Bar Chart';
vbar age / levels =4;
```





```
proc gchart data = sashelp;
title1' Simple Bar Chart';
vbar age / discrete width = 8 inside = percent;
run;
Simple Bar Chart
```





```
pattern1 color = lightblue;

axis1 label = (a=90 f= "Arial/bold" "frequency") minor =(n=2) order=(0

to 8 by 2);

axis2 label = (f= "Calibri/bold" "Age");

proc gchart data = sashelp;


title1' Simple Bar Chart';

vbar age / discrete width = 8 inside = percent raxis= axis1 maxis=


axis2 coutline=black woutline=2;

run;
```

Simple Bar Chart




Simple Bar Chart





proc gchart data = sashelp;
title1' Simple bar chart by sex';
vbar age / discrete width = 6 inside = percent group = sex;
run;







pattern1 color = pink;
pattern2 color = lightblue;
proc gchart data = sashelp;
title1' Simple Bar chart by sex ';

vbar age / discrete width = 8 inside = percent group = sex patternID =


group;








Simple Bar chart by sex






proc gchart data = sashelp;
vbar age / discrete inside = freq subgroup = sex;
run;





```
pattern1 color = pink;
pattern2 color = blue;
proc gchart data = sashelp;
title1' Simple Bar Chart';
vbar age / discrete inside = freq subgroup = sex patternID = subgroup;
run;
```


Simple Bar Chart





proc gcnart data = sashelp;
title1 f = "Arial/italic" ' Age frequency by Gender ';
vbar age / discrete inside = freq subgroup = sex;
run;






```
data mydata;
input state $ Quarter Sales;
datalines;
Florida
            1 2043.37
Maine 1 1225.26
Utah 1 1543.32
Florida 2 2043.32
Maine 2 2225.26
Utah
       2 2543.32
Florida 3 2343.32
Maine
       3 5325.26
       3 4043.32
Utah
Florida 4 1225.24
Maine 4 3424.13
Utah 4 3314.25
run;
```

GOPTIONS CTEXT = BLACK COLORS = (BLUE GREEN RED) FTEXT = SWISS FTITLE = SWISSB HTITLE= 6 HTEXT=3.5;


```
title 'Total Sales';
FOOTNOTE J=r 'Four Quarters';
proc gchart data = mydata;
format Sales Dollar8.;
block State / sumvar = Sales;
run;
```

Total Sales



proc gchart data = mydata; format Sales Dollar8.; pie State /sumvar =Sales Coutline= black; run;

Quit;



Total Sales

SUM of Sales by state

