ExpensesManager

Table of Contents

1. Overview	1
1.1. Version information	1
1.2. License information	1
1.3. URI scheme	1
1.4. Tags	1
2. Resources	2
2.1. BillOfSale	2
2.1.1. Upload image of bill of sale.	2
2.1.2. Retrieve all bills of sale.	3
2.1.3. Update bill of sale.	4
2.1.4. Find bill of sale by id.	5
2.1.5. Update bill of sale by id.	6
2.1.6. Remove bill of sale.	7
2.2. Budget	8
2.2.1. Create budget.	8
2.2.2. Retrieve all budgets.	10
2.2.3. Update budget	11
2.2.4. Find budget by id.	
2.2.5. Update budget by id.	15
2.2.6. Remove budget.	17
2.3. Order	18
2.3.1. Create order.	18
2.3.2. Retrieve all product orders.	19
2.3.3. Update order.	20
2.3.4. Find Order by id.	21
2.3.5. Update order by id.	22
2.3.6. Remove order.	23
2.4. Product	24
2.4.1. Create product.	24
2.4.2. Retrieve all products.	25
2.4.3. Update product.	26
2.4.4. Find product by id.	27
2.4.5. Update Product by id	28
2.4.6. Remove product.	29
3. Definitions	30
3.1. BillOfSale	30
3.2. BillOfSaleImageAsText	30
3.3. Budget	30

3.4. Product	. 31
3.5. ProductOrder	. 31

Chapter 1. Overview

ExpensesManager is a service to expenses management.

1.1. Version information

Version : 1.0.0

1.2. License information

License: Proprietary
Terms of service: null

1.3. URI scheme

Host: localhost:8080

BasePath:/

Schemes: HTTPS

1.4. Tags

- BillOfSale
- Budget
- Order
- Product

Chapter 2. Resources

2.1. BillOfSale

2.1.1. Upload image of bill of sale.

POST /billofsales

Description

Method allow to upload an image of bill of sale.

Responses

HTTP Code	Description	Schema
201	BillOfSale image was uploaded.	BillOfSaleImageAs Text
400	BillOfSale image is empty.	No Content
500	BillOfSale cannot be reproduced in system.	No Content

Example HTTP request

Request path

/billofsales

Example HTTP response

```
{
    "textFromImage" : "string"
}
```

2.1.2. Retrieve all bills of sale.

```
GET /billofsales
```

Description

Method allow to find all bills of sale.

Responses

HTTP Code	Description	Schema
200	BillOfSales were found.	< BillOfSale > array
404	BillOfSales are not found.	No Content

Example HTTP request

Request path

```
/billofsales
```

Example HTTP response

```
[ {
    "id" : "string",
    "productList" : [ {
        "id" : "string",
        "name" : "string",
        "price" : 0.0
    },
    "quanity" : 0
} ],
    "boughtDate" : 0,
    "description" : "string"
} ]
```

2.1.3. Update bill of sale.

```
PUT /billofsales
```

Description

Method allow to update a bill of sale.

Responses

HTTP Code	Description	Schema
200	BillOfSale was updated.	BillOfSale
404	BillOfSale not found.	No Content
409	ID has invalid format.	No Content

Example HTTP request

Request path

```
/billofsales
```

Example HTTP response

```
{
    "id" : "string",
    "productList" : [ {
        "id" : "string",
        "product" : {
            "id" : "string",
            "name" : "string",
            "price" : 0.0
        },
        "quanity" : 0
    } ],
    "boughtDate" : 0,
    "description" : "string"
}
```

2.1.4. Find bill of sale by id.

```
GET /billofsales/{id}
```

Description

Method allow to find a bill of sale by id.

Responses

HTTP Code	Description	Schema
200	BillOfSale was found.	BillOfSale
404	BillOfSale not found.	No Content
409	ID has invalid format.	No Content

Example HTTP request

Request path

```
/billofsales/{id}
```

Example HTTP response

```
{
    "id" : "string",
    "productList" : [ {
        "id" : "string",
        "name" : "string",
        "price" : 0.0
    },
    "quanity" : 0
} ],
    "boughtDate" : 0,
    "description" : "string"
}
```

2.1.5. Update bill of sale by id.

```
PUT /billofsales/{id}
```

Description

Method allow to update a bill of sale by id.

Responses

HTTP Code	Description	Schema
200	BillOfSale was updated.	BillOfSale
404	BillOfSale not found.	No Content
409	ID has invalid format.	No Content

Example HTTP request

Request path

```
/billofsales/{id}
```

Example HTTP response

```
{
  "id" : "string",
  "productList" : [ {
      "id" : "string",
      "product" : {
            "id" : "string",
            "name" : "string",
            "price" : 0.0
      },
      "quanity" : 0
      } ],
  "boughtDate" : 0,
  "description" : "string"
}
```

2.1.6. Remove bill of sale.

DELETE /billofsales/{id}

Description

Method allow to remove a bill of sale.

Responses

HTTP Code	Description	Schema
204	BillOfSale was removed.	No Content
409	ID has invalid format.	No Content

Example HTTP request

Request path

/billofsales/{id}

2.2. Budget

2.2.1. Create budget.

POST /budgets

Description

Method allow to create a new budget.

Responses

HTTP Code	Description	Schema
201	Budget was created.	Budget
409	Budget value cannot be null or is infinite.	No Content

Example HTTP request

Request path

/budgets

Example HTTP response

```
"id" : "string",
  "name" : "string",
  "budgetValue" : 0.0,
  "billsOfSaleList" : [ {
    "id" : "string",
    "productList":[{
     "id" : "string",
      "product" : {
       "id" : "string",
       "name" : "string",
       "price" : 0.0
     },
     "quanity" : 0
    }],
    "boughtDate" : 0,
    "description" : "string"
 } ]
}
```

2.2.2. Retrieve all budgets.

```
GET /budgets
```

Description

Method allow to find all budgets.

Responses

HTTP Code	Description	Schema
200	Budgets were found.	< Budget > array
404	Budgets are not found.	No Content

Example HTTP request

Request path

```
/budgets
```

Example HTTP response

```
[ {
 "id" : "string",
 "name" : "string",
 "budgetValue" : 0.0,
 "billsOfSaleList" : [ {
    "id" : "string",
    "productList" : [ {
     "id" : "string",
      "product" : {
       "id" : "string",
        "name" : "string",
        "price" : 0.0
      "quanity" : 0
    }],
    "boughtDate" : 0,
    "description" : "string"
 } ]
} ]
```

2.2.3. Update budget.

PUT /budgets

Description

Method allow to update a budget.

Responses

HTTP Code	Description	Schema
200	Budget was updated.	Budget
404	Budget not found.	No Content
409	ID has invalid format.	No Content

Example HTTP request

Request path

/budgets

Example HTTP response

```
"id" : "string",
  "name" : "string",
  "budgetValue" : 0.0,
  "billsOfSaleList" : [ {
    "id" : "string",
    "productList":[{
     "id" : "string",
      "product" : {
       "id" : "string",
       "name" : "string",
       "price" : 0.0
     },
     "quanity" : 0
    }],
    "boughtDate" : 0,
    "description" : "string"
 } ]
}
```

2.2.4. Find budget by id.

GET /budgets/{id}

Description

Method allow to find a budget by id.

Responses

HTTP Code	Description	Schema
200	Budget was found.	Budget
404	Budget not found.	No Content
409	ID has invalid format.	No Content

Example HTTP request

Request path

/budgets/{id}

Example HTTP response

```
"id" : "string",
  "name" : "string",
  "budgetValue" : 0.0,
  "billsOfSaleList" : [ {
    "id" : "string",
    "productList":[{
     "id" : "string",
      "product" : {
       "id" : "string",
       "name" : "string",
       "price" : 0.0
     },
     "quanity" : 0
    }],
    "boughtDate" : 0,
    "description" : "string"
 } ]
}
```

2.2.5. Update budget by id.

PUT /budgets/{id}

Description

Method allow to update a budget by id.

Responses

HTTP Code	Description	Schema
200	Budget was updated.	Budget
404	Budget not found.	No Content
409	ID has invalid format.	No Content

Example HTTP request

Request path

/budgets/{id}

Example HTTP response

```
"id" : "string",
  "name" : "string",
  "budgetValue" : 0.0,
  "billsOfSaleList" : [ {
    "id" : "string",
    "productList":[{
     "id" : "string",
      "product" : {
       "id" : "string",
       "name" : "string",
       "price" : 0.0
     },
     "quanity" : 0
    }],
    "boughtDate" : 0,
    "description" : "string"
 } ]
}
```

2.2.6. Remove budget.

DELETE /budgets/{id}

Description

Method allow to remove a budget.

Responses

HTTP Code	Description	Schema
204	Budget was removed.	No Content
409	ID has invalid format.	No Content

Example HTTP request

Request path

/budgets/{id}

2.3. Order

2.3.1. Create order.

```
POST /orders
```

Description

Method allow to create a new order.

Responses

HTTP Code	Description	Schema
201	Order was created.	ProductOrder
409	Order quanity cannot be null or is infinite.	No Content

Example HTTP request

Request path

```
/orders
```

Example HTTP response

```
{
  "id" : "string",
  "product" : {
     "id" : "string",
     "name" : "string",
     "price" : 0.0
},
     "quanity" : 0
}
```

2.3.2. Retrieve all product orders.

```
GET /orders
```

Description

Method allow to find all product orders.

Responses

HTTP Code	Description	Schema
200	Orders were found.	< ProductOrder > array
404	Orders are not found.	No Content

Example HTTP request

Request path

```
/orders
```

Example HTTP response

```
[ {
    "id" : "string",
    "product" : {
        "id" : "string",
        "name" : "string",
        "price" : 0.0
    },
    "quanity" : 0
} ]
```

2.3.3. Update order.

```
PUT /orders
```

Description

Method allow to update an order.

Responses

HTTP Code	Description	Schema
200	Order was updated.	ProductOrder
404	Order not found.	No Content
409	ID has invalid format.	No Content

Example HTTP request

Request path

```
/orders
```

Example HTTP response

```
{
   "id" : "string",
   "product" : {
      "id" : "string",
      "name" : "string",
      "price" : 0.0
   },
   "quanity" : 0
}
```

2.3.4. Find Order by id.

```
GET /orders/{id}
```

Description

Method allow to find a order by id.

Responses

HTTP Code	Description	Schema
200	Order was found.	ProductOrder
404	Order not found.	No Content
409	ID has invalid format.	No Content

Example HTTP request

Request path

```
/orders/{id}
```

Example HTTP response

```
{
   "id" : "string",
   "product" : {
      "id" : "string",
      "name" : "string",
      "price" : 0.0
   },
   "quanity" : 0
}
```

2.3.5. Update order by id.

```
PUT /orders/{id}
```

Description

Method allow to update a order by id.

Responses

HTTP Code	Description	Schema
200	Order was updated.	ProductOrder
404	Order not found.	No Content
409	ID has invalid format.	No Content

Example HTTP request

Request path

```
/orders/{id}
```

Example HTTP response

```
{
    "id" : "string",
    "product" : {
        "id" : "string",
        "name" : "string",
        "price" : 0.0
    },
    "quanity" : 0
}
```

2.3.6. Remove order.

DELETE /orders/{id}

Description

Method allow to remove an order by id.

Responses

HTTP Code	Description	Schema
204	Order was removed.	No Content
409	ID has invalid format.	No Content

Example HTTP request

Request path

/orders/{id}

2.4. Product

2.4.1. Create product.

```
POST /products
```

Description

Method allow to create a new product.

Responses

HTTP Code	Description	Schema
201	Product was created.	Product
409	Product price cannot be null or is infinite.	No Content

Example HTTP request

Request path

```
/products
```

Example HTTP response

```
{
   "id" : "string",
   "name" : "string",
   "price" : 0.0
}
```

2.4.2. Retrieve all products.

```
GET /products
```

Description

Method allow to find all products.

Responses

HTTP Code	Description	Schema
200	Products were found.	< Product > array
404	Products are not found.	No Content

Example HTTP request

Request path

```
/products
```

Example HTTP response

```
[ {
    "id" : "string",
    "name" : "string",
    "price" : 0.0
} ]
```

2.4.3. Update product.

```
PUT /products
```

Description

Method allow to update a product.

Responses

HTTP Code	Description	Schema
200	Product was updated.	Product
404	Product not found.	No Content
409	ID has invalid format.	No Content

Example HTTP request

Request path

```
/products
```

Example HTTP response

```
{
    "id" : "string",
    "name" : "string",
    "price" : 0.0
}
```

2.4.4. Find product by id.

```
GET /products/{id}
```

Description

Method allow to find a product by id.

Responses

HTTP Code	Description	Schema
200	Product was found.	Product
404	Product not found.	No Content
409	ID has invalid format.	No Content

Example HTTP request

Request path

```
/products/{id}
```

Example HTTP response

```
{
    "id" : "string",
    "name" : "string",
    "price" : 0.0
}
```

2.4.5. Update Product by id.

```
PUT /products/{id}
```

Description

Method allow to update a product by id.

Responses

HTTP Code	Description	Schema
200	Product was updated.	Product
404	Product not found.	No Content
409	ID has invalid format.	No Content

Example HTTP request

Request path

```
/products/{id}
```

Example HTTP response

```
{
    "id" : "string",
    "name" : "string",
    "price" : 0.0
}
```

2.4.6. Remove product.

DELETE /products/{id}

Description

Method allow to remove a product by id.

Responses

HTTP Code	Description	Schema
204	Product was removed.	No Content
409	ID has invalid format.	No Content

Example HTTP request

Request path

/products/{id}

Chapter 3. Definitions

3.1. BillOfSale

Name	Description	Schema
boughtDate optional	Example: 0	integer (int64)
description optional	Example: "string"	string
id required	Example: "string"	string
productList optional	Example: ["ProductOrder"]	< ProductOrder > array

${\bf 3.2.\ Bill Of Sale Image As Text}$

Name	Description	Schema
textFromImag e optional read-only	Example: "string"	string

3.3. Budget

Name	Description	Schema
billsOfSaleLis t optional	Example: ["BillOfSale"]	< BillOfSale > array
budgetValue optional	Example: 0.0	number (double)
id required	Example: "string"	string
name optional	Example: "string"	string

3.4. Product

Name	Description	Schema
id required	Example: "string"	string
name optional	Example: "string"	string
price optional	Example: 0.0	number (double)

3.5. ProductOrder

Name	Description	Schema
id required	Example: "string"	string
product optional	Example: Product	Product
quanity optional	Example: 0	integer (int32)