


## Modul 7

Nama : Valliant Dheka F

NIM : 2105101019

### Tag Div



The screenshot shows two instances of a code editor (VS Code) and a browser window. The top window displays the source code for `tagdiv.html`, which contains HTML and CSS for a simple announcement page. The bottom window shows the rendered output in a browser.

**Code Editor (VS Code):**

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Penggunaan Tag Div</title>
    <style>
      .satubag {
        background-color: black;
        color: white;
        margin: 20px;
        padding: 20px;
      }
    </style>
  </head>
```


**Browser Output:**

**Pengumuman**

Seminar Nasional


Dengan Tema Pengukuran Kualitas Pendidikan Tinggi Melalui Publikasi Ilmiah Bereputasi

## Praktikum 1



```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Document</title>
  </head>
  <body>
    <div style="position: relative">
      <div style="opacity: 0.5; position: absolute; left: 50px; top: -30px; width: 300px; height: 150px; background-color: #b4009e; color: #ffffff; padding: 10px; border-radius: 10px; border: 2px solid #b4009e; letter-spacing: 12px; font-size: 15px; position: relative; left: 25px; top: 25px">
        <h1>CSS = Bagian Ini Tentang Text</h1>
        <div style="margin-top: 30px; width: 360px; height: 130px; padding: 20px; border-radius: 10px; border: 2px solid #b4009e; background-color: #b4009e; color: #ffffff; position: relative; left: 25px; top: 25px">
          <span style="background-color: #b4009e; color: #ffffff">Kotak</span>
        </div>
      </div>
    </div>
  </body>
```

## Praktikum 2



```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Document</title>
  <style>
    .satubag {
      background-color: black;
      color: white;
      margin: 20px;
      padding: 20px;
    }
  </style>
  </head>
```

```
<div class="satubag">
<h2>Tentang Kota Madiun</h2>
<p>Kota Madiun itu kota yang cukup kecil wilayahnya terdiri dari kecamatan saja</p>
<p>
Tapi justru karena kecilnya itu membuat pengelolaanya menjadi lebih intensif. Ini seperti Negara besar.
</p>
</div>

<div class="satubag">
<h2>Kota Wisata</h2>
<p>Magetan.</p>
<p>Berada di kaki dan lereng gunung Lawu, menyimpan potensi pariwisata dan pertanian</p>
<p>Nuansa desa yang masih alami banyak dijumpai di kabupaten ini. Pasar tradisional banyak di isi c</p>
</div>
```

```
<div class="satubag">
<h2>Ponorogo</h2>
<p>Ponorogo adalah kota yang mempunyai budaya yang cukup kuat, yaitu budaya reog</p>
<p>Berada di sebelah selatan Kota Madiun, alamnya yang masih baik masih menyisakan nuansa pedesaan</p>
<p>Siapa ingin berkunjung ke Ponorogo dijamin akan puas berpariwisata kuliner yaitu mencoba sate Ponorogo dan dawet jabung</p>
</div>
</body>
</html>
```

## Tentang Kota Madiun

Kota Madiun itu kota yang cukup kecil wilayahnya terdiri dari kecamatan saja

Tapi justru karena kecilnya itu membuat pengelolaanya menjadi lebih intensif. Ini seperti Negara Singapura, negara yang karena kecilnya dapat mengelola wilayahnya menjadi lebih baik dan lebih cepat dibandingkan negara yang lebih besar.

## Kota Wisata

Magetan.

Berada di kaki dan lereng gunung Lawu, menyimpan potensi pariwisata dan pertanian

Nuansa desa yang masih alami banyak dijumpai di kabupaten ini. Pasar tradisional banyak di isi oleh sayuran segar hasil petik kebun

## Ponorogo

Ponorogo adalah kota yang mempunyai budaya yang cukup kuat, yaitu budaya reog

Berada di sebelah selatan Kota Madiun, alamnya yang masih baik masih menyisakan nuansa pedesaan yang murni

Siapa ingin berkunjung ke Ponorogo dijamin akan puas berpariwisata kuliner yaitu mencoba sate Ponorogo dan dawet jabung.

## Praktikum 3

The image shows two side-by-side screenshots of the Microsoft Edge browser interface, both displaying the file `praktikum3.html`. The browser has a dark theme.

**Top Window (Line 9 to Line 20):**

```
<title>Document</title>
<style>
    #header {
        background-color: black;
        color: white;
        text-align: center;
        padding: 5px;
    }
    #nav {
        line-height: 30px;
        background-color: #eeeeee;
        height: 300px;
        width: 100px;
        float: left;
        padding: 5px;
    }

```

**Bottom Window (Line 22 to Line 36):**

```

    }
    #section {
        width: 350px;
        float: left;
        padding: 10px;
    }
    #footer {
        background-color: black;
        color: white;
        clear: both;
        text-align: center;
        padding: 5px;
    }
</style>
</head>
<body>
```

Prak Web

PRAK WEB

Latihan Modul 3  
Modul 4  
Modul 5  
Modul 6  
Modul 7  
Tugas  
border.html  
boxsizing.html  
dimension.html  
display.html  
float\_1.html  
float\_2.html  
float\_3.html  
margin.html  
overflow.html  
padding.html  
position.html  
praktikum1.html  
praktikum2.html  
praktikum3.html

Modul 7 > praktikum3.html > html > head > style > #header

```

<body>
  <div id="header">
    <h1>Kota Wisata</h1>
  </div>
  <div id="nav">
    Madiun<br />
    Magetan<br />
    Ponorogo<br />
  </div>
  <div id="section">
    <h2>Ponorogo</h2>
    <p>Ponorogo adalah kota yang mempunyai budaya yang cukup kuat, yaitu budaya reog</p>
    <p>Berada di sebelah selatan Kota Madiun, alamnya yang masih baik masih menyisakan nuansa pedesaan</p>
    <p>Siapa ingin berkunjung ke Ponorogo dijamin akan puas berpariwisata kuliner yaitu mencoba sate Ponorogo dan dawet jabung.</p>
  </div>
  <div id="footer">Info lebih lanjut kunjungi www.kuliner.jatim


Ln 9, Col 33 Spaces: 2 UTF-8 CRLF HTML Go Live Quokka Prettier



Document file:///D:/KULIAH SS/Prak Web/Modul 7/praktikum3.html



Kota Wisata



Madiun  
Magetan  
Ponorogo



Ponorogo



Ponorogo adalah kota yang mempunyai budaya yang cukup kuat, yaitu budaya reog



Berada di sebelah selatan Kota Madiun, alamnya yang masih baik masih menyisakan nuansa pedesaan yang murni



Siapa ingin berkunjung ke Ponorogo dijamin akan puas berpariwisata kuliner yaitu mencoba sate Ponorogo dan dawet jabung.



Info lebih lanjut kunjungi www.kuliner.jatim


```

Display

File Edit Selection View Go Run ...

Prak Web

EXPLORER PRAK WEB

- > Latihan Modul 3
- > Modul 4
- > Modul 5
- > Modul 6
- > Modul 7
  - > Tugas
  - border.html
  - boxsizing.html
  - dimension.html
  - display.html
  - float\_1.html
  - float\_2.html
  - float\_3.html
  - margin.html
  - overflow.html
  - padding.html
  - position.html
  - praktikum1.html
  - praktikum2.html
  - praktikum3.html
  - tagdiv.html
  - unimpa.jpg
- > Tugas Modul 3
  - 2105101028\_Akbar Herv...
  - 2105101028\_Akbar Herv...
- > OUTLINE
- > TIMELINE

display.html

```

3   <html>
4     <head>
5       <style>
6         .navigasi {
7           text-align: center;
8         }
9         .navigasi li {
10           display: inline-block;
11           background-color: red;
12           width: 150px;
13           height: 150px;
14         }
15       </style>
16     </head>
17   <body>

```

Ln 1, Col 15 Spaces: 2 UTF-8 CRLF HTML ⚡ Go Live ⚡ Quokka ⚡ Prettier

File Edit Selection View Go Run ...

Prak Web

EXPLORER PRAK WEB

- > Latihan Modul 3
- > Modul 4
- > Modul 5
- > Modul 6
- > Modul 7
  - > Tugas
  - border.html
  - boxsizing.html
  - dimension.html
  - display.html
  - float\_1.html
  - float\_2.html
  - float\_3.html
  - margin.html
  - overflow.html
  - padding.html
  - position.html
  - praktikum1.html
  - praktikum2.html
  - praktikum3.html
  - tagdiv.html
  - unimpa.jpg
- > Tugas Modul 3
  - 2105101028\_Akbar Herv...
  - 2105101028\_Akbar Herv...
- > OUTLINE
- > TIMELINE

display.html

```

17   <body>
18     <div class="header">
19       <h1>SELAMAT DATANG DI WEBKU</h1>
20     </div>
21     <div class="navigasi">
22       <ul>
23         <li><a href="#">HOME</a></li>
24         <li><a href="#">PROFIL</a></li>
25         <li><a href="#">CONTACT</a></li>
26       </ul>
27     </div>
28     <div class="main">
29       <h2>Bagian ini adalah isi web</h2>
30       <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Totam et quia nobis atque aliquid quo...
31   </div>

```

Ln 1, Col 15 Spaces: 2 UTF-8 CRLF HTML ⚡ Go Live ⚡ Quokka ⚡ Prettier

/D/KULIAH%205/Pra%20Web/Modul 7/display.html

## SELAMAT DATANG DI WEBKU



**Bagian ini adalah isi web**

Lorem ipsum dolor sit amet consectetur adipisicing elit. Totam et quia nobis atque aliquid quo...

## Dimension

The screenshot shows a code editor interface with two main panes. The left pane is the Explorer view, displaying a file tree for 'PRAK WEB' under 'Modul 7'. The right pane is the code editor, showing the content of 'dimension.html'.

```
<head>
  <style>
    .satu {
      width: 200px;
      height: 200px;
      background-color: pink;
    }
    .dua {
      width: 100%;
      height: 20%;
      background-color: aqua;
    }
  </style>
</head>
<body>
  <div class="satu">WELCOME</div>
  <br />
  <div class="dua">Hello World</div>
</body>
```

Below the code editor is a browser window showing the rendered HTML. The page has a pink header with the text 'WELCOME' and a teal footer with the text 'Hello World'.

## Overflow

The screenshot shows the Visual Studio Code interface with the following details:

- Explorer View:** Shows a tree structure of files in the "PRAK WEB" folder, including "Latihan Modul 3", "Modul 4", "Modul 5", "Modul 6", "Modul 7" (selected), "Tugas", and various HTML files like "border.html", "boxsizing.html", etc.
- Editor View:** Displays the content of "overflow.html".

```
<head>
  <style>
    .satu {
      width: 200px;
      height: 200px;
      background-color: pink;
      overflow: auto;
    }
  </style>
</head>
<body>
  <br />
  <div class="satu">
    Lorem ipsum dolor sit amet consectetur adipisicing elit. Mollitia in quam cupiditate animi ea reiciendis eaque ducimus aliquam earum. Obcaecati animi quo, iusto quos accusamus accusantium laborum velit consequuntur fuga.
  </div>
</body>

```
- Browser Preview:** Below the editor, a browser window shows the rendered content of the "overflow.html" file. A pink box highlights the "satu" div, which has a width of 200px and a height of 200px, containing the Lorem ipsum text.

## Margin

The screenshot shows the Visual Studio Code interface with the following details:

- Explorer View:** Shows a tree structure of files in the "PRAK WEB" folder, including "Latihan Modul 3", "Modul 4", "Modul 5", "Modul 6", "Modul 7" (selected), "Tugas", and various HTML files like "border.html", "boxsizing.html", etc.
- Editor View:** Displays the content of "margin.html".

```
<title>CSS Layouting : Display</title>
<style>
  .satu {
    width: 120px;
    height: 120px;
    background-color: lightblue;
    margin-top: 10px;
    margin-left: 30px;
  }
  .dua {
    width: 100px;
    height: 100px;
    background-color: purple;
    margin-left: -50px;
    margin-bottom: 50px;
  }
</style>

```
- Browser Preview:** Below the editor, a browser window shows the rendered content of the "margin.html" file. It displays two boxes: a blue box with a top margin of 10px and a left margin of 30px, and a purple box with a negative left margin of -50px and a bottom margin of 50px.

```

    <body>
      <div class="satu">SATU</div>
      <div class="dua">DUA</div>
    </body>
  </html>

```

Ln 4, Col 43 Spaces: 2 UTF-8 CRLF HTML ⚡ Go Live ⚡ Quokka ✓ Prettier

## Border


```

.satu {
  width: 120px;
  height: 120px;
  background-color: lightblue;
  margin-top: 10px;
  margin-left: 30px;
  border-left: 5px dashed grey;
}

.dua {
  width: 100px;
  height: 100px;
  background-color: purple;
  margin-left: -50px;
  margin-bottom: 50px;
  border-top: 10px dotted white;
}

```

Ln 11, Col 27 Spaces: 2 UTF-8 CRLF HTML ⚡ Go Live ⚡ Quokka ✓ Prettier



## Padding

File Edit Selection View Go Run ...

Prak Web

EXPLORER

PRAK WEB

- > Latihan Modul 3
- > Modul 4
- > Modul 5
- > Modul 6
- > Modul 7
  - > Tugas
    - border.html
    - boxsizing.html
    - dimension.html
    - display.html
    - float\_1.html
    - float\_2.html
    - float\_3.html
    - margin.html
    - overflow.html
  - padding.html
  - position.html
  - praktikum1.html
  - praktikum2.html
  - praktikum3.html
  - tagdiv.html
  - unimpa.jpg
- > Tugas Modul 3
- ~\$odul 7.docx
- 2105101028\_Akbar Herv...
- > OUTLINE
- > TIMELINE

padding.html

```
<!DOCTYPE html>
<html>
  <head>
    <title>CSS Layouting : Display</title>
    <style>
      .satu {
        width: 120px;
        height: 120px;
        background-color: lightblue;
        margin-top: 10px;
        margin-left: 30px;
        border-left: 5px dashed grey;
        padding-left: 50px;
      }
      .dua {
        width: 100px;
        height: 100px;
        background-color: purple;
        /* margin-left: -50px; */
        margin-bottom: 50px;
        border-top: 10px dotted white;
        padding-top: 30px;
      }
    </style>
  </head>
  <body>
    <div class="satu">SATU</div>
    <div class="dua">DUA</div>
  </body>
    
```

Ln 7, Col 22 Spaces:2 UTF-8 CRLF HTML ⚡ Go Live ⚡ Quokka ⚡ Prettier

File Edit Selection View Go Run ...

Prak Web

EXPLORER

PRAK WEB

- > Latihan Modul 3
- > Modul 4
- > Modul 5
- > Modul 6
- > Modul 7
  - > Tugas
    - border.html
    - boxsizing.html
    - dimension.html
    - display.html
    - float\_1.html
    - float\_2.html
    - float\_3.html
    - margin.html
    - overflow.html
  - padding.html
  - position.html
  - praktikum1.html
  - praktikum2.html
  - praktikum3.html
  - tagdiv.html
  - unimpa.jpg
- > Tugas Modul 3
- ~\$odul 7.docx
- 2105101028\_Akbar Herv...
- > OUTLINE
- > TIMELINE

padding.html

```
.dua {
  width: 100px;
  height: 100px;
  background-color: purple;
  /* margin-left: -50px; */
  margin-bottom: 50px;
  border-top: 10px dotted white;
  padding-top: 30px;
}

</style>
```

Ln 7, Col 22 Spaces:2 UTF-8 CRLF HTML ⚡ Go Live ⚡ Quokka ⚡ Prettier




## Box Sizing

```
<!DOCTYPE html>
<html>
<head>
    <title>CSS Layouting : Display</title>
</head>
<style>
    .satu {
        width: 120px;
        height: 120px;
        background-color: lightblue;
        margin-top: 10px;
        margin-left: 30px;
        border-left: 5px dashed grey;
        padding-left: 50px;
    }

```

```
.dua {
    width: 100px;
    height: 100px;
    background-color: purple;
    /* margin-left: -50px; */
    margin-bottom: 50px;
    border-top: 10px dotted white;
    padding-top: 30px;
    box-sizing: border-box;
}
</style>
</head>
<body>
    <div class="satu">SATU</div>
    <div class="dua">DUA</div>

```



## Float

### Text Wrapping

Prak Web

```

<style>
    .container {
        background-color: red;
        margin: auto;
        width: 500px;
        padding: 5px;
        overflow: hidden;
    }

    .gambar {
        height: 150px;
        width: 150px;
        float: left;
        margin: 5px;
    }

```

Prak Web

```

.tulisan {
    margin-left: 170px;
}

.clear {
    clear: left;
}

</style>

</head>

<body>

<div class="container">
    
    <p class="tulisan">
        Lorem ipsum dolor sit amet, consectetur adipisicing elit. Inventore quasi cupiditate eveniet. Cor
    </p>
</div>

<div class="clear"></div>

```

Ln 28, Col 9 Spaces: 2 UTF-8 CRLF HTML Go Live Quokka Prettier

Prak Web

```


<p style="margin-left: 170px;">Lorem ipsum dolor sit amet, consectetur  
adipiscing elit. Inventore quasi cupiditate eveniet.  
Consequuntur nesciunt aspernatur dolorum laborum  
quasi ipsa odio vel, quam faciat quisquam expedita  
illo inventore ratione fugit pariatur.

```

Ln 28, Col 9 Spaces: 2 UTF-8 CRLF HTML Go Live Quokka Prettier

## Float

### Image Gallery

The image shows three screenshots of a code editor interface, likely Visual Studio Code, demonstrating the creation of a floating image gallery. The code is being written in a file named `float_2.html`.

**Screenshot 1:** The first screenshot shows the initial styling for the container and a single gallery item.


```
<style>
  .container {
    margin: auto;
    width: 500px;
  }
  .galeri {
    width: 100px;
    height: 100px;
    margin: 5px;
    background-color: lightgreen;
    float: left;
    text-align: center;
    line-height: 100px;
  }
  .clear {
```

**Screenshot 2:** The second screenshot shows the addition of a clearing element after the gallery items.

```
.clear {
  clear: left;
}
</style>
```

**Screenshot 3:** The third screenshot shows the complete HTML structure with seven gallery items and a final clearing element at the end of the body.

```
<div class="container">
  <div class="galeri">1</div>
  <div class="galeri">2</div>
  <div class="galeri">3</div>
  <div class="galeri">4</div>
  <div class="galeri">5</div>
  <div class="galeri">6</div>
  <div class="galeri">7</div>
</div>
<div class="clear"></div>
</body>
</html>
```



## Float

### Multi-Column Layout

The image shows two screenshots of a code editor, likely Microsoft Edge DevTools, displaying the CSS for a multi-column layout. The CSS defines three main sections: a sidebar, a main content area, and a right sidebar.

```
<style>
    .container {
        margin: auto;
        width: 800px;
    }

    .sidebar {
        width: 150px;
        height: 500px;
        background-color: lightgreen;
        float: left;
    }

    .main {
        width: 500px;
        height: 500px;
        background-color: lightgrey;
        float: left;
    }

    .rightbar {
        background-color: red;
        width: 150px;
        height: 500px;
        float: left;
    }
</style>
</head>
```

The first screenshot shows the CSS for the sidebar and main content. The sidebar has a width of 150px, a height of 500px, a lightgreen background color, and is floated to the left. The main content has a width of 500px, a height of 500px, a lightgrey background color, and is also floated to the left. The second screenshot shows the full CSS including the right sidebar, which has a red background color, a width of 150px, a height of 500px, and is floated to the left. The container has a margin of auto and a width of 800px.

Screenshot of a code editor showing an HTML file named `float_3.html`. The code defines a layout with three floating divs: `.sidebar`, `.main`, and `.rightbar`. The sidebar is green, the main content area is light gray, and the right bar is red.

```

<head>
</head>
<body>
<div class="container">
<div class="sidebar">1</div>
<div class="main">2</div>
<div class="rightbar">3</div>
</div>
</body>
</html>

```

## Position

Screenshot of a code editor showing an HTML file named `position.html`. The code defines a container with a width of 800px and a height of 2000px. Inside the container, there are three floating divs: `.sidebar`, `.main`, and `.rightbar`, each with a width of 100px and a height of 100px.

```

<title>Portfolio</title>
<style>
.container {
    margin: auto;
    width: 800px;
    height: 2000px;
}
.sidebar,
.main,
.rightbar {
    width: 100px;
    height: 100px;
}

```

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <style>
      .sidebar {
        background-color: lightgreen;
      }

      .main {
        background-color: lightgrey;
        position: fixed;
        top: 0px;
        left: 0px;
        width: 100%;
      }

      .rightbar {
        background-color: red;
      }
    </style>
  </head>
```

```
<body>
  <div class="container">
    <div class="sidebar">1</div>
    <div class="main">2</div>
    <div class="rightbar">3</div>
  </div>
</body>
```



## Tugas Praktikum

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>Portofolio</title>
<link rel="stylesheet" href="style.css" />
</head>
<body id="home">
<nav>
<ul>
<a href="" class="merk">Valliant Dheka F</a>
<li><a href="#home">Home</a></li>
<!-- <li><a href="#home">About Me</a></li> -->
<li><a href="#profile">Profile</a></li>
<li><a href="#profile">Contact</a></li>
</ul>
</nav>
<div class="container">
<div id="about">

<br></br><br>
<h1>Valliant Dheka F</h1>
<p class="univ">Mahasiswa Universitas PGRI Madiun</p>
<p>Teknik Informatika</p>
<div class="clear"></div>
</div>

<div id="profile">
<div class="school"><a href="#sd">SD</a></div>
<div class="school"><a href="#smp">SMP</a></div>
<div class="school"><a href="#sma">SMA</a></div>
</div>
<div id="sd">
<h2>SD</h2>
<p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Exercitationem, animi.</p>
</div>
<div id="smp">
<h2>SMP</h2>
<p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Nesciunt suscipit ratione cum minus numquam magni saepe eligendi dolores delectus cumque.</p>
</div>
```

```
<div id="sma">
    <h2>SMA</h2>
    <p>Lorem ipsum dolor sit, amet consectetur adipisicing elit. Sed repellendus libero aut! A minima, nihil laboriosam corporis eos dolore eligendi numquam debitis quam vero alias. Tenetur vel expedita eligendi inventore.</p>
</div>
</div>
</body>
```

CSS

```
/* html {  
    padding: 0;  
    margin: 0;  
} */  
html {  
    background-color: red;  
}  
  
nav {  
    width: 100%;  
    background-color: red;  
    position: fixed;  
    top: 0;  
    left: 0;  
    text-align: end;  
    font-size: 1.1rem;  
    z-index: 99999999;  
}  
nav ul {  
    transform: translateX(-10em);  
}  
nav ul li {  
    margin-right: 20px;  
    display: inline-block;  
}  
  
nav ul li a {  
    . . .  
}
```

```
text-decoration: none;
color: white;
padding: 5px;
}

nav ul .merk {
text-decoration: none;
color: white;
margin-right: 49em;
}
.container {
width: 80%;
background-color: white;
margin: auto;
}
```

```
#about {
text-align: center;
transform: translateY(5em);
}
#about img {
float: left;
border-radius: 50%;
transform: translateX(22em);
border: 5px solid red;
}
.clear {
clear: left;
}
#about h1,
p {
```

```
transform: translateY(1em);
}
.container #about .univ {
  transform: translateY(2em);
}

#profile {
  display: flex;
  justify-content: space-around;
  margin-top: 10em;
}
#profile .school {
  width: 100px;
  height: 100px;
  background-color: red;
  transform: translateY(1em);
}
.container #about .univ {
  transform: translateY(2em);
}

#profile {
  display: flex;
  justify-content: space-around;
  margin-top: 10em;
}
#profile .school {
  width: 100px;
  height: 100px;
  background-color: red;
```

```
text-align: center;
line-height: 100px;
display: flex;
flex-direction: column;
align-items: center;
justify-content: center;
border-radius: 1em;
}

#profile a {
    text-decoration: none;
    color: black;
}

#sd,
#smp,
display: block;
color: black;
border: 2em solid #fff;
text-align: center;
background-color: red;
padding: 1.5em;
}
```

Hasil

