

```
-- phpMyAdmin SQL Dump
-- version 5.2.1
-- https://www.phpmyadmin.net/
```

```
--
-- Hôte : localhost
-- Généré le : mer. 23 sep. 2026 à 13:36
-- Version du serveur : 10.4.32-MariaDB
-- Version de PHP : 8.2.12
```

```
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
START TRANSACTION;
SET time_zone = "+00:00";
```

```
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS
*/;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;
```

```
--
-- Base de données : `G3AVALTAPIZZA`
--
```

```
-- -----
```

```
--
-- Structure de la table `commande`
--
```

```
CREATE TABLE `commande` (
  `id_commande` int(11) NOT NULL,
  `id_user` int(11) NOT NULL,
  `date_commande` datetime NOT NULL,
  `total_commande` decimal(10,2) NOT NULL,
  `type_conso` tinyint(4) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_general_ci;
```

```
-- -----
```

```
--
-- Structure de la table `ligne_commande`
--
```

```
CREATE TABLE `ligne_commande` (
  `id_ligne_commande` int(11) NOT NULL,
  `id_commande` int(11) NOT NULL,
  `id_produit` int(11) NOT NULL,
```

```
`qte` int(11) NOT NULL,  
`total_ligne_ht` decimal(10,2) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_general_ci;
```

```
-- -----
```

```
--  
-- Structure de la table `produit`  
--
```

```
CREATE TABLE `produit` (  
  `id_produit` int(11) NOT NULL,  
  `libelle` varchar(255) NOT NULL,  
  `prix_ht` decimal(10,2) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_general_ci;
```

```
-- -----
```

```
--  
-- Structure de la table `utilisateur`  
--
```

```
CREATE TABLE `utilisateur` (  
  `id_user` int(11) NOT NULL,  
  `login` varchar(255) NOT NULL,  
  `password` varchar(255) NOT NULL,  
  `email` varchar(255) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8 COLLATE=utf8_general_ci;
```

```
--  
-- Index pour les tables déchargées  
--
```

```
--  
-- Index pour la table `commande`  
--
```

```
ALTER TABLE `commande`  
  ADD PRIMARY KEY (`id_commande`),  
  ADD KEY `fk_commande_utilisateur` (`id_user`);
```

```
--  
-- Index pour la table `ligne_commande`  
--
```

```
ALTER TABLE `ligne_commande`  
  ADD PRIMARY KEY (`id_ligne_commande`),  
  ADD KEY `fk_ligne_commande_commande` (`id_commande`),  
  ADD KEY `fk_ligne_commande_produit` (`id_produit`);
```

```

--
-- Index pour la table `produit`
--
ALTER TABLE `produit`
  ADD PRIMARY KEY (`id_produit`);

--
-- Index pour la table `utilisateur`
--
ALTER TABLE `utilisateur`
  ADD PRIMARY KEY (`id_user`),
  ADD UNIQUE KEY `login` (`login`),
  ADD UNIQUE KEY `email` (`email`);

--
-- AUTO_INCREMENT pour les tables déchargées
--

--
-- AUTO_INCREMENT pour la table `commande`
--
ALTER TABLE `commande`
  MODIFY `id_commande` int(11) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT pour la table `ligne_commande`
--
ALTER TABLE `ligne_commande`
  MODIFY `id_ligne_commande` int(11) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT pour la table `produit`
--
ALTER TABLE `produit`
  MODIFY `id_produit` int(11) NOT NULL AUTO_INCREMENT;

--
-- AUTO_INCREMENT pour la table `utilisateur`
--
ALTER TABLE `utilisateur`
  MODIFY `id_user` int(11) NOT NULL AUTO_INCREMENT;

--
-- Contraintes pour les tables déchargées
--

--
-- Contraintes pour la table `commande`

```

```
--  
ALTER TABLE `commande`  
  ADD CONSTRAINT `fk_commande_utilisateur` FOREIGN KEY (`id_user`) REFERENCES  
  `utilisateur` (`id_user`) ON UPDATE CASCADE;  
  
--  
-- Contraintes pour la table `ligne_commande`  
--  
ALTER TABLE `ligne_commande`  
  ADD CONSTRAINT `fk_ligne_commande_commande` FOREIGN KEY (`id_commande`) REFERENCES  
  `commande` (`id_commande`) ON DELETE CASCADE ON UPDATE  
  CASCADE,  
  ADD CONSTRAINT `fk_ligne_commande_produit` FOREIGN KEY (`id_produit`) REFERENCES  
  `produit` (`id_produit`) ON UPDATE CASCADE;  
COMMIT;  
  
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;  
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;  
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
```