Made to order

Gyropup retained prototype workstreams · Revision: cd276824fcbe0bea6c3c39099120afd465b751a3

All parts: 16 of 16

Original leg, rig, turret and earlier body planning lists. Current front/rear-pack robot manufacturing plan remains incomplete. Checklist marks track parts, not purchased quantities. This list does not qualify fit, strength or a complete robot.

Done	Part ID	Part	Design files	Quantity	Supplier	Estimate	Part details	Ordered	In hand
☐	made/leg/output_adapter	output_adapter Original leg prototype (milestone M3)	STEP (../exports/leg/cnc/output_adapter.step) callouts page (README.md) (../exports/leg/cnc/README.md)	2	JLCCNC backup Xometry	~$40.00 each ESTIMATE ~$80.00 line Price source an estimate until the instant price is read on upload (D40: no quotes; JLCCNC turned-and-milled 6061, qty 4); shipping from China is extra and takes 5-10 days	See note below	☐	☐
Part details: Material and callouts Aluminium 6061-T6 (machined), 152.5 g, 63.5 × 63.5 × 27.6 mm Material 6061-T6; as machined, deburred; no anodise (it would change the journal); general tolerance ISO 2768-m; threads 6H Datums: A = the Ø60 journal's axis; the contact face (z 0) square to A within 0.02; the standard face (z 24.6) parallel to the contact face within 0.02; the dowel holes and the motor's pin sockets at position Ø0.05 to A Ø60 j6 journal, z 11.6 to 24.6, with a 0.5 x 45 deg lead-in at the face end: the support bearing's inner ring (61812), fitted with retaining compound Ø63.5 shoulder, its face at z 11.6 square to the axis within 0.02: seats the bearing's inner ring Contact face at z 0 (Ø48.8) flat within 0.02; 0.6 mm relief outside it 8 x M5 tapped 16 deep (drill Ø4.2 x 19) from the face (z 24.6), PCD 50 at 0, 30, 90, 120, 180, 210, 270, 300 deg 2 x Ø5 H7 x 8 deep from the face, PCD 50 at 60, 150 deg (Ø5 m6 dowel pins pressed in) 9 x Ø5.5 through, PCD 36 at 45, 75, 105, 165, 195, 225, 285, 315, 345 deg, each with a Ø10 counterbore from the top to z 19 (5.6 below the face); the spigot is cut away between counterbores closer than 3 mm 3 x Ø6 H7 x 3.5 deep from the motor face, PCD 35.86 at 15, 135, 255 deg (the motor's own pins) Ø24 x 17 blind bore from the motor face (mass) Ø40 spigot, 3 tall (general tolerance: the dowels locate the link; the spigot is three lobes between the counterbores and a lead into the link's recess) Walls of 1.4 mm (1.0 mm to the thread's major diameter) between the counterbores and the face's tapped and dowel holes, 15 deg apart: intended, fine in 6061									

Done	Part ID	Part	Design files	Quantity	Supplier	Estimate	Part details	Ordered	In hand
☐	made/rig/carriage_plate	carriage_plate The single-leg test rig	DXF (../exports/rig/sendcutsend/carriage_plate.dxf) STEP (../exports/rig/sendcutsend/carriage_plate.step) order sheet (README.md) (../exports/rig/sendcutsend/README.md)	1	SendCutSend backup Xometry	~$75.00 each ESTIMATE ~$75.00 line Price source an estimate until the instant price is read on upload (D40: no quotes); SendCutSend ships in about a week	See note below	☐	☐
Part details: Material and callouts 6061-T6 aluminium, 0.250 in (6.35 mm), 1609 g, 300 × 320 × 6.35 mm 6061-T6 aluminium sheet, 0.250 in; laser or waterjet cut from the file as drawn (mm, 1:1) Every hole is a clearance hole: no tapping, no countersinks, no bends Deburr on (the blocks and the hip frame sit on both faces) Check on arrival: the 16 block holes against an HGH15CA block (M4 on 38 x 30), the 6 hip-frame holes against the frame (exports/rig/sendcutsend/README.md)									
☐	made/turret/pan_clamp	pan_clamp Turret v0 on its bench stand	DXF (../exports/turret/pan_clamp.dxf)	1	SendCutSend backup Xometry	NO PRICE Price source instant price on upload of exports/turret/pan_clamp.dxf at sendcutsend.com (no quote): est $8-15 for one in 6061-T6 0.125 in	Material and callouts Pan clamp ring, laser-cut 6061-T6 aluminium 0.125 in, 86 x 87 mm, 7 holes (6061-T6 aluminium, 3.175 mm); the DXF is the drawing	☐	☐
☐	made/turret/cradle_plate_l	cradle_plate_l Turret v0 on its bench stand	DXF (../exports/turret/cradle_plate_l.dxf)	1	SendCutSend backup Xometry	NO PRICE Price source instant price on upload of exports/turret/cradle_plate_l.dxf at sendcutsend.com (no quote): est $10-18 for one in 6061-T6 0.125 in with 4 countersinks (90 deg, Ø6.4) on the face drawn	Material and callouts Cradle cheek plate, +y (the servo's side), laser-cut 6061-T6 aluminium 0.125 in, 90 x 62 mm, 9 holes, 4 countersunk (6061-T6 aluminium, 3.175 mm); the DXF is the drawing	☐	☐
☐	made/turret/cradle_plate_r	cradle_plate_r Turret v0 on its bench stand	DXF (../exports/turret/cradle_plate_r.dxf)	1	SendCutSend backup Xometry	NO PRICE Price source instant price on upload of exports/turret/cradle_plate_r.dxf at sendcutsend.com (no quote): est $12-20 for one in 6061-T6 0.125 in with the M5 tap and 2 countersinks (90 deg, Ø6.4) on the face drawn	Material and callouts Cradle cheek plate, -y (the pivot's side), laser-cut 6061-T6 aluminium 0.125 in, 90 x 62 mm, 7 holes, 1 tapped M5, 2 countersunk (6061-T6 aluminium, 3.175 mm); the DXF is the drawing	☐	☐

Done	Part ID	Part	Design files	Quantity	Supplier	Estimate	Part details	Ordered	In hand
☐	made/turret/stop_lug	stop_lug Turret v0 on its bench stand	DXF (../exports/turret/stop_lug.dxf)	1	SendCutSend backup Xometry	NO PRICE Price source instant price on upload of exports/turret/stop_lug.dxf at sendcutsend.com (no quote): est $6-10 for one in 6061-T6 0.100 in with 2 M3 taps	Material and callouts Tilt hard-stop lug, laser-cut 6061-T6 aluminium 0.100 in, 24 x 23 mm, 2 holes tapped M3 (6061-T6 aluminium, 2.54 mm); the DXF is the drawing	☐	☐
☐	made/body/cheek	cheek Earlier body frame source	DXF (../exports/body/sendcutsend/cheek_5052-H32_0.187in_x2.dxf) STEP (../exports/body/sendcutsend/cheek_5052-H32_0.187in_x2.step)	2	SendCutSend backup OSH Cut	$63.87 each ~$127.74 line Price source SendCutSend's instant price, read in its app on 2026-10-27 from the uploaded DXF (tools/sendcutsend_quote.py): 5052-H32 aluminium 0.187 in, bending 2 bends found in the DXF's BEND layer, each 90 deg UP, countersinking 1, hardware 1, deburred, qty 2; cutting alone $54.25 each	See note below	☐	☐
Part details: Material and callouts 5052-H32 aluminium 0.187 in, 491.9 g, 184 × 223 × 4.75 mm 5052-H32 aluminium, 0.187 in (4.75 mm); qty 2; flat 184.0 x 223.0 mm 2 bends, 90 deg, SendCutSend's 0.25 in radius (K 0.43, bend deduction 0.356 in): the DXF's BEND layer marks the lines (the app reads them; each 90 deg UP); flanges as the STEP 8 x PEM SS-M5-0 pressed by SendCutSend (hardware insertion), positions as the STEP 8 x 90 deg countersinks for M4 flat heads (SendCutSend countersinking), the side the STEP shows deburr (SendCutSend's deburring); no finish needed									
☐	made/body/floor_tray	floor_tray Earlier body frame source	DXF (../exports/body/sendcutsend/floor_tray_5052-H32_0.125in_x1.dxf) STEP (../exports/body/sendcutsend/floor_tray_5052-H32_0.125in_x1.step)	1	SendCutSend backup OSH Cut	$80.62 each ~$80.62 line Price source SendCutSend's instant price, read in its app on 2026-10-27 from the uploaded DXF (tools/sendcutsend_quote.py): 5052-H32 aluminium 0.125 in, bending 4 bends found in the DXF's BEND layer, each 90 deg UP, tapping 1, hardware 1, deburred, qty 1; cutting alone $50.19 each	See note below	☐	☐
Part details: Material and callouts 5052-H32 aluminium 0.125 in, 752.6 g, 339 × 273 × 3.175 mm 5052-H32 aluminium, 0.125 in (3.175 mm); qty 1; flat 339.0 x 273.0 mm 4 bends, 90 deg, SendCutSend's 0.125 in radius (K 0.44, bend deduction 0.216 in): the DXF's BEND layer marks the lines (the app reads them; each 90 deg UP); flanges as the STEP 4 x PEM S-M4-0 pressed by SendCutSend (hardware insertion), positions as the STEP tapping: the two Ø2.5 holes M3 x 0.5 (the VN-100) deburr (SendCutSend's deburring); no finish needed									

Done	Part ID	Part	Design files	Quantity	Supplier	Estimate	Part details	Ordered	In hand
☐	made/body/belly_plate	belly_plate Earlier body frame source	DXF (../exports/body/sendcutsend/belly_plate_6061-T6_0.100in_x1.dxf) STEP (../exports/body/sendcutsend/belly_plate_6061-T6_0.100in_x1.step)	1	SendCutSend backup OSH Cut	$62.16 each ~$62.16 line Price source SendCutSend's instant price, read in its app on 2026-10-27 from the uploaded DXF (tools/sendcutsend_quote.py): 6061-T6 aluminium 0.1 in, hardware 1, deburred, qty 1; cutting alone $51.0 each	See note below	☐	☐
Part details: Material and callouts 6061-T6 aluminium 0.1 in, 247.4 g, 320 × 116 × 2.54 mm 6061-T6 aluminium, 0.1 in (2.54 mm); qty 1; flat 320.0 x 116.0 mm 16 x PEM S-M4-0 pressed by SendCutSend (hardware insertion), positions as the STEP deburr (SendCutSend's deburring); no finish needed									
☐	made/body/deck	deck Earlier body frame source	DXF (../exports/body/sendcutsend/deck_5052-H32_0.100in_x1.dxf) STEP (../exports/body/sendcutsend/deck_5052-H32_0.100in_x1.step)	1	SendCutSend backup OSH Cut	$79.11 each ~$79.11 line Price source SendCutSend's instant price, read in its app on 2026-10-28 from the uploaded DXF (tools/sendcutsend_quote.py): 5052-H32 aluminium 0.1 in, bending 4 bends found in the DXF's BEND layer, each 90 deg UP, deburred, qty 1; cutting alone $62.8 each	See note below	☐	☐
Part details: Material and callouts 5052-H32 aluminium 0.1 in, 649 g, 350.3 × 284.3 × 2.54 mm 5052-H32 aluminium, 0.1 in (2.54 mm); qty 1; flat 350.3 x 284.3 mm 4 bends, 90 deg, SendCutSend's 0.125 in radius (K 0.4, bend deduction 0.191 in): the DXF's BEND layer marks the lines (the app reads them; each 90 deg UP); flanges as the STEP deburr (SendCutSend's deburring); no finish needed									
☐	made/body/compute_pallet	compute_pallet Earlier body frame source	DXF (../exports/body/sendcutsend/compute_pallet_6061-T6_0.125in_x1.dxf) STEP (../exports/body/sendcutsend/compute_pallet_6061-T6_0.125in_x1.step)	1	SendCutSend backup OSH Cut	$49.40 each ~$49.40 line Price source SendCutSend's instant price, read in its app on 2026-10-27 from the uploaded DXF (tools/sendcutsend_quote.py): 6061-T6 aluminium 0.125 in, countersinking 1, deburred, qty 1; cutting alone $30.62 each	See note below	☐	☐
Part details: Material and callouts 6061-T6 aluminium 0.125 in, 228.7 g, 194 × 158 × 3.175 mm 6061-T6 aluminium, 0.125 in (3.175 mm); qty 1; flat 194.0 x 158.0 mm 8 x 90 deg countersinks for M3 flat heads (SendCutSend countersinking), the side the STEP shows deburr (SendCutSend's deburring); no finish needed									

Done	Part ID	Part	Design files	Quantity	Supplier	Estimate	Part details	Ordered	In hand
☐	made/body/turret_plate	turret_plate Earlier body frame source	DXF (../exports/body/sendcutsend/turret_plate_6061-T6_0.125in_x1.dxf) STEP (../exports/body/sendcutsend/turret_plate_6061-T6_0.125in_x1.step)	1	SendCutSend backup OSH Cut	$44.11 each ~$44.11 line Price source SendCutSend's instant price, read in its app on 2026-10-28 from the uploaded DXF (tools/sendcutsend_quote.py): 6061-T6 aluminium 0.125 in, tapping 1, hardware 1, deburred, qty 1; cutting alone $27.45 each	See note below	☐	☐
Part details: Material and callouts 6061-T6 aluminium 0.125 in, 134.5 g, 160 × 140 × 3.175 mm 6061-T6 aluminium, 0.125 in (3.175 mm); qty 1; flat 160.0 x 140.0 mm 2 x PEM SS-M5-0 pressed by SendCutSend (hardware insertion), positions as the STEP deburr (SendCutSend's deburring); no finish needed									
☐	made/body/power_plate	power_plate Earlier body frame source	DXF (../exports/body/sendcutsend/power_plate_5052-H32_0.100in_x1.dxf) STEP (../exports/body/sendcutsend/power_plate_5052-H32_0.100in_x1.step)	1	SendCutSend backup OSH Cut	$47.48 each ~$47.48 line Price source SendCutSend's instant price, read in its app on 2026-10-27 from the uploaded DXF (tools/sendcutsend_quote.py): 5052-H32 aluminium 0.1 in, hardware 2, deburred, qty 1; cutting alone $28.87 each	See note below	☐	☐
Part details: Material and callouts 5052-H32 aluminium 0.1 in, 161.7 g, 124 × 206 × 2.54 mm 5052-H32 aluminium, 0.1 in (2.54 mm); qty 1; flat 124.0 x 206.0 mm 10 x PEM F-M5-2 pressed by SendCutSend (hardware insertion), positions as the STEP 6 x PEM F-M4-2 pressed by SendCutSend (hardware insertion), positions as the STEP deburr (SendCutSend's deburring); no finish needed									
☐	made/body/bus_bar	bus_bar Earlier body frame source	DXF (../exports/body/sendcutsend/bus_bar_C110_0.125in_x2.dxf) STEP (../exports/body/sendcutsend/bus_bar_C110_0.125in_x2.step)	2	SendCutSend backup OSH Cut	$18.22 each ~$36.44 line Price source SendCutSend's instant price, read in its app on 2026-10-27 from the uploaded DXF (tools/sendcutsend_quote.py): C110 copper 0.125 in, cut only, deburred, qty 2; cutting alone $23.56 each	See note below	☐	☐
Part details: Material and callouts C110 copper 0.125 in, 57.4 g, 110 × 20 × 3.175 mm C110 copper, 0.125 in (3.175 mm); qty 2; flat 110.0 x 20.0 mm cut only: the five Ø6.4 holes take the lugs' M6 screws into nuts held in the printed insulator (SendCutSend does no service on a part under 1 in wide) deburr (SendCutSend's deburring); no finish needed									

Done	Part ID	Part	Design files	Quantity	Supplier	Estimate	Part details	Ordered	In hand
☐	made/body/bay_floor	bay_floor Earlier body frame source	DXF (../exports/body/sendcutsend/bay_floor_5052-H32_0.063in_x1.dxf) STEP (../exports/body/sendcutsend/bay_floor_5052-H32_0.063in_x1.step)	1	SendCutSend backup OSH Cut	$51.12 each ~$51.12 line Price source SendCutSend's instant price, read in its app on 2026-10-27 from the uploaded DXF (tools/sendcutsend_quote.py): 5052-H32 aluminium 0.063 in, bending 2 bends found in the DXF's BEND layer, each 90 deg UP, hardware 1, deburred, qty 1; cutting alone $27.54 each	See note below	☐	☐
Part details: Material and callouts 5052-H32 aluminium 0.063 in, 174.1 g, 310 × 134 × 1.6 mm 5052-H32 aluminium, 0.063 in (1.6 mm); qty 1; flat 310.0 x 134.0 mm 2 bends, 90 deg, SendCutSend's 0.035 in radius (K 0.42, bend deduction 0.096 in): the DXF's BEND layer marks the lines (the app reads them; each 90 deg UP); flanges as the STEP 10 x PEM S-M3-0 pressed by SendCutSend (hardware insertion), positions as the STEP deburr (SendCutSend's deburring); no finish needed								
☐	made/body/bay_side	bay_side Earlier body frame source	DXF (../exports/body/sendcutsend/bay_side_5052-H32_0.063in_x2.dxf) STEP (../exports/body/sendcutsend/bay_side_5052-H32_0.063in_x2.step)	2	SendCutSend backup OSH Cut	$22.05 each ~$44.10 line Price source SendCutSend's instant price, read in its app on 2026-10-27 from the uploaded DXF (tools/sendcutsend_quote.py): 5052-H32 aluminium 0.063 in, cut only, deburred, qty 2; cutting alone $27.21 each	Material and callouts 5052-H32 aluminium 0.063 in, 108 g, 310 × 128.6 × 1.6 mm 5052-H32 aluminium, 0.063 in (1.6 mm); qty 2; flat 310.0 x 128.6 mm deburr (SendCutSend's deburring); no finish needed	☐	☐