



FEATURE AUDIT - AAVE-V3 `REPAY()`

Valya Zaitseva
February 2, 2026

I. FEATURE SCOPE

1. The feature under the audit: `repay()`.
2. Economic purpose: it allows to repay user debt (partially or totally) for users themselves or on behalf of users provided that they were explicitly delegated. Protocol can accept more assets than remaining debt at the call boundary, but must cap effective repay to outstanding debt and refund excesses.
3. State modified:
 - protocol liquidity,
 - total debt amount,
 - user debt balances and borrowing configuration

II. Grouped Invariants with Failure Surface and Threat Model

State	Type	Invariant in plain English	Failure Surface (what can go wrong)	5-lens questions	Threat Model / Attack	Enforced / Assumed	Severity / Impact	Test	Tested
Pre-state	STATE VALIDITY	repay() must revert if effective user debt is zero	Repay attempted on user debt == 0	State: Can zero debt be repaid leaving dust or triggering events?	Attacker triggers a no-op, causing greifing, monitoring degradation		Low / Low	Unit	No
	PROTOCOL-LEVEL SAFETY	reserve should not be paused or frozen	Reserve is paused or frozen	Economic/State: Can debt be paid if reserve is paused or frozen?	Attacker can bypass that reserve is paused or frozen and repay		Medium / Low	Unit	No
	DEPENDENCY SAFETY	repay() must not rely on oracle values for correctness - e.g. oracle is set and price is not zero.	Oracle values are not correct	External: what happens if oracle returns zero or a stale price?	Attacker can manipulate an oracle to prevent repays or manipulate oracle-dependent health factor and liquidation.		Medium / Medium	Unit	No
Mid-process	ATOMICITY	debt burn and liquidity increase must be atomic - no observable state where one happens without the other	Debt burn without liquidity change or liquidity decreases.	Economic: Can debt be burnt without liquidity increase?	Attacker can trigger `repay()`, burn debt but no actually repay, i.e. effective repay amount is not transferred to the protocol		High / High	Invariant test, fuzz	No
	AUTHORIZATION	only debtor or approved delegate can repay on behalf	Delegate can repay without approve	Authorization: Can a caller repay on behalf of another user without delegation approval?	Attacker repays for another person without permission -> manipulates HF -> avoids liquidation		High / High	Unit	No
	ORDERING	Transfer asset before burn	Debt burned before transfer	Economic: Can debt be burned without transfer?	Attacker burns debt without actual asset transfer to the protocol		High / High	Invariant test, fuzz	No
Post-state	USER ACCOUNTING	effective debt reduction <= user debt	Protocol reduces a user's debt by more than they owe	User accounting: Can the protocol forgive debt that never existed?	Attacker repays and protocol reduces debt by more than they owe due to rounding, index mismatch, or stale debt snapshot		High / High	Invariant test, fuzz	No
	PROTOCOL SOLVENCY	burned debt tokens amount should be <= user debt	Surplus burn - debt tokens are burned in amount more than user's debt without accepting liquidity that covers extra burned debt tokens	Economic: Can amount of burned debt tokens be more than user debt?	Attacker sends more assets to the protocol in order to burn more debt tokens than the user's debt, but protocol refunds assets difference and burns more than debt tokens amount because of rounding issues. Attacker sends less assets than debt , protocol burns more than user's debt because of rounding issues.		High / High	Unit	No
	PROTOCOL SOLVENCY	burned debt tokens amount should be <= transferred repay amount to the protocol	Surplus burn - burned debt tokens amount is more than effective repay amount transferred to the protocol	Economic: Can amount of burned debt tokens be more than effective repay amount transferred to the protocol?	Attacker sends less assets but debt is burned more than effective repay amount		High / High	Invariant test, fuzz	No

	PROTOCOL SOLVENCY	net reserve liquidity increase == effective repay amount	Liquidity changes does not correspond the actual assets amount transferred to the protocol	Economic: Can liquidity changes after repay differ from actually transferred amount of assets to the protocol?	Attacker sends minimum possible amount of assets to the protocol in order to change liquidity in the most meaningful way - either increase it or decrease - in both cases this change does not correspond to effective repay amount accepted by the protocol		High / High	Invariant test, fuzz	No
	INDEX CONSISTENCY	indices may update, but must remain monotonic and consistent with accrued interest - reserve indices are monotonic non-decreasing and independent of individual user repay actions	indices decrease	Economic: Can indices be manipulated in order to reduce APR?	Attacker repays minimal amount that reduces indices -> repays other part of debt with decreased indices		High / High	Invariant test, fuzz	No
	INDEX CONSISTENCY	a user's debt exposure is fully eliminated when scaled debt becomes zero, without mutating reserve indices	user still has debt tokens even if debt becomes zero and this leads to miscalculating of reserve indices	Economic: Can user still have debt tokens when his debt is already zero?	Attacker repays all debt but debt tokens are still on attacker's balance, mutating reserve indices		Medium / High	Invariant test, fuzz	No
	DUST SAFETY	protocol must not create unrepayable or irreducible debt dust	unrepayable or irreducible debt dust stays in protocol, mutating indeces and internal accounting and fragmentating protocol liquidity?	Economic: Can user repay in a way some dust remains in protocol?	Attacker creates a lot of small debts, repays them in a way that some dust remains in protocol, leading to unrepayable liquidity amount is locked in protocol and will never be repaid and returned to the protocol effective liquidity. Indices will be unfluenced by this unpayable amount.		High / High	Invariant test, fuzz	No
	USER ACCOUNTING	user health factor must never decrease as a result of 'repay()'	user health factor decreases as a result of repay.	Accounting: Can user's HF decrease as a result of repay?	Attacker may decrease some user's HF, especially if this attack is combined with unauthorized repay possibility. This will cause unfair user liquidation and attacker may liquidate attacked user and gain profit from this		High / High	Invariant test, fuzz	No
	USER ACCOUNTING	user health factor must not improve without protocol liquidity increase	user health factor improves without protocol liquidity increase.	Accounting: Can user's HF improve as a result of repay without protocol liquidity increase?	Attacker may artificially improve their HF metric without transferring actual assets to the protocol, potentially avoiding liquidation unfairly.		High / High	Invariant test, fuzz	No
	USER ACCOUNTING	user state is updated correctly on full repay	user state is updated wrongly on full repay	Accounting: Can user's state be updated incorrectly?	Attacker can manipulate user's state, especially if this attack is combined with unauthorized repay possibility.		Medium / Medium	Invariant test, fuzz	No

Code Security Research

Call Map - Structural Scan

Accounting Boundaries/Irreversible/External func -> what happens

Call Map - Enforcement / Assumption Map

func -> enforced: invariant

assumed: invariant