

# AWS Management Console

## AWS services

### Recently visited services

EC2

### All services

## Build a solution

Get started with simple wizards and automated workflows.

### Launch a virtual machine

With EC2

2-3 minutes



### Build a web app

With Elastic Beanstalk

6 minutes



### Build using virtual servers

With Lightsail

1-2 minutes



### Register a domain

With Route 53

3 minutes



### Connect an IoT device

With AWS IoT

5 minutes



### Start migrating to AWS

With AWS MGN

1-2 minutes



### Start a development project

With CodeStar

5 minutes



### Deploy a serverless microservice

With Lambda, API Gateway

2 minutes



▶ See more

## Stay connected to your AWS resources on-the-go



AWS Console Mobile App now supports four additional regions. Download the AWS Console Mobile App to your iOS or Android mobile device. [Learn more](#)

## Explore AWS

### Modernize Your APIs with GraphQL

AWS AppSync is a fully-managed GraphQL service that improves app performance and developer productivity. [Learn more](#)

### AWS Backup

Centrally manage and automate backups across AWS services. [Learn more](#)

### AWS Certification

Discover the top 7 reasons to get AWS Certified. [Learn more](#)

### Announcing Incident Manager from AWS Systems Manager

Respond faster to application issues using new incident response and analysis capabilities. [Learn more](#)

Have feedback?

[1. Choose AMI](#)[2. Choose Instance Type](#)[3. Configure Instance](#)[4. Add Storage](#)[5. Add Tags](#)[6. Configure Security Group](#)[7. Review](#)[Cancel and Exit](#)

## Step 1: Choose an Amazon Machine Image (AMI)

An AMI is a template that contains the software configuration (operating system, application server, and applications) required to launch your instance. You can select an AMI provided by AWS, our user community, or the AWS Marketplace, or you can select one of your own AMIs.

Search for an AMI by entering a search term e.g. "Windows" X

Search by Systems Manager parameter X

1 to 44 of 44 AMIs | < > |

**Quick Start**

My AMIs

**Amazon Linux** Free tier eligible

AWS Marketplace

Community AMIs

Free tier only (i)

**Amazon Linux 2 AMI (HVM), SSD Volume Type - ami-0d5eff0f0840b45e9 (64-bit x86) / ami-09d19e919d57453f8 (64-bit Arm)**

Amazon Linux 2 comes with five years support. It provides Linux kernel 4.14 tuned for optimal performance on Amazon EC2, systemd 219, GCC 7.3, Glibc 2.26, Binutils 2.29.1, and the latest software packages through extras. This AMI is the successor of the Amazon Linux AMI that is approaching end of life on December 31, 2020 and has been removed from this wizard.

Root device type: ebs Virtualization type: hvm ENA Enabled: Yes

**Select**  64-bit (x86)  64-bit (Arm)

**macOS Big Sur 11.4 - ami-0459d6b36df3c5ba5**

The macOS Big Sur AMI is an EBS-backed, AWS-supported image. This AMI includes the AWS Command Line Interface, Command Line Tools for Xcode, Amazon SSM Agent, and Homebrew. The AWS Homebrew Tap includes the latest versions of multiple AWS packages included in the AMI.

Root device type: ebs Virtualization type: hvm ENA Enabled: Yes

**Select** 64-bit (Mac)

**macOS Catalina 10.15.7 - ami-04c57fb416ca98499**

The macOS Catalina AMI is an EBS-backed, AWS-supported image. This AMI includes the AWS Command Line Interface, Command Line Tools for Xcode, Amazon SSM Agent, and Homebrew. The AWS Homebrew Tap includes the latest versions of multiple AWS packages included in the AMI.

Root device type: ebs Virtualization type: hvm ENA Enabled: Yes

**Select** 64-bit (Mac)

**macOS Mojave 10.14.6 - ami-075723d78cedf20b6**

The macOS Mojave AMI is an EBS-backed, AWS-supported image. This AMI includes the AWS Command Line Interface, Command Line Tools for Xcode, Amazon SSM Agent, and Homebrew. The AWS Homebrew Tap includes the latest versions of multiple AWS packages included in the AMI.

Root device type: ebs Virtualization type: hvm ENA Enabled: Yes

**Select** 64-bit (Mac)

**Red Hat Enterprise Linux 8 (HVM), SSD Volume Type - ami-0b0af3577fe5e3532 (64-bit x86) / ami-01fc429821bf1f4b4 (64-bit Arm)**

Red Hat Enterprise Linux version 8 (HVM), EBS General Purpose (SSD) Volume Type

Root device type: ebs Virtualization type: hvm ENA Enabled: Yes

**Select**  64-bit (x86)  64-bit (Arm)

**Explore AWS**

## Step 6: Configure Security Group

A security group is a set of firewall rules that control the traffic for your instance. On this page, you can add rules to allow specific traffic to reach your instance. For example, if you want to set up a web server and allow Internet traffic to reach your instance, add rules that allow unrestricted access to the HTTP and HTTPS ports. You can create a new security group or select from an existing one below. [Learn more](#) about Amazon EC2 security groups.

Assign a security group:  Create a new security group

Select an existing security group

Security group name:

Description:

Type	Protocol	Port Range	Source	Description	X
SSH	TCP	22	Custom <input type="text" value="0.0.0.0/0"/>	e.g. SSH for Admin Desktop	<input type="button" value="X"/>
All traffic	All	0 - 65535	Anywhere <input type="text" value="0.0.0.0/0, ::/0"/>	e.g. SSH for Admin Desktop	<input type="button" value="X"/>

Add Rule



### Warning

Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only.

## Step 7: Review Instance Launch

**⚠ Improve your instances' security.** Your security group, launch-wizard-2, is open to the world.

Your instances may be accessible from any IP address. We recommend that you update your security group rules to allow access from known IP addresses only.

You can also open additional ports in your security group to facilitate access to the application or service you're running, e.g., HTTP (80) for web servers. [Edit security groups](#)

### AMI Details

 Amazon Linux 2 AMI (HVM), SSD Volume Type - ami-0d5aff06f840b45e  
Free tier Amazon Linux 2 comes with five years support. It provides Linux kernel 4.14 tuned for eligible Root Device Type: ebs Virtualization type: hvm

[Edit AMI](#)

### Instance Type

Instance Type	ECUs	vCPUs	Memory (GiB)	Instances
t2.micro	-	1	1	EBS only

[Edit instance type](#)

### Security Groups

Security group name	Description
launch-wizard-2	launch-wizard-2 created 2021-06-07T11:30:07+135+05:30
Type	Protocol
SSH	TCP
All traffic	All
All traffic	All

[Edit security groups](#)

### Instance Details

[Edit instance details](#)

### Storage

[Edit storage](#)

### Tags

[Edit tags](#)

### Select an existing key pair or create a new key pair

X

A key pair consists of a **public key** that AWS stores, and a **private key file** that you store. Together, they allow you to connect to your instance securely. For Windows AMIs, the private key file is required to obtain the password used to log into your instance. For Linux AMIs, the private key file allows you to securely SSH into your instance.

Note: The selected key pair will be added to the set of keys authorized for this instance. Learn more about [removing existing key pairs from a public AMI](#).

Create a new key pair

Key pair name

my-movie-plan

[Download Key Pair](#)

You have to download the **private key file** (\*.pem file) before you can continue. [Store it in a secure and accessible location](#). You will not be able to download the file again after it's created.

Cancel

[Launch Instances](#)

[Cancel](#) [Previous](#) [Launch](#)

https://console.aws.amazon.com/ec2/v2/home?region=us-east-1#Instances:instanceState=running

New EC2 Experience Tell us what you think X

EC2 Dashboard New

Events

Tags

Limits

Instances

- Instances New
- Instance Types
- Launch Templates
- Spot Requests
- Savings Plans
- Reserved Instances New
- Dedicated Hosts
- Scheduled Instances
- Capacity Reservations

Images

- AMIs

Elastic Block Store

- Volumes
- Snapshots
- Lifecycle Manager

Network & Security

Search for services, features, marketplace products, and docs [Alt+S]

Instances (1/1) Info

Filter instances

Instance state: running X Clear filters

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4 DNS	Public IPv4 ...	Elastic IP
<input checked="" type="checkbox"/>	i-0b18d5979f1518b1f	<span>Running</span>	t2.micro	Initializing	No alarms +	us-east-1d	ec2-3-87-23-8.compute...	3.87.23.8	-

G Connect Instance state Actions Launch Instances

The screenshot shows the AWS EC2 Instances page. A single instance is listed: 'i-0b18d5979f1518b1f' is running on a t2.micro instance type. The 'Connect' button in the top right is circled in red. The instance row itself is also circled in red.



## Connect to instance Info

Connect to your instance i-0e19201d262ba77e5 using any of these options

[EC2 Instance Connect](#)[Session Manager](#)[SSH client](#)[EC2 Serial Console](#)

### Instance ID

i-0e19201d262ba77e5

1. Open an SSH client.
2. Locate your private key file. The key used to launch this instance is my-movie-plan.pem
3. Run this command, if necessary, to ensure your key is not publicly viewable.  
 chmod 400 my-movie-plan.pem
4. Connect to your instance using its Public DNS:

ec2-52-7-134-66.compute-1.amazonaws.com

### Example:

ssh -i "my-movie-plan.pem" ec2-user@ec2-52-7-134-66.compute-1.amazonaws.com

**Note:** In most cases, the guessed user name is correct. However, read your AMI usage instructions to check if the AMI owner has changed the default AMI user name.

[Cancel](#)

```
jriya@Riyaz ~/Downloads
$ chmod 400 my-movie-plan.pem

jriya@Riyaz ~/Downloads
$ ssh -i "my-movie-plan.pem" ec2-user@ec2-52-7-134-66.compute-1.amazonaws.com
The authenticity of host 'ec2-52-7-134-66.compute-1.amazonaws.com (52.7.134.66)' can't be established.
ECDSA key fingerprint is SHA256:W2ndOKDsigxx6WpnWePv9ya8umIsUNYw/ntPzLfvTxE.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'ec2-52-7-134-66.compute-1.amazonaws.com,52.7.134.66' (ECDSA) to the list of known hosts.

--| --|_
_| ( / Amazon Linux 2 AMI
---|\---|---|  
  
https://aws.amazon.com/amazon-linux-2/
6 package(s) needed for security, out of 17 available
Run "sudo yum update" to apply all updates.
[ec2-user@ip-172-31-86-0 ~]$ |
```

```
$ ssh -i "my-movie-plan.pem" ec2-user@ec2-52-7-134-66.compute-1.amazonaws.com
The authenticity of host 'ec2-52-7-134-66.compute-1.amazonaws.com (52.7.134.66)' can't be established.
ECDSA key fingerprint is SHA256:W2ndOKDsigxx6WpnWePv9ya8umIsUNYw/ntPzLfvTxE.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added 'ec2-52-7-134-66.compute-1.amazonaws.com,52.7.134.66' (ECDSA) to the list of known hosts.
```

Amazon Linux 2 AMI

```
https://aws.amazon.com/amazon-linux-2/
6 package(s) needed for security, out of 17 available
Run "sudo yum update" to apply all updates.
[ec2-user@ip-172-31-86-0 ~]$ sudo yum update -y
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
Resolving Dependencies
--> Running transaction check
---> Package chrony.x86_64 0:3.5.1-1.amzn2.0.1 will be updated
---> Package chrony.x86_64 0:4.0-3.amzn2.0.1 will be an update
---> Package ec2-utils.noarch 0:1.2-43.amzn2 will be updated
---> Package ec2-utils.noarch 0:1.2-44.amzn2 will be an update
---> Package glibc.x86_64 0:2.26-44.amzn2 will be updated
---> Package glibc.x86_64 0:2.26-45.amzn2 will be an update
---> Package glibc-all-langpacks.x86_64 0:2.26-44.amzn2 will be updated
---> Package glibc-all-langpacks.x86_64 0:2.26-45.amzn2 will be an update
---> Package glibc-common.x86_64 0:2.26-44.amzn2 will be updated
---> Package glibc-common.x86_64 0:2.26-45.amzn2 will be an update
---> Package glibc-locale-source.x86_64 0:2.26-44.amzn2 will be updated
---> Package glibc-locale-source.x86_64 0:2.26-45.amzn2 will be an update
---> Package glibc-minimal-langpack.x86_64 0:2.26-44.amzn2 will be updated
---> Package glibc-minimal-langpack.x86_64 0:2.26-45.amzn2 will be an update
```

```
lomplete!
root@ip-172-31-29-148 ~]# java -version
openjdk version "1.8.0_282"
openJDK Runtime Environment (build 1.8.0_282-b08)
openJDK 64-Bit Server VM (build 25.282-b08, mixed mode)
root@ip-172-31-29-148 ~]# sudo yum install java-1.8.0-openjdk
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
Package 1:java-1.8.0-openjdk-1.8.0.282.b08-1.amzn2.0.1.x86_64 already installed and latest version
Nothing to do
root@ip-172-31-29-148 ~]#
root@ip-172-31-29-148 ~]# java -version
openjdk version "1.8.0_282"
openJDK Runtime Environment (build 1.8.0_282-b08)
openJDK 64-Bit Server VM (build 25.282-b08, mixed mode)
root@ip-172-31-29-148 ~]# |
```

```
xml-commons-resolver.noarch 0:1.2-15.amzn2
```

```
Complete!
```

```
[ec2-user@ip-172-31-29-148 ~]$ sudo yum install git
```

```
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
```

```
Package git-2.23.4-1.amzn2.0.1.x86_64 already installed and latest version
```

```
Nothing to do
```

```
[ec2-user@ip-172-31-29-148 ~]$ git --version
```

```
git version 2.23.4
```

```
[ec2-user@ip-172-31-29-148 ~]$ sudo yum install maven
```

```
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd
```

```
Package maven-3.0.5-17.amzn2.noarch already installed and latest version
```

```
Nothing to do
```

```
[ec2-user@ip-172-31-29-148 ~]$ mvn -v
```

```
Apache Maven 3.0.5 (Red Hat 3.0.5-17)
```

```
Maven home: /usr/share/maven
```

```
Java version: 1.8.0_282, vendor: Red Hat, Inc.
```

```
Java home: /usr/lib/jvm/java-1.8.0-openjdk-1.8.0.282.b08-1.amzn2.0.1.x86_64/jre
```

```
Default locale: en_US, platform encoding: UTF-8
```

```
OS name: "linux", version: "4.14.231-173.360.amzn2.x86_64", arch: "amd64", family: "unix"
```

```
[ec2-user@ip-172-31-29-148 ~]$ |
```

--| --|\_ )  
\_ | ( \_ /  
\_\_\_| \\_\_\_|

Amazon Linux 2 AMI

```
https://aws.amazon.com/amazon-linux-2/  
[ec2-user@ip-172-31-29-148 ~]$ sudo wget -O /etc/yum.repos.d/jenkins.repo https://pkg.jenkins.io/redhat-stable/jenkins.repo  
--2021-04-29 05:12:56-- https://pkg.jenkins.io/redhat-stable/jenkins.repo  
Resolving pkg.jenkins.io (pkg.jenkins.io)... 151.101.250.133, 2a04:4e42:2f::645  
Connecting to pkg.jenkins.io (pkg.jenkins.io)|151.101.250.133|:443... connected.  
HTTP request sent, awaiting response... 200 OK  
Length: 85  
Saving to: '/etc/yum.repos.d/jenkins.repo'  
  
100%[=====] 85 ---.K/s in 0s  
  
2021-04-29 05:12:56 (6.00 MB/s) - '/etc/yum.repos.d/jenkins.repo' saved [85/85]  
  
[ec2-user@ip-172-31-29-148 ~]$ sudo rpm --import https://pkg.jenkins.io/redhat-stable/jenkins.io.key  
[ec2-user@ip-172-31-29-148 ~]$ yum install jenkins  
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd  
You need to be root to perform this command.  
[ec2-user@ip-172-31-29-148 ~]$ sudo -i  
[root@ip-172-31-29-148 ~]# yum install jenkins  
Loaded plugins: extras_suggestions, langpacks, priorities, update-motd  
amzn2-core | 3.7 kB 00:00:00  
jenkins | 2.9 kB 00:00:00  
jenkins/primary_db | 37 kB 00:00:00  
Resolving Dependencies  
--> Running transaction check
```

```
[root@ip-172-31-29-148 ~]# sudo systemctl start jenkins  
[root@ip-172-31-29-148 ~]# sudo cat /var/lib/jenkins/secrets/initialAdminPassword  
0811c483fdc84df7906bf37a2906754c  
[root@ip-172-31-29-148 ~]# |
```



## Getting Started

# Unlock Jenkins

To ensure Jenkins is securely set up by the administrator, a password has been written to the log ([not sure where to find it?](#)) and this file on the server:

`/var/lib/jenkins/secrets/initialAdminPassword`

Please copy the password from either location and paste it below.

**Administrator password**



Continue

## Getting Started

# Customize Jenkins

Plugins extend Jenkins with additional features to support many different needs.

### Install suggested plugins

Install plugins the Jenkins community finds most useful.

### Select plugins to install

Select and install plugins most suitable for your needs.



Not secure | 34.204.2.214:8080/view/all/newjob

# Jenkins

Dashboard All

search ? 🔔 1 ! 1 ⚡ Riyaz J

Enter an item name

Required field

 **Freestyle project**  
This is the central feature of Jenkins. Jenkins will build your project, combining any SCM with any build system, and this can be even used for something other than software build.

 **Pipeline**  
Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.

 **Multi-configuration project**  
Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.

 **Folder**  
Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.

 **GitHub Organization**  
Scans a GitHub organization (or user account) for all repositories matching some defined markers.

 **GitHub Organization**  
Scans a GitHub organization (or user account) for all repositories matching some defined markers.

 **Multibranch Pipeline**  
Creates a set of Pipeline projects according to detected branches in one SCM repository.

**OK**

```
45 haproxy2      available [ =stable ]
46 collectd       available [ =stable ]
47 aws-nitro-enclaves-cli available [ =stable ]
48 R4             available [ =stable ]
49 kernel-5.4     available [ =stable ]
50 selinux-ng     available [ =stable ]
51 php8.0         available [ =stable ]
52 tomcat9        available [ =stable ]
53 unbound1.13    available [ =stable ]
54 mariadb10.5    available [ =stable ]
55 kernel-5.10    available [ =stable ]
56 redis6          available [ =stable ]
[ec2-user@ip-172-31-86-0 ~]$ sudo systemctl start docker
[ec2-user@ip-172-31-86-0 ~]$
[ec2-user@ip-172-31-86-0 ~]$
[ec2-user@ip-172-31-86-0 ~]$ sudo usermod -a -G docker ec2-user
[ec2-user@ip-172-31-86-0 ~]$
[ec2-user@ip-172-31-86-0 ~]$
[ec2-user@ip-172-31-86-0 ~]$ docker images
REPOSITORY  TAG      IMAGE ID   CREATED   SIZE
[ec2-user@ip-172-31-86-0 ~]$
```

```
46 collected
47 aws-nitro-enclaves-cli    available   [ =stable ]
48 R4                         available   [ =stable ]
49 kernel-5.4                 available   [ =stable ]
50 selinux-ng                 available   [ =stable ]
51 php8.0                     available   [ =stable ]
52 tomcat9                    available   [ =stable ]
53 unbound1.13                available   [ =stable ]
54 mariadb10.5                available   [ =stable ]
55 kernel-5.10                available   [ =stable ]
56 redis6                     available   [ =stable ]
ec2-user@ip-172-31-86-0 ~]$ sudo systemctl start docker
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$ sudo usermod -a -G docker ec2-user
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$ docker images
REPOSITORY      TAG      IMAGE ID      CREATED      SIZE
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$
ec2-user@ip-172-31-86-0 ~]$ sudo usermod -a -G docker jenkins
ec2-user@ip-172-31-86-0 ~]$ |
```

Not secure | 52.7.134.66:8080/view/all/newJob

# Jenkins

board All

**Enter an item name**

my-movie-plan-backend  
» Required field

**Freestyle project**  
 This is the central feature of Jenkins. Jenkins will build your project, combining any SCM with any build system, and this can be even used for something other than software build.

**Pipeline**  
 Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.

**Multi-configuration project**  
 Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.

**Folder**  
 Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.

**GitHub Organization**  
 Scans a GitHub organization (or user account) for all repositories matching some defined markers.

**Multibranch Pipeline**  
 Creates a set of Pipeline projects according to detected branches in one SCM repository.

If you want to create a new item from other existing, you can use this option:

Copy from

**OK**

Not secure | 34.204.2.214:8080/job/my-movie-plan-backend/configure

hboard > my-movie-plan-backend

General Build Triggers Advanced Project Options Pipeline

Definition

Pipeline script from SCM

SCM

Git

Repositories

Repository URL

https://github.com/JRiyaz/my-movie-plan-backend.git

Credentials

- none - Add

Advanced... Add Repository

Branches to build

Branch Specifier (blank for 'any')

/main

X Add Branch

Repository browser

(Auto)

Additional Behaviours

Add

Script Path

Save Apply

The screenshot shows the Jenkins Pipeline configuration page for the job 'my-movie-plan-backend'. The 'Pipeline' tab is selected. Several fields are highlighted with red circles: 'Pipeline script from SCM' under 'Definition', 'Git' under 'SCM', 'Repository URL' containing 'https://github.com/JRiyaz/my-movie-plan-backend.git', the 'Branch Specifier' field containing '/main', and the 'Save' and 'Apply' buttons at the bottom.

Netsecure | 54.172.237.186:8080/configureTools/

Dashboard > Global Tool Configuration

Add Git ▾

### Gradle

Gradle installations

Add Gradle

List of Gradle installations on this system

### Ant

Ant installations

Add Ant

List of Ant installations on this system

### Maven

Maven installations

Add Maven

Maven

Name: maven

MAVEN\_HOME: /usr/share/maven

Install automatically

?

Delete Maven

Add Maven

List of Maven installations on this system

Save Apply

This screenshot shows a web-based interface for managing global tool configurations. The main title is 'Global Tool Configuration'. Below it, there are sections for 'Gradle' and 'Ant', each with an 'Add' button and a note about listing installations. The 'Maven' section is highlighted with a large blue oval. It includes an 'Add Maven' button, a 'Name' field containing 'maven', a 'MAVEN\_HOME' field containing '/usr/share/maven', an 'Install automatically' checkbox, and a 'Delete Maven' button. At the bottom, there are 'Save' and 'Apply' buttons, and a note about listing Maven installations.

Not secure | 54.172.237.186:8080/view/all/newJob

# Jenkins

Dashboard All

Enter an item name

my-movie-plan-backend \* Required field

**Freestyle project**  
This is the central feature of Jenkins. Jenkins will build your project, combining any SCM with any build system, and this can be even used for something other than software build.

**Pipeline**  
Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.

**Multi-configuration project**  
Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.

**Folder**  
Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.

**GitHub Organization**  
Scans a GitHub organization (or user account) for all repositories matching some defined markers.

**Multibranch Pipeline**  
Creates a set of Pipeline projects according to detected branches in one SCM repository.

If you want to create a new item from other existing, you can use this option:

Copy from

**OK**

**General** **Build Triggers** Advanced Project Options Pipeline

Pipeline speed/durability override ?

Preserve stashes from completed builds ?

This project is parameterized ?

Throttle builds ?

**Build Triggers**

Build after other projects are built ?

Projects to watch

mysql-my-movie-plan, ?

Trigger only if build is stable ?

Trigger even if the build is unstable ?

Trigger even if the build fails ?

Build periodically ?

GitHub hook trigger for GITScm polling ?

Poll SCM ?

Disable this project ?

Quiet period ?

Trigger builds remotely (e.g., from scripts) ?

**Advanced Project Options**

Advanced...

**Pipeline**

Definition

Pipeline script from SCM ▼

SCM ?

Git ▼

Repositories ?

**Save** **Apply** ?



## NOW PLAYING

[view all](#)


Invalid username or password

## Login Page

Enter your username

Enter your password





## NOW PLAYING

[view all](#)

## Register Here

  
+91  
Male Agree to terms & conditions

## Cinema Halls

INOX

PVR

GOPALAN GRAND MALL

## Shows

Morning Show

| Time: 11:00 AM

Matinee

| Time: 02:00 PM

First Show

| Time: 06:00 PM

Second Show

| Time: 09:00 PM



## Movies



Rrr | lang: Telugu | start: June 2, 2021 | end: June 10, 2021

[Add Cinema Hall](#)[Add Show](#)[Add New Movie](#)[Add Movie To The Show](#)

# SHOW

Show :

Now Playing

# FILTERS

▼ Language Clear

▼ Genre Clear

Now Playing




Now Playing

[RRR](#)



Now Playing

[RRR](#)



Now Playing

[PUSHPA](#)



Now Playing

## PUSHPA : Pushpa

4D

Telugu

2H 30M . Crime, Action, Romance

[Book Tickets](#)

LOADING IN  
THEATRES FROM  
**13<sup>TH</sup>**  
AUGUST 2021

### About the Movie

Pushpa is an upcoming Indian Telugu-language action thriller film written and directed by Sukumar. Produced by Neveen Varnani and V. Ravi



## PUSHPA : Pushpa

4D Telugu

2H 30M . Crime, Action, Romance

1

Select the Cinema Hall

2

Select the Show Timing

3

Select the Date

4

Select No.of seats

5

Review

Cinema Hall Name

Next

### About the Movie

Pushpa is an upcoming Indian crime drama film directed by Yashika Chandrasekhar. It stars Allu Arjun in the lead role, with Nithya Menen and Sumanth as the female leads. The film is produced by Venkatesh Prasad under his banner Venky Pictures. The shooting began in August 2019 and concluded in December 2019. The film is set to release on 13 August 2021.

Yashika Chandrasekhar  
Venkatesh Prasad  
Allu Arjun  
Nithya Menen  
Sumanth

localhost:4200/movie/5

NMS Cinemas Home Movies About Us Contact Us j.inthiyaz@gmail.com

PUSHPA : Pushpa

Now Playing

1 2 3 4 5

Select the Cinema Hall Select the Show Timing Select the Date Select No.of seats Review

Back next

About the Movie

3 AUGUST 2021

This screenshot shows a movie booking interface for 'PUSHPA : Pushpa' on a web browser. The top navigation bar includes links for Home, Movies, About Us, and Contact Us, along with a user account section. The main content area features a large movie poster for 'Pushpa' with a man on a motorcycle. Below the poster, the movie title 'PUSHPA : Pushpa' is displayed. A progress bar at the bottom indicates five steps: 'Select the Cinema Hall', 'Select the Show Timing', 'Select the Date', 'Select No.of seats', and 'Review'. Step 5 is highlighted with a green circle. Below the progress bar, there are five numbered circles (1, 2, 3, 4, 5) with a blue bus icon above them, likely representing seat selection. At the bottom left, there are 'Back' and 'next' buttons, and at the bottom right, a link to 'About the Movie'. The URL in the address bar is 'localhost:4200/movie/5'.

## Payment Gateway (do not refresh the page)

**Booking Details**

Auditorium	<b>INOX</b>
Show	<b>First Show</b>
Show Timing	<b>06:00 PM</b>
Movie Name	<b>PUSHPA</b>
Movie Lang	<b>Telugu</b>
Date	<b>Jun 15, 2021</b>

  
Card Number

16 digit card number

  
Month

Select card expiry month

  
Year

select card expiry year

  
CVV

Pay ₹2,200.00

## REGISTER NEW AUDITORIUM HERE

### 1 Auditorium Details

 Name Image URL Seating Capacity :- 100 Email Id Customer Care Number Address[Next](#)[Add Safeties](#)

## ADD NEW MOVIE

1 Movie Details

2 Add Language

3 Add Language

4 Add Cast Details

5 Add Crew Details

6 Review

Name

Release Date



Image URL

Background Image URL

Duration

Movie Caption

Story

Movie: PUSHPA

Seats Selected: F4, F5, F6, F7, E5

NOTE: do not refresh the page

Time: 06:00 PM

Date: Tuesday, June 15, 2021

Amount: 2000

Proceed

GOLD ₹500.00



SILVER ₹400.00



EXECUTIVE ₹300.00



Screen is this way

## Your booking list

Booking 1	2021-06-10
Booking 2	2021-06-10



## INOX

Movie Language	Telugu
Total seats	5
Seat No.	F4, F5, F6, F7, E5
Price	₹2,000.00
Date	Jun 15, 2021
Time	06:00 PM
Status	Confirmed

NMS Cinemas  
WE PROVIDE ENTERTAINMENT

About Us

## Contact Us

DROP US A LINE, GET IN TOUCH

Write to us by filling in the form below

Your Name:

---

Email Id:

---

Message:

---

**Contact Us**

## Contact Us

 Big Tree Entertainment Private Limited Ground Floor, Wajeda House,  
Gulmohar Cross Road No. 7, Juhu Scheme, Mumbai, Maharashtra -  
400049

 nms@cinemas.com

 1800-894-4059

EXPLORER OPEN EDITORS 1 UNSAVED

MY-MOVIE-PLAN

- > .vscode
- > e2e
- > images
- > node\_modules
- src
- app
  - classes
  - util
  - validators
  - commons
    - global-constants.specs
    - global-constants.ts
  - components
    - about-us
    - auditorium-form
    - contact-us
    - footer
    - forgot-password
    - header
    - home-page
    - layout
    - login
    - login-layout
    - manage
    - movie
    - movie-form
    - movies
    - my-bookings
    - profile
    - register
    - templates
  - guards
    - admin
    - auth
    - form
  - img
  - interfaces
    - application.ts
  - pipes
    - search.pipe.specs
    - search.pipe.ts

OUTLINE TIMELINE

my-bookings.component.html my-bookings.component.ts token-interceptor.service.ts M global-constants.ts M

src > app > commons > global-constants.ts > GlobalConstants > ROOT\_URL

```
public static ALL_GENERS: string[] = ['Comedy', 'Romance', 'Action', 'Drama', 'Fantasy', 'Horror', 'Mystery', 'Thriller', 'Crime'];

public static ALL_LANGUAGES: string[] = ['English', 'Hindi', 'Telugu', 'Kanada', 'Tamil', 'Malayalam', 'Urdu', 'Marathi', 'Punjabi'];

public static HALL_SAFETIES: string[] = ['Thermal Scanning', 'Contactless Security Check', 'Hand Sanitizers Available', 'Sanitization Before Every Show', 'In-Cinema Social Distancing', 'Contactless Food Service', 'Packaged Food and Beverage', 'Daily Temperature Checks for Staff', 'Deep Cleaning of Restrooms', 'Limited Occupancy In Restrooms', 'Sanitized / Sterilized 3D Glasses'];

public static HALL_FACILITIES: string[] = ['MTicket', 'Wheel Chair Facility', 'Recliner Seats', 'Parking Facility', 'Food Court', ''];

public static ROOT_URL = 'http://34.204.2.214:5555/my-movie-plan';

public static REGISTER_URL = `${GlobalConstants.ROOT_URL}/user/sign-up`;

public static CHECK_UNIQUENESS_URL = `${GlobalConstants.ROOT_URL}/user/check`;

public static UPDATE_USER_URL = `${GlobalConstants.ROOT_URL}/user/update`;

public static GET_LOGGED_IN_USER_URL = `${GlobalConstants.ROOT_URL}/user/get-user`;

public static AUTHENTICATE_URL = `${GlobalConstants.ROOT_URL}/user/authenticate`;

public static UNIQUE_USER_URL = `${GlobalConstants.ROOT_URL}/user/check`;

public static FORGOT_PASSWORD_URL = `${GlobalConstants.ROOT_URL}/user/forgot-password`;

public static AUDITORIUM_URL = `${GlobalConstants.ROOT_URL}/auditorium`;

public static GET_ALL_AUDITORIUMS_URL = `${GlobalConstants.ROOT_URL}/auditorium/all`;

public static ADD_AUDITORIUM_URL = `${GlobalConstants.ROOT_URL}/auditorium/add`;


public static UPDATE_AUDITORIUM_URL = `${GlobalConstants.ROOT_URL}/auditorium/update`;


public static DELETE_AUDITORIUM_URL = `${GlobalConstants.ROOT_URL}/auditorium/delete`;


public static MOVIE_URL = `${GlobalConstants.ROOT_URL}/movie`;


public static NOW_PLAYING_AND_UP_COMING_MOVIES_URL = `${GlobalConstants.MOVIE_URL}/now-playing-up-coming`;

public static NOW_PLAYING_MOVIES_URL = `${GlobalConstants.MOVIE_URL}/now-playing`;
```









The screenshot shows a code editor interface with a dark theme. On the left is a file tree for a project named "my-movie-plan-backend". The "src/main/resources" directory contains several files: "application.properties", "application-dev.properties", "application-prod.properties", and "application-test.properties". The "application.properties" file is open in the editor, and its content is as follows:

```
1 spring.datasource.url=jdbc:mysql://mysql-my-movie-plan:3306/my_movie_plan?useSSL=false
2 spring.datasource.username=mysql
3 spring.datasource.password=root
4 spring.jpa.hibernate.ddl-auto=update
5 spring.jpa.show-sql=true
6 spring.jpa.properties.hibernate.format_sql=true
7 spring.jpa.properties.hibernate.dialect=org.hibernate.dialect.MySQL8Dialect
8 spring.datasource.driver-class-name=com.mysql.jdbc.Driver
9
```

A red oval highlights the URL configuration in line 1. Another red oval highlights the "application-prod.properties" file in the file tree.