```
!DOCTYPE html>
<html lang="en">
   <meta charset="UTF-8">
initial-scale=1.0">
body {
    font-family: Arial, sans-serif;
   background-repeat:repeat;
   background-size: cover;
   background-image:url('p.png'); ;
   margin: 0;
    padding: 0;
.container {
   max-width: 600px;
   margin: 0 auto;
   padding: 20px;
   background-color: #0f821b;
    box-shadow: 0px 0px 10px rgba(0, 0, 0, 0.1);
    border-radius: 20px;
    transition: background-color 0.3s ease;
h1 {
    text-align: center;
    color: #333;
    display: flex;
   justify-content: space-between;
   margin-top: 20px;
input[type="text"] {
    width: 70%;
    padding: 10px;
```

```
border: 1px solid #ccc;
   border-radius: 5px;
button {
   border-radius: 5px;
   padding: 10px 15px;
ul {
   list-style: none;
   padding: 0;
li {
   display: flex;
   justify-content: space-between;
   align-items: center;
   padding: 10px 0;
   border-bottom: 1px solid #ccc;
li:last-child {
   border-bottom: none;
   <title>To-Do List</title>
   <div class="container">
       <h1>To-Do List</h1>
            <input type="text" id="task" placeholder="Add a new task">
```

```
document.addEventListener("DOMContentLoaded", function () {
   const taskInput = document.getElementById("task");
   const addBtn = document.getElementById("add");
   const taskList = document.getElementById("task-list");
       if (taskText !== "") {
           const listItem = document.createElement("li");
           listItem.innerHTML = `
               <button class="delete">Delete/button>
           taskList.appendChild(listItem);
           taskInput.value = "";
           const deleteBtn = listItem.querySelector(".delete");
            deleteBtn.addEventListener("click", function () {
                listItem.remove();
   taskInput.addEventListener("keyup", function (event) {
       if (event.key === "Enter") {
});
```