

Enhanced Data File Format

April 2024

Proprietary and Confidential Information Agreement

This manual contains PROPRIETARY and CONFIDENTIAL information belonging to NYCE Payments Network, LLC or its licensees. It is made available to NYCE's Participants, Processors, and Clients solely for the purpose of participating in or processing with the NYCE Network or NYCE processing platforms. This manual and its contents may be disclosed only to those employees of Participants, Processors, Clients, and their affiliates who have a need to use this information in the performance of their duties; and may not be reproduced, disclosed, or used except as expressly permitted herein.

This manual is the property of NYCE Payments Network, LLC; all copies (whether electronic or printed) must be deleted and/or securely destroyed upon request. If you do not agree to any of the foregoing terms, please delete and/or securely destroy all distributed copies, whether electronic or printed.

Email inquiries may be sent to NetworkAdmin@fisglobal.com. Written correspondence should be addressed to:

NYCE Payments Network, LLC
347 Riverside Avenue
Jacksonville, FL 32202



Copyright © 2024 FIS and/or its subsidiaries. All Rights Reserved.

Table of Contents

Changes, April 2024	4
1 Enhanced Data File	5
Presentation of Data.....	7
Header record	9
Detail record for the Enhanced Data File	10
Terminal location	24
Extended Data formats	25
Exception (TES) Data	26
On-Demand Transaction Description	27
Multi-Clearing Data	27
Transaction Condition Data	27
Dynamic Routing Token	28
Health Care Data	28
Settlement Hold Data.....	28
Trailer record	29
A Exception Item Reason Codes	30
B Exception Item Response Codes.....	33
C Exception Reason Codes	34
D Exception Type Codes	37
E Merchant Category Codes	39
F National Point-of-Service Condition Code	52
Terminal class (positions 1–3).....	52

	Presentation type (positions 4–7).....	53
	Presentation type examples (positions 4–7).....	54
	Security condition (position 8)	55
	Terminal type (positions 9–10).....	55
	Terminal type examples	57
	Card data input capability (position 11).....	58
G	Network Identification Codes	59
H	NYCE Transaction Codes	62
	01xx request transactions	63
	02xx request transactions	65
	0220-0221 pre-auth completions.....	70
I	Point-of-Service Entry Mode	71
	PAN entry mode codes	72
	PIN entry mode codes.....	74
J	Reject Reason Codes	75

Changes, April 2024

Section	Comments
Section 1, Enhanced Data File, page 5	• Various wording corrections • Extended Data field tags updated: • Multi-Clearing tag added. • Tag priority added
Changes, February 2024	
Section 1, Enhanced Data File, page 5	• Added Settlement Hold as a new type of transaction. • Added new HD tag to field 50.
Appendix E, Merchant Category Codes, page 39	• Airline MCC range expanded. • Lodging MCC range expanded. • Additional MCCs added.

1 Enhanced Data File

The Enhanced Data file can be used to:

- Perform auto-reconciliation between your host and NYCE
- Create management information reporting
- Supplement disaster recovery data repositories

You can receive this file using any of the following transmission methods:

- InfoManager file transfer system
- File Transmission Protocol (FTP)
- Connect:Direct-Network Data Mover (NDM)

There are multiple options for the type of transactions that can be contained in the file. These include:

- Issuer activity
- Acquirer activity
- Denied transactions
- ATM transactions
- POS transactions
- eCommerce transactions
- Balance inquiry transactions
- Preauthorization transactions
- On-Demand transactions
- File size (basic, extended, and full)
 - **Basic**—379 characters. Format does not include Field 50—Extended Data.
 - **Extended**—544 characters. Format includes Field 50—Extended Data, which adds 165 characters to the basic format.
 - **Full**—694 characters. Format includes Field 50—Extended Data, which adds 315 characters to the basic format.

In addition, depending on your processing requirements, you may elect to receive multiple files.

For instance, you may choose to separate your issuer and acquirer transactions into two files and include all transaction types (POS/ATM) in each file. Alternatively, you could create a basic file for all issuer and acquirer transactions, but that file would exclude On-Demand transactions and any exception data. This is especially useful since the POS and ATM transactions do not use field 50, Extended Data, which would be space-filled. This assumes you do not need the additional exception data passed in the "TE" token in field 50. A second extended or full file could then be created that only includes On-Demand transactions.

Presentation of Data

The file includes one header record, one detail record for each transaction, adjustment, and reversal processed by NYCE, followed by a trailer record. One detail record exists for the acquirer and one detail record exists for the issuer. In most cases, only one of these records will be present on the EDF for a transaction. However, loop-back transactions or files created for processors or multiple institutions could have both detail records for a single transaction, adjustment, or reversal.

Each detail record has a Target Type (field 45) that identifies whether the detail record relates to the acquirer or issuer.

The 3 amount fields (transaction, surcharge, chargeback) and associated signs are present in the data as they appear on the daily settlement reports.

- The Transaction Type (field 21) determines whether the transaction is present in the Debit, Credit, or Memo column. Debit and Credit columns are reversed between acquirer and issuer.
- The sign associated with each amount field is the way the amount appears in the column. Normal responses and over-dispenses are displayed in the column as positive. Full and partial reversals are displayed in the columns as negative.
- Cashback does not appear on the reports, but is reflected in the amount of the transaction. A cashback on a purchase increases the amount of the transaction. A cashback on a deposit reduces the amount of the transaction. Cashback can be viewed as additional data for a transaction and is not needed to reconcile money movement, for instance.

The cashback field is used as the amount of the exception for exception records. For these, the sign is set as it appears on the daily settlement reports, Exception Activity.

The impact flags (fields 47, 48, and 49) reflect how the various amount fields impact the target institution (acquirer or issuer). Use of these flags can provide a more direct action when using the file for disaster recovery posting, for instance. The flags can also provide a more direct way to handle processing related to money movement.

- The amount flag (field 47) indicates which column is used for the amount; Credit, Debit, or Memo. For instance, a withdrawal is a Credit to an acquirer and a Debit to an issuer. If the associated sign is negative for a reversal, the impact is a negative Credit or a negative Debit.
- The surcharge impact flag (field 48) is a Credit to the acquirer for a surcharge and a Debit to the acquirer for a rebate. Issuer impact is reversed and the sign identifies full and partial reversals.

When interchange is included in the EDF, the same approach is used for these amount fields, signs, and impact flag. However, in this case one interchange amount (field 17) relates to the acquirer detail record and the second interchange amount (field 41) relates to the issuer detail record.

- Interchange amounts appear as amounts with 4 decimal positions. NYCE does rounding after accumulation for purposes of money movement.

The transaction amount (field 22) includes any cashback amount (field 27) and the surcharge/rebate amount (field 25) for normal responses and reversals. This is normally the amount that is posted to a cardholder account. If individual amounts are needed, the surcharge/rebate and cashback amounts should be removed from the transaction amount.

NYCE presents over-dispense as a normal response (0210). While an over-dispense uses data fields normally associated with reversals, an over-dispense is not reversing anything. An over-dispense can be identified by the value **O** in the Response code, field 29.

Important: All fields are alpha-numeric, left-justified, and space filled as necessary unless otherwise defined.

Header record

Enhanced Data File—Header Record				
Field	Field Name	Starting Position	Field Length	Description
1	Record Part	1	1	Value: 0
2	Format Code	2	1	Value: Y
3	Settle Date	3	8	NYCE settlement date (CCYYMMDD format)
4	Create Date	11	4	The date the file was created (MMDD format); may be used if the file is recreated for the same settlement day or needs to be rerun
5	Create Time	15	6	The time the file was created (hhmmss format); may be used if the file needs to be rerun
6	Selection Criteria	21	345, 510, or 660	A series of arguments (each 10 characters long; left-justified and space-filled) used to create the file contents; basic record contains 34 arguments, extended record contains 51 arguments, and full record contains 66 arguments Format is XXYYYYYYYY, where XX=processor/institution type selection code (valid values include AP=acquirer processor IP=institution processor AI=acquirer institution II=issuer institution) and YYYYYYYY=the processor ID or FRDABA associated with the processor or institution
7	Filler	681	14	Space-filled

Basic record length: 379 positions
Extended record length: 544 positions
Full record length: 694 positions

Detail record for the Enhanced Data File

Enhanced Data File—Detail Record					
Field	Field Name	Starting Position	Field Length	Description	Data Source/ Reporting Information
1*	Record Part	1	1	Value: 1	
2*	Message Code	2	4	Valid values: 0210—Normal response, including over-dispense 0211—Exception (including adjustments, chargebacks, and representments) 0410—Reversal, full and partial 0890—Terminal admin If this field contains 0210, see 21* for the specific type of transaction and 29* for the result of the transaction or over-dispense. See 32 for more information. If this field contains 0211, see 22*, 24, 25, 27, 29*, and 31 for more information. If this field contains 0410, see 29* for the specific type of reversal. See 30 and 32 for more information. If this field contains 0890, only fields 1-8, 21-23, 29, and conditionally 35 will be populated; all other fields are space-filled.	
3*	Acquirer Processor	6	8	The terminal processor that originated this transaction	Contained in data element 063

Enhanced Data File—Detail Record					
Field	Field Name	Starting Position	Field Length	Description	Data Source/ Reporting Information
4*	Term Owning FRDABA	14	9	FRDABA and check digit of the FI that operates the terminal	Contained in data element 032 Reflected in the Term Bank field of the Settlement Report
5*	Switch Terminal Number	23	8	Terminal number assigned by NYCE	Contained in data element 063 Reflected in the Switch Terminal Number field of the Settlement Report
6*	Switch Sequence Number	31	8	Transaction sequence number assigned by NYCE	Contained in data element 011 Reflected in the Switch Term Sequence Number field of the Settlement Report
7*	Switch Date	39	4	The date on which the transaction request was received by NYCE (MMDD format)	Reflected in the Switch Date and Time field of the Settlement Report
8*	Switch Time	43	6	The time at which the transaction request was received by NYCE (hhmmss format)	Reflected in the Switch Date and Time field of the Settlement Report
9	Terminal Time	49	6	The time the transaction took place at the terminal (hhmmss format)	Contained in data element 012 Reflected in the Local Time field of the Settlement Report

Enhanced Data File—Detail Record					
Field	Field Name	Starting Position	Field Length	Description	Data Source/ Reporting Information
10	Terminal Date	55	4	The date the transaction took place at the terminal (MMDD format)	Contained in data element 013 Reflected in the Local Date field of the Settlement Report
11	Terminal ID Number	59	8	Actual terminal ID of the card accepting device	Contained in data element 041 Reflected in the Local Terminal Number field of the Settlement Report
12	Terminal Sequence Number	67	12	Sequence number assigned by the terminal	Contained in data element 037 Reflected in the Local Terminal Sequence Number field of the Settlement Report
13	Card Acceptor ID Code	79	15	Further identification of the card acceptor, normally the merchant for a POS transaction	Contained in data element 042
14	Terminal Name Location	94	74	See Terminal location for more information	Contained in data elements 043 and 048 Reflected in the Reg E Data field of the Settlement Report

Enhanced Data File—Detail Record					
Field	Field Name	Starting Position	Field Length	Description	Data Source/ Reporting Information
15	Terminal Details	168	3	Contains information on how the PAN was obtained and the type of acquiring terminal. Format is XY, where X=the offline PAN entry code Y=the terminal type code See Appendix I, Point-of-Service Entry Mode for valid offline PAN entry codes and Appendix F, National Point-of-Service Condition Code for valid terminal type codes. Since the source data elements are conditional and are not validated in the online message, your system should be able to accept any values including spaces in this field. Note: If position 1 of this field contains a 2, the PAN entry code in the online message could be 02 (magnetic stripe) or 90 (full magnetic stripe read) since the NYCE system translates 90 to 02 for offline reporting.	Contained in data elements 022 and 058
16	Merchant Type	171	4	See Appendix E, Merchant Category Codes for valid values	Contained in data element 018

Enhanced Data File—Detail Record					
Field	Field Name	Starting Position	Field Length	Description	Data Source/ Reporting Information
17	Terminal ICH Amount	175	7	Format 9(3)v9999; acquirer interchange fee; zero for issuer selection. This field will only be populated in the interchange version of this file when available. It is currently not available. The standard version will contain zeros. Edited Numeric	
18	Terminal ICH Sign	182	1	Sign for the terminal ICH amount (field 17) Valid values: space=positive hyphen (-)=negative See 49 for target FI impact information.	
19	Terminal Currency	183	3	Currency type at the device	Contained in data element 049
20	Acq Network	186	3	Identifying code for the network acquiring the transaction; see Appendix G, Network Identification Codes for more information. Valid values may be added; your system should accept any value including all spaces.	Contained in data element 063, sub-element 3 Reflected in the Acquirer Network ID field of the Settlement Report
21*	Transaction Type	189	2	See Appendix H, NYCE Transaction Codes for valid values	Contained in data elements 003 and 104 Reflected in the Tran Type field of the Settlement Report

Enhanced Data File—Detail Record					
Field	Field Name	Starting Position	Field Length	Description	Data Source/ Reporting Information
22*	Trans Amount	191	13	The amount of the transaction (9(11)v99 format) If 2*=0210, the net transaction amount and the surcharge amount of the original transaction or over-dispense with the sign set as positive (space). If 2*=0210 and 29*=D, the transaction was denied and this field is zerofilled to reflect a settled amount of \$0.00. If 2*=0211, the net transaction amount and surcharge amount of the original transaction with the sign set as positive (space) (see field 27 for exception or exception reversal amount.) If 2*=0410, the transaction amount and the surcharge of the reversal. The sign is negative for a full or partial reversal. If 2*=0890, this field contains the amount relating to cash for the ATM. See 47 for target FI impact information.	Generally contained in data element 004 unless data element 005 is present (e.g., CIRRUS, PLUS) Reflected in the Debit, Credit, Memo Amt field of the Settlement Report

Enhanced Data File—Detail Record					
Field	Field Name	Starting Position	Field Length	Description	Data Source/ Reporting Information
23*	Amount Sign	204	1	Sign for the transaction amount (field 22) as it appears on reports Valid values: space=positive hyphen (-)=negative Normal responses and over-dispenses are positive; reversals are negative for full or partial reversals. See 47 for target FI impact information	
24	Settle Currency Code	205	3	Value:840 If 2*=0211, this field is space-filled.	Contained in data element 050
25	Surcharge/Rebate Amount	208	7	Surcharge or rebate to be applied to this transaction (9(5)v99 format) If 2*=0211, this field is zero-filled. See 48 for target FI impact information.	Contained in data element 028 Reflected in the second line of the Debit, Credit Amt field of the Settlement Report
26	Surcharge/Rebate Sign	215	1	Sign for the surcharge/rebate amount (field 25) as it appears on reports Valid values: space=surcharge hyphen (-)=rebate See 48 for target FI impact information.	

Enhanced Data File—Detail Record					
Field	Field Name	Starting Position	Field Length	Description	Data Source/ Reporting Information
27	Cashback Amount	216	13	Amount of any cash back (9(11)v99 format) If 2*=0211 , the cashback amount and sign are used to show the total exception amount with the sign set as it appears on the settlement activity reports (see also 47 for the amount impact flag)	Contained in data element 054
28	Cashback Sign	229	1	Sign for the cashback amount (field 27) as it appears on reports Valid values: space =positive hyphen (-) =negative Normal responses are positive; reversals are negative for full or partial reversals.	
29*	Response Code	230	1	Code that identifies the resulting affect of the transaction. Valid values: A =approved D =denied F =full reversal O =over dispense P =partial reversal If 2*=0211 and the exception item is a good faith adjustment, only values A and D are valid. If 2*=0211 and the exception item is not a good faith adjustment, this field is space-filled.	Contained in data element 039 Reflected in the Exception field of the Settlement Report

Enhanced Data File—Detail Record					
Field	Field Name	Starting Position	Field Length	Description	Data Source/ Reporting Information
30	Reject Reason	231	2	Code that identifies the reason for a denied transaction (see Appendix J, Reject Reason Codes for more information) If 2*=0210 or 0410 and it is a normal approved transaction, this field is space-filled.	Contained in data element 039 Reflected in the Exception field of the Settlement Report
31	Authorizer Code	233	6	Code provided by the authorizer when approving a preauthorized transaction. If 2*=0211, this field contains the exception type left-justified and space-filled (see Appendix D, Exception Type Codes for more information). • If the fourth character in this field is a space, then it's a normal exception. • If the fourth character in this field is a C, then it's a cancelled exception. • If the fourth character in this field is a R, then it's an exception reversal. Note: This information is also contained in field 50, if exception (TES) transaction information is contained in the field.	Contained in data element 038

Enhanced Data File—Detail Record					
Field	Field Name	Starting Position	Field Length	Description	Data Source/ Reporting Information
32	Advice/Reversal Reason Code	239	2	If 2*=0210 and it is a normal approved transaction, this field is space-filled; if it is approved with an advice, this field contains the exception reason code (see for more information). If 2*=0410, this field contains the exception reason code (see Appendix C, Exception Reason Codes for more information).	Contained in data element 060 Reflected in the Exception field of the Settlement Report
33	Authorization Processor	241	8	The issuer/card processor that approved or denied the request.	Contained in data element 063
34	Card Owning FRDABA	249	9	FRDABA (and check digit) of the FI that issued the card.	Contained in data element 113 Reflected in the Card Bank field of the Settlement Report
35*	Cardholder	258	28	The identifying number of the cardholder. Source is Track 2, Track 1, Track 3, then PAN and PAN Extended (for manually entered transactions). If field 45 contains 'A', this is the value received from the acquirer. If field 45 contains 'I', this is the value sent to the issuer. If 2*=0890, this field is only populated if a plastic card was used to perform the administrative transaction	Contained in data elements 002, 034, 035, 036, or 045 Reflected in the Cardholder field of the Settlement Report

Enhanced Data File—Detail Record					
Field	Field Name	Starting Position	Field Length	Description	Data Source/ Reporting Information
36	Member Number	286	5	A value identifying the specific plastic card for a cardholder (if available); space-filled for acquirer selection.	Contained in data element 023
37	Account 1	291	28	The account number associated with the transaction (if available); for a two-part transaction, this is the <i>from</i> account. If field 45 contains 'A', this is the value received from the acquirer. If field 45 contains 'I', this is the value sent to the issuer or returned by the issuer.	Contained in data element 102 Reflected in the Account Number field of the Settlement Report
38	Account 2	319	28	For a two-part transaction, this is the <i>to</i> account. If field 45 contains 'A', this is the value received from the acquirer. If field 45 contains 'I', this is the value sent to the issuer or returned by the issuer.	Contained in data element 103 Reflected in the Account Number field of the Settlement Report
39	Account Qualifier 1	347	3	A code identifying the account the cardholder wanted to use for the transaction. For a two-part transaction, this is the <i>from</i> account.	Contained in data element 120. Reflected in the Account Qualifier field of the Settlement Report.
40	Account Qualifier 2	350	3	For a two-part transaction, this is the <i>to</i> account.	Contained in data element 120 Reflected in the Account Qualifier field of the Settlement Report

Enhanced Data File—Detail Record					
Field	Field Name	Starting Position	Field Length	Description	Data Source/ Reporting Information
41	Issuer ICH Amount	353	7	Format 9(3)v9999; issuer interchange fee; zero for acquirer selection. This field will only be populated in the interchange version of this file when available. It is currently not available. The standard version will contain zeros. Edited Numeric	
42	Issuer ICH Sign	360	1	Sign for the issuer ICH amount (field 41) Valid values: space=positive hyphen (-)=negative See 49 for target FI impact information.	
43	Issuer Currency Code	361	3	Issuer currency code	Contained in data element 050
44	Issuer Network	364	3	Identifying code for the network authorizing the transaction; see Appendix G, Network Identification Codes for more information. Valid values may be added; your system should accept any value including all spaces.	Contained in data element 063 Reflected in the Issuer Network ID field of the Settlement Report
45	Target Type	367	1	The type of FI to which this record applies. Valid values: A=acquirer I=issuer	


Enhanced Data File—Detail Record					
Field	Field Name	Starting Position	Field Length	Description	Data Source/ Reporting Information
46	Target Institution FRDABA	368	9	FRDABA (and check digit) of the FI to which this record applies.	
47	Amount Impact	377	1	Code that identifies the impact of 22* and 23* to the target FI. Valid values: C=Credit column on report D=Debit column on report M=Memo, no impact If 2*=0211, this code applies to the cashback amount, 27 and 28, which is the amount of the exception. If 2*=0890, this field is space-filled.	
48	Surcharge/Rebate Impact	378	1	Code that identifies the impact of 25 and 26 to the target FI. Valid values: C=Credit column on report D=Debit column on report M=Memo, no impact If 2*=0890, this field is space-filled.	
49	Interchange Impact	379	1	Code that identifies the impact of 17 and 18 (for terminal interchange) or 41 and 42 (for issuer interchange) to the target FI. Valid values: C=Credit column on report D=Debit column on report M=Memo, no impact If 2*=0890, this field is space-filled.	

Enhanced Data File—Detail Record					
Field	Field Name	Starting Position	Field Length	Description	Data Source/ Reporting Information
50	Extended Data	380	0 or 165 or 315	Additional data that may be present in the format of a 2-character identifier, 3-character length, and data; multiple fields may be present; see Extended Data formats for more information. <i>If you receive the basic enhanced data file</i>, this field is not present. <i>If you receive the extended enhanced data file</i>, this field is 165 characters long. <i>If you receive the full enhanced data file</i>, this field is 315 characters long.	

*—Fields 1-8, 21-23, 29, and 35 (conditional) will be included in terminal administrative transactions. These will always be approved transactions. The amount will carry a positive sign unless the transaction is a cash subtract, which would carry a negative sign.

Basic record length: 379 positions
Extended record length: 544 positions
Full record length: 694 positions

Terminal location



The terminal location has multiple formats. The standard format meets the specifications using data elements 043—Card Acceptor Name/Location and 048—Institution/Merchant Name in the *ISO 8583 Interface Specifications*. However, transactions from outside the NYCE Network may use other formats. The first two characters identify the format as follows:

Terminal Location Formats

If first two characters are spaces—standard format

1	Address	23 characters
2	Filler	5 characters
3	City	13 characters
4	Filler	2 characters
5	State	2 characters
6	Country	2 characters
7	Merchant/bank name	25 characters

If first two characters are 00—free format

1	Data	72 characters
---	------	---------------

If first two characters are 01—format 8

1	Address	17 characters
2	City	13 characters
3	State	2 characters
4	Bank name	14 characters
5	Filler	26 characters

If first two characters are MT—MTF format

1	Address	18 characters
2	City	13 characters
3	State	2 characters
4	Bank name	14 characters
5	Filler	25 characters

Extended Data formats

Field 50, Extended Data, is a tagged field. Data tags are in the format:

- 2 character tag ID
- 3 digit length of data that follows
- 1-100 characters of data, space-filled to 100 characters if full length is not utilized.

Data tags will be present in the following priority. Tags will only be present if there is data to populate:

- TE—Exception (TES) Data
- ED—On Demand Transaction Description
- CS—Multi-Clearing Data
- TC—Transaction Condition Data

Data is limited to the length of the Extended Data Field.

Other data tags defined in this specification are not currently being used and will be prioritized in the future.



Important: Please review the following information when setting up your system to receive the Enhanced Data file:

- ***If you receive the basic enhanced data file***, field 50, Extended Data is not present.
 - ***If you receive the extended enhanced data file***, field 50, Extended Data is 165 characters long.
 - ***If you receive the full enhanced data file***, field 50, Extended Data is 315 characters long.
-

Exception (TES) Data

Exceptions are presented in TES with the settled transaction amount and settled surcharge/rebate as discreet fields from the original transaction. This differs from the content of fields 22 and 25 of the detail record.

The user then enters the actual amount and actual surcharge for the transaction.

TES will then calculate the amount of the exception that appears in field 27 of the detail record.

All amounts in the TE tagged data are in the settled currency code, field 24 of the detail record.

TE—Exception (TES) Data (data length: 76 positions; source: multiple data elements)		
Position	Length	Content
1	4	Exception type; see Appendix D, Exception Type Codes Note: This data is also contained in field 31 of the detail record.
5	2	Exception reason; see Appendix A, Exception Item Reason Codes
7	2	Exception response code—present for good faith adjustments only; space-filled for all other types, see Appendix B, Exception Item Response Codes Note: A denial exception response code will cause field 29 to contain the value D .
9	13	Settled amount (format 9(11)v99)—transaction amount of the original financial transaction.
22	1	Settled amount sign. (space =positive; hyphen (-) =negative)
23	9	Settled surcharge amount (format 9(7)v99)—transaction surcharge amount of the original financial transaction.
32	1	Settled surcharge amount sign. (space =positive; hyphen (-) =negative)
33	15	Actual amount (format 9(13)v99)—amount the cardholder actually received.
48	1	Actual amount sign. (space =positive; hyphen (-) =negative)
49	9	Actual surcharge amount (format 9(7)v99)—surcharge amount the cardholder was actually charged.
58	1	Actual surcharge amount sign. (space =positive; hyphen (-) =negative)
59	18	Exception Trace Number—unique number assigned to identify the record on the NYCE Exception system.

On-Demand Transaction Description

ED—On Demand Transaction Description (data length: 26 positions; source: Data Element 104)		
Position	Length	Content
1	8	Intended use flag
9	3	Business flag
12	15	Message trace value

Multi-Clearing Data

CS—Multi-Clearing Data (data length: 4 positions; source: Data Element 124 CN and SN tags)		
Position	Length	Content
1	2	Multi-Clear Count Number, from DE 124 CN tag
3	2	Multi-Clear Sequence Number, from DE 124 SN tag

Transaction Condition Data

TD—Transaction Condition Data (data length: 18 positions; source: Data Elements 022,058, 063.7, Track 2)		
Position	Length	Content
1	1	PIN Entry Mode, from DE 022.2
2	11	POS Condition Code, from DE 058
13	3	Terminal capability, from DE 063.7
16	2	Blank, reserved for future use
17	1	Service code from Track 2, blank when not available

Dynamic Routing Token

IX—On Dynamic Routing Token (data length: 3 positions)		
Position	Length	Content
1	3	Dynamic Routing Token assigned by NYCE

Health Care Data

HC—Health Care Data (data length: 1 position; source: Data Element 124)		
Position	Length	Content
1	1	IIAS flag

Settlement Hold Data

HD—Settlement Hold Data (data length: 2 positions)		
Position	Length	Content
1	2	Maximum number of days settlement will be held

Trailer record

Enhanced Data File—Trailer Record				
Field	Field Name	Starting Position	Field Length	Description
1	Record Part	1	1	Value: 9
2	Data Record Total	2	7	Number of data records between the header and trailer Edited Numeric
3	Hash Total	9	14	Sum of transaction amount (right-justified; zero-filled) Edited Numeric Note: If the sum is more than 14 digits in length, then the left-most numbers are dropped.
4	Filler	23	357, 522, or 672	Space filled, but may contain additional internal data not pertinent to the receiving endpoint. Note: The length of this field is determined by whether the record received is a basic record, extended record, or full record.

Basic record length: 379 characters
Extended record length: 544 characters
Full record length: 694 characters

A Exception Item Reason Codes

The exception item reason codes are used to identify the conditions that cause a request's initiation. Code value selection is based on the client's established adjustment processing procedures. In the table, the X shows when you use the reason code.

Code	Description	Acq Adj ^a	Iss CB ^b	Adj CB ^c	Rep ^d	Rep Denial	Fraud Reported	Edits
AA	Terminal error	X						
AB	Payment not posted	X						
A1	Cardholder Dispute		X					
A2	Account not available		X					Requires text
A3	Merchandise not received		X					
A4	Merchandise not described		X					Requires text
A5	Transaction Amount Differs		X					
A6	Duplicate Transaction		X					
A7	Credit not received		X					
CA	Cardholder dispute			X				Requires text
CB	Account not available			X				Requires text
CC	Chip Counterfeit		X					Requires text
CF	No AVS provided		X					
E1	Keying error	X	X					ATM, only Settle amt>zero Actual amt>zero Settle, actual amt not equal
E2	Empty envelope	X						Settle amt>zero Actual amt=zero Settle amt>Actual amt

Code	Description	Acq Adj ^a	Iss CB ^b	Adj CB ^c	Rep ^d	Rep Denial	Fraud Reported	Edits
E3	Item unpresentable	X						ATM only Settle amt>zero Actual amt>=zero Settle amt>Actual amt
E4	Returned item	X						ATM only Settle amt>zero Actual amt - no edit Settle amt>Actual amt
E5	Missing envelope	X						ATM only Settle amt>zero Actual amt=zero Settle, Actual amt not equal
F1	Counterfeit						X	Requires text
F2	Lost/Stolen						X	Requires text
F3	Card Not Present Fraud						X	Requires text
F4	Takeover/ID Theft						X	Requires text
F5	Card Not Received						X	Requires text
F6	Unauthorized						X	Requires text
P1	A2A money transfer credit, wrong account	X	X					Requires text Settle amt>zero Actual amt=zero Settle amt>Actual amt
P2	A2A money transfer credit, wrong amount	X	X					Requires text Settle amt>zero Actual amt>=zero Settle, Actual amt not equal
P3	A2A money transfer credit, no quick availability	X	X					Requires text Settle amt>zero Actual amt=zero Settle amt>Actual amt

Code	Description	Acq Adj ^a	Iss CB ^b	Adj CB ^c	Rep ^d	Rep Denial	Fraud Reported	Edits
R1	Documentation provided				X			
R2	Chargeback not allowed				X			
R3	Represent Denial					X		
UF	Unauthorized Fraud		X					

^a Acq Adj=acquirer adjustments, deposit corrections, and good faith adjustments.

^b Iss CB=issuer initiated chargebacks and issuer initiated deposit chargebacks.

^c Adj CB=chargeback of an acquirer adjustment and chargeback of a deposit correction.

^d Rep=all representments.

^e Rep Denial=all representment denials.

Note: Free form messages do not use a reason code.

B Exception Item Response Codes

The exception item response codes are used to identify the reasons for acceptance or denial of a good faith adjustment by the receiver.

Code	Reason
RA	Approve, no documentation required
RB	Approve, documentation required
RD	Deny (text required)
XP	Denied, expired by system

C Exception Reason Codes

Exception reason codes (also known as reason for down codes) indicate that a transaction is an exception—a reversal or a force-post item. The code describes one of the following:

- Who **reversed** the transaction and for what reason
- Who **stood in** for the transaction and for what reason

These codes may appear in reports and files generated by NYCE.

Depending on the circumstances of the transaction processing, the transaction in question can appear twice on the reports.

- If the transaction is a reversal, it may appear once with a positive transaction amount and then a second time with a negative transaction amount.
- If the transaction was a force-post item, it will only appear once on the report.

Code (used in reports and files)	Description	Abbreviation (used in reports)
spaces	The switch rejected the transaction.	SWITCH RJ
_1	A communications error at NYCE occurred while processing the transaction, and it could not be completed.	COMM ERR
_2	The terminal experienced some error while processing the transaction.	TERM ERR
_3*	The switch timed out the transaction before an end point acknowledged the transaction (used in stand-in processing).	SW TIMEOUT
_4	A terminal or other device on the system (for example, HSM) experienced an error while processing the transaction.	DEVICE ER
_M*	The issuer processor was not signed on and no stand-in processing was allowed (used in stand-in processing).	NO SIGNIN
_N*	The issuer processor was down (used in stand-in processing).	DOWN
_O*	The transaction timed out (used in stand-in processing).	TIME OUT
_X*	The response was too late (used in stand-in processing).	SW LATE
06	The terminal experienced some error while processing the transaction.	TERM ERR

Code (used in reports and files)	Description	Abbreviation (used in reports)
07	The ATM terminal experienced some error while processing the transaction.	ATM ERR
08*	The transaction had completed but either the final acknowledgment from a terminal was not received or there was a late response from the issuer (used in stand-in processing).	LATE RESP
09	Transaction was backed out due to suspicious circumstances.	SUSPBKOUT
10	Transaction was backed out due to suspicious circumstances.	SUSPBKOUT
11	Misdispense at an ATM.	MIS DISP
12	Misdispense at an ATM.	MIS DISP
13	The terminal requested the last transaction be canceled.	CNCL LAST
81*	The issuer requested stand-in processing (used in stand-in processing).	ISS REQ
AA	A PIN-less transaction was force-posted.	PINLESSFP
AC	The transaction was authorized at a POS terminal, possibly while the terminal was offline. It was subsequently sent as a force-post advice.	POS AUTHN
AL	The transaction was authorized since it was under the POS floor limit. It was then sent as a force-post advice.	UNDRFLLIM
AR	Authorized merchandise return.	POS RETRN
BA	Full malfunction at the terminal.	MALFU FUL
BB	Partial malfunction at the terminal.	MALFU PAR
BC	The customer canceled the transaction.	CUST CANC
BD	The transaction timed out.	TIMEOUT
BE	Communications failure.	COMM FAIL
BF	An invalid response was received.	INV RESP
BG	The transaction occurred under suspicious circumstances.	SUSP REV
BH	POS transaction was for invalid amount (for example, over/under floor limit).	POSINVAMT
BJ	A POB transaction was canceled at the terminal.	POB CANCL
BK	A scrip transaction, previously authorized, expired before the confirmation was received.	SCRIP EXP

Code (used in reports and files)	Description	Abbreviation (used in reports)
F1	The merchant terminal forced a reversal of a previously authorized transaction.	MERCHT FP
FA	A POS transaction authorized from an alternative backup source. Transaction is the force-post advice.	POSALTATH
FM	The POS merchant terminal forced a reversal of a previously authorized transaction.	MERCHT FP
MA	A POS transaction was authorized at the merchant location.	MERCHAUTH
NC	No completion message was received.	NO COMPL
PA	Completion of POS preauthorization.	POSAUTH
PD	A transaction was previously authorized. This is the force-post advice to follow.	PREAUTHDB
QB	Encryption key error.	SECURITY

*—codes used during stand-in processing

_ indicates a blank space

D Exception Type Codes

Exception type codes describe the type of exception.

Code	Long Description
AD1	Acquirer adjustment
AD1C*	Acquirer adjustment cancel
AD1R	Acquirer adjustment reversal
AD2	Late acquirer adjustment
AD2C*	Late acquirer adjustment cancel
AD2R	Late acquirer adjustment reversal
CA1	Issuer chargeback
CA1C*	Issuer chargeback cancel
CA1R	Issuer chargeback reversal
CA2	Adjustment chargeback
CA2C*	Adjustment chargeback cancel
CD1	Issuer deposit chargeback
CD1C*	Issuer deposit chargeback cancel
CD1R	Issuer deposit chargeback reversal
CD2	Deposit correction chargeback
CD2C*	Deposit correction chargeback cancel
DC1	Deposit correction
DC1C*	Deposit correction cancel
DC1R	Deposit correction reversal
FR1	Fraud Reported
FR1C*	Fraud Reported cancel
FRE	Free form message
GF1	Good faith adjustment
GF1C*	Good faith adjustment cancel

Code	Long Description
GF1D	Good faith adjustment response
RA1	Issuer chargeback representment
RA1C*	Issuer chargeback represent cancel
RA1R	Issuer chargeback representment reversal
RA2	Adjustment representment
RA2C*	Adjustment representment cancel
RA2R	Adjustment representment reversal
RA3	Chargeback representment denial
RA3C*	Chargeback representment denial cancel
RA3R	Chargeback representment denial reversal
RA4	Adjustment representment denial
RA4C*	Adjustment representment denial cancel
RA4R	Adjustment representment denial reversal
RD1	Issuer deposit chargeback representment
RD1C*	Issuer deposit chargeback representment cancel
RD1R	Issuer deposit chargeback representment reversal
RD2	Deposit correction representment
RD2C*	Deposit correction representment cancel
RD2R	Deposit correction representment reversal
RD3	Deposit chargeback representment denial
RD3C*	Deposit chargeback representment denial cancel
RD3R	Deposit chargeback representment denial reversal
RD4	Deposit correction representment denial
RD4C*	Deposit correction representment denial cancel
RD4R	Deposit correction representment denial reversal

* Cancel transactions are not valid for TES batches files.

E Merchant Category Codes

The following table lists the merchant category codes that may be used in Data Element 018—Merchant Type to specify the type of merchant acquiring a NYCE purchase transaction.

Merchant Category Codes	
Value	Description
0742	Veterinary Services
0763	Agricultural Cooperatives
0780	Horticultural and Landscaping Services
1520	General Contractors—Residential and Commercial Buildings
1711	Heating, Plumbing, Air Conditioning Contractors
1731	Electrical Contractors
1740	Masonry, Stonework, Tile Setting, Plastering, Insulation Contractors
1750	Carpentry Contractors
1761	Roofing and Siding, Sheet Metal Work Contractors
1771	Concrete Work Contractors
1799	Special Trade Contractors, not classified elsewhere
2741	Miscellaneous Publishing and Printing
2791	Typesetting, Plate Making, and Related Services
2842	Specialty Cleaning, Polishing, and Sanitation Preparations
3000–3308	Airlines, Air Carriers
3351–3441	Car Rental Agencies
3501–3839	Lodging—Hotels, Motels, Casinos, Resorts
3998	China Railway
4011	Railroads—Freight
4111	Local/Suburban Commuter Passenger Transportation; Ferries
4112	Passenger Railways

Merchant Category Codes	
Value	Description
4119	Ambulance Services
4121	Taxicabs, Limousines
4131	Bus Lines
4214	Motor Freight Carriers; Trucking: Local/Long Distance; Moving and Storage; Local Delivery
4215	Courier Services—Air and Ground, Freight Forwarders
4225	Public Warehousing—Farm Products, Refrigerated/Household Goods
4411	Cruise Lines
4457	Boat Rentals, Boat Leases
4468	Marinas, Marine Service/Supplies
4511	Airlines, Air Carriers—not classified elsewhere
4582	Airports, Flying Fields, Airport Terminals
4722	Travel Agencies and Tour Operators
4723	Package Tour Operators
4733	Ticket sales for large scenic spots
4761	Telemarketing: Travel Related Services, Vitamins
4784	Tolls, Bridge and Road Fees
4789	Transportation Services, not classified elsewhere
4812	Telecommunication Equipment, including Telephone Sales
4813	Key-entry Telecommunication merchant providing single local and long-distance phone calls using a central access number in a nonface-to-face environment using key entry
4814	Telecommunication Services including but not limited to prepaid phone services and recurring phone services
4815	MasterPhone™ Telephone Service—Monthly Summary Telephone Charges
4816	Computer Network/Information Services
4821	Telegraph Services
4829	Money Transfer
4899	Cable, Satellite, and Other Pay Television and Radio Services
4900	Utilities—Electric, Gas, Water, Sanitary

Merchant Category Codes	
Value	Description
5013	Motor Vehicle Supplies and New Parts
5021	Office and Commercial Furniture
5039	Construction Materials—not classified elsewhere
5044	Office, Photographic, Photocopy, and Microfilm Equipment
5045	Computers, Computer Peripheral Equipment, Software
5046	Commercial Equipment—not classified elsewhere
5047	Dental/Laboratory/Medical/Ophthalmic Hospital Equipment and Supplies
5051	Metal Service Centers and Offices
5065	Electrical Parts and Equipment
5072	Hardware Equipment and Supplies
5074	Plumbing and Heating Equipment
5085	Industrial Supplies—not classified elsewhere
5094	Precious Stones and Metals, Watches and Jewelry
5099	Durable Goods—not classified elsewhere
5111	Stationery, Office Supplies, Printing and Writing Paper
5122	Drugs, Drug Proprietors, and Druggists Sundries
5131	Piece Goods, Notions, and Other Dry Goods
5137	Men's, Women's, and Children's Uniforms and Commercial Clothing
5139	Commercial Footwear
5169	Chemicals and Allied Products—not classified elsewhere
5172	Petroleum and Petroleum Products
5192	Books, Periodicals, and Newspapers
5193	Florists Supplies, Nursery Stock, and Flowers
5198	Paints, Varnishes, and Supplies
5199	Nondurable Goods—not classified elsewhere
5200	Home Supply Warehouse Stores
5211	Building Materials, Lumber Stores
5231	Glass, Paint, Wallpaper Stores
5251	Hardware Stores

Merchant Category Codes	
Value	Description
5261	Nurseries, Lawn, Garden Supply Stores
5262	eComm Operator with Service from Multiple 3 rd Parties
5271	Mobile Home Dealers
5300	Wholesale Clubs, Warehouse Stores
5309	Duty Free Stores
5310	Discount Stores
5311	Department Stores
5331	Variety Stores
5398	Corporate Wholesale
5399	Miscellaneous General Merchandise Stores
5411	Grocery Stores, Supermarkets
5422	Freezer, Locker Meat Provisioners
5441	Candy, Nut, Confectionery Stores
5451	Dairy Products Stores
5462	Bakeries
5499	Miscellaneous Food Stores—Specialty Stores, Markets, Convenience Stores, Vending Machines
5511	Auto and Truck Dealers (new and used)—Sales, Service, Repairs, Parts and Leasing
5521	Auto and Truck Dealers (used only)—Sales
5531	Auto Stores, Home Supply Stores
5532	Automotive Tire Stores
5533	Automotive Parts, Accessories Stores
5541	Service Stations
5542	Automated Fuel Dispensers
5551	Boat Dealers
5552	Electric Vehicle Charging
5561	Recreational and Utility Trailers, Camper Dealers
5571	Motorcycle Shops and Dealers

Merchant Category Codes	
Value	Description
5592	Motor Home Dealers
5598	Snowmobile Dealers
5599	Miscellaneous Automotive, Aircraft, and Farm Equipment Dealers—not classified elsewhere
5611	Men's and Boy's Clothing and Accessory Stores
5621	Women's Ready to Wear Stores
5631	Women's Accessory and Specialty Stores
5641	Children's and Infant's Wear Stores
5651	Family Clothing Stores
5655	Sports Apparel, Riding Apparel Stores
5661	Shoe Stores
5681	Furriers, Fur Shops
5691	Men's and Women's Clothing Stores
5697	Tailors, Seamstresses, Mending, Alterations
5698	Wig and Toupee Stores
5699	Miscellaneous Apparel and Accessory Stores
5712	Furniture, Home Furnishings and Equipment, not Appliances
5713	Floor Covering Stores
5714	Drapery, Window Coverings, and Upholstery Stores
5718	Fireplace, Fireplace Screens and Accessories Stores
5719	Miscellaneous House Furnishing Specialty Stores
5722	Household Appliance Stores
5732	Electronic Sales
5733	Music Stores, Musical Instruments, Pianos, Sheet Music
5734	Computer Software Stores
5735	Record Stores
5811	Caterers
5812	Eating Places, Restaurants
5813	Drinking Places (Alcoholic Bev)—Bars, Taverns, Nightclubs

Merchant Category Codes	
Value	Description
5814	Fast Food Restaurants
5815	Digital Goods—Audiovisual Media Including Books, Movies, and Music
5816	Digital Goods—Games
5817	Digital Goods—Software Applications (Excluding Games)
5818	Large Digital Goods, Merchant
5912	Drug Stores, Pharmacies
5921	Package Stores, Beer, Wine, Liquor
5931	Used Merchandise Stores, Secondhand Stores
5932	Antique Shops—Sales, Repairs, and Restoration Services
5933	Pawn Shops
5935	Wrecking and Salvage Yards
5937	Antique Reproduction Stores
5940	Bicycle Shops—Sales and Service
5941	Sporting Goods Stores
5942	Book Stores
5943	Stationery, Office, and School Supply Stores
5944	Jewelry, Watches, Clocks, and Silverware Stores
5945	Hobby, Toy and Game Stores
5946	Camera and Photographic Supply Stores
5947	Gift, Card, Novelty, and Souvenir Stores
5948	Luggage and Leather Goods Stores
5949	Sewing, Needlework, Fabric, and Piece Goods Stores
5950	Glassware and Crystal Stores
5960	Direct Marketing—Insurance Services
5961	Mail Order Houses: Catalog Order Stores, Book & Record Clubs
5962	Direct Marketing—Travel-Related Arrangement Services
5963	Door-to-Door Sales
5964	Direct Marketing—Catalog Merchants
5965	Direct Marketing—Combination Catalog and Retail Merchants

Merchant Category Codes	
Value	Description
5966	Direct Marketing—Outbound Telemarketing Merchants
5967	Direct Marketing—Inbound Telemarketing Merchants
5968	Direct Marketing—Continuity/Subscription Merchants
5969	Direct Marketing—Other Direct Marketers-not classified elsewhere
5970	Artist Supply and Craft Stores
5971	Art Dealers and Galleries
5972	Stamp and Coin Stores—Philatelic and Numismatic Supplies
5973	Religious Goods Stores
5974	Rubber Stamp Stores
5975	Hearing Aids—Sales, Service, and Supply Stores
5976	Orthopedic Goods—Artificial Limb Stores
5977	Cosmetic Stores
5978	Typewriter Stores—Sales, Service, Rentals
5983	Fuel Dealers—Fuel Oil, Wood, Coal, Liquefied Petroleum
5992	Florists
5993	Cigar Stores and Stands
5994	News Dealers and Newsstands
5995	Pet Shops, Pet Food and Supplies
5996	Swimming Pools—Sales and Supplies
5997	Electric Razor Stores—Sales and Service
5998	Tent and Awning Stores
5999	Miscellaneous and Specialty Retail Stores
6010	Financial Institutions—Manual Cash Disbursements
6011	Financial Institutions—Automated Cash Disbursements
6012	Financial Institutions—Merchandise and Services
6050	Member Financial Institution—Quasi Cash
6051	Non Financial Institutions—Foreign Currency, Money Orders, Scrip, Cryptocurrency
6211	Securities—Brokers and Dealers

Merchant Category Codes	
Value	Description
6300	Insurance Sales, Underwriting, and Premiums
6381	Insurance
6399	Insurance—Unclassified
6513	Real Estate Agents and Managers—Rentals
6529	Remote Stored Value Load—Member Financial Institution
6530	Remote Stored Value Load—Merchant
6531	Payment Service Provider
6532	Payment Transaction—Member Financial Institution
6533	Payment Transaction—Nonmember Payment Service Provider
6534	Money Transfer—Member Financial Institution
6535	Value Purchase—Member Financial Institution
6540	Stored Value card/purchase/load (Non-Financial Institutions)
6611	Overpayments, Reclamation
6760	Savings Bonds
7011	Lodging—Hotels, Motels, Resorts—not classified elsewhere
7012	Timeshares
7013	Real Estate Agents—Brokers
7032	Sporting and Recreational Camps
7033	Trailer Parks and Campgrounds
7210	Laundry, Cleaning and Garment Services
7211	Laundry Services—Family and Commercial
7216	Dry Cleaners
7217	Carpet and Upholstery Cleaning
7221	Photographic Studios
7230	Beauty and Barber Shops
7251	Shoe Repair Shops, Shoeshine Parlors, Hat Cleaning Shops
7261	Funeral Service and Crematories
7273	Dating and Escort Services
7276	Tax Preparation Service

Merchant Category Codes	
Value	Description
7277	Counseling Service—Debt, Marriage, Personal
7278	Buying and Shopping Services and Clubs
7279	Debit Counseling
7280	Private Hospital
7295	Babysitting and Housekeeping Services
7296	Clothing Rental—Costumes, Uniforms, and Formal Wear
7297	Massage Parlors
7298	Health and Beauty Spas
7299	Miscellaneous Personal Services, not classified elsewhere
7311	Advertising Services
7321	Consumer Credit Reporting Agencies
7322	Debt Collection Agencies
7332	Blueprinting and Photocopying Services
7333	Commercial Photography, Art, Graphics
7338	Quick Copy, Reproduction, and Blueprinting Services
7339	Stenographic and Secretarial Support Services
7341	Window Cleaning Services
7342	Exterminating and Disinfecting Services
7349	Cleaning and Maintenance, Janitorial Services
7361	Employment Agencies, Temporary Help Services
7372	Computer Programming, Integrated System Design, and Data Processing Services
7374	Internet Services
7375	Information Retrieval Services
7379	Computer Maintenance, Repair, and Services—not classified elsewhere
7389	Telemarketing other than Travel Related Services
7392	Management, Consulting, Public Relations Services
7393	Detective and Protective Agencies, Security Services including Armored Cars, Guard Dogs

Merchant Category Codes	
Value	Description
7394	Equipment Rental and Leasing Services, Tool/Furniture/Appliance Rentals
7395	Photofinishing Laboratories, Photo Developing
7399	Business Services, not classified elsewhere
7511	Truck Stop Transactions
7512	Automobile Rental and Leasing—not classified elsewhere
7513	Truck and Utility Trailer Rental
7519	Motor Home and Recreational Vehicle Rental
7523	Automobile Parking Lots and Garages
7531	Automobile Body Repair Shops
7534	Tire Retreading and Repair Shops
7535	Automotive Paint Shops
7538	Automotive Service Shops
7542	Car Washes
7549	Towing Services
7622	Electronic Repair Shops
7623	Air Conditioning and Refrigeration Repair Shops
7629	Electrical and Small Appliance Repair Shops
7631	Watch, Clock, and Jewelry Repair Shops
7641	Reupholstery and Furniture Repair, Furniture Refinishing
7692	Welding Repair
7699	Miscellaneous Repair Shops and Related Services
7800	Government Owned Lottery
7801	Internet Gambling
7802	Government Licensed Horse/Dog Racing
7829	Motion Picture and Video Tape Production and Distribution
7832	Motion Picture Theaters
7833	Motion Picture Theaters (Quick Payment Services)
7841	Video Tape Rental Stores
7911	Dance Halls, Studios, and Schools

Merchant Category Codes	
Value	Description
7922	Theatrical Producers (except Motion Pictures), Ticket Agencies
7929	Bands, Orchestras, and Entertainers—not classified elsewhere
7932	Billiard and Pool Establishments
7933	Bowling Alleys
7941	Athletic Fields, Commercial Sports, Professional Sports Clubs, Sports Promoters
7991	Tourist Attractions and Exhibits
7992	Golf Courses, Public
7993	Video Amusement Game Supplies
7994	Video Game Arcades/Establishments
7995	Gambling Transactions
7996	Amusement Parks, Carnivals, Circuses, Fortune Tellers
7997	Clubs—Country Clubs, Membership (Athletic, Recreation, Sports), Private Golf Courses
7998	Aquariums, Dolphinariums, Zoos, and Seaquariums
7999	Recreation Services—not classified elsewhere
8011	Doctors—not classified elsewhere
8021	Dentists, Orthodontists
8031	Osteopathic Physicians
8041	Chiropractors
8042	Optometrists, Ophthalmologist
8043	Opticians
8044	Optical Goods and Eyeglasses
8049	Chiropodists, Podiatrists
8050	Nursing and Personal Care Facilities
8062	Hospitals
8071	Dental and Medical Laboratories
8082	Home Health Care Service
8099	Health Practitioners, Medical Services—not classified elsewhere
8111	Attorneys, Legal Services

Merchant Category Codes	
Value	Description
8211	Schools, Elementary and Secondary
8220	Colleges, Universities, Professional Schools, and Junior Colleges
8240	Vocational Schools
8241	Schools, Correspondence
8244	Schools, Business and Secretarial
8249	Schools, Trade and Vocational
8299	Schools and Educational Services—not classified elsewhere
8351	Child Care Services
8398	Organizations, Charitable and Social Service
8641	Associations—Civic, Social, and Fraternal
8651	Organizations, Political
8661	Organizations, Religious
8675	Automobile Associations
8699	Organizations, Membership—not classified elsewhere
8734	Testing Laboratories (nonmedical)
8911	Architectural, Engineering, and Surveying Services
8912	Fitment, Ornaments, and Gardening
8931	Accounting, Auditing, and Bookkeeping Services
8999	Professional Services—not classified elsewhere
9211	Court Costs including Alimony and Child Support
9222	Fines
9223	Bail and Bond Payments
9311	Tax Payments
9399	Government Services—not classified elsewhere
9400	Embassy Fee Payments
9401	Food Stamps
9402	Postal Services—Government Only
9405	Intra-Government Purchases—Government Only
9406	Government Owned Lottery

Merchant Category Codes	
Value	Description
9411	Government Loan Payments
9700	International Automated Referral Service
9702	GCAS Emergency Services
9751	U.K. Supermarkets, Electronic Hot File
9752	U.K. Petrol Stations, Electronic Hot File
9754	Gambling—Horse Racing, Dog Racing, State Lotteries
9950	Internal Sales—Corporate

F National Point-of-Service Condition Code

The following tables describe the terminal class, presentation type, and security condition codes for Data Element 058—National Point-of-Service Condition Code.

Terminal class (positions 1–3)

Within the national POS condition code, positions 1–3 identify the terminal class.

Position 1 Terminal Class	
ISO Code	Description
0	Attended
1	Unattended

Position 2 Terminal Class	
ISO Code	Description
0	Customer-operated
1	Merchant-operated
2	Administrative

Position 3 Terminal Class	
ISO Code	Description
0	On premise (ATM on-site branch)
1	Off premise

Note: Pursuant to the definition of Off-Premises ATM Terminals in the *NYCE Network Operating Rules*, off-premise ATM interchanges must contain the following data points for positions 1, 2, and 3:
 1=unattended
 0=customer operated
 1=off premise

Presentation type (positions 4–7)

Within the national POS condition code, positions 4–7 identify the presentation type.

Position 4 Presentation Type	
ISO Code	Description
0	Customer present
1	Customer not present
2	Mail and/or telephone order (customer not present)
4	Recurring payment
8	Completion of a preauthorized transaction

Position 5 Presentation Type	
ISO Code	Description
0	Card/Account (document) present
1	Card/Account (document) not present
8	Completion of a preauthorized transaction

Position 6 Presentation Type	
ISO Code	Description
0	Device does not have card retention capability
1	Device has card retention capability

Position 7 Presentation Type	
ISO Code	Description
0	Original presentment
4	Submission of merchant store-and-forward transaction (first attempt)
5	Resubmission of merchant store and forward transaction (additional attempts)
8	POS Transaction Status—Account Status Inquiry

Presentation type examples (positions 4–7)

The following table shows some possible combinations for positions 4–7 that may be used in NYCE transactions.

Positions 4-7 Presentation Type Examples	
ISO Code	Description
0010	Customer and card present, device capable of retaining card (ATM with transport reader)
0000	Customer and card present, device cannot retain card (POS, ATM with dip/swipe reader)
0004	Submission of merchant store-and-forward transaction (first attempt)
0005	Resubmission of merchant store-and-forward transaction (additional attempts)
8800	Preauthorized purchase/completion

Security condition (position 8)

The security condition code is found in position 8 of the national POS condition code.

Position 8 Security Conditions	
ISO Code	Description
0	No security check performed
1	Suspected fraud
2	Identification verified *This value is used for Digital Wallet transactions to indicate the customer was validated when opening the wallet with a passcode, fingerprint, or any other biometric identification.
4	Nonsecure/security unknown, electronic commerce transaction
8*	CVx validated and valid *Issuer may receive this value from NYCE performing CVx Validation. Not valid from an acquirer.
9*	CVx validated and is invalid *Issuer may receive this value from NYCE performing CVx Validation. Not valid from an acquirer.
A*	Internet PIN Debit Transaction *FIS/Internal Use Only.

Terminal type (positions 9–10)

The terminal type is found in positions 9–10 of the national POS condition code.

Positions 9–10 Terminal Type	
ISO Code	Description
00	Administrative terminal
01	POS terminal
02	ATM
03	Home terminal
04	ECR
05	Dial terminal
06	Travelers check dispenser
07	Fuel dispenser

Positions 9–10 Terminal Type	
ISO Code	Description
08	Scrip terminal
09	Coupon machine
10	Ticket dispenser
11	Point-of-Banking terminal
12	Teller
13	Franchise teller
14	Personal banking
15	Public utility
16	Vending
17	Self-service
18	Authorization
19	Payment
20	VRU
21	Smart phone
22	Interactive television
23	Personal digital assistant (PDA)
24	Screen phone/mobile phone
25	Internet device/electronic commerce
26	Transponder/MICR terminal

Terminal type examples

The following table shows how certain terminals or devices used in NYCE may be represented using the codes defined above.

Terminal Type Examples		
Position 1-3	Position 9-10	Terminal Class/Type Description
011	01	POS terminal
100	02	On premise ATM
101	02	Off premise ATM
101	03	Home terminal
001	05	Dial terminal
101	06	Travelers check dispenser
101	07	Fuel dispenser
101	10	Ticket dispenser
011	11	Point-of-banking terminal
101	19	Bill payment terminal
101	25	P2P transfer terminal
101	25	eCommerce terminal

Card data input capability (position 11)

Note: The issuer can elect to receive this position for all acquired transactions.

Note: The acquirer must include this data for all transactions.

Position 11 Card Data Input Capability	
ISO Code	Description
0	Unknown
1	Manual, no terminal
2	Magnetic stripe
3	Bar code/QR code
4	OCR
5	Contact Chip-Integrated Circuit Card (ICC)
6	Key entered
9	File
A	Contactless magnetic stripe
C	MICR Reader
D	NYCE Mobile Access *will be removed in a future update
M	Contactless Chip-ICC
S	Mag stripe reader and key entry
T	Mag stripe reader and key entry and Chip Card-compatible ICC reader
U	Mag stripe reader and Chip Card-compatible ICC reader

G Network Identification Codes

NYCE has established gateway relationships with certain regional, national, and international networks and also offers certain specific services. These gateways and services have been assigned unique identification codes as defined in the following table.

NYCE offers optional services to Network participants that can also be identified by unique network ID values. Within this set of NYCE services, the primary NYCE Network service is identified by the value "NYC". For certain NYCE services, the use of network ID to identify the service program may be required. Consult with your NYCE implementation analyst or client services contact to confirm requirements.

NYCE recommends that processor participants send, receive and log network ID values in order to distinguish gateway network, NYCE network and NYCE special program services. These codes may appear in NYCE-generated reports and files.

If a processor receives Network IDs because of choice or required processing, NYCE requires the processor to be able to accept 'Nxx' values, where 'xx' represents any alphanumeric value.

Network	Code
Accel	ACL
AFFN Regulated	AFB
AFFN Non-Regulated	AFD
AFFN Reciprocal	AFR
Allpoint	ALP
ATH	ATH
Benefit Program, where x is any alphanumeric value	BPx
Co-op (California)	CPN
CULIANCE (CU24) Gateway, POS	C2P
CULIANCE (CU24) Gateway, CUHere	CHN
CULIANCE (CU24) Gateway, ATM	CRN
Cirrus	CRS
Discover/PULSE	DSC

Network	Code
EBT, where xx is a valid US postal state code	Qxx
Interlink	ILK
Maestro International	MIP
Maestro US	MAP
Mastercard International	MC1
Mastercard US	MC0
MoneyPass Gateway	PAS
NYCE:	
NYCE, where xx is any alpha or numeric combination	NYC Nxx
NYCE AFFN Reciprocal	NAR
NYCE CULIANCE (CU24) Reciprocal	NCR
NYCE Cross Border (Canadian POS only)	NXB
NYCE EBT, where xx is a valid US postal state code	Exx
NYCE eCommerce	NEC
NYCE Health Care	NHC
NYCE International	NIN
NYCE International 2	NI2
NYCE Jeanie Reciprocal	NJR
NYCE Out-Network	NON
NYCE PINless Purchase	NPP
NYCE Real Time	NRT
NYCE Remittance	NRM
NYCE SUM Selective Surcharging Program	NSM
NYCE PaySecure acquirer (internet merchants supporting floating PIN pad technology)	NPS
PLUS	PLS
Presto!	PRG
PULSE Gateway	PUG
Pulse Surcharge-Free Program	PSP
STAR Southeast	STG

Network	Code
STAR BC Card Network Reciprocal	BCC
STAR/UnionPay Reciprocal	CUR
SHAZAM	SZM
PayNet:	
PayNet, where xx is any alphabetic or numeric combination	YRT Yxx
PayNet Remittance	YRM
PayNet, Off-Network	YOF
PayNet Zelle	YZL
Visa	PLV

H NYCE Transaction Codes


Transaction codes indicate what type of transaction has occurred or is being requested.

The following table provides the 6-digit ISO processing codes and the corresponding 2-digit transaction type codes and 3-digit mnemonics used in files and reports generated by NYCE.

The table breaks the codes down as follows:

- Codes appearing in 01xx request messages
- Codes appearing in 02xx request transactions
- Codes appearing in the 0220/0221 completion transactions

These codes may appear in reports and files generated by NYCE.



Note: Not all of the transactions listed may be supported on the NYCE Network per the *NYCE Network Operating Rules*. This list should be used with discretion and with the assistance of your NYCE representatives.

In addition to the codes listed below, NYCE may send you transactions with a default transaction type value of **ZZ**. This default value is applied to transactions with invalid processing codes that are received from acquirers/terminal processors or gateway networks.

Review your end-of-day (EOD) reconciliation files and reports for any approved **ZZ** transactions to ensure that they settle correctly. A potential out-of-balance condition may occur, which may result in manual research and require the submission of an exception item.

01xx request transactions

NYCE Transaction Codes—01xx Request Transactions									
ISO Processing Code (used in online message)	Transaction Description (DE104)	Transaction Type Code (used in user files)	Mnemonics (generally used in reports)	Description	Authorization	Balance Inquiry	POS	ATM	EMS
000000		85	PRF	Purchase preauthorization from FND	X		X		
000000		85	PRF	Purchase preauthorization from FND—cash back	X		X		
000900		84	PAO	Purchase preauthorization from OTH	X		X		
000900		84	PAO	Purchase preauthorization from OTH—cash back	X		X		
001000		82	PRS	Purchase preauthorization from SAV	X		X		
001000		82	PRS	Purchase preauthorization from SAV—cash back	X		X		
002000		81	PRD	Purchase preauthorization from DDA	X		X		
002000		81	PRD	Purchase preauthorization from DDA—cash back	X		X		
003000		83	PRC (SS) ¹	Purchase preauthorization from CCD	X		X		
003000		83	PRC (SS) ¹	Purchase preauthorization from CCD—cash back	X		X		
900000 ²		90	PIC	PIN change request				X	
910000 ²	ITEM	D1	D1F	Item inquiry—FND		X		X	
910000 ²	MINI	ES	MSF	Mini-statement—FND		X		X	
910900 ²	ITEM	D4	D4O	Item inquiry—OTH		X		X	
910900 ²	MINI	ER	MSO	Mini-statement—OTH		X		X	
911000 ²	ITEM	D2	CIS	Item inquiry—SAV		X		X	
911000 ²	ITEMCK	D2	CIS	Item inquiry—SAV		X		X	
911000 ²	MINI	EO	MSS	Mini-statement—SAV		X		X	

NYCE Transaction Codes—01xx Request Transactions									
ISO Processing Code (used in online message)	Transaction Description (DE104)	Transaction Type Code (used in user files)	Mnemonics (generally used in reports)	Description	Authorization	Balance Inquiry	POS	ATM	EMS
912000 ²	ITEM	B8	CID	Item inquiry—DDA		X		X	
912000 ²	ITEMCK	B8	CID	Item inquiry—DDA		X		X	
912000 ²	MINI	EP	MSD	Mini-statement—DDA		X		X	
913000 ²	ITEM	D3	D3R	Item inquiry—CCD		X		X	
913000 ²	MINI	EQ	MSC	Mini-statement—CCD		X		X	
919700 ²	ITEM	EZ	EZ	Item inquiry—ALL		X		X	
919700 ²	MINI	B7	MSA	Mini-statement—ALL		X		X	

- 1 The mnemonic shows the values you will see in the report, FTI, or TES. Where there is a difference in FTI and TES, the mnemonic appears in parentheses (primarily online transactions).
- 2 These are optional products. Please confer with your NYCE Customer Service Representative before using these codes.

02xx request transactions

NYCE Transaction Codes—02xx Request Transactions										
ISO Processing Code (used in online message)	Transaction Description (DE104)	EBT	Transaction Type Code (used in user files)	Mnemonics (generally used in reports)	Description	Authorization	Balance Inquiry	POS	ATM	EMS
000000		000000	79	PPF	Stand-alone purchase from FND			X		
000000			79	(XPF) ¹	Stand-alone purchase from FND – cash back			X		
000900			69	PPO	Stand-alone purchase from OTH			X		
000900			69	(XPO) ¹	Stand-alone purchase from OTH – cash back			X		
001000		001000	68	PPS	Stand-alone purchase from SAV			X		
001000			68	(XPS) ¹	Stand-alone purchase from SAV – cash back			X		
002000		002000	67	PPD	Stand-alone purchase from DDA			X		
002000			67	(XPD) ¹	Stand-alone purchase from DDA – cash back			X		
003000			61	CS	Stand-alone purchase from CCD			X		
003000			61	(CSX) ¹	Stand-alone purchase from CCD – cash back			X		
		009600	FW	CBP	EBT cash purchase			X		
		009800	FT	FSP	EBT food stamp purchase			X		
010000			77	WF	Withdrawal from FND				X	
010900			14	WO	Withdrawal from OTH				X	
011000		011000	13	WS	Withdrawal from SAV				X	
012000		012000	11	WD	Withdrawal from DDA				X	
013000			12	WC	Cash advance from CCD				X	
		019600	FA	CBW	Withdrawal from EBT cash				X	

NYCE Transaction Codes—02xx Request Transactions

ISO Processing Code (used in online message)	Transaction Description (DE104)	EBT	Transaction Type Code (used in user files)	Mnemonics (generally used in reports)	Description	Authorization	Balance Inquiry	POS	ATM	EMS
		099600	FW	CBP (XBP) ¹	Purchase from EBT cash with cash back			X		
190000 ²	1ALL		HA	CPP	Unload PPD card			X		
190000 ²	1PPD		HA	CPP	Unload PPD card			X		
200000			80	MRF	Merchandise return to FND			X		
200009			66	MRO	Merchandise return to OTH			X		
200010			65	MRS	Merchandise return to SAV			X		
200020			64	MRD	Merchandise return to DDA			X		
200030			60	CR	Merchandise return to CCD			X		
		200098	FF	FSR	Return to EBT food stamp			X		
210009			27	DO	Deposit to OTH				X	
210010			29	DS	Deposit to SAV				X	
210020			28	DD	Deposit to DDA				X	
210030 ²			44	PC	Payment to CCD				X	
280000 ²	1PPD		HB	FPP	Load PPD card			X		
300000			76	PBI	Funds available from FND		X		X	
300000 ²	1PPD		HC	FIP	Funds available from PPD card		X	X		
310000			78	BIF	Balance inquiry from FND		X		X	
310900			25	BIO	Balance inquiry from OTH		X		X	
311000			24	BIS	Balance inquiry from SAV		X		X	
312000			22	BID	Balance inquiry from DDA		X		X	
313000			23	BIC	Balance inquiry from CCD		X		X	

NYCE Transaction Codes—02xx Request Transactions

ISO Processing Code (used in online message)	Transaction Description (DE104)	EBT	Transaction Type Code (used in user files)	Mnemonics (generally used in reports)	Description	Authorization	Balance Inquiry	POS	ATM	EMS
		319600	LD	CBI	Balance inquiry from EBT cash		X		X	
		319800	LE	FSI	Balance inquiry from EBT food stamps		X	X		
390000			21	GBI	Generic balance inquiry		X		X	
400909			39	TOO	Transfer OTH to OTH				X	
400910			38	TOS	Transfer OTH to SAV				X	
400920			37	TOD	Transfer OTH to DDA				X	
400930 (580930) ³			41	TOC	Transfer OTH to CCD				X	
401009			36	TSO	Transfer SAV to OTH				X	
401010			40	TSS	Transfer SAV to SAV				X	
401020			35	TSD	Transfer SAV to DDA				X	
401030 (581030) ³			34	TSC	Transfer SAV to CCD				X	
402009			32	TDO	Transfer DDA to OTH				X	
402010			31	TDS	Transfer DDA to SAV				X	
402020			30	TDD	Transfer DDA to DDA				X	
402030 (582030) ³			33	TDC	Transfer DDA to CCD				X	
403009			52	TCO	Transfer CCD to OTH				X	
403010			51	TCS	Transfer CCD to SAV				X	
403020			50	TCD	Transfer CCD to DDA				X	
403030 (583030) ³			53	TCC	Transfer CCD to CCD				X	
500000	PAYEPMT		74	PFT	Payment from FND to 3rd party					X
500900	PAYEPMT		73	POT	Payment from OTH to 3rd party					X

NYCE Transaction Codes—02xx Request Transactions										
ISO Processing Code (used in online message)	Transaction Description (DE104)	EBT	Transaction Type Code (used in user files)	Mnemonics (generally used in reports)	Description	Authorization	Balance Inquiry	POS	ATM	EMS
501000	PAYEPMT		71	PST	Payment from SAV to 3rd party					X
502000	PAYEPMT		70	PDT	Payment from DDA to 3rd party					X
503000	PAYEPMT		72	PCT	Payment from CCD to 3rd party					X
540000	ME2ME		PJ	T1F	Transfer from FND to 3rd party (interbank transfer)				X	X
540000	ME2YOU		PJ	T1F	Transfer from FND to 3rd party (interbank transfer)				X	X
540900	ME2ME		PK	T1O	Transfer from OTH to 3rd party (interbank transfer)				X	X
540900	ME2YOU		PK	T1O	Transfer from OTH to 3rd party (interbank transfer)				X	X
541000	ME2ME		PL	T1S	Transfer from SAV to 3rd party (interbank transfer)				X	X
541000	ME2YOU		PL	T1S	Transfer from SAV to 3rd party (interbank transfer)				X	X
542000	ME2ME		PM	T1D	Transfer from DDA to 3rd party (interbank transfer)				X	X
542000	ME2YOU		PM	T1D	Transfer from DDA to 3rd party (interbank transfer)				X	X
543000	ME2ME		PN	T1C	Transfer from CCD to 3rd party (interbank transfer)				X	X
543000	ME2YOU		PN	T1C	Transfer from CCD to 3rd party (interbank transfer)				X	X
550000	PAYRPMT		PF	PTF	Payment from 3rd party to FND					X
550009	PAYRPMT		PO	PTO	Payment from 3rd party to OTH					X
550010	PAYRPMT		PS	PTS	Payment from 3rd party to SAV					X

NYCE Transaction Codes—02xx Request Transactions										
ISO Processing Code (used in online message)	Transaction Description (DE104)	EBT	Transaction Type Code (used in user files)	Mnemonics (generally used in reports)	Description	Authorization	Balance Inquiry	POS	ATM	EMS
550020	PAYRPMT		PD	PTD	Payment from 3rd party to DDA					X
550030	PAYRPMT		PC	PTC	Payment from 3rd party to CRD					X
560000	ME2ME		P4	T2F	Transfer from 3rd party to FND (interbank transfer)				X	X
560000	ME2YOU		P4	T2F	Transfer from 3rd party to FND (interbank transfer)				X	X
560009	ME2ME		P6	T2O	Transfer from 3rd party to OTH (interbank transfer)				X	X
560009	ME2YOU		P6	T2O	Transfer from 3rd party to OTH (interbank transfer)				X	X
560010	ME2ME		P7	T2S	Transfer from 3rd party to SAV (interbank transfer)				X	X
560010	ME2YOU		P7	T2S	Transfer from 3rd party to SAV (interbank transfer)				X	X
560020	ME2ME		P8	T2D	Transfer from 3rd party to DDA (interbank transfer)				X	X
560020	ME2YOU		P8	T2D	Transfer from 3rd party to DDA (interbank transfer)				X	X
560030	ME2ME		P9	T2C	Transfer from 3rd party to CCD (interbank transfer)				X	X
560030	ME2YOU		P9	T2C	Transfer from 3rd party to CCD (interbank transfer)				X	X
			AJ		Adjustment					

- 1 The mnemonic shows the values you will see in the report, FTI, or TES. Where there is a difference in FTI and TES, the mnemonic appears in parentheses (primarily online transactions).
- 2 These are optional products. Please confer with your NYCE Customer Service Representative before using these codes.
- 3 NYCE prefers that the Transfer code be used but the Payment Process code (the one in parentheses) is acceptable.

0220-0221 pre-auth completions


NYCE Transaction Codes—0220-0221 Pre-Auth Completion Transactions									
ISO Processing Code (used in online message)	Transaction Description (DE104)	Transaction Type Code (used in user files)	Mnemonics (generally used in reports)	Description	Authorization	Balance Inquiry	POS	ATM	EMS
000000		95	PCF	Purchase completion from FND			X		
000000		95	(XCF) ¹	Purchase completion from FND—cash back			X		
000900		94	PCO	Purchase completion from OTH			X		
000900		94	(XCO) ¹	Purchase completion from OTH—cash back			X		
001000		92	PCS	Purchase completion from SAV			X		
001000		92	(XCS) ¹	Purchase completion from SAV—cash back			X		
002000		91	PCD	Purchase completion from DDA			X		
002000		91	(XCD) ¹	Purchase completion from DDA—cash back			X		
003000		93	PCC	Purchase completion from CCD			X		
003000		93	(XCC) ¹	Purchase completion from CCD—cash back			X		

- 1 The mnemonic shows the values you will see in the report, FTI, or TES. Where there is a difference in FTI and TES, the mnemonic appears in parentheses (primarily online transactions).

I Point-of-Service Entry Mode

The following tables list the point-of-service (POS) entry mode codes for customer credential (PAN, card or account credentials) and PIN entry information as referenced in Data Element 022—Point-of-Service Entry Mode. The table for PAN entry mode codes also contains the 1-digit offline values used in files and reports.

This data element is required for all transactions, but may be omitted for magnetic stripe transactions from ATMs, for which a default value of 021 will be used.



Note: Not all of these are currently supported in the NYCE Network. Refer to the *ISO 8583 Interface Specifications* for details.

PAN entry mode codes

PAN Entry Mode Codes		
Offline PAN Entry Mode Codes (used in files and reports)	ISO Code Positions 1-2	Description
0	00	Unspecified
1	01	Manual
2	02	Contact Magnetic Stripe
3	03	Bar Code/QR Code
4	04	OCR, Optical Character Recognition
5	05	Contact Chip Card (aka; Integrated Circuit Card or ICC)
6	06	Manual (manually-entered)
M	07	Contactless Chip Card
9	10	Stored credentials (card on file)
C	80	Fallback—magnetic stripe used due to failure reading the chip on the card.
9	81	Stored credentials (card on file)
W	83	MICR reader
D	84	NYCE Mobile Access, merchant sponsored Digital Wallet *will be removed in a future update
E	85	NYCE Mobile Access, FI sponsored Digital Wallet *will be removed in a future update
2	90	Full magnetic stripe read
A	91	Auto-entry via contactless magnetic stripe

Note: For completions and reversals, an ISO code **00** should be used, unless the original transaction was manually entered or used stored credentials. Codes **01** or **10** should then be used.

Note: PAN Entry Mode, position 1-2, 80 is a fallback when there is a problem with the chip reader at the terminal or a problem with reading the data from the chip. When the AID from the chip data doesn't match an AID loaded on the terminal, either a magnetic stripe read (code 02) or a contactless magnetic stripe read (code 91) must be used.

PIN entry mode codes

PIN Entry Mode Codes	
ISO Code Position 3	Description
0	Unspecified
1	PIN entered
2	No PIN entered (PINless)
6	PIN pad inoperative
9	Offline PIN verified by terminal device

Note: For completion and reversals, a code **0** is recommended.

J Reject Reason Codes

NYCE, issuers/card processors, and acquirers/terminal processors may use reject reason codes to describe why a transaction was rejected.

These codes may appear in reports and files generated by NYCE.

Code (used in reports and files)	Description	Abbreviation (used in reports)
_A	Invalid format	FMT ERROR
_B	Invalid date	INV DATE
_C	Invalid institution ID	INV INST
_D	Invalid security code	INV CODE
_E	Transaction in progress	INPROGRES
_F	Invalid merchant or terminal	INV MERCH
_G	Invalid cardholder number	INV CARD
_H	Invalid expiration date (**)	INV EXP
_I	Invalid PIN	INV PIN
_J	Invalid transaction type	INV TRAN
_K	Invalid amount	INV AMT
_L	Invalid response code	INV RESP
_M	Processor not logged on	NOTSIGNON
_N	Processor option of decline when down	DECLINE
_P	Cardholder not on file	NOTONFILE
_R	Excessive PIN tries (**)	PIN TRIES
AD	Lost/stolen card (**)	HOT CARD
AE	Fraud (**)	FRAUD
AF	Invalid prefix	INVPREFIX
AJ	Transaction not available	NOT AVAIL
AK	Permanent restraint (**)	PERM REST

Code (used in reports and files)	Description	Abbreviation (used in reports)
AL	Bad debt (**)	BAD DEBT
AM	Reject of an add	REJ ADD
AP	Terminal not owned by requester	TERM OWN
CF	AVS Not Provided	AVS NOT PROVIDED
D5	Nonsufficient funds	NSF
ND	Lost/stolen card (#)	HOT CARD
NE	Fraud (#)	FRAUD
NH	Invalid expiration date (#)	INV EXP
NK	Permanent restraint (#)	PERM REST
NL	Bad debt (#)	BAD DEBT
NR	Excessive PIN tries (#)	PIN TRIES
P8	Closed account	CLOSED
P9	Dormant	DORMANT
PG	Invalid sequence number	INV SEQ
PI	Total daily withdrawal uses exceeded (#)	EXCESSUSE
PJ	Total daily withdrawal uses exceeded (**)	EXCESSUSE
PR	Total daily withdrawal amount exceeded (#)	DOLLARLMT
PS	Total daily withdrawal amount exceeded (**)	DOLLARLMT
PT	Transaction not allowed by institution	INV TRANS
PU	Hot card for transaction denial	HOT CARD
Q1	General denial	REJECT
Q3	Card misplaced (**)	LOST CARD
Q4	No account on file (**)	INV ACCT
Q5	Card acceptor—call issuer	NOT AVAIL
Q6	Card acceptor—call issuer	NOT AVAIL
Q7	Card acceptor—call issuer	NOT AVAIL
Q8	Invalid function	INV FUNCT
Q9	Invalid message format	INV FMT

Code (used in reports and files)	Description	Abbreviation (used in reports)
QB	Key synchronization error	KEY ERROR
QC	Invalid service type	INV TYPE
QD	Suspect counterfeit card	SUSP CNTF
QF	PSI SI wrap back	WRAP BACK
QJ	Reflects CVV/CVC failures	CV1 FAIL
QM	MAC (message authentication code) error	MAC ERROR
QQ	Item error	ITEM ERR
RD	Blocked	RMS DENY
RH	Unacceptable transaction fee	UNACC TRN
RI	Violation of law	UNLAWFUL
RJ	Duplicate transaction	DUP TRAN
RK	System malfunction	SYS ERROR
RL	Authorization life cycle unacceptable	AUTHCYCLE
RM	Authorization life cycle has expired	EXP AUTH
RY	Inactive card	INACT CRD
S_	No DDA account on file	NO DDA
S0	Check not acceptable for cash	CK NA CSH
S1	Check not acceptable	CHECK NA
S2	Exceeded check deposit limit	EX CK DEP
S3	Exceeded cash back limit	EX CK CB
S4	Check amount does not match courtesy amount	AMTS DIFF
S5	PIN not selected	NO PIN CH
S6	Duplicate PIN; PIN already selected	DUP PIN
S7	Unmatched voucher information	VOUCHR NE
S8	Allowable PAN tries exceeded	PAN NTRYs
SB	Digital ID error	DIGITL ID
SJ	Item settled by ACH	ACH ENTRY
SK	Cross record card not found	NO XRF CD
SP	Invalid code	INV CODE

Code (used in reports and files)	Description	Abbreviation (used in reports)
SR	Reflects CVV2/CVC2 failures and CAVV failures	CV2/CAV F
SS	Stop payment	STOP PYMT
ST	Authorization revoked	AUTH RVKD
T_	No SAV account on file	NO SAV
TA	ARQC for an EMV chip transaction failed verification	INV ARQC
U_	No universal account on file	NO UNV
UR	Mismatch on expiration date	EXPDT MIS
US	Mismatch on expiration date (**)	EXPDT MIS
V_	No investment account on file	NO INVEST
VC	Authorization Blocker Service determined the criteria for transaction denial was met	AUTH BLOCK
W_	No FND account on file	NO FND
X_	No OTH account on file	NO OTH
X0	Incomplete flow	INC FLOW
X1	Processor requested stand-in	REQ SNF
Y_	No CRD account on file	NO CRD

(#) the acquirer should return the card to the cardholder despite a severe reject code

(**)card capture is at the discretion of acquirer

_ indicates a blank space