

# Cucumber Report

10-Apr-2025, 7:57:31 pm

Start : Apr 10, 7:57:12.391 pm

End : Apr 10, 7:57:28.943 pm

Duration : 16.552 s

Features



Scenarios

Steps

PASSED - 2  
FAILED - 0  
SKIPPED - 0


PASSED - 10  
FAILED - 0  
SKIPPED - 0

PASSED - 34  
FAILED - 0  
SKIPPED - 0




| Feature                                     |          | Scenario |   |   |   | Step |    |   |   |
|---|----------|----------|---|---|---|------|----|---|---|
| Name  | Duration | T        | P | F | S | T    | P  | F | S |
| <u>End to End E-commerce API validation</u> | 9.252 s  | 6        | 6 | 0 | 0 | 21   | 21 | 0 | 0 |
| <u>Validate Place API</u>                   | 7.196 s  | 4        | 4 | 0 | 0 | 13   | 13 | 0 | 0 |

| <b><i>TAG</i></b>  | <b><i>Scenario</i></b> |                 |                 |                 | <b><i>Feature</i></b> |                 |                 |                 |
|--------------------|------------------------|-----------------|-----------------|-----------------|-----------------------|-----------------|-----------------|-----------------|
| <b><i>Name</i></b> | <b><i>T</i></b>        | <b><i>P</i></b> | <b><i>F</i></b> | <b><i>S</i></b> | <b><i>T</i></b>       | <b><i>P</i></b> | <b><i>F</i></b> | <b><i>S</i></b> |
| @Regression        | 10                     | 10              | 0               | 0               | 2                     | 2               | 0               | 0               |




| # | Feature Name                                | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | <u>End to End E-commerce API validation</u> | 6 | 6 | 0 | 0 | 9.252 s  |
| 2 | <u>Validate Place API</u>                   | 4 | 4 | 0 | 0 | 7.196 s  |





| # | Feature Name                                | Scenario Name   | T | P | F | S | Duration |
|---|---|---|---|---|---|---|----------|
| 1 | <u>End to End E-commerce API validation</u> | <u>1 Verify the login API, whether able to login</u>                      | 3 | 3 | 0 | 0 | 5.505 s  |
| 2 |   | <u>2 Verify the Product API, whether able to create a new product</u>     | 3 | 3 | 0 | 0 | 1.517 s  |
| 3 |   | <u>3 Verify the Order API, whether able to create a new order</u>         | 3 | 3 | 0 | 0 | 0.473 s  |
| 4 |   | <u>4 Verify the Order Detail API, whether able to fetch order details</u> | 4 | 4 | 0 | 0 | 0.429 s  |
| 5 |   | <u>5 Verify the Order Delete API, whether able to delete order</u>        | 4 | 4 | 0 | 0 | 1.026 s  |
| 6 |   | <u>6 Verify the Product Delete API, whether able to delete product</u>    | 4 | 4 | 0 | 0 | 0.195 s  |
| 7 | <u>Validate Place API</u>                   | <u>1 Verify if place being successfully added using AddPlaceAPI</u>       | 4 | 4 | 0 | 0 | 0.764 s  |
| 8 |   | <u>2 Verify if place details fetching successfully by GetPlaceAPI</u>     | 3 | 3 | 0 | 0 | 2.138 s  |

| # | Feature Name | Scenario Name  | T | P | F | S | Duration |
|---|--------------|--|---|---|---|---|----------|
| 9 |              | <u>3 Verify if place details fetching successfully by UpdatePlaceAPI</u> | 3 | 3 | 0 | 0 | 2.078 s  |





| #  | Feature Name              | Scenario Name  | T | P | F | S | Duration |
|----|---------------------------|--|---|---|---|---|----------|
| 10 | <u>Validate Place API</u> | <u>4 Verify if place details fetching successfully by DeletePlaceAPI</u> | 3 | 3 | 0 | 0 | 2.187 s  |

## End to End E-commerce API validation

|                                      |                           |  |   |  |   |
|--------------------------------------|---------------------------|--|---|--|---|
| <b>PASSED</b>                        | <b>DURATION - 9.252 s</b> | Scenarios<br>Total - 6<br>Pass - 6<br>Fail - 0<br>Skip - 0 |  | Steps<br>Total - 21<br>Pass - 21<br>Fail - 0<br>Skip - 0 |  |
| / 7:57:12.391 pm // 7:57:21.643 pm / |                           |  |   |  |   |



### 1 Verify the login API, whether able to login

|   |                               |   |   |  |
|---|-------------------------------|---|---|--|
| <div>PASSED</div>                               | <div>DURATION - 5.505 s</div> | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 7:57:12.400 pm // 7:57:17.905 pm /</div> |                               |   |   |  |
| <div>End to End E-commerce API validation</div> |                               |   |   |  |
| <div>@Regression</div>                          |                               |   |   |  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given add headers to the API with below details:<br><div>Content-Type<br/>application/json</div>   | PASSED | 1.150 s  |
| 2 | When user calls "LoginUser" API with "POST" request:<br><div> <div>userEmail</div> <div>password</div> <div>postman55@gmail.com</div> <div>Naidu@117</div> </div>                              | PASSED | 2.910 s  |
| 3 | Then validate the status "200" with below details:<br><div> <div>message</div> <div>userId</div> <div>token</div> <div>Login Successfully</div> <div>NotNull#</div> <div>NotNull#</div> </div> | PASSED | 1.375 s  |



### 2 Verify the Product API, whether able to create a new product



|   |   |   |  |
|---|---|---|--|
| <div>PASSED</div> <div>DURATION - 1.517 s</div> | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 7:57:17.931 pm // 7:57:19.448 pm /</div> |   |   |  |
| <div>End to End E-commerce API validation</div> |   |   |  |
| <div>@Regression</div>                          |   |   |  |

| # | Step / Hook Details  | Status | Duration |                     |                 |                    |              |                    |            |                   |
|---|--|--------|----------|---------------------|-----------------|--------------------|--------------|--------------------|------------|-------------------|
| 1 | Given add headers to the API with below details:                         | PASSED | 0.007 s  |                     |                 |                    |              |                    |            |                   |
|   | Authorization  |        |          | Content-Type        |                 |                    |              |                    |            |                   |
|   | token#   |        |          | multipart/form-data |                 |                    |              |                    |            |                   |
| 2 | When user calls "CreateProduct" API with "POST" request using form-data: | PASSED | 1.426 s  |                     |                 |                    |              |                    |            |                   |
|   | productName  |        |          | productAddedBy      | productCategory | productSubCategory | productPrice | productDescription | productFor | productImage-file |
|   | T-shirt_191  |        |          | userId#             | fashion         | shirts             | 1500         | Addias Originals   | women      | Image#            |
| 3 | Then validate the status "201" with below details:                       | PASSED | 0.056 s  |                     |                 |                    |              |                    |            |                   |
|   | message  |        |          | productId           |                 |                    |              |                    |            |                   |
|   | Product Added Successfully   |        |          | NotNull#            |                 |                    |              |                    |            |                   |



### 3 Verify the Order API, whether able to create a new order

|   |                               |  |   |   |
|---|-------------------------------|--|---|---|
| <div>PASSED</div>                               | <div>DURATION - 0.473 s</div> | <div></div> | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| <div>/ 7:57:19.485 pm // 7:57:19.958 pm /</div> |                               |  |   |   |
| <div>End to End E-commerce API validation</div> |                               |  |   |   |
| <div>@Regression</div>                          |                               |  |   |   |

| # | Step / Hook Details                                    | Status | Duration |                  |
|---|--|--------|----------|------------------|
| 1 | Given add headers to the API with below details:       | PASSED | 0.005 s  |                  |
|   | Authorization  |        |          | Content-Type     |
|   | token#   |        |          | application/json |
| 2 | When user calls "CreateOrder" API with "POST" request: | PASSED | 0.212 s  |                  |



| #                         | Step / Hook Details   |                |           |  | Status  | Duration  |         |  |                |            |                           |  |         |          |
|---------------------------|---|----------------|-----------|--|---------|-----------|---------|--|----------------|------------|---------------------------|--|---------|----------|
|                           | <table><tr><td>country</td><td colspan="3">productId</td></tr><tr><td>India</td><td colspan="3">productId#</td></tr></table>  |                |           |  | country | productId |         |  | India          | productId# |                           |  |         |          |
| country                   | productId   |                |           |  |         |           |         |  |                |            |                           |  |         |          |
| India                     | productId#  |                |           |  |         |           |         |  |                |            |                           |  |         |          |
| 3                         | Then validate the status "201" with below details:  |                |           |  | PASSED  | 0.241 s   |         |  |                |            |                           |  |         |          |
|                           | <table><tr><td colspan="2">message</td><td>productOrderId</td><td>orders[0]</td></tr><tr><td colspan="2">Order Placed Successfully</td><td>NotNull</td><td>NotNull#</td></tr></table> |                |           |  |         |           | message |  | productOrderId | orders[0]  | Order Placed Successfully |  | NotNull | NotNull# |
| message                   |   | productOrderId | orders[0] |  |         |           |         |  |                |            |                           |  |         |          |
| Order Placed Successfully |   | NotNull        | NotNull#  |  |         |           |         |  |                |            |                           |  |         |          |

#### 4 Verify the Order Detail API, whether able to fetch order details

|                                      |                    |  |  |   |
|--------------------------------------|--------------------|--|--|---|
| PASSED                               | DURATION - 0.429 s |  | Steps<br>Total - 4<br>Pass - 4<br>Fail - 0<br>Skip - 0 |  |
| / 7:57:19.969 pm // 7:57:20.398 pm / |                    |  |  |   |
| End to End E-commerce API validation |                    |  |  |   |
| @Regression                          |                    |  |  |   |



| # | Step / Hook Details  |                  |                |                       | Status | Duration |                  |
|---|--|------------------|----------------|-----------------------|--------|----------|------------------|
| 1 | Given add headers to the API with below details:           |                  |                |                       | PASSED | 0.014 s  |                  |
|   | Authorization  |                  | Content-Type   |                       |        |          |                  |
|   | token#   | application/json |                |                       |        |          |                  |
| 2 | And add query parameters to the API with below details:    |                  |                |                       | PASSED | 0.035 s  |                  |
|   | id   |                  |                |                       |        |          |                  |
|   | orders[0]#   |                  |                |                       |        |          |                  |
| 3 | When user calls "FetchOrderDetails" API with "GET" request |                  |                |                       | PASSED | 0.245 s  |                  |
| 4 | Then validate the status "200" with below details:         |                  |                |                       | PASSED | 0.081 s  |                  |
|   | message  |                  | data.orderById | data.productOrderedId |        |          | data.productName |
|   | Orders fetched for customer Successfully                   |                  | NotNull        | NotNull               |        |          | NotNull          |

#### 5 Verify the Order Delete API, whether able to delete order

|                                      |                               |   |   |  |
|--------------------------------------|-------------------------------|---|---|--|
| <div>PASSED</div>                    | <div>DURATION - 1.026 s</div> | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| / 7:57:20.413 pm // 7:57:21.439 pm / |                               |   |   |  |
| End to End E-commerce API validation |                               |   |   |  |
| @Regression                          |                               |   |   |  |

| #                           | Step / Hook Details  | Status | Duration |               |
|-----------------------------|--|--------|----------|---------------|
| 1                           | Given add headers to the API with below details:   | PASSED | 0.039 s  |               |
|                             | <table><tr><td>Authorization</td><td>Content-Type</td></tr><tr><td>token#</td><td>application/json</td></tr></table> |        |          | Authorization |
| Authorization               | Content-Type   |        |          |               |
| token#                      | application/json   |        |          |               |
| 2                           | And add path parameters to the API with below details:   | PASSED | 0.005 s  |               |
|                             | <table><tr><td>OrderId</td></tr><tr><td>orders[0]#</td></tr></table>   |        |          | OrderId       |
| OrderId                     |  |        |          |               |
| orders[0]#                  |  |        |          |               |
| 3                           | When user calls "DeleteOrder" API with "DELETE" request  | PASSED | 0.917 s  |               |
| 4                           | Then validate the status "200" with below details:   | PASSED | 0.019 s  |               |
|                             | <table><tr><td>message</td></tr><tr><td>Orders Deleted Successfully</td></tr></table>                                |        |          | message       |
| message                     |  |        |          |               |
| Orders Deleted Successfully |  |        |          |               |



### 6 Verify the Product Delete API, whether able to delete product

|                                      |                               |  |   |  |
|--------------------------------------|-------------------------------|--|---|--|
| <div>PASSED</div>                    | <div>DURATION - 0.195 s</div> | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div> | <div></div> |
| / 7:57:21.448 pm // 7:57:21.643 pm / |                               |  |   |  |
| End to End E-commerce API validation |                               |  |   |  |
| @Regression                          |                               |  |   |  |



| #             | Step / Hook Details  | Status | Duration |               |
|---------------|--|--------|----------|---------------|
| 1             | Given add headers to the API with below details:   | PASSED | 0.004 s  |               |
|               | <table><tr><td>Authorization</td><td>Content-Type</td></tr><tr><td>token#</td><td>application/json</td></tr></table> |        |          | Authorization |
| Authorization | Content-Type   |        |          |               |
| token#        | application/json   |        |          |               |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 2 | And add path parameters to the API with below details:<br><div>productId</div> <div>productId#</div>             | PASSED | 0.002 s  |
| 3 | When user calls "DeleteProduct" API with "DELETE" request  | PASSED | 0.143 s  |
| 4 | Then validate the status "200" with below details:<br><div>message</div> <div>Product Deleted Successfully</div> | PASSED | 0.030 s  |

### Validate Place API

|                                      |                    |  |   |  |   |
|--------------------------------------|--------------------|--|---|--|---|
| PASSED                               | DURATION - 7.196 s | Scenarios<br>Total - 4<br>Pass - 4<br>Fail - 0<br>Skip - 0 |  | Steps<br>Total - 13<br>Pass - 13<br>Fail - 0<br>Skip - 0 |  |
| / 7:57:21.747 pm // 7:57:28.943 pm / |                    |  |   |  |   |



### 1 Verify if place being successfully added using AddPlaceAPI

|                                      |                    |   |  |  |
|--------------------------------------|--------------------|---|--|--|
| PASSED                               | DURATION - 0.764 s |  | Steps<br>Total - 4<br>Pass - 4<br>Fail - 0<br>Skip - 0 |  |
| / 7:57:21.747 pm // 7:57:22.511 pm / |                    |   |  |  |
| Validate Place API                   |                    |   |  |  |
| @Regression                          |                    |   |  |  |

| # | Step / Hook Details  | Status | Duration |
|---|--|--------|----------|
| 1 | Given add headers to the API with below details:<br><div>Content-Type</div> <div>Accept</div> <div>application/json</div> <div>*/*</div> | PASSED | 0.012 s  |
| 2 | And add query parameters to the API with below details:<br><div>key</div> <div>qaclick123</div>  | PASSED | 0.002 s  |



| # | Step / Hook Details                                 |           |           |                        |             |           | Status | Duration |
|---|---|-----------|-----------|------------------------|-------------|-----------|--------|----------|
| 3 | When user calls "AddPlace" API with "POST" request: |           |           |                        |             |           | PASSED | 0.608 s  |
|   |   |           |           |                        |             |           |        |          |
|   | latitude  | longitude | name      | address                | side layout | language  |        |          |
|   | -31.388192  | 37.589062 | atest     | Maratahalli, Bangalore | shop        | India-IND |        |          |
| 4 | Then validate the status "200" with below details:  |           |           |                        |             |           | PASSED | 0.114 s  |
|   |   |           |           |                        |             |           |        |          |
|   | status  | place_id  | reference | id                     |             |           |        |          |
|   | OK  | NotNull#  | NotNull   | NotNull                |             |           |        |          |

## 2 Verify if place details fetching successfully by GetPlaceAPI

|                                      |                    |  |  |   |
|--------------------------------------|--------------------|--|--|---|
| PASSED                               | DURATION - 2.138 s |  | Steps<br>Total - 3<br>Pass - 3<br>Fail - 0<br>Skip - 0 |  |
| / 7:57:22.523 pm // 7:57:24.661 pm / |                    |  |  |   |
| Validate Place API                   |                    |  |  |   |
| @Regression                          |                    |  |  |   |



| #          | Step / Hook Details   | Status  | Duration |          |          |            |           |         |         |
|------------|---|---------|----------|----------|----------|------------|-----------|---------|---------|
| 1          | Given add query parameters to the API with below details:   | PASSED  | 0.009 s  |          |          |            |           |         |         |
|            | <table><tr><td>key</td><td>place_id</td></tr><tr><td>qaclick123</td><td>place_id#</td></tr></table>                             |         |          | key      | place_id | qaclick123 | place_id# |         |         |
|            | key   |         |          | place_id |          |            |           |         |         |
| qaclick123 | place_id#   |         |          |          |          |            |           |         |         |
|            |   |         |          |          |          |            |           |         |         |
| 2          | When user calls "GetPlace" API with "GET" request   | PASSED  | 2.040 s  |          |          |            |           |         |         |
| 3          | Then validate the status "200" with below details:  | PASSED  | 0.073 s  |          |          |            |           |         |         |
|            | <table><tr><td>address</td><td>name</td><td>language</td></tr><tr><td>NotNull</td><td>NotNull</td><td>NotNull</td></tr></table> |         |          | address  | name     | language   | NotNull   | NotNull | NotNull |
|            | address   |         |          | name     | language |            |           |         |         |
| NotNull    | NotNull   | NotNull |          |          |          |            |           |         |         |
|            |   |         |          |          |          |            |           |         |         |

## 3 Verify if place details fetching successfully by UpdatePlaceAPI

|   |  |   |   |
|---|--|---|---|
| <div>PASSED</div> <div>DURATION - 2.078 s</div> |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| <div>/ 7:57:24.668 pm // 7:57:26.746 pm /</div> |  |   |   |
| <div>Validate Place API</div>                   |  |   |   |
| <div>@Regression</div>                          |  |   |   |

| # | Step / Hook Details                                       | Status | Duration |            |            |
|---|---|--------|----------|------------|------------|
| 1 | Given add query parameters to the API with below details: | PASSED | 0.002 s  |            |            |
|   | key   |        |          |            |            |
|   | qaclick123  |        |          |            |            |
| 2 | When user calls "UpdatePlace" API with "PUT" request:     | PASSED | 2.048 s  |            |            |
|   | place_id  |        |          | address    | key        |
|   | place_id#   |        |          | HSR Layout | qaclick123 |
| 3 | Then validate the status "200" with below details:        | PASSED | 0.016 s  |            |            |
|   | msg   |        |          |            |            |
|   | Address successfully updated                              |        |          |            |            |

#### 4 Verify if place details fetching successfully by DeletePlaceAPI

|                                      |                               |   |   |  |
|--------------------------------------|-------------------------------|---|---|--|
| <div>PASSED</div>                    | <div>DURATION - 2.187 s</div> |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| / 7:57:26.756 pm // 7:57:28.943 pm / |                               |   |   |  |
| Validate Place API                   |                               |   |   |  |
| @Regression                          |                               |   |   |  |

| # | Step / Hook Details                                       | Status | Duration |
|---|---|--------|----------|
| 1 | Given add query parameters to the API with below details: | PASSED | 0.002 s  |
|   | key   |        |          |
|   | qaclick123  |        |          |
| 2 | When user calls "DeletePlace" API with "DELETE" request:  | PASSED | 2.141 s  |

| # | Step / Hook Details                                | Status | Duration |
|---|--|--------|----------|
|   | <div>place_id</div> <div>place_id#</div>           |        |          |
| 3 | Then validate the status "200" with below details: | PASSED | 0.025 s  |
|   | <div>status</div> <div>OK</div>                    |        |          |